

SITE PLAN

CONNECTION
SSM 197221-SSM 180734
42°51'36"~ 518.113
NOTE:
SSM COORDINATES SHOWN MAY
NOT MATCH SCIMS COORDINATES




A Dial Before You Dig enquiry must be lodged at least two business days prior to starting any excavation or work site project.

FULTON TROTTER

PROJECT
DETAIL SURVEY
OF
LOT 1 DP 815804
CAPTAIN COOK DRIVE
CRONULA

NOTES
Tree sizes are estimates only. Only visible services have been located in this survey. Service and utilities shown on plan have been located by physical evidence on site only and may not have been opened to verify the type of utility. Neither excavation nor potholing have been carried out to confirm underground location. Service details should be confirmed with the relevant service authority during design and prior to any construction. All dimensions must be verified on site prior to any construction. The position of surveyed data has been located and is shown to topographic accuracies. If clearances to boundaries or other features are critical and dimensions are not shown further survey may be required. The title boundaries shown hereon were not marked at the time of survey and have been determined by plan dimensions only and not by field survey. Any construction on or near boundaries will require further survey in order that marks defining boundaries can be placed.



1	GKO	27/10/2020	INITIAL ISSUE
---	-----	------------	---------------

SYM CODE	DESCRIPTION	SYM CODE	DESCRIPTION
BM	BENCH MARK	OFM	OPTICAL FIBRE MARKER
BO	BOLLARD	OPF	OPTICAL FIBRE PIT
DJM	DRAINAGE MAN-HOLE	TS	TRUNK
EFP	ELEC FUSE BOX	SE	SEAT
ELP	ELEC GARDEN LIGHT	TS	SHRUB
EL	ELEC GREEN PILLAR	TCA	TELSTRA PIT
LP	ELEC LIGHT POLE	SLH	SEWER LAMP HOLE
EP	ELEC SINGLE PIT	SMH	SEWER MANHOLE
SPL	ELEC STAY POLE	SVP	SEWER VENT PIPE
PP	ELEC POWER POLE	SI	SIGN
ELP	ELEC POLE/LIGHT	BS	BUS STOP SIGN
TRANS	ELE POLE/TRANSFORM	T	TREE
FD	FUEL DIP	SGL	TRAFFIC LIGHT
GM	GAS MAIN	SCL	TRAFFIC CONTROLLER
GMR	GAS METER	SJX	TRAFFIC JUNCTION BOX
GAS	GAS VALVE	US	UNKNOWN SERVICE
AG	GATE	WAV	WATER AIR VALVE
GUL	GULLY PIT	WMR	WATER METER
HYD	HYDRANT	WEP	WATER PUMP
BOR	BORHOLE	WSV	WATER STOP VALVE
GPM	GAS MARKER	WTP	WATER TAP

Symbols shown are indicative only. The symbol size and orientation does not necessarily represent the real size or orientation of the feature.



DRAINAGE PIPE U/G	---
DRAIN	---
ELECT CABLE A/G	---
ELEC CABLE U/G	---
GAS PIPE	---
FENCE LINE	---
SEWERAGE PIPE	---
TELSTRA CABLE	---
WATER PIPE	---

LANDPARTNERS
built environment consultants


Sydney Office
Level 2, 23-29 South Street
Rydalmere NSW 2116
PO Box 1144
Dundas NSW 2117



(02) 9685 2000
info@landpartners.com.au
www.landpartners.com.au

HEIGHT DATUM AHD	LOCAL AUTHORITY SUTHERLAND SHIRE
HEIGHT ORIGIN SSM197221 RL 2.818	SCALE 1: 750(A1)
MERIDIAN MGA ZONE 56	CONTOUR INTERVAL 0.25 Metre
CO-ORD SYSTEM GDA 2020	SURVEYOR LH/MCD/BL
DATE OF SURVEY 09/10/2020	
CCAD FILE SY075045-000-1-1 Plans	DRAWN SF
DATE 27/10/2020	
AUTOCAD FILE SY075045.000.1.1	CHECKED LH/BS
DATE 27/10/2020	
ARCHIVE FILE	APPROVED GKO
DATE 27/10/2020	
PLAN NUMBER SY075045.000.1.1	SHEET 01 OF 09



THERE ARE LAYERS WITHIN THIS CAD PLAN THAT HAVE BEEN TURNED OFF FOR CLARITY PURPOSES






THERE ARE LAYERS WITHIN THIS CAD PLAN THAT HAVE BEEN TURNED OFF FOR CLARITY PURPOSES

- LEGEND:
- D DOOR
 - H TOP OF WINDOW
 - IL INVERT LEVEL
 - Ø DIAMETER OF PIPE
 - S BOTTOM OF WINDOW
 - WG GROUND FLOOR WINDOW
 - WMH WATER MANHOLE
 - PC PRAM CROSSING
 - PLE PLAY EQUIPMENT
 - US UNKNOWN SERVICE
 - A/C AIR CONDITIONER
 - TOP OF BANK
 - BOTTOM OF BANK
 - COLUMN

NOTE: DEMOUNTABLES MOUNTED UP TO 2.5 METRES IN THE AIR DUE TO SLOPE SUPPORT COLUMNS SHOWN



A Dial Before You Dig enquiry must be lodged at least two business days prior to starting any excavation or work site project.




FULTON TROTTER

PROJECT

DETAIL SURVEY OF LOT 1 DP 815804 CAPTAIN COOK DRIVE CRONULA

NOTES
Tree sizes are estimates only. Only visible services have been located in this survey. Service and utilities shown on plan have been located by physical evidence on site only and may not have been opened to verify the type of utility. Neither excavation nor potholing have been carried out to confirm underground location. Service details should be confirmed with the relevant service authority during design and prior to any construction. All dimensions must be verified on site prior to any construction. The position of surveyed data has been located and is shown to topographic accuracies. If clearances to boundaries or other features are critical and dimensions are not shown further survey may be required. The title boundaries shown hereon were not marked at the time of survey and have been determined by plan dimensions only and not by field survey. Any construction on or near boundaries will require further survey in order that marks defining boundaries can be placed.



1	GKO	27/10/2020	INITIAL ISSUE
---	-----	------------	---------------


SYM CODE	DESCRIPTION	SYM CODE	DESCRIPTION
△	BIN	○	OFM OPTICAL FIBRE MARKER
▲	BENCH MARK	○	OPF OPTICAL FIBRE PIT
●	BOLLARD	○	TM PALM TREE
■	DRAINAGE MANHOLE	○	TS SEAT
□	ELEC FUSE BOX	○	TS SHRUB
✱	ELEC GARDEN LIGHT	○	TCA TELSTRA PIT
EL	ELEC GREEN PILLAR	○	SLH SEWER LAMP HOLE
LP	ELEC LIGHT POLE	○	SMH SEWER MANHOLE
EP	ELEC SINGLE PIT	○	SVP SEWER STOP PIPE
SP	ELEC STAY POLE	○	SI SIGN
PP	ELEC POWER POLE	○	BS BUS STOP SIGN
ELP	ELEC POLE/LIGHT	○	T TREE
TRANS	ELEC POLE/TRANSFORM	○	SGL TRAFFIC LIGHT
FD	FUEL DIP	○	SCL TRAFFIC CONTROLLER
GM	GAS MAIN	○	SJX TRAFFIC JUNCTION BOX
GMR	GAS METER	○	US UNKNOWN SERVICE
GA	GAS VALVE	○	WAV WATER AIR VALVE
AG	GATE	○	WMR WATER METER
GUL	GULLY PIT	○	WEP WATER PUMP
HYD	HYDRANT	○	WST WATER STOP VALVE
BO	BOREHOLE	○	WTP WATER TAP
GPM	GAS MARKER		

DRAINAGE PIPE U/G	—
DRAIN	—
ELECT CABLE A/G	—
ELEC CABLE U/G	—
GAS PIPE	—
FENCE LINE	—
SEWERAGE PIPE	—
TELSTRA CABLE	—
WATER PIPE	—

Sydney Office
Level 2, 23-29 South Street
Rydalmere NSW 2116
PO Box 1144
Dundas NSW 2117

(p) 02 9885 2000
e info@landpartners.com.au
w www.landpartners.com.au

HEIGHT DATUM	AHD	LOCAL AUTHORITY	SUTHERLAND SHIRE
HEIGHT ORIGIN	SSM197221 RL 2.818	SCALE	1: 200(A1)
MERIDIAN	MGA_ZONE 56	CONTOUR INTERVAL	0.25 Metre
COORD SYSTEM	GDA 2020	SURVEYOR	LH/MCD/BL
DATE OF SURVEY	09/10/2020		
CCAD FILE	SY075045-000-1-1 Plans	DRAWN	DATE
AUTOCAD FILE	SY075045.000.1.1	DATE	27/10/2020
ARCHIVE FILE		CHECKED	DATE
		DATE	27/10/2020
PLAN NUMBER	SY075045.000.1.1	APPROVED	DATE
		DATE	27/10/2020
		SHEET	02 OF 09



NOTE: CLASSROOMS P1-P19 ARE DEMOUNTABLE.


ADJOINS SHEET 6



A Dial Before You Dig enquiry must be lodged at least two business days prior to starting any excavation or work site project.



THERE ARE LAYERS WITHIN THIS CAD PLAN THAT HAVE BEEN TURNED OFF FOR CLARITY PURPOSES




CLASSROOMS ARE DEMOUNTABLE

FULTON TROTTER

PROJECT DETAIL SURVEY OF LOT 1 DP 815804 CAPTAIN COOK DRIVE CRONULA

NOTES
Tree sizes are estimates only. Only visible services have been located in this survey. Service and utilities shown on plan have been located by physical evidence on site only and may not have been opened to verify the type of utility. Neither excavation nor potholing have been carried out to confirm underground location. Service details should be confirmed with the relevant service authority during design and prior to any construction. All dimensions must be verified on site prior to any construction. The position of surveyed data has been located and is shown to topographic accuracies. If clearances to boundaries or other features are critical and dimensions are not shown further survey may be required. The title boundaries shown hereon were not marked at the time of survey and have been determined by plan dimensions only and not by field survey. Any construction on or near boundaries will require further survey in order that marks defining boundaries can be placed.



1	GKO	27/10/2020	INITIAL ISSUE
---	-----	------------	---------------

SYM CODE	DESCRIPTION	SYM CODE	DESCRIPTION
△	BIN	○	OFM OPTICAL FIBRE MARKER
△	BM BENCH MARK	○	OPF OPTICAL FIBRE PIT
○	BOLLARD	○	TM PALM TREE
□	DJM DRAINAGE MAN-HOLE	○	TS SEAT
□	EFP ELEC FUSE BOX	○	TS SHRUB
□	ELP ELEC GARDEN LIGHT	○	TCA TELSTRA PIT
□	EL ELEC GREEN PILLAR	○	SLH SEWER LAMP HOLE
□	LP ELEC LIGHT POLE	○	SMW SEWER MANHOLE
□	EP ELEC SINGLE PIT	○	SWP SEWER VENT PIPE
□	SP ELEC STAY POLE	○	SI SIGN
□	PP ELEC POWER POLE	○	PS BUS STOP SIGN
□	ELP ELEC POLE/LIGHT	○	T TREE
□	TRANS ELEC POLE/TRANSFORM	○	SGL TRAFFIC LIGHT
○	FD FUEL DIP	○	SCL TRAFFIC CONTROLLER
○	GM GAS MAIN	○	SUX TRAFFIC JUNCTION BOX
○	GMR GAS METER	○	US UNKNOWN SERVICE
○	GA GAS VALVE	○	WAV WATER AIR VALVE
○	AG GATE	○	WMR WATER METER
○	GUL GULLY PIT	○	WEP WATER PUMP
○	HYD HYDRANT	○	WSV WATER STOP VALVE
○	BOR BOREHOLE	○	WTP WATER TAP
○	GPM GAS MARKER		


DESCRIPTION	SYMBOL
DRAINAGE PIPE U/G	—
DRAIN	—
ELECT CABLE A/G	—
ELECT CABLE U/G	—
GAS PIPE	—
FENCE LINE	—
SEWERAGE PIPE	—
TELSTRA CABLE	—
WATER PIPE	—


LANDPARTNERS
built environment consultants

Sydney Office
Level 2, 23-29 South Street
Rydalmere NSW 2116
PO Box 1144
Dundas NSW 2117

p: (02) 9885 2000
e: info@landpartners.com.au
w: www.landpartners.com.au

HEIGHT DATUM AHD	LOCAL AUTHORITY SUTHERLAND SHIRE
HEIGHT ORIGIN SSM197221 RL 2.818	SCALE 1: 200(A1)
MERIDIAN MGA ZONE 56	CONTOUR INTERVAL 0.25 Metre
COORD SYSTEM GDA 2020	SURVEYOR LH/MCD/BL
DATE OF SURVEY 09/10/2020	
CCAD FILE SY075045-000-1-1 Plans	DRAWN SF
DATE 27/10/2020	
AUTOCAD FILE SY075045.000.1.1	CHECKED LH/BS
DATE 27/10/2020	
APPROVED GKO	DATE 27/10/2020
PLAN NUMBER SY075045.000.1.1	SHEET 03 OF 09






CLIENT
FULTON TROTTER

PROJECT
DETAIL SURVEY OF LOT 1 DP 815804 CAPTAIN COOK DRIVE CRONULA

NOTES
Tree sizes are estimates only. Only visible services have been located in this survey. Service and utilities shown on plan have been located by physical evidence on site only and may not have been opened to verify the type of utility. Neither excavation nor pot-holing has been carried out to confirm underground location. Service details should be confirmed with the relevant service authority during design and prior to any construction. All dimensions must be verified on site prior to any construction. The position of surveyed data has been located and is shown to topographic accuracies. If clearances to boundaries or other features are critical and dimensions are not shown further survey may be required. The title boundaries shown hereon were not marked at the time of survey and have been determined by plan dimensions only and not by field survey. Any construction on or near boundaries will require further survey in order that marks defining boundaries can be placed.




1	GKO	27/10/2020	INITIAL ISSUE
---	-----	------------	---------------

SYM CODE	DESCRIPTION	SYM CODE	DESCRIPTION
⊙	BIN	○	OFM OPTICAL FIBRE MARKER
▲	BM BENCH MARK	○	OPF OPTICAL FIBRE PIT
⊙	BOLLARD	○	TM PALM TREE
⊙	DRAINAGE MAN-HOLE	○	SE SEAT
⊙	ELEC FUSE BOX	○	TS SHRUB
⊙	ELEC GARDEN LIGHT	○	TCA TELSTRA PIT
⊙	ELEC GREEN PILLAR	○	SLH SEWER LAMP HOLE
⊙	ELEC LIGHT POLE	○	SMH SEWER MANHOLE
⊙	ELEC SINGLE PIT	○	SWP SEWER VENT PIPE
⊙	ELEC STAY POLE	○	SI SIGN
⊙	ELEC POWER POLE	○	BS BUS STOP SIGN
⊙	ELEC POLE/LIGHT	○	T TREE
⊙	TRANS ELE POLE/TRANSFORM	○	SGL TRAFFIC LIGHT
○	FD FUEL DIP	○	SCL TRAFFIC CONTROLLER
○	GM GAS MAIN	○	SJX TRAFFIC JUNCTION BOX
○	GMR GAS METER	○	US UNKNOWN SERVICE
○	GAS GAS VALVE	○	WAV WATER AIR VALVE
○	AG GATE	○	WMR WATER METER
○	GUL GULLY PIT	○	WEP WATER PUMP
○	HYD HYDRANT	○	WSV WATER STOP VALVE
○	BOR BOREHOLE	○	WTP WATER TAP
○	GPM GAS MARKER		

Symbols shown are indicative only. The symbol size and orientation does not necessarily represent the real size or orientation of the feature.


DRAINAGE PIPE U/G	---
DOOR	---
DRAIN	---
ELECT CABLE A/G	---
ELECT CABLE U/G	---
GAS PIPE	---
FENCE LINE	---
SEWERAGE PIPE	---
TELSTRA CABLE	---
WATER PIPE	---

LEGEND:
D DOOR
DPI DOWN PIPE
H TOP OF WINDOW
IL INVERT LEVEL
Ø DIAMETER OF PIPE
RSV RECYCLED STOP VALVE
S BOTTOM OF WINDOW
WG GROUND FLOOR WINDOW
EMH ELECTRICITY MANHOLE
WFH WATER FIRE HORSE
PC PRAM CROSSING



NOTE: CLASSROOMS P1-P19 ARE DEMOUNTABLE.

DIAL BEFORE YOU DIG
www.1100.com.au
A Dial Before You Dig enquiry must be lodged at least two business days prior to starting any excavation or work site project.





LANDPARTNERS
built environment consultants

Sydney Office
Level 2, 23-29 South Street
Rydalmere NSW 2116
PO Box 1144
Dundas NSW 2117

p: (02) 9885 2000
e: info@landpartners.com.au
w: www.landpartners.com.au


HEIGHT DATUM AHD	LOCAL AUTHORITY SUTHERLAND SHIRE
HEIGHT ORIGIN SSM197221 RL 2.818	SCALE 1: 200(A1)
MERIDIAN MGA ZONE 56	CONTOUR INTERVAL 0.25 Metre
CO-ORD SYSTEM GDA 2020	SURVEYOR LH/MCD/BL
DATE OF SURVEY 09/10/2020	
CCAD FILE SY075045-000-1-1 Plans	DRAWN SF
DATE 27/10/2020	
AUTOCAD FILE SY075045.000.1.1	CHECKED LH/BS
DATE 27/10/2020	
ARCHIVE FILE	APPROVED GKO
DATE 27/10/2020	
PLAN NUMBER SY075045.000.1.1	SHEET 04 OF 09



THERE ARE LAYERS WITHIN THIS CAD PLAN THAT HAVE BEEN TURNED OFF FOR CLARITY PURPOSES




LEGEND:
 WFB WATER HORSE BOX
 TOP OF BANK
 BOTTOM OF BANK



CLIENT
FULTON TROTTER

PROJECT
DETAIL SURVEY OF LOT 1 DP 815804 CAPTAIN COOK DRIVE CRONULA

NOTES
 Tree sizes are estimates only. Only visible services have been located in this survey. Service and utilities shown on plan have been located by physical evidence on site only and may not have been opened to verify the type of utility. Neither excavation nor potholing have been carried out to confirm underground location. Service details should be confirmed with the relevant service authority during design and prior to any construction. All dimensions must be verified on site prior to any construction. The position of surveyed data has been located and is shown to topographic accuracies. If clearances to boundaries or other features are critical and dimensions are not shown further survey may be required. The title boundaries shown hereon were not marked at the time of survey and have been determined by plan dimensions only and not by field survey. Any construction on or near boundaries will require further survey in order that marks defining boundaries can be placed.




1	GKO	27/10/2020	INITIAL ISSUE
---	-----	------------	---------------

SYM CODE	DESCRIPTION	SYM CODE	DESCRIPTION
BIN	BIN	OFM	OPTICAL FIBRE MARKER
BM	BENCH MARK	OPF	OPTICAL FIBRE PIT
BO	BOLLARD	TM	PALM TREE
DJM	DRAINAGE MAN-HOLE	SE	SEAT
EFP	ELEC FUSE BOX	TS	SHRUB
ELP	ELEC GARDEN LIGHT	TCA	TELSTRA PIT
EL	ELEC GREEN PILLAR	SLH	SEWER LAMP HOLE
LP	ELEC LIGHT POLE	SMH	SEWER MAN-HOLE
EP	ELECT SINGLE PIT	SVP	SEWER VENT PIPE
SPL	ELEC STAY POLE	SI	SIGN
PP	ELEC POWER POLE	BS	BUS STOP SIGN
ELP	ELEC POLE/LIGHT	TRANS	ELE POLE/TRANSFORM
FD	FUEL DIP	SGL	TRAFFIC LIGHT
GM	GAS MAIN	SCL	TRAFFIC CONTROLLER
GMR	GAS METER	SJX	TRAFFIC JUNCTION BOX
GAS	GAS VALVE	US	UNKNOWN SERVICE
AG	GATE	WAV	WATER AIR VALVE
GUL	GULLY PIT	WMR	WATER METER
HYD	HYDRANT	WEP	WATER PUMP
BOR	BOREHOLE	WSV	WATER STOP VALVE
GPM	GAS MARKER	WTP	WATER TAP

Symbols shown are indicative only. The symbol size and orientation does not necessarily represent the real size or orientation of the feature.

DRAINAGE PIPE U/G	— SV — SV — SV — SV — SV —
DRAIN	— S — S — S — S — S — S — S —
ELECT CABLE A/G	— E — E — E — E — E — E — E —
ELEC CABLE U/G	— E — E — E — E — E — E — E —
GAS PIPE	— G — G — G — G — G — G — G —
FENCE LINE	— F — F — F — F — F — F — F —
SEWERAGE PIPE	— S — S — S — S — S — S — S —
TELSTRA CABLE	— T — T — T — T — T — T — T —
WATER PIPE	— W — W — W — W — W — W — W —

HEIGHT DATUM AHD	LOCAL AUTHORITY SUTHERLAND SHIRE
HEIGHT ORIGIN SSM197221 RL 2.818	SCALE 1: 200(A1)
MERIDIAN MGA ZONE 56	CONTOUR INTERVAL 0.25 Metre
CO-ORD SYSTEM GDA 2020	SURVEYOR LH/MCD/BL
DATE OF SURVEY 09/10/2020	
CCAD FILE SY075045-000-1-1 Plans	DRAWN SF
DATE 27/10/2020	
AUTOCAD FILE SY075045.000.1.1	CHECKED LH/BS
DATE 27/10/2020	
ARCHIVE FILE	APPROVED GKO
DATE 27/10/2020	
PLAN NUMBER SY075045.000.1.1	SHEET 05 OF 09



CLIENT
FULTON TROTTER

PROJECT
DETAIL SURVEY OF LOT 1 DP 815804 CAPTAIN COOK DRIVE CRONULA

NOTES
 Tree sizes are estimates only. Only visible services have been located in this survey. Service and utilities shown on plan have been located by physical evidence on site only and may not have been opened to verify the utility. Neither excavation nor pot-holing have been carried out to confirm underground location. Service details should be confirmed with the relevant service authority during design and prior to any construction. All dimensions must be verified on site prior to any construction. The position of surveyed data has been located and is shown to topographic accuracies. If clearances to boundaries or other features are critical and dimensions are not shown further survey may be required. The title boundaries shown hereon were not marked at the time of survey and have been determined by plan dimensions only and not by field survey. Any construction on or near boundaries will require further survey in order that marks defining boundaries can be placed.

TREE DETAIL
 TREE SYMBOLS ARE A TRUE REPRESENTATION OF THE SPREAD IN BOTH DIRECTIONS.
 HEIGHT (m) = 12 + 0.2 * TRUNK (m) + 0.3 * DBH (cm) * 0.3
 SPREAD (m) = 52 + 2 * SPREAD

1	GKO	27/10/2020	INITIAL ISSUE
---	-----	------------	---------------

SYM CODE	DESCRIPTION	SYM CODE	DESCRIPTION
△	BIN	○	OPTICAL FIBRE MARKER
▲	BENCH MARK	○	OPTICAL FIBRE PIT
●	BOLLARD	○	PALM TREE
DJM	DRAINAGE MANHOLE	SE	SEAT
EFB	ELEC FUSE BOX	TS	SHRUB
ELP	ELEC GARDEN LIGHT	TCA	TELSTRA PIT
ELG	ELEC GREEN LIGHT	SLH	SEWER LAMP HOLE
LP	ELEC LIGHT POLE	SMH	SEWER MANHOLE
EP	ELEC SINGLE PIT	SVP	SEWER VENT PIPE
SP	ELEC STAY POLE	SI	SIGN
PP	ELEC POWER POLE	BS	BUS STOP SIGN
ELP	ELEC POLE/LIGHT	T	TREE
TRANS	TRANS POLE/TRANSFORM	SGL	TRAFFIC LIGHT
FD	FUEL DIP	SCL	TRAFFIC CONTROLLER
GM	GAS MAIN	SJX	TRAFFIC JUNCTION BOX
GMR	GAS METER	US	UNKNOWN SERVICE
GA	GAS VALVE	WAV	WATER AIR VALVE
AG	GATE	WMR	WATER METER
GUL	GULLY PIT	WSP	WATER PUMP
HYD	HYDRANT	WSP	WATER STOP VALVE
BOR	BORERHOLE	WTP	WATER TAP
GPM	GAS MARKER		

Symbols shown are indicative only. The symbol size and orientation does not necessarily represent the real size or orientation of the feature.

DRAINAGE PIPE U/G	---
DRAIN	---
ELECT CABLE A/G	---
ELEC. CABLE U/G	---
GAS PIPE	---
FENCE LINE	---
SEWERAGE PIPE	---
TELSTRA CABLE	---
WATER PIPE	---

LEGEND:
 D DOOR
 DPI DOWN PIPE
 H TOP OF WINDOW
 IL INVERT LEVEL
 Ø DIAMETER OF PIPE
 O OBVERT LEVEL
 S BOTTOM OF WINDOW
 WG GROUND FLOOR WINDOW
 W1 1ST FLOOR WINDOW
 WD DOOR WINDOW
 PLE PLAY EQUIPMENT
 WMH WATER MANHOLE
 US UNKNOWN PIT
 --- BOTTOM OF BANK

SHEET LAYOUT
 Grid showing sheets 1-9, with sheet 1 highlighted.


CLASSROOMS ARE DEMOUNTABLE

SCALE 1:200
 0 4 8 14 20

SY075045.000.1.1

LANDPARTNERS
 built environment consultants
 Sydney Office
 Level 2, 23-29 South Street
 Rydalmere NSW 2116
 PO Box 1144
 Dundas NSW 2117
 p: (02) 9885 2000
 e: info@landpartners.com.au
 w: www.landpartners.com.au

HEIGHT DATUM	AHD	LOCAL AUTHORITY	SUTHERLAND SHIRE
HEIGHT ORIGIN	SSM197221 RL 2.818	SCALE	1: 200(A1)
MERIDIAN	MGA_ZONE 56	CONTOUR INTERVAL	0.25 Metre
CO-ORD SYSTEM	GDA 2020	SURVEYOR	LH/MCD/BL
DATE OF SURVEY	09/10/2020		
CCAD FILE	SY075045-000-1-1 Plans	DRAWN	SF
DATE	27/10/2020		
AUTOCAD FILE	SY075045.000.1.1	CHECKED	LH/BS
DATE	27/10/2020		
ARCHIVE FILE		APPROVED	GKO
DATE	27/10/2020		
PLAN NUMBER	SY075045.000.1.1	SHEET	06 OF 09



CLIENT
FULTON TROTTER

PROJECT
DETAIL SURVEY OF LOT 1 DP 815804 CAPTAIN COOK DRIVE CRONULA

NOTES
 Tree sizes are estimates only. Only visible services have been located in this survey. Service and utilities shown on plan have been located by physical evidence on site only and may not have been opened to verify the type of utility. Neither excavation nor potholing have been carried out to confirm underground location. Service details should be confirmed with the relevant service authority during design and prior to any construction. All dimensions must be verified on site prior to any construction. The position of surveyed data has been located and is shown to topographic accuracies. If clearances to boundaries or other features are critical and dimensions are not shown further survey may be required. The title boundaries shown hereon were not marked at the time of survey and have been determined by plan dimensions only and not by field survey. Any construction on or near boundaries will require further survey in order that marks defining boundaries can be placed.

TREE DETAIL
 TREE SYMBOLS ARE A TRUE REPRESENTATION OF THE SPREAD IN BOTH DIRECTIONS
 HEIGHT (m) = 12 + 0.2 * TRUNK (m) + 0.3 * DBH
 SPREAD (m) = 52 + 2 * DBH

1	GKO	27/10/2020	INITIAL ISSUE
---	-----	------------	---------------

SYM CODE	DESCRIPTION	SYM CODE	DESCRIPTION
▲	BIN	○	OFM OPTICAL FIBRE MARKER
■	BENCH MARK	○	OPTICAL FIBRE PIT
●	BOLLARD	○	PALM TREE
■	DRAINAGE MAN-HOLE	○	SE SEAT
■	ELEC FUSE BOX	○	TS SHRUB
■	ELEC GARDEN LIGHT	○	TCA TELSTRA PIT
■	ELEC GREEN PILLAR	○	SLH SELWER LAMP HOLE
■	ELEC LIGHT POLE	○	SMH SEWER MANHOLE
■	ELEC SINGLE PIT	○	SVP SEWER VENT PIPE
○	ELEC STAY POLE	○	SI SIGN
○	ELEC POWER POLE	○	BS BUS STOP SIGN
○	ELEC POLE/LIGHT	○	T TREE
○	TRANS ELEC/POLE/TRANSFORM	○	SGL TRAFFIC LIGHT
○	FD FUEL PIP	○	SCL TRAFFIC CONTROLLER
○	GM GAS MAIN	○	SUX TRAFFIC JUNCTION BOX
○	GMR GAS METER	○	US UNKNOWN SERVICE
○	GAS GAS VALVE	○	WAV WATER AIR VALVE
○	AG GATE	○	WMR WATER METER
○	GUL GULLY PIT	○	WEP WATER PUMP
○	HYD HYDRANT	○	WSV WATER STOP VALVE
○	BOR BOREHOLE	○	WTP WATER TAP
○	GPM GAS MARKER		

Symbols shown are indicative only. The symbol size and orientation does not necessarily represent the real size or orientation of the feature.

DRAINAGE PIPE U/G	SYMBOL
DRAIN	---
ELECT CABLE A/G	---
ELEC CABLE U/G	---
GAS PIPE	---
FENCE LINE	---
SEWERAGE PIPE	---
TELSTRA CABLE	---
WATER PIPE	---

LEGEND:
 D DOOR
 DPI DOWN PIPE
 H TOP OF WINDOW
 I INVERT LEVEL
 Ø DIAMETER OF PIPE
 O OBVERT LEVEL
 S BOTTOM OF WINDOW
 WG GROUND FLOOR WINDOW
 W1 1ST FLOOR WINDOW
 WD DOOR WINDOW
 PLE PLAY EQUIPMENT
 RSV RECYCLED STOP VALVE
 UP UNKNOWN PIT
 --- TOP OF BANK
 --- BOTTOM OF BANK

SHEET LAYOUT
 2 3 4 5
 6 7 8 9

CLASSROOMS ARE DEMOUNTABLE

SCALE 1:200

ADJOINS SHEET 6 (left), ADJOINS SHEET 8 (right)

ADJOINS SHEET 3 (top)

ADJOINS SHEET 7 (bottom)

ADJOINS SHEET 10 (right)

ADJOINS SHEET 11 (right)

ADJOINS SHEET 12 (right)

ADJOINS SHEET 13 (right)

ADJOINS SHEET 14 (right)

ADJOINS SHEET 15 (right)

ADJOINS SHEET 16 (right)

ADJOINS SHEET 17 (right)

ADJOINS SHEET 18 (right)

ADJOINS SHEET 19 (right)

ADJOINS SHEET 20 (right)

ADJOINS SHEET 21 (right)

ADJOINS SHEET 22 (right)

ADJOINS SHEET 23 (right)

ADJOINS SHEET 24 (right)

ADJOINS SHEET 25 (right)

ADJOINS SHEET 26 (right)

ADJOINS SHEET 27 (right)

ADJOINS SHEET 28 (right)

ADJOINS SHEET 29 (right)

ADJOINS SHEET 30 (right)

ADJOINS SHEET 31 (right)

ADJOINS SHEET 32 (right)

ADJOINS SHEET 33 (right)

ADJOINS SHEET 34 (right)

ADJOINS SHEET 35 (right)

ADJOINS SHEET 36 (right)

ADJOINS SHEET 37 (right)

ADJOINS SHEET 38 (right)

ADJOINS SHEET 39 (right)

ADJOINS SHEET 40 (right)

ADJOINS SHEET 41 (right)

ADJOINS SHEET 42 (right)

ADJOINS SHEET 43 (right)

ADJOINS SHEET 44 (right)

ADJOINS SHEET 45 (right)

ADJOINS SHEET 46 (right)

ADJOINS SHEET 47 (right)

ADJOINS SHEET 48 (right)

ADJOINS SHEET 49 (right)

ADJOINS SHEET 50 (right)

ADJOINS SHEET 51 (right)

ADJOINS SHEET 52 (right)

ADJOINS SHEET 53 (right)

ADJOINS SHEET 54 (right)

ADJOINS SHEET 55 (right)

ADJOINS SHEET 56 (right)

ADJOINS SHEET 57 (right)

ADJOINS SHEET 58 (right)

ADJOINS SHEET 59 (right)

ADJOINS SHEET 60 (right)

ADJOINS SHEET 61 (right)

ADJOINS SHEET 62 (right)

ADJOINS SHEET 63 (right)

ADJOINS SHEET 64 (right)

ADJOINS SHEET 65 (right)

ADJOINS SHEET 66 (right)

ADJOINS SHEET 67 (right)

ADJOINS SHEET 68 (right)

ADJOINS SHEET 69 (right)

ADJOINS SHEET 70 (right)

ADJOINS SHEET 71 (right)

ADJOINS SHEET 72 (right)

ADJOINS SHEET 73 (right)

ADJOINS SHEET 74 (right)

ADJOINS SHEET 75 (right)

ADJOINS SHEET 76 (right)

ADJOINS SHEET 77 (right)

ADJOINS SHEET 78 (right)

ADJOINS SHEET 79 (right)

ADJOINS SHEET 80 (right)

ADJOINS SHEET 81 (right)

ADJOINS SHEET 82 (right)

ADJOINS SHEET 83 (right)

ADJOINS SHEET 84 (right)

ADJOINS SHEET 85 (right)

ADJOINS SHEET 86 (right)

ADJOINS SHEET 87 (right)

ADJOINS SHEET 88 (right)

ADJOINS SHEET 89 (right)

ADJOINS SHEET 90 (right)

ADJOINS SHEET 91 (right)

ADJOINS SHEET 92 (right)

ADJOINS SHEET 93 (right)

ADJOINS SHEET 94 (right)

ADJOINS SHEET 95 (right)

ADJOINS SHEET 96 (right)

ADJOINS SHEET 97 (right)

ADJOINS SHEET 98 (right)

ADJOINS SHEET 99 (right)


ADJOINS SHEET 100 (right)



A Dial Before You Dig enquiry must be lodged at least two business days prior to starting any excavation or work site project.




THERE ARE LAYERS WITHIN THIS CAD PLAN THAT HAVE BEEN TURNED OFF FOR CLARITY PURPOSES



CLIENT
FULTON TROTTER

PROJECT
DETAIL SURVEY OF LOT 1 DP 815804 CAPTAIN COOK DRIVE CRONULA

NOTES
Tree sizes are estimates only. Only visible services have been located in this survey. Service and utilities shown on plan have been located by physical evidence on site only and may not have been opened to verify the type of utility. Neither excavation nor potting have been carried out to confirm underground location. Service details should be confirmed with the relevant service authority during design and prior to any construction. All dimensions shown hereon were not marked at the time of survey and have been determined by plan dimensions only and not by field survey. Any construction on or near boundaries will require further survey in order that marks defining boundaries can be placed.



1	GKO	27/10/2020	INITIAL ISSUE
---	-----	------------	---------------

SYM CODE	DESCRIPTION	SYM CODE	DESCRIPTION
BM	BENCH MARK	OFM	OPTICAL FIBRE MARKER
BO	BOLLARD	OPF	OPTICAL FIBRE PIT
DJM	DRAINAGE MAN-HOLE	TM	PALM TREE
EFP	ELEC FUSE BOX	SE	SEAT
ELP	ELEC GARDEN LIGHT	TS	SHRUB
EL	ELEC GREEN PILLAR	TCA	TELSTRA PIT
LP	ELEC LIGHT POLE	SLH	SEWER LAMP HOLE
EP	ELEC SINGLE PIT	SMH	SEWER MAN-HOLE
SPL	ELEC STAY POLE	SVP	SEWER VENT PIPE
PP	ELEC POWER POLE	SI	SIGN
ELP	ELEC POLE LIGHT	BS	BUS STOP SIGN
TRANS	ELEC POLE/TRANSFORM	T	TREE
FD	FUEL DIP	SGL	TRAFFIC LIGHT
GM	GAS MAIN	SCL	TRAFFIC CONTROLLER
GMR	GAS METER	SJX	TRAFFIC JUNCTION BOX
GAS	GAS VALVE	US	UNKNOWN SERVICE
AG	GATE	WAV	WATER AIR VALVE
GUL	GULLY PIT	WMR	WATER METER
HYD	HYDRANT	WEP	WATER PUMP
BOR	BOREHOLE	WSV	WATER STOP VALVE
GPM	GAS MARKER	WTP	WATER TAP

Symbols shown are indicative only. The symbol size and orientation does not necessarily represent the real size or orientation of the feature.

DRAINAGE PIPE U/G	— IV — SV — SV — SV — SV —
DRAIN	— I — I — I — I — I — I —
ELECT CABLE A/G	— E — E — E — E — E — E —
ELEC. CABLE U/G	— E — E — E — E — E — E —
GAS PIPE	— G — G — G — G — G — G —
FENCE LINE	— F — F — F — F — F — F —
SEWERAGE PIPE	— S — S — S — S — S — S —
TELSTRA CABLE	— T — T — T — T — T — T —
WATER PIPE	— W — W — W — W — W — W —

Sydney Office
Level 2, 23-29 South Street
Rydalmere NSW 2116
PO Box 1144
Dundas NSW 2117

p: (02) 9885 2000
e: info@landpartners.com.au
w: www.landpartners.com.au


HEIGHT DATUM AHD	LOCAL AUTHORITY SUTHERLAND SHIRE
HEIGHT ORIGIN SSM197221 RL 2.818	SCALE 1: 200(A1)
MERIDIAN MGA ZONE 56	CONTOUR INTERVAL 0.25 Metre
CO-ORD SYSTEM GDA 2020	SURVEYOR LH/MCD/BL
DATE OF SURVEY 09/10/2020	DATE 27/10/2020
CCAD FILE SY075045-000-1-1 Plans	DRAWN SF
AUTOCAD FILE SY075045.000.1.1	CHECKED LH/BS
ARCHIVE FILE	DATE 27/10/2020
APPROVED GKO	DATE 27/10/2020
PLAN NUMBER SY075045.000.1.1	SHEET 08 OF 09




A Dial Before You Dig enquiry must be lodged at least two business days prior to starting any excavation or work site project.




THERE ARE LAYERS WITHIN THIS CAD PLAN THAT HAVE BEEN TURNED OFF FOR CLARITY PURPOSES



LEGEND:
WFB WATER HORSE BOX
W1 1ST FLOOR WINDOW
H TP OF WINDOW
S BOTTOM OF WINDOW
TOP OF BANK
BOTTOM OF BANK





ADJOINS SHEET 5

ADJOINS SHEET 8

DP 815804

RUGBY LEAGUE FIELDS

GOAL POST

GOAL POST


SHIPPING CONTAINER



A Dial Before You Dig enquiry must be lodged at least two business days prior to starting any excavation or work site project.




SHEET LAYOUT



LEGEND:
 EMH ELECTRICITY MANHOLE
 TOP OF BANK
 BOTTOM OF BANK

THERE ARE LAYERS WITHIN THIS CAD PLAN THAT HAVE BEEN TURNED OFF FOR CLARITY PURPOSES



CLASSROOMS ARE DEMOUNTABLE

CLIENT																																																																																													
FULTON TROTTER																																																																																													
PROJECT																																																																																													
DETAIL SURVEY OF LOT 1 DP 815804 CAPTAIN COOK DRIVE CRONULA																																																																																													
NOTES																																																																																													
<p>Tree sizes are estimates only. Only visible services have been located in this survey. Service and utilities shown on plan have been located by physical evidence on site only and may not have been opened to verify the type of utility. Neither excavation nor pot-holing have been carried out to confirm underground location. Service details should be confirmed with the relevant service authority during design and prior to any construction. All dimensions must be verified on site prior to any construction. The position of surveyed data has been located and is shown to topographic accuracies. If clearances to boundaries or other features are critical and dimensions are not shown further survey may be required. The title boundaries shown hereon were not marked at the time of survey and have been determined by plan dimensions only and not by field survey. Any construction on or near boundaries will require further survey in order that marks defining boundaries can be placed.</p>																																																																																													
<p>TREE DETAIL HEIGHT (m) = 12 + 12m TRUNK (m) = 0.3 + 40.3m SPREAD (m) = 5.2 + 2m SPREAD DIAMETER TREE SYMBOLS ARE A TRUE REPRESENTATION OF THE SPREAD (X = SYMBOL SIZE 2 (X - Y VALUE) = 2m SPREAD IN DIMENSION SPREAD</p>																																																																																													
1	GKO 27/10/2020 INITIAL ISSUE																																																																																												
<table border="1"> <thead> <tr> <th>SYM CODE</th> <th>DESCRIPTION</th> <th>SYM CODE</th> <th>DESCRIPTION</th> </tr> </thead> <tbody> <tr> <td>⊕</td> <td>BIN</td> <td>⊕</td> <td>OFM OPTICAL FIBRE MARKER</td> </tr> <tr> <td>△</td> <td>BM BENCH MARK</td> <td>⊕</td> <td>OPF OPTICAL FIBRE PIT</td> </tr> <tr> <td>⊙</td> <td>BOLLARD</td> <td>⊕</td> <td>TM PALM TREE</td> </tr> <tr> <td>⊕</td> <td>DJM DRAINAGE MANHOLE</td> <td>⊕</td> <td>SE SEAT</td> </tr> <tr> <td>⊕</td> <td>EFP ELEC FUSE BOX</td> <td>⊕</td> <td>TS SHRUB</td> </tr> <tr> <td>⊕</td> <td>ELP ELEC GARDEN LIGHT</td> <td>⊕</td> <td>TCA TELSTRA PIT</td> </tr> <tr> <td>⊕</td> <td>EL ELEC GREEN PILLAR</td> <td>⊕</td> <td>SLH SEWER LAMP HOLE</td> </tr> <tr> <td>⊕</td> <td>LP ELEC LIGHT POLE</td> <td>⊕</td> <td>SMH SEWER MANHOLE</td> </tr> <tr> <td>⊕</td> <td>EP ELEC SINGLE PIT</td> <td>⊕</td> <td>SVP SEWER VENT PIPE</td> </tr> <tr> <td>⊕</td> <td>SPL ELEC STAY POLE</td> <td>⊕</td> <td>SI SIGN</td> </tr> <tr> <td>⊕</td> <td>PP ELEC POWER POLE</td> <td>⊕</td> <td>BS BUS STOP SIGN</td> </tr> <tr> <td>⊕</td> <td>ELP ELEC POLE/LIGHT</td> <td>⊕</td> <td>T TREE</td> </tr> <tr> <td>⊕</td> <td>TRANS ELE POLE/TRANSFORM</td> <td>⊕</td> <td>SGL TRAFFIC LIGHT</td> </tr> <tr> <td>⊕</td> <td>FD FUEL DIP</td> <td>⊕</td> <td>SCL TRAFFIC CONTROLLER</td> </tr> <tr> <td>⊕</td> <td>GM GAS MAIN</td> <td>⊕</td> <td>SJX TRAFFIC JUNCTION BOX</td> </tr> <tr> <td>⊕</td> <td>GMR GAS METER</td> <td>⊕</td> <td>US UNKNOWN SERVICE</td> </tr> <tr> <td>⊕</td> <td>GAS GAS VALVE</td> <td>⊕</td> <td>WAV WATER AIR VALVE</td> </tr> <tr> <td>⊕</td> <td>AG GATE</td> <td>⊕</td> <td>WMR WATER METER</td> </tr> <tr> <td>⊕</td> <td>GUL GULLY PIT</td> <td>⊕</td> <td>WEP WATER PUMP</td> </tr> <tr> <td>⊕</td> <td>HYD HYDRANT</td> <td>⊕</td> <td>WSV WATER STOP VALVE</td> </tr> <tr> <td>⊕</td> <td>BOR BOREHOLE</td> <td>⊕</td> <td>WTP WATER TAP</td> </tr> <tr> <td>⊕</td> <td>GPM GAS MARKER</td> <td></td> <td></td> </tr> </tbody> </table>		SYM CODE	DESCRIPTION	SYM CODE	DESCRIPTION	⊕	BIN	⊕	OFM OPTICAL FIBRE MARKER	△	BM BENCH MARK	⊕	OPF OPTICAL FIBRE PIT	⊙	BOLLARD	⊕	TM PALM TREE	⊕	DJM DRAINAGE MANHOLE	⊕	SE SEAT	⊕	EFP ELEC FUSE BOX	⊕	TS SHRUB	⊕	ELP ELEC GARDEN LIGHT	⊕	TCA TELSTRA PIT	⊕	EL ELEC GREEN PILLAR	⊕	SLH SEWER LAMP HOLE	⊕	LP ELEC LIGHT POLE	⊕	SMH SEWER MANHOLE	⊕	EP ELEC SINGLE PIT	⊕	SVP SEWER VENT PIPE	⊕	SPL ELEC STAY POLE	⊕	SI SIGN	⊕	PP ELEC POWER POLE	⊕	BS BUS STOP SIGN	⊕	ELP ELEC POLE/LIGHT	⊕	T TREE	⊕	TRANS ELE POLE/TRANSFORM	⊕	SGL TRAFFIC LIGHT	⊕	FD FUEL DIP	⊕	SCL TRAFFIC CONTROLLER	⊕	GM GAS MAIN	⊕	SJX TRAFFIC JUNCTION BOX	⊕	GMR GAS METER	⊕	US UNKNOWN SERVICE	⊕	GAS GAS VALVE	⊕	WAV WATER AIR VALVE	⊕	AG GATE	⊕	WMR WATER METER	⊕	GUL GULLY PIT	⊕	WEP WATER PUMP	⊕	HYD HYDRANT	⊕	WSV WATER STOP VALVE	⊕	BOR BOREHOLE	⊕	WTP WATER TAP	⊕	GPM GAS MARKER		
SYM CODE	DESCRIPTION	SYM CODE	DESCRIPTION																																																																																										
⊕	BIN	⊕	OFM OPTICAL FIBRE MARKER																																																																																										
△	BM BENCH MARK	⊕	OPF OPTICAL FIBRE PIT																																																																																										
⊙	BOLLARD	⊕	TM PALM TREE																																																																																										
⊕	DJM DRAINAGE MANHOLE	⊕	SE SEAT																																																																																										
⊕	EFP ELEC FUSE BOX	⊕	TS SHRUB																																																																																										
⊕	ELP ELEC GARDEN LIGHT	⊕	TCA TELSTRA PIT																																																																																										
⊕	EL ELEC GREEN PILLAR	⊕	SLH SEWER LAMP HOLE																																																																																										
⊕	LP ELEC LIGHT POLE	⊕	SMH SEWER MANHOLE																																																																																										
⊕	EP ELEC SINGLE PIT	⊕	SVP SEWER VENT PIPE																																																																																										
⊕	SPL ELEC STAY POLE	⊕	SI SIGN																																																																																										
⊕	PP ELEC POWER POLE	⊕	BS BUS STOP SIGN																																																																																										
⊕	ELP ELEC POLE/LIGHT	⊕	T TREE																																																																																										
⊕	TRANS ELE POLE/TRANSFORM	⊕	SGL TRAFFIC LIGHT																																																																																										
⊕	FD FUEL DIP	⊕	SCL TRAFFIC CONTROLLER																																																																																										
⊕	GM GAS MAIN	⊕	SJX TRAFFIC JUNCTION BOX																																																																																										
⊕	GMR GAS METER	⊕	US UNKNOWN SERVICE																																																																																										
⊕	GAS GAS VALVE	⊕	WAV WATER AIR VALVE																																																																																										
⊕	AG GATE	⊕	WMR WATER METER																																																																																										
⊕	GUL GULLY PIT	⊕	WEP WATER PUMP																																																																																										
⊕	HYD HYDRANT	⊕	WSV WATER STOP VALVE																																																																																										
⊕	BOR BOREHOLE	⊕	WTP WATER TAP																																																																																										
⊕	GPM GAS MARKER																																																																																												
<p>Symbols shown are indicative only. The symbol size and orientation does not necessarily represent the real size or orientation of the feature.</p>																																																																																													
<table border="1"> <tr> <td>DRAINAGE PIPE U/G</td> <td>—V—V—V—V—V—V—</td> </tr> <tr> <td>DRAIN</td> <td>—V—V—V—V—V—V—</td> </tr> <tr> <td>ELECT CABLE A/G</td> <td>—E—E—E—E—E—E—</td> </tr> <tr> <td>ELEC. CABLE U/G</td> <td>—E—E—E—E—E—E—</td> </tr> <tr> <td>GAS PIPE</td> <td>—G—G—G—G—G—G—</td> </tr> <tr> <td>FENCE LINE</td> <td>—F—F—F—F—F—F—</td> </tr> <tr> <td>SEWERAGE PIPE</td> <td>—S—S—S—S—S—S—</td> </tr> <tr> <td>TELSTRA CABLE</td> <td>—T—T—T—T—T—T—</td> </tr> <tr> <td>WATER PIPE</td> <td>—W—W—W—W—W—W—</td> </tr> </table>		DRAINAGE PIPE U/G	—V—V—V—V—V—V—	DRAIN	—V—V—V—V—V—V—	ELECT CABLE A/G	—E—E—E—E—E—E—	ELEC. CABLE U/G	—E—E—E—E—E—E—	GAS PIPE	—G—G—G—G—G—G—	FENCE LINE	—F—F—F—F—F—F—	SEWERAGE PIPE	—S—S—S—S—S—S—	TELSTRA CABLE	—T—T—T—T—T—T—	WATER PIPE	—W—W—W—W—W—W—																																																																										
DRAINAGE PIPE U/G	—V—V—V—V—V—V—																																																																																												
DRAIN	—V—V—V—V—V—V—																																																																																												
ELECT CABLE A/G	—E—E—E—E—E—E—																																																																																												
ELEC. CABLE U/G	—E—E—E—E—E—E—																																																																																												
GAS PIPE	—G—G—G—G—G—G—																																																																																												
FENCE LINE	—F—F—F—F—F—F—																																																																																												
SEWERAGE PIPE	—S—S—S—S—S—S—																																																																																												
TELSTRA CABLE	—T—T—T—T—T—T—																																																																																												
WATER PIPE	—W—W—W—W—W—W—																																																																																												
<p>Sydney Office Level 2, 23-29 South Street Rydalmere NSW 2116 PO Box 1144 Dundas NSW 2117</p> <p>p: (02) 9885 2000 e: info@landpartners.com.au w: www.landpartners.com.au</p>																																																																																													
HEIGHT DATUM AHD	LOCAL AUTHORITY SUTHERLAND SHIRE																																																																																												
HEIGHT ORIGIN SSM197221 RL 2.818	SCALE 1: 200(A1)																																																																																												
MERIDIAN MGA ZONE 56	CONTOUR INTERVAL 0.25 Metre																																																																																												
CO-ORD SYSTEM GDA 2020	SURVEYOR LH/MCD/BL																																																																																												
	DATE OF SURVEY 09/10/2020																																																																																												
CCAD FILE SY075045-000-1-1 Plans	DRAWN SF																																																																																												
	DATE 27/10/2020																																																																																												
AUTOCAD FILE SY075045.000.1.1	CHECKED LH/BS																																																																																												
	DATE 27/10/2020																																																																																												
ARCHIVE FILE	APPROVED GKO																																																																																												
	DATE 27/10/2020																																																																																												
PLAN NUMBER SY075045.000.1.1	SHEET 09 OF 09																																																																																												