Green Square Integrated Community Facility & School (GSICF&S)

Staging Plan



Obligation to Minim	nditions of Consent - Prior to issuite Harm to the Environment	ue of Crown Certificate				
-	ise Harm to the Environment					
A1	reasonable and feasible measur not reasonable and feasible, mi	ific performance measures and criter res must be implemented to prevent, nimise any material harm to the envi d operation of the development.	, and, if prevention is	Ongoing	All	This Condition is an Administrative Condition
Terms of Consent	1				L	
Terms or consent	<u></u>				1	
A2	(c) generally in accordance with (d) in accordance with the approach (d) in accordance with the approach (d) in accordance with the approach (e) in accordance with the approach (d) in accordance with the approach (e) in accordance with the accordance	itions of this consent; In directions of the Planning Secretar I the EIS and Response to Submission Oved plans in the table below: I the EIS and Response to Submission Oved plans in the table below: I the EIS and Response to Submission Oved plans in the table below: I the EIS and Response to Submission Oved plans in the table below: I the EIS and Response to Submission I the	Date 24/02/22	Ongoing	All	This Condition is an Administrative Condition
АЗ	directions to the Applicant in rea) the content of any strategy, so report or correspondence submincluding those that are require (b) any reports, reviews or audicompliance with this approval; (c) the implementation of any a to in (a) above.	study, system, plan, program, review, nitted under or otherwise made in re ed to be, and have been, approved by ts commissioned by the Planning Sec and ctions or measures contained in any	, audit, notification, lation to this consent, the Planning Secretary cretary regarding such document referre	; Ongoing	All	This Condition is an Administrative Condition
А4	inconsistency, ambiguity or con In the event of an inconsistency	and directions of the Council prevail t flict between them and a document or, ambiguity or conflict between any of ent document prevails to the extent	listed in condition A2(c) of the documents listed		All	This Condition is an Administrative Condition

A 5	is required to be staged due to staged construction or operation, a Staging Report (for either or both construction and operation as the case may be) must be prepared and submitted to the satisfaction of the Council. The Staging Report must be submitted to the Council no later than one month before the commencement of construction (unless otherwise agreed to in writing by the Council of the first of the proposed stages of construction (or if only staged operation is proposed, one month before the commencement of operation of the first of the proposed stages of operation). Note: Works may commence upon the Council's approval of a Staging Report and satisfaction of all relevant conditions.	Ongoing	All	This Condition is an Administrative Condition
A6	Should the staging of the project (for construction or operation) change from that set out in a Staging Report approved under condition A5, a revised Staging Report must be submitted to the satisfaction of the Council.	Ongoing	All	This Condition is an Administrative Condition
А7	A Staging Report prepared in accordance with condition A5 or A6, must: (a) if staged construction is proposed, set out how the construction of the whole of the project will be staged, including details of work and other activities to be carried out in each stage and the general timing of when construction of each stage will commence and finish; (b) if staged operation is proposed, set out how the operation of the whole of the project will be staged, including details of work and other activities to be carried out in each stage and the general timing of when operation of each stage will commence and finish (if relevant); (c) specify how compliance with conditions will be achieved across and between each of the stages of the project; and (d) set out mechanisms for managing any cumulative impacts arising from the proposed staging.	Ongoing	All	This Condition is an Administrative Condition
А8	Where a Staging Report is approved under conditions A5 or A6, the project must be staged in accordance with the latest Staging Report approved by the Council.	Ongoing	All	This Condition is an Administrative Condition
A9	Where construction or operation is being staged in accordance with a Staging Report approved under conditions A5 or A6, the terms of this consent that apply or are relevant to the works or activities to be carried out in a specific stage must be complied with at the relevant time for that stage as identified in the latest Staging Report approved by the Council. and Updating Strategies, Plans or Programs	Ongoing	All	This Condition is an Administrative Condition

	T	T		
A10	The Applicant may: (a) prepare and submit any strategy, plan (including management plan, architectural or design plan) or program required by this consent on a staged basis (if a clear description is provided as to the specific stage and scope of the development to which the strategy, plan (including management plan, architectural or design plan) or program applies, the City of Sydney as delegate for NSW Government 6 Green Square Integrated Community Facility and School Department of Planning and Environment (SSD-10381) relationship of the stage to any future stages and the trigger for updating the strategy, plan (including management plan, architectural or design plan) or program); (b) combine any strategy, plan (including management plan, architectural or design plan), or program required by this consent (if a clear relationship is demonstrated between the strategies, plans (including management plan, architectural or design plan) or programs that are proposed to be combined); and (c) update any strategy, plan (including management plan, architectural or design plan), or program required by this consent (to ensure the strategies, plans (including management plan, architectural or design plan), or program required by this consent (to ensure the strategies, plans (including management plan, architectural or design plan), or programs required under this consent are updated on a regular basis and incorporate additional measures or amendments to improve the environmental performance of the development).	Ongoing	All	This Condition is an Administrative Condition
A11	Any strategy, plan or program prepared in accordance with condition A10, where previously approved by the Council under this consent, must be submitted to the satisfaction of the Council.	One month prior to commencement	All	This Condition is an Administrative Condition
A12	If the Council agrees in writing, a strategy, plan (including management plan, architectural or design plan), or program may be staged or updated without consultation being undertaken with all parties required to be consulted in the relevant condition in this consent.	One month prior to commencement	All	This Condition is an Administrative Condition
A13	Updated strategies, plans (including management plan, architectural or design plan), or programs supersede the previous versions of them and must be implemented in accordance with the condition that requires the strategy, plan, program or drawing.	Ongoing	All	This Condition is an Administrative Condition
Limits of Consent				
A14	This consent lapses five years after the date of consent unless work is physically commenced	Ongoing	All	This Condition is an Administrative Condition
Applicability of Guid	lelines			
A15	References in the conditions of this consent to any guideline, protocol, Australian Standard or policy are to such guidelines, protocols, Standards or policies in the form they are in as at the date of this consent.	Ongoing	All	This Condition is an Administrative Condition
A16	However, consistent with the conditions of this consent and without altering any limits or criteria in this consent, the Council may, when issuing directions under this consent in respect of ongoing monitoring and management obligations, require compliance with an updated or revised version of such a guideline, protocol, Standard or policy, or a replacement of them.	Ongoing	All	This Condition is an Administrative Condition

A17	The prescribed conditions in accordance with Division 8A of the Environmental Planning and Assessment Regulation 2000 apply: (a) Clause 98 Compliance with Building Code of Australia and insurance requirements under the Home Building Act 1989 (b) Clause 98A Erection of signs (c) Clause 98B Notification of Home Building Act 1989 requirements (d) Clause 98C Conditions relating to entertainment venues (e) Clause 98D Conditions relating to maximum capacity signage (f) Clause 98E Conditions relating to shoring and adequacy of adjoining property Refer to the NSW State legislation for full text of the clauses under Division 8A of the Environmental Planning and Assessment Regulation 2000. This can be accessed at: http://www.legislation.nsw.gov.au	Ongoing	All	This Condition is an Administrative Condition
Compliance				
A18	The Applicant must ensure that all of its employees, contractors (and their sub-contractors) are made aware of, and are instructed to comply with, the conditions of this consent relevant to activities they carry out in respect of the development.	Ongoing	All	This Condition is an Administrative Condition
Design Quality Exce	llence			
A19	As the proposal has been awarded design excellence and in order to ensure the design quality excellence of the development is retained to completion: (a)The design architect(s) comprising BVN Architects are to have direct involvement in the design documentation, contract documentation and construction stages of the project including signing off any required certifications at S4.55 applications, certification (pursuant to Section 6.28 of the Environmental Planning and Assessment Act 1979) and Occupation stages; (b)The design architects are to have full access to the site and are to be authorised by the applicant to respond directly to Council where information or clarification is required in resolving design issues throughout the life of the project; (c)Evidence of the design architect's commission must be provided to the Council prior to certification being issued (pursuant to Section 6.28 of the Environmental Planning and Assessment Act 1979).	Ongoing	Stage 1	This Condition has already been closed out prior to commencement of Construction Stage 1
A20	The design architect of the project is not to be changed without prior notice and approval of the Council's Director Planning, Development and Transport.	Ongoing	Stage 1	This Condition has already been closed out prior to commencement of Construction Stage 1
A21	The Crown Certifier must be satisfied that the above matters are complied with prior to the issue of a relevant certification and occupation or use, in accordance with written confirmation from Council.	Ongoing	Stage 1	This Condition has already been closed out prior to commencement of Construction Stage 1
Building Height				
A22	The height of the building must not exceed RL 35.610(AHD) to the top of the building (excluding the photovoltaic panels) and RL 36.050(AHD) to the top of the lift overrun.	Ongoing	All	This Condition is an Administrative Condition
Compliance with th	e Submitted Materials and Samples Board			
A23	The design details of the proposed building facade including all external finishes, colours and glazing must be in accordance with the list of materials prepared by BVN Architects (drawing no. AR-DA-C10-XX-03, Issue B, dated 24 February 2022).	Ongoing	All	This Condition is an Administrative Condition
A24	The concrete (CON-101), flex brick screen materiality (SCN-101) and glazing specification must be consistent with submitted materials and samples board (Version 02) prepared by BVN Architects, dated 6 April 2022 (Council ref. 2022/230840).	Ongoing	All	This Condition is an Administrative Condition
Sign Illumination				

A25	The signage must comply with the following:- (a)At no time is the intensity, period of intermittency and hours of illumination of the LED sign 'D1' to cause objectionable glare or injury to the amenity of the neighbourhood and as such must be designed, installed and used in accordance with AS4282-1997 Control of Obtrusive Effects of Outdoor Lighting. (b)The sign must not flash, chase, pulsate or flicker. (c)The maximum night time luminance of any sign is not to exceed 300 cd/sqm. (d)Upward facing light sources onto any signage is not permitted.	Ongoing	All	This Condition is an Administrative Condition
Signage General Rec	quirements			
A26	The design of the approved signage must comply with the following:- (a) The signage is not to contain highly reflective materials, colours and finishes. (b) The signage is not to incorporate sound, vibration, odour and other emissions.	Ongoing	All	This Condition is an Administrative Condition
Dynamic Content Sig	gns (LED Sign)			
A27	The design of the approved dynamic content signage (LED sign D1) must comply with the following unless otherwise agreed by Council:- (a)The Dynamic Content Sign must not operate between 10pm and 7am. (b)Any imagery shall have a dwell time of at least 10 seconds, transition time of 0.1 seconds and not be animated. (c)The Dynamic Content Sign, including any animation, video or moving or changing images, is not to flash, strobe, pulsate, flicker or contain fast moving images. Any animation and motion of images is to be slow and smooth at all times. (d)The Dynamic Content Sign is to have a default setting that will display an entirely black display area when no content is being displayed or if a malfunction occurs. (e)The Dynamic Content Sign is to have light sensors that automatically adjust the display brightness of the display area to ambient light conditions.	Ongoing	All	This Condition is an Administrative Condition
Noise - Commercial	Plant			
A28	Noise from commercial plant must not exceed a project amenity/intrusiveness noise level or maximum noise level in accordance with relevant requirements of the NSW EPA Noise Policy for Industry 2017 (NPfI) unless agreed to by the City's Area Planning Manager. Further: (a)Background noise monitoring must be carried out in accordance with the long-term methodology in Fact Sheet B of the NPfI unless otherwise agreed by the City's Area Planning Manager. (b)Commercial plant is limited to heating, ventilation, air conditioning, refrigeration and energy generation equipment.	Ongoing	All	This Condition is an Administrative Condition
A29	An LAeq,15 minute (noise level) emitted from the development must not exceed the LA90, 15 minute (background noise level) by more than 3dB when assessed inside any habitable room of any affected residence or noise sensitive commercial premises at any time. Further: (a) The noise level and the background noise level must both be measured with all external doors and windows of the affected residence closed. (b) Background noise measurements must not include noise from the development but may include noise from necessary ventilation at the affected premise. (c) Corrections in Fact Sheet C of the NPfl are applicable to relevant noise from the development measured in accordance with this condition, however duration corrections are excluded from commercial noise.	Ongoing	All	This Condition is an Administrative Condition
Notification - New C	ontamination Evidence			

ľ
on
on
on
on
on
on
on
on
on
on

				<u> </u>
A39	AT FOUNDATION STAGE - Upon commencement of wall construction, by the time the perimeter wall has reached one metre in height, all work on the site shall cease unless a survey and report has been submitted to the Crown Certifier indicating the position of external walls in relation to the boundaries of the allotment, and the setbacks. Any encroachments of the subject building over the side boundaries must be removed prior to continuation of building construction work, or alternatively a letter supplied from the registered proprietor(s) of the adjoining lot(s) confirming that they are aware of the nature & extent of the encroachment, and undertaking to execute all necessary documentation to permit the creation of an easement to permit the encroachment to remain. This condition has been added requiring compliance with the submitted Plan of Management (attached). One of the key objectives is to capture the hours of operation that are outlined in the Plan.	Ongoing	All	This Condition is an Administrative Condition
Operational Plan o	of Management			
A40	The use and hours of operation must be operated/ managed in accordance with the Operational Plan of Management, prepared by NSW Department of Education and the City of Sydney (Council ref. 2022/232707). In the event of any inconsistency, the conditions of this consent will prevail over the Plan of Management.	Ongoing	All	This Condition is an Administrative Condition
Design Modification	ons			
B1	The design must be modified as follows: (a)The size of sign D1 as illustrated on Architectural Plan A-B69-XX-01 is to be reduced to a maximum of 1000mm x 2500mm and is only to be illuminated between the hours of 7am and 10pm 7 days per week. (b)The architectural plans are to be updated to demonstrate that the flex brick screen SCN-101 is limited to maximum 50% brick coverage. (c) The architectural plans must be consistent with the Landscape Plans regarding the location of proposed bicycle parking spaces.	Ongoing	Stage 1	This Condition has already been closed out prior to commencement of Construction Stage 1
В2	Details of the above modifications are to be submitted to and approved by the Crown Certifier and a copy of the approved plans are to be submitted to Council for information prior to certification being issued (pursuant to Section 6.28 of the Environmental Planning and Assessment Act 1979).	Ongoing	Stage 1	This Condition has already been closed out prior to commencement of Construction Stage 1
Demolition, Excava	ation and Construction Noise and Vibration Management Plan			

	I			T
B3	A site-specific noise management plan must be submitted to the Crown Certifier for comment and approval prior to certification being issued (pursuant to Section 6.28 of the Environmental Planning and Assessment Act 1979). The Plan must be prepared by a suitably qualified person who possesses the qualifications to render them eligible for membership of the Australian Acoustic Society, Institution of Engineers Australia or the Australian Association of Acoustic Consultants. The plan must include but not be limited to the following:- (a)Identification of noise sensitive receivers near to the site. (b)A prediction as to the level of noise impact likely to affect the nearest noise sensitive receivers from the use and proposed number of high noise intrusive appliances intended to be operated onsite. A statement should also be submitted outlining whether or not predicted noise levels will comply with the noise criteria stated within the EPA's Interim Construction Noise Guidelines (DECC, 2009) for the typical construction hours of 07.00am to 7.00pm. Where resultant site noise levels are likely to be in exceedance of this noise criteria then a suitable proposal must be given as to the duration and frequency of respite periods that will be afforded to the occupiers of neighbouring property. (c)A representative background noise measurement (LA90, 15 minute) should be submitted, assessed in the vicinity of any potentially affected receiver locations and measured in accordance with AS 1055:1.2.1997. (d)Confirmation of noise monitoring methodology that is to be undertaken during the main stages of work at neighbouring noise sensitive properties in order to keep complaints to a minimum and to ensure that noise from site works complies with the noise criteria contained within City's Construction Noise Code. (f)What course of action will be undertaken following receipt of a complaint concerning offensive noise. (g)Details of any noise mitigation measures that have been outlined by an acoustic consultant or otherwise that	Ongoing	Stage 1	This Condition has already been closed out prior to commencement of Construction Stage 1
-	mental Management Plan Prior to certification being issued (pursuant to Section 6.28 of the Environmental Planning			T
R4	and Assessment Act 1979) a Construction Environmental Management Plan (CEMP) must be prepared for the site and submitted to the Crown Certifier for written approval.	Ongoing	Stage 1	This Condition has already been closed out prior to commencement of Construction Stage 1
В5	The CEMP must consider all potential environmental impacts from the approved works including but not limited to sedimentation control, contamination containment, stockpiles, noise and vibration, odours and dust emissions.	Ongoing	Stage 1	This Condition has already been closed out prior to commencement of Construction Stage 1
	All works must be undertaken onsite in accordance with the approved Construction Environmental Management Plan.	Ongoing	Stage 1	This Condition has already been closed out prior to commencement of Construction Stage 1

В7	Where all such control measures have been implemented and the resultant noise and/ or vibration levels at any sensitive receiver still exceed the council's applicable criteria stated in the Interim Construction Noise Guideline (DECC) and are giving rise to sustained complaints then the contractor must provide regular, appropriate and sustained periods of respite in consultation with Council's Health and Building unit. Approval to vary the authorised noise and vibration levels must be received in writing by the proponent from Council prior to activities being undertaken that exceed sanctioned emission levels. (Use where respite periods not specified under the approved DEC NMP). Such periods must be set and agreed to by Council's Health and Building Unit.	Ongoing	Stage 1	This Condition has already been closed out prior to commencement of Construction Stage 1
Details to be Subm	nitted		•	
B8	The following information is to be submitted to and approved by Council's Area Planning Manager prior to certification being issued or other timeframe agreed to by Council (pursuant to Section 6.28 of the Environmental Planning and Assessment Act 1979): (a)1:20 scale minimum plans, elevations and section details of the fence interface to Waranara Early Learning Centre on the south and east boundaries, which integrates with the existing high quality fence design and clearly identifies what is existing and what is proposed. (b)1:20 scale minimum plans, elevations and section details of the following are to be submitted: (l)High quality façade treatments, service integration, access doors and entry gates to each of the two entries points on Zetland Avenue and Portman Street equivalent in design quality and materiality of the façade. (ii)High quality, well integrated sliding gates to each of the two perimeter access points on the eastern and southern boundaries equivalent in design quality and materiality of the façade. (iii)High quality integral finish fire hydrant reel cupboard integrated into the façade fronting Zetland Avenue equivalent in design quality and materiality of the façade. The required information must include detailed material, finishing, spacing, elemental sizing details. The information submitted should show a level of detail equivalent to For Construction detailing. (c)1:20 scale detailed drawings (plans, elevations and sections) of the hydrant booster assembly and fire hose reel cupboard facing Portman Street, demonstrating these are high quality with integral finish and are consistent with the materials and finishes of the approved building. (d)Confirmation by the structural engineer that the concrete specification is consistent with that described on page 2 of Attachment A - Consolidated Responses, prepared by Architectus with specification details by BVN, undated (Council Ref. 2022/080499). (e)Glazing Details: (i)All glass is to be clear to achieve a high level of transparency to provi	Ongoing	Stage 3 and 4	All to be submitted prior to commencement of all remaining works (fitout, façade finishes etc), however Part (d) is to be submitted prior to Stage 3 - Structure and above ground services.

Th	ne Landscape Report – Issue L prepared by Turf Studio dated April 2022 and supporting			
La	ndscape Plans must be updated to include:			
(a))Location of existing and proposed structures on the site including, but not limited to,			
	isting and proposed trees, paved areas, planted areas on slab, planted areas in natural			
	ound, lighting and other features;			
_)Details of earthworks and soil depths including mounding and retaining walls and			
I Total	anter boxes (if applicable). The minimum soil depths for planting on slab must be 1000mm			
	r trees, 450mm for shrubs and 200mm for groundcovers;			
)Location, numbers, type and supply of plant species, with reference to the relevant			
	ustralian Standard;			
(d)) All new trees must be grown to Australian Standard 2303:2015 'Tree stock for landscape			
us	e'			
(a))All new trees must be planted in natural ground with adequate soil volumes to allow			
	aturity to be achieved. Planter boxes will not be accepted for tree planting;	Ongoing	Store 2	Dries to common out of la cus and comitoe
		Ongoing	Stage 2	Prior to commencement of In ground services.
	All new trees must be appropriately located away from existing buildings and structures			
	allow maturity to be achieved without restriction;			
)Details of planting procedure and maintenance;			
)Details of drainage, waterproofing and watering systems;			
1 1 1 1	Details demonstrating use of a lighter colour for soft fall across areas of the rooftop that			
	e exposed to the sun;			
	Location of proposed bicycle parking spaces that are consistent with the approved			
Ar	chitectural Plans.			
l I _{Th}	ne updated Landscape Report and supporting Landscape Plans must be submitted to and			
	proved by the Council prior to certification being issued (pursuant to Section 6.28 of the			
	nvironmental Planning and Assessment Act 1979).			
	in the first training and resease the rect 2575.			
Green Star Rating				
	ior to the commencement of construction, unless otherwise agreed by the Council, the			
1	oplicant must demonstrate that ESD is being achieved by either:			
(a)	registering for a minimum 5 star Green Star rating with the Green Building Council			
Au Au	ustralia and submit evidence of registration to the certifier; or	Ongoing	Stage 1	This Condition has already been closed out prior to commencement of
B10 (b))seeking approval from the Council for an alternative certification process	Ongoing	Stage 1	Construction Stage 1
Notification of Commen	icement			
	ne Applicant must notify Council in writing of the dates of the intended commencement of			
	onstruction and operation at least 48 hours before those dates.			
	ty of Sydney as delegate for NSW Government 13 Green Square Integrated Community			
	icility and School			
	epartment of Planning and Environment (SSD-10381)			
		Ongoing	All	Applies to all stages
]	the construction or operation of the development is to be staged, the Council must be		- -	
	otified in writing at least 48 hours before the commencement of each stage, of the date of			
co	mmencement and the development to be carried out in that stage.			
1				
Access to Information				

B12	At least 48 hours before the commencement of construction until the completion of all works under this consent, or such other time as agreed by the Council, the Applicant must: (a) make the following information and documents (as they are obtained or approved) publicly available on its website: (i) the documents referred to in condition A2 of this consent; (ii) all current statutory approvals for the development; (iii) all approved strategies, plans and programs required under the conditions of this consent; (iv) regular reporting on the environmental performance of the development in accordance with the reporting arrangements in any plans or programs approved under the conditions of this consent; (v) a comprehensive summary of the monitoring results of the development, reported in accordance with the specifications in any conditions of this consent, or any approved plans and programs; (vi) a summary of the current stage and progress of the development; (vii) contact details to enquire about the development or to make a complaint; (viii) a complaints register, updated monthly; (ix) audit reports prepared as part of any independent audit of the development and the Applicant's response to the recommendations in any audit report; (x) any other matter required by the Council; and (b) keep such information up to date, to the satisfaction of the Council and publicly available for 12 months after the commencement of operations.	Ongoing	All	Applies to all stages
Certified Drawings			<u> </u>	
B13	Prior to the commencement of construction, the Applicant must submit to the satisfaction of the Crown Certifier structural drawings prepared and signed by a suitably qualified practising Structural Engineer that demonstrates compliance with this development consent.	Ongoing	All	Structural drawings will be submitted separately for each stage as required by the Certiying Authority, prior to the commencement of each stage in which the specific Structural Drawings. Prior to the commencement of construction, or other timeframe agreed to by Council, the Applicant must submit to the satisfaction of the Crown Certifier structural drawings prepared and signed by a suitably qualified practising Structural Engineer that demonstrates compliance with this development consent.
External Walls and C	Cladding			·
B14 Photovoltaics	Prior to the commencement of construction, the Applicant must provide the Crown Certifier with documented evidence that the products and systems proposed for use or used in the construction of external walls, including finishes and claddings such as synthetic or aluminium composite panels, comply with the requirements of the BCA. The Applicant must provide a copy of the documentation given to the Crown Certifier to Council within seven days after the Crown Certifier accepts it.	Ongoing	Stage 4	Prior to the commencement of construction, or other timeframe agreed to by Council, the Applicant must provide the Crown Certifier with documented evidence that the products and systems proposed for use or used in the construction of external walls, including finishes and claddings such as synthetic or aluminium composite panels, comply with the requirements of the BCA. The Applicant must provide a copy of the documentation given to the Crown Certifier to Council within seven days after the Crown Certifier accepts it.

B15	Prior to the commencement of construction the Architectural Plans are to be updated to confirm that a combined size 128 kWp will be achieved by the roof top photovoltaic system in alignment with BVN Green Square Integrated Community Facility and School – SSD-10381 Ecologically Sustainable Development Statement 26 July 2021.	Ongoing	Stage 1	This Condition has already been closed out prior to commencement of Construction Stage 1 Prior to the commencement of construction, or other timeframe agreed to by Council, the Architectural Plans are to be updated to confirm that a combined size 128 kWp will be achieved by the roof top photovoltaic system in alignment with BVN Green Square Integrated Community Facility and School – SSD-10381 Ecologically Sustainable Development Statement 26 July 2021.
Protection of Public I				
B16	Prior to the commencement of construction, the Applicant must: (a)consult with the relevant owner and provider of services that are likely to be affected by the development to make suitable arrangements for access to, diversion, protection and support of the affected infrastructure; (b)prepare a dilapidation report identifying the condition of all public infrastructure in the vicinity of the site (including roads, gutters and footpaths); and (c)submit a copy of the dilapidation report to the Crown Certifier and Council.	Ongoing	Stage 1	This Condition has already been closed out prior to commencement of Construction Stage 1 Prior to the commencement of construction, or other timeframe agreed to by Council, the Applicant must: (a) consult with the relevant owner and provider of services that are likely to be affected by the development to make suitable arrangements for access to, diversion, protection and support of the affected infrastructure; (b) prepare a dilapidation report identifying the condition of all public infrastructure in the vicinity of the site (including roads, gutters and footpaths); and (c) submit a copy of the dilapidation report to the Crown Certifier and Council.
Pre-Construction Dila	apidation Report		•	
B17	Prior to the commencement of construction, the Applicant must submit a pre- commencement dilapidation report to Council and the Crown Certifier. The report must provide an accurate record of the existing condition of adjoining private properties, heritage items and Council assets that are likely to be impacted by the proposed works.	Ongoing	Stage 1	This Condition has already been closed out prior to commencement of Construction Stage 1
Temporary Ground A	Anchors, Temporary Shoring and Permanent Basement/Retaining Walls Affecting the Road Re	eserve		
B18	For temporary shoring including ground anchors affecting the road reserve, a separate application under Sections 138/139 of the Roads Act 1993 must be submitted to and approved by Council. Note: Section 4.42(1)(f) of the EP&A Act 1979, a consent under Section 138 of the Roads Act 1993 cannot be refused if it is necessary for carrying out State Significant development that is authorised by a development consent under Division 4.7 of the EP&A Act 1979 and is to be substantially consistent with the consent.	Ongoing	All	Applies to all stages
Public Domain Levels	s and Gradients			

B19	Public domain levels and gradients for the buildings and site frontages of those buildings must be submitted to and approved by Council prior to certification being issued (pursuant to Section 6.28 of the Environmental Planning and Assessment Act 1979) for above ground building works. The submission must be prepared by a Registered Surveyor or suitably qualified engineer and must be submitted with a completed Public Domain Levels and Gradients Approval Application form (available on the City's website). If changes are proposed to any site entrance, driveway or floor levels once an approval has been issued, an amended Public Domain levels and gradients submission must be submitted to and approved by Council to reflect these changes prior to certification being issued (pursuant to Section 6.28 of the Environmental Planning and Assessment Act 1979) for above ground works.	Ongoing	Stage 1	Prior to commencement of Earthworks.
Works Requiring Us	L se of a Public Place			
B20	Where construction/building works require the use of a public place including a road or footpath, a separate application under Sections 138/139 of the Roads Act 1993 must be submitted to and approved by Council prior to the commencement of work. Details of any barricade construction, area of enclosure and period of work are required to be submitted to the satisfaction of Council. Note: Section 4.42(1)(f) of the EP&A Act 1979, a consent under Section 138 of the Roads Act 1993 cannot be refused if it is necessary for carrying out State significant development that is authorised by a development consent under Division 4.7 of the EP&A Act 1979 and is to be substantially consistent with the consent.	Ongoing	Stage 1	This Condition has already been closed out prior to commencement of Construction Stage 1
Reflectivity				
B21	Prior to certification being issued (pursuant to Section 6.28 of the Environmental Planning and Assessment Act 1979) the Crown Certifier must ensure that the visible light reflectivity from building materials used on the facade of the building does not exceed 20%.	Ongoing	Stage 4	Prior to commencement all remaining works (fitout, facades finishes)
Outdoor Lighting				
B22	Illumination designs certified by a suitably qualified practicing lighting engineer are to be submitted to Council for approval prior to the installation of the lighting scheme.	Ongoing	Stage 4	Prior to commencement all remaining works (fitout, facades finishes)
B23	Compliance with the requirements of AS4282:2019 must be confirmed (with supporting calculations) in respect of the following: (a) Obtrusive lighting on adjacent residential properties; (b) Luminance of lit surfaces; and (c) Upward spill light ratio.	Ongoing	Stage 4	Prior to commencement all remaining works (fitout, facades finishes)
Construction Traffic	Management Plan			
B24	A Construction Traffic Management Plan must be submitted to and approved by Council prior to certification being issued (pursuant to Section 6.28 of the Environmental Planning and Assessment Act 1979).	Ongoing	Stage 1	This Condition has already been closed out prior to commencement of Construction Stage 1
B25	The approved plan must be complied with during any demolition and/or construction work.	Ongoing	All	Applies to all stages
Excavation and Con	struction Management			

B26	Prior to the commencement of construction the following details must be submitted to and be approved by the Crown Certifier: (a)An Excavation Work Method Statement prepared by an appropriately qualified person. (b)Plans and elevations showing the location, construction and installation of temporary site fencing and any temporary structures used in connection with the construction of the development. Note: Temporary structures, including hoardings and scaffolding, proposed for erection on City-owned and controlled land (footways and roadways), must comply with Council's Guidelines for Hoardings and Scaffolding and be approved by Council under the provisions of the Local Government Act 1993 and the Roads Act 1993 prior to installation.	Ongoing	Stage 1	This Condition has already been closed out prior to commencement of Construction Stage 1
В27	Such statements must, where applicable, be in compliance with the Work, Health and Safety Act 2011 and Regulation; Council's Guidelines for Waste Management in New Developments 2018, the Waste Avoidance and Resource Recovery Act 2001, and all other relevant acts and regulations and must include provisions for: (a) A Materials Handling Statement for the removal of refuse from the site in accordance with the Waste Avoidance and Resource Recovery Act 2001. (b) The name and address of the company/contractor undertaking excavation works. (c) The name and address of the company/contractor undertaking off site remediation/disposal of excavated materials. (d) The name and address of the transport contractor. (e) The type and quantity of material to be removed from site. (f) Location and method of waste disposal and recycling. (g) Proposed truck routes, in accordance with this development consent. (h) Procedures to be adopted for the prevention of loose or contaminated material, spoil, dust and litter from being deposited onto the public way from trucks and associated equipment and the proposed method of cleaning surrounding roadways from such deposits. (i) Measures to control noise emissions from the site. (j) Measures to suppress odours. (k) Enclosing and making the site safe. (l) Induction training for on-site personnel. (m) Written confirmation that an appropriately qualified Occupational Hygiene Consultant has inspected the building/site for asbestos, contamination and other hazardous materials, in accordance with the procedures acceptable to SafeWork NSW.	Ongoing	All	Applies to all stages
	 (n) An Asbestos and Hazardous Materials Clearance Certificate by a person approved by the SafeWork NSW. (o) Disconnection of utilities. (p) Fire Fighting. (Access to fire services in the street must not be obstructed). City of Sydney as delegate for NSW Government 16 Green Square Integrated Community Facility and School Department of Planning and Environment (SSD-10381) (q) Access and egress. (excavation activity must not cause damage to or adversely affect the safe access and egress of the subject building or any adjacent buildings). (r) Waterproofing of any exposed surfaces of adjoining buildings. (s) Control of water pollution and leachate and cleaning of vehicles tyres (proposals must be in accordance with the Protection of the Environmental Operations Act 1997). (t) Working hours, in accordance with this development consent. (u) Any SafeWork NSW requirements. 			

B28	A Waste and Recycling Management Plan is to be approved by the Crown Certifier prior to certification being issued (pursuant to Section 6.28 of the Environmental Planning and Assessment Act 1979). The plan must comply with the Council's Guidelines for Waste Management in New Developments 2018. All requirements of the approved Building Waste and Recycling Management Plan must be implemented during construction of the development. (a)A mechanical aid (tug or trolley) is to be used to assist staff with moving any bins and bulky waste to the collection point and back to the storage areas safely.	Ongoing	Stage 1	This Condition has already been closed out prior to commencement of Construction Stage 1
B29	The approved work method statements and a waste management plan as required by this condition must be implemented in full during the period of construction.	Ongoing	All	Applies to all stages
Erosion and Sedime	nt Control			·
B30	Prior to the commencement of demolition/excavation/construction work, an Erosion and Sediment Control Plan (ESCP) must be submitted to and be approved by the Crown Certifier. The ESCP must: (a) Conform to the specifications and standards contained in Managing Urban Stormwater: Soils and Construction (Landcom, 2004); the Guidelines for Erosion and Sediment Control on Building Sites (City of Sydney, 2004); and the NSW Protection of the Environment Operations Act 1997. (b) Include a drawing(s) that clearly shows: (i) Ilocation of site boundaries and adjoining roads (ii) approximate grades and indications of direction(s) of fall (iii) approximate location of trees and other vegetation, showing items for removal or retention (iv) Ilocation of site access, proposed roads and other impervious areas (v) existing and proposed drainage patterns with stormwater discharge points (vi) north point and scale (c) Specify how soil conservation measures will be conducted on site including: (i) Itiming of works (ii) Ilocations of lands where a protective ground cover will, as far as is practicable, be maintained (iii) access protection measures (iv) nature and extent of earthworks, including the amount of any cut and fill (v) where applicable, the diversion of runoff from upslope lands around the disturbed areas (vi) Ilocation of all soil and other material stockpiles including topsoil storage, protection and reuse methodology (vii) procedures by which stormwater is to be collected and treated prior to discharge including details of any proposed pollution control device(s) (viii) frequency and nature of any maintenance program (ix) other site-specific soil or water conservation structures.	Ongoing	Stage 1	This Condition has already been closed out prior to commencement of Construction Stage 1
Construction Parkin	g			
B31	Prior to the commencement of construction, the Applicant must submit a Construction Worker Transportation Strategy to the Crown Certifier. The Strategy must detail the provision of sufficient parking facilities or other travel arrangements for construction workers in order to minimise demand for parking in nearby public and residential streets or public parking facilities. A copy of the strategy must be provided to the Council for information. Design of Mechanical Plant and Equipment	Ongoing	Stage 1	This Condition has already been closed out prior to commencement of Construction Stage 1

B32 Heritage Interpret	Prior to installation of mechanical plant and equipment, the Applicant must submit evidence to the Crown Certifier that the noise mitigation recommendations in the Noise and Vibration Impact Assessment dated 6/8/2021 and prepared by Acoustic Logic have been incorporated into the design to ensure the development will not exceed the recommended operational noise levels. tation Plan An interpretation plan for the site must be prepared in consultation with Council and submitted to and approved by the Crown Certifier prior to certification being issued (pursuant to Section 6.28 of the Environmental Planning and Assessment Act 1979). The plan is to be prepared by a built heritage specialist in accordance with the Heritage NSW Department of Premier and Cabinet publications, Interpreting Heritage Places and Items (2005) and Heritage Interpretation Policy (2005).	Ongoing	Stage 4 Stage 4	Prior to all remaining works (fit out, facades, finishes) Prior to all remaining works (fit out, facades, finishes)		
Protection of Publ						
B34	The proposed work must take measures to protect existing street furniture and features on the public land including street and laneway stone curbs and gutters. If they need to be interrupted during process of construction, they must be properly recorded and reinstated to the original condition.	Ongoing	All	Applies to all stages		
Construction and	Demolition Storage and Processing					
B35	Prior to the commencement of the removal of any waste material from the site, the Applicant must notify the TfNSW Traffic Management Centre of the truck route(s) to be followed by trucks transporting waste material from the site.	Ongoing	All	Applies to all stages		
Operational Wast	te Storage and Processing					
B36	Prior to the commencement of construction of waste storage and processing areas, the Applicant must obtain agreement from Council for the design of the operational waste storage area (where waste removal will be undertaken by Council). Where waste removal will be undertaken by a third party, evidence must be provided to the Crown Certifier that the design of the operational waste storage area: (a)is constructed using solid non-combustible materials; (b)is designed to ensure the door/gate to the waste storage area is vermin proof and can be openable from both inside and outside the storage area at all times; (c)includes a hot and cold water supply with a hose through a centralised mixing valve; (d)is naturally ventilated or an air handling exhaust system must be in place; and (e)includes signage to clearly describe the types of materials that can be deposited into recycling bins and general garbage bins.	Ongoing	Stage 1	Prior to demolition or Earthworks.		
Construction Acce	Construction Access Arrangements					
В37	Prior to the commencement of construction, evidence of compliance of construction parking and access arrangements with the following requirements must be submitted to the Crown Certifier: (a)all vehicles must enter and leave the Site in a forward direction unless in specific circumstances under the supervision of accredited traffic controllers; (b)the swept path of the longest construction vehicle entering and exiting the site in association with the new work, as well as manoeuvrability through the site, is in accordance with the latest version of AS 2890.2; and (c)the safety of vehicles and pedestrians accessing adjoining properties, where shared vehicle and pedestrian access occurs, has been addressed.	Ongoing	Stage 1	This Condition has already been closed out prior to commencement of Construction Stage 1		

B38	A Detailed Public Art Plan with final details of the proposed public artwork must be submitted to an approved by Council's Area Planning Manager prior to issue of any certification being issued or other timeframe agreed to by Council (pursuant to Section 6.28 of the Environmental Planning and Assessment Act 1979) for above ground works.	Ongoing	Stage 4	Prior to commencement of all remaining works (fitout, façade finishes etc). The City of Sydney have agreed to have Condition B38 addressed prior to Stage 4 as per email correspondence by Samantha Kruize dated 12/09/2022.
Stormwater Drain	age Design			
В39	Prior to certification being issued (pursuant to Section 6.28 of the Environmental Planning and Assessment Act 1979), a detailed stormwater management plan prepared by suitable qualified and experienced professionals must be submitted to and approved by the City's Public Domain Unit and must include; (a) A certified stormwater drainage design complying with (i) ② ouncil's Sydney Streets Technical Specifications, Part A4 Stormwater Drainage Design; (ii) ② ouncil's Sydney Streets Technical Specifications, Standard Drawings; (iii) ② ouncil's Sydney Streets Technical Specifications, Part B10: Stormwater Drainage Construction; (iv) ② ouncil's Stormwater Drainage Manual; and (v) All relevant Australian Standards. This information is available for download from the City's website at https://www.cityofsydney.nsw.gov.au/development/public-domain-works/daassociated-works. Note: A Deed of Agreement for all proposed connections to the City's drainage system, and a Positive Covenant for all OSD systems is required prior to occupation or use.	Ongoing	Stage 1	Prior to commencement of Earthworks.
Stormwater Drain	age Connection			
B40	For approval of a connection into the City of Sydney's underground drainage infrastructure system an Application for Approval of Stormwater Drainage Connection must be submitted to the City, together with an application fee in accordance with the City of Sydney's adopted Schedule of Fees and Charges. This must be approved prior to approval being issued for the construction of public domain work.	Ongoing	All	Applies to all stages
Stormwater On-Sit			1	
B41	The requirements of Sydney Water with regard to the on-site detention (OSD) of stormwater must be ascertained and complied with. Evidence of the approval must be submitted to Council prior to certification being issued (pursuant to Section 6.28 of the Environmental Planning and Assessment Act 1979). Where an OSD is not required by Sydney Water one may still be required by the City.	Ongoing	Stage 1	Prior to commencement of Earthworks.
Sydney Water Cert				
B42	A Section 73 Compliance Certificate under the Sydney Water Act 1994 must be obtained from Sydney Water. Note: The proponent is advised to make an early application for the certificate, as there may be water and wastewater pipes to be built that can take some time. This can also impact on other services and buildings, driveways or landscape designs. Note 1: Applications must be made through an authorised Water Servicing Coordinator. For help either visit www.sydneywater.com.au > Plumbing, building and developing > Developing > Land development or telephone 13 20 92.	Ongoing	Stage 2	Prior to commencement of inground services installation
Sydney Water - Bu	ilding Plan Approval		ı	•

B43	The approved plans must be submitted to the Sydney Water Tap in™ online service to determine whether the development will affect any Sydney Water sewer or water main, stormwater drains and/or easement, and if further requirements need to be met. Note: The Tap in™ service provides 24/7 access to a range of services, including: (a) building plan approvals (b) connection and disconnection approvals (c) diagrams (d) trade waste approvals (e) pressure information (f) water meter installations (g) pressure boosting and pump approvals (h) changes to an existing service or asset, e.g. relocating or moving an asset. Note 1: Sydney Water's Tap in™ online service is available at: https://www.sydneywater.com.au/SW/plumbing-building-developing/building/sydneywater-tap-in/index.htm Note 2: Sydney Water recommends developers apply for Building Plan approval early as in some instances the initial assessment will identify that an Out of Scope Building Plan Approval will be required.	Ongoing	Stage 2	Prior to commencement of inground services installation
dney Water - Out	Sydney Water will need to undertake a detailed review of building plans: (a) That affect or are likely to affect any of the following: (i) Wastewater pipes larger than 300mm in size (ii) Pressure wastewater pipes (iii) Drinking water or recycled water pipes (iv) Our property boundary (v) An easement in our favour (vi) Stormwater infrastructure within 10m of the property boundary. (b) Where the building plan includes: (i) Construction of a retaining wall over, or within the zone of influence of our assets (ii) Excavation of a basement or building over, or adjacent to, one of our assets (iii) Dewatering – removing water from solid material or soil.	Ongoing	Stage 2	Prior to commencement of inground services installation
B45	The detailed review is to ensure that: (a) our assets will not be damaged during, or because of the construction of the development (b) we can access our assets for operation and maintenance (c) your building will be protected if we need to work on our assets in the future.	Ongoing	Stage 2	Prior to commencement of inground services installation
	The developer will be required to pay Sydney Water for the costs associated with the	Ongoing	Stage 2	Prior to commencement of inground services installation

C1	A site notice(s) must be prominently displayed at the boundaries of the site during construction for the purpose of informing the public of project details and must satisfy the following requirements: (a)minimum dimensions of the site notice(s) must measure 841 mm x 594 mm (A1) with any text on the site notice(s) to be a minimum of 30-point type size; (b)the site notice(s) must be durable and weatherproof and must be displayed throughout the works period; (c)the approved hours of work, the name of the builder, Crown Certifier, structural engineer, site/ project manager, the responsible managing company (if any), its address and 24-hour contact phone number for any inquiries, including construction/ noise complaint must be displayed on the site notice(s); and (d)the site notice(s) must be mounted at eye level on the perimeter hoardings/fencing and must state that unauthorised entry to the site is not permitted.	Ongoing	All	Applies to all stages
Hours of Work and N				
C2	The hours of construction and work on the development must be as follows: (a)All work, including building/demolition and excavation work, and activities in the vicinity of the site generating noise associated with preparation for the commencement of work (e.g. loading and unloading of goods, transferring of tools etc) in connection with the proposed development must only be carried out between the hours of 7.00am and 6.00pm on Mondays to Fridays inclusive, and 8.00am and 3.30pm on Saturdays, with safety inspections being permitted at 7.00am on work days, and no work must be carried out on Sundays or public holidays. (b)All work, including demolition, excavation and building work must comply with the Interim Construction Noise Guideline (DECC, 2009) and Australian Standard 2436 - 2010 Guide to Noise Control on Construction, Maintenance and Demolition Sites. All feasible and reasonable noise mitigation measures must be implemented and any activities that could exceed the construction noise management levels must be identified and managed in accordance with the management and mitigation measures identified in the approved Construction Noise and Vibration Management Plan. (c)Notwithstanding the above, the use of a crane for special operations, including the delivery of materials, hoisting of plant and equipment and erection and dismantling of onsite tower cranes which warrant the on-street use of mobile cranes outside of above hours can occur, subject to a separate application being submitted to and approved by Council under Section 68 of the Local Government Act 1993 and Sections 138/139 of the Roads Act 1993. Note: Works may be undertaken outside of hours, where it is required to avoid the loss of life, damage to property, to prevent environmental harm and/or to avoid structural damage to the building. Written approval must be given by the Construction Regulation Team, prior to works proceeding Note 1: Section 4.42(1)(f) of the EP&A Act 1979, a consent under Section 138 of the Roads Act 1993 cannot be refuse	Ongoing	All	Applies to all stages
C3	Notwithstanding condition C2, provided noise levels do not exceed the existing background noise level plus 5dB, works may also be undertaken during the following hours: (a)between 6pm and 7pm, Mondays to Fridays inclusive; and (b)between 3:30pm and 4pm, Saturdays.	Ongoing	All	Applies to all stages

C4	Notwithstanding condition C2, activities may be undertaken outside of these hours if required: (a) by the Police or a public authority for the delivery of vehicles, plant or materials; or (b) in an emergency to avoid the loss of life, damage to property or to prevent environmental harm; or (c) where the works are inaudible at the nearest sensitive receivers; or (d) where a variation is approved in advance in writing by SINSW if appropriate justification is provided for the works. Notification of such construction activities referenced in Condition C4 must be given to affected residents before undertaking the activities or as soon as is practical afterwards.	Ongoing		Applies to all stages Applies to all stages
		Cingoling	7.11	Applies to all stages
Operation of Plant a				
operation or riune	All construction plant and equipment used on site must be maintained in a proper and			
C6	efficient condition and operated in a proper and efficient manner.	Ongoing	All	Applies to all stages
Construction Traffic				
С7	All construction vehicles (excluding site personnel vehicles) are to be contained wholly within the site, except if located in an approved on-street work zone, and vehicles must enter the site or an approved on-street work zone before stopping.	Ongoing	AII	Applies to all stages
Hoarding Requirem	ents			
C8	The following hoarding requirements must be complied with: (a)no third-party advertising is permitted to be displayed on the subject hoarding/ fencing; and (b)the construction site manager must be responsible for the removal of all graffiti from any construction hoardings or the like within the construction area within 48 hours of its application.	Ongoing	All	Applies to all stages
Encroachments - Ne	ighbouring Properties			
С9	No portion of the proposed structure shall encroach onto the adjoining properties.	Ongoing	All	Applies to all stages
No Obstruction of P				
C10	The public way (outside of any approved construction works zone) must not be obstructed by any materials, vehicles, refuse, skips or the like, under any circumstances.	Ongoing	All	Applies to all stages
Construction Noise	Limits			
C11	The Applicant must ensure construction vehicles (including concrete agitator trucks) do not arrive at the site or surrounding residential precincts outside of the construction hours of work outlined under condition C2.	Ongoing	All	Applies to all stages
C12	The Applicant must implement, where practicable and without compromising the safety of construction staff or members of the public, the use of 'quackers' to ensure noise impacts on surrounding noise sensitive receivers are minimised.	Ongoing	AII	Applies to all stages
Vibration Criteria				
C13	Vibration caused by construction at any residence or structure outside the site must be limited to: (a)for structural damage, the latest version of DIN 4150-3 (1992-02) Structural vibration - Effects of vibration on structures (German Institute for Standardisation, 1999); and (b)for human exposure, the acceptable vibration values set out in the Environmental Noise Management Assessing Vibration: a technical guideline (DEC, 2006) (as may be updated or replaced from time to time).	Ongoing	All	Applies to all stages
Tree Protection				

C14	For the duration of the construction works: (a)street trees must not be trimmed or removed unless it forms a part of this development consent or prior written approval from Council is obtained or is required in an emergency to avoid the loss of life or damage to property; (b)all street trees immediately adjacent to the approved disturbance area / property boundary must be protected at all times during construction in accordance with Council's tree protection requirements. Any street tree, which is damaged or removed during construction due to an emergency, must be replaced, to the satisfaction of Council; (c)if access to the area within any protective barrier is required during the works, it must be carried out under the supervision of a qualified arborist. Alternative tree protection measures must be installed, as required. The removal of tree protection measures, following completion of the works, must be carried out under the supervision of a qualified arborist and must avoid both direct mechanical injury to the structure of the tree and soil compaction within the canopy or the limit of the former protective fencing, whichever is the greater.	Ongoing	All	Applies to all stages
Air Quality				
C15	The Applicant must take all reasonable steps to minimise dust generated during all works authorised by this consent.	Ongoing	All	Applies to all stages
C16	During construction, the Applicant must ensure that: (a)activities are carried out in a manner that minimises dust including emission of windblown or traffic generated dust; (b)all trucks entering or leaving the site with loads have their loads covered; (c)trucks associated with the development do not track dirt onto the public road network; (d)public roads used by these trucks are kept clean; and (e)land stabilisation works are carried out progressively on site to minimise exposed surfaces	Ongoing	All	Applies to all stages
Imported Fill Mater	rials			
C17	All fill imported onto the site must be validated to ensure the imported fill is suitable for the proposed land use from a contamination perspective. Fill imported on to the site shall also be compatible with the existing soil characteristic for site drainage purposes.	Ongoing	All	Applies to all stages
C18	The Applicant must: (a)ensure that only VENM, ENM, or other material that meets the requirements of a relevant order and exemption issued by the EPA, is brought onto the site; (b)keep accurate records of the volume and type of fill to be used; and (c)make these records available to the Crown Certifier upon request.	Ongoing	All	Applies to all stages
C19	The City may require details of appropriate validation of imported fill material to be submitted with any application for future development of the site. Hence all fill imported onto the site should be validated by either one or both of the following methods during remediation works: (a)Imported fill must be accompanied by documentation from the supplier which certifies that the material is not contaminated based upon analyses of the material for the known past history of the site where the material is obtained; and/or (b)Sampling and analysis of the fill material shall be conducted in accordance with NSW EPA (1995) Sampling Design Guidelines.	Ongoing	All	Applies to all stages
Disposal of Sewage		1		
C20	Adequate provisions must be made to collect and discharge stormwater drainage during construction to the Crown Certifier. The prior written approval of Council must be obtained to connect or discharge site stormwater to Council's stormwater drainage system or street gutter.	Ongoing	All	Applies to all stages
Emergency Manage	ement			

C21	The Applicant must prepare and implement awareness training for employees and contractors, including locations of the assembly points and evacuation routes, for the duration of construction.	Ongoing	All	Applies to all stages
Stormwater Manage	<u> </u>			
C22	Within three months of the commencement of construction, the Applicant must design an operational stormwater management system for the development and submit it to the satisfaction of the Crown Certifier. The system must: (a) be designed by a suitably qualified and experienced person(s); (b) be generally in accordance with the conceptual design in the Civil SSD Report prepared by Meinhardt Bonacci dated 22/07/2021; (c) be in accordance with applicable Australian Standards; and (d) ensure that the system capacity has been designed in accordance with Australian Rainfall and Runoff (Engineers Australia, 2016) and Managing Urban Stormwater: Council Handbook (EPA, 1997) guidelines;	Ongoing	All	Applies to all stages
Aboriginal Cultural H	leritage			
C23	Construction must be undertaken in accordance with the recommendations of the Aboriginal Cultural Heritage Assessment Report prepared by AMAC Archaeological dated July 2021.	Ongoing	All	Applies to all stages
Unexpected Finds Pr	otocol - Aboriginal Heritage			
C24	In the event that surface disturbance identifies a new Aboriginal object: (a) all works must halt in the immediate area to prevent any further impacts to the object(s); (b) a suitably qualified archaeologist and the registered Aboriginal representatives must be contacted to determine the significance of the objects; (c) the site is to be registered in the Aboriginal Heritage Information Management System (AHIMS) which is managed by Heritage NSW under Department of Premier and Cabinet and the management outcome for the site included in the information provided to AHIMS; (d) the Applicant must consult with the Aboriginal community representatives, the archaeologists and Heritage NSW to develop and implement management strategies for all objects/sites; and (e) works shall only recommence with the written approval of the Council.	Ongoing	All	Applies to all stages
Unexpected Finds Pr	otocol - Historic Heritage			
C25	If any unexpected archaeological relics are uncovered during the work, then: (a)all works must cease immediately in that area and notice is to be given to Heritage NSW and the Council; (b)depending on the possible significance of the relics, an archaeological assessment and management strategy may be required before further works can continue in that area as determined in consultation with Heritage NSW; and (c)works may only recommence with the written approval of the Council.	Ongoing	All	Applies to all stages
Archaeological disco	very during excavation			
C26	Should any relics be unexpectedly discovered on the site during excavation, all excavation or disturbance to the area is to stop immediately and the Heritage Council of NSW should be informed in accordance with section 146 of the Heritage Act 1977.	Ongoing	All	Applies to all stages
C27	Should any Aboriginal objects be unexpectedly discovered then all excavation or disturbance of the area is to stop immediately and NSW Government Office of Environment and Heritage is to be informed in accordance with Section 89A of the National Parks and Wildlife Act 1974.	Ongoing	All	Applies to all stages
C28	Should any archaeological remains or Aboriginal objects be discovered, a copy of recording of the finds and the final archaeological summary report is to be submitted to Council prior to the issue of any Occupational Certificate.	Ongoing	All	Applies to all stages

	Territoria de la companya della companya della companya de la companya della comp			T		
C29	If the discovery is on Council's land, Council must be informed.	Ongoing	All	Applies to all stages		
Waste Storage and						
C30	All waste generated during construction must be secured and maintained within designated waste storage areas at all times and must not leave the site onto neighbouring public or private properties.	Ongoing	All	Applies to all stages		
C31	All waste generated during construction must be assess, classified and managed in accordance with the Waste Classification Guidelines Part 1: Classifying Waste (EPA, 2014).	Ongoing	All	Applies to all stages		
C32	The Applicant must ensure that concrete waste and rinse water are not disposed of on the site and are prevented from entering any natural or artificial watercourse.	Ongoing	All	Applies to all stages		
C33	The Applicant must record the quantities of each waste type generated during construction and the proposed reuse, recycling and disposal locations for the duration of construction.	Ongoing	All	Applies to all stages		
C34	The Applicant must ensure that the removal of hazardous materials, particularly the method of containment and control of emission of fibres to the air, and disposal at an approved waste disposal facility is in accordance with the requirements of the relevant legislation, codes, standards and guidelines.	Ongoing	All	Applies to all stages		
C35	All waste records from the recycling and/or disposal of any demolition and construction waste generated from the works must be retained on site. These records must be available for sighting on request by an authorised Council officer.	Ongoing	All	Applies to all stages		
Outdoor Lighting						
C36	The Applicant must ensure that all external lighting is constructed and maintained in in accordance with AS 4282-2019 Control of the obtrusive effects of outdoor lighting.	Ongoing	All	Applies to all stages		
Stockpiles						
C37	No stockpiles of soil or other materials must be placed on footpaths or nature strips unless prior approval has been obtained from the City's Construction Regulation Team.	Ongoing	All	Applies to all stages		
C38	All stockpiles of soil or other materials must be placed away from drainage lines, gutters or stormwater pits or inlets.	Ongoing	All	Applies to all stages		
C39	All stockpiles of soil or other materials likely to generate dust or odours must be covered.	Ongoing	All	Applies to all stages		
C40	All stockpiles of contaminated soil must be stored in a secure area and be covered if remaining more than 24 hours.	Ongoing	All	Applies to all stages		
Notification of Occu						
D1	At least one month before commencement of operation, the date of commencement of the operation of the development must be notified to the Council in writing. If the operation of the development is to be staged, the Council must be notified in writing at least one month before the commencement of each stage, of the date of commencement and the development to be carried out in that stage.	Ongoing	All	Applies to all stages		
Building Height						
D2	Prior to occupation or use, a Registered Surveyor must provide certification that the height of the building accords with Condition A22, to the satisfaction of the Crown Certifier.	Ongoing	All	Applies to all stages		
Public Art	Public Art					
D3	Public art must be installed to the City's satisfaction prior to the commencement of operation or other timeframe agreed to by Council.	Ongoing	All	Applies to all stages		
D4	The public artwork must be in accordance with the Preliminary Public Art Plan, prepared by BVN, Revision 0.1, dated 17 February 2022, the Sydney DCP 2012, the Public Art Policy, and the Interim Guidelines: Public art in private developments.	Ongoing	All	Applies to all stages		

D5	Public artwork must be installed to the City's satisfaction, inspected and approved and the Final Public Art Report submitted and approved by Council's Area Planning Manager prior to occupation or use or timeframe agreed to by Council. Note: Public Art must be reviewed and endorsed by the City's Public Art Team and/or the Public Art Advisory Panel prior to submission for Council approval. Further information is available online at http://www.cityofsydney.nsw.gov.au/explore/arts-andculture/ public-art. Please contact the Public Art Team at publicartreferrals@cityofsydney.nsw.gov.au for further information.	Ongoing	All	Applies to all stages
External Walls and	I Cladding			
D6	Prior to commencement of operation, the Applicant must provide the Crown Certifier with documented evidence that the products and systems used in the construction of external walls including finishes and claddings such as synthetic or aluminium composite panels comply with the requirements of the BCA.	Ongoing	All	Applies to all stages
D7	The Applicant must provide a copy of the documentation given to the Crown Certifier to Council within seven days after the Crown Certifier accepts it.	Ongoing	All	Applies to all stages
Works as Executed				
D8	Prior to the commencement of operation, works-as-executed drawings signed by a registered surveyor demonstrating that the stormwater drainage and finished ground levels have been constructed as approved, must be submitted to the Crown Certifier.	Ongoing	All	Applies to all stages
Mechanical Ventila				
D9	Prior to commencement of operation, the Applicant must provide evidence to the satisfaction of the Crown Certifier that the installation and performance of the mechanical ventilation systems complies with: (a) AS 1668.2-2012 The use of air-conditioning in buildings – Mechanical ventilation in buildings and other relevant codes; and (b) any dispensation granted by Fire and Rescue NSW	Ongoing	All	Applies to all stages
Operational Noise	- Design of Mechanical Plant and Equipment	_		
D10	Prior to the commencement of operation, the Applicant must submit evidence to the Crown Certifier that the noise mitigation recommendations in the Noise and Vibration Assessment dated 6/8/2021 and prepared by Acoustic Logic have been incorporated into the design of mechanical plant and equipment to ensure the development will not exceed the recommended operational noise levels.	Ongoing	All	Applies to all stages
Fire Safety Certifica	ation			
D11	Prior to commencement of occupation, a Fire Safety Certificate must be obtained for all the Essential Fire or Other Safety Measures forming part of this consent. A copy of the Fire Safety Certificate must be submitted to the relevant authority and Council. The Fire Safety Certificate must be prominently displayed in the building.	Ongoing	All	Applies to all stages
Structural Inspection				
D12	Prior to the commencement of occupation of the relevant parts of any new or refurbished buildings, a Structural Inspection Certificate or a Compliance Certificate must be submitted to the Crown Certifier. A copy of the Certificate with an electronic set of final drawings (contact approval authority for specific electronic format) must be submitted to the approval authority and the Council after: (a) the site has been periodically inspected and the Crown Certifier is satisfied that the structural works is deemed to comply with the final design drawings; and (b) the drawings listed on the Inspection Certificate have been checked with those listed on the final Design Certificate/s.	Ongoing	All	Applies to all stages
Post-construction I	Dilapidation Report			1

	Prior to commencement of operation, the Applicant must engage a suitably qualified	ı		
D13	person to prepare a post-construction dilapidation report at the completion of construction. This report is: (a)to ascertain whether the construction created any structural damage to adjoining buildings or infrastructure; (b)to be submitted to the Crown Certifier. In ascertaining whether adverse structural damage has occurred to adjoining buildings or infrastructure, the Crown Certifier must: (i)compare the post-construction dilapidation report with the pre-construction dilapidation report required by these conditions; and (ii)have written confirmation from the relevant authority that there is no adverse structural damage to their infrastructure and roads. (c)to be forwarded to Council for information.	Ongoing	All	Applies to all stages
Protection of Public	Infrastructure			
D14	Unless the Applicant and the applicable authority agree otherwise, the Applicant must: (a)repair, or pay the full costs associated with repairing, any public infrastructure that is damaged by carrying out the development; and (b)relocate, or pay the full costs associated with relocating any infrastructure that needs to be relocated as a result of the development. Note:This condition does not apply to any damage to roads caused as a result of general road usage.	Ongoing	All	Applies to all stages
Road Damage				
D15	Prior to the commencement of operation, the cost of repairing any damage caused to Council or other Public Authority's assets in the vicinity of the Subject Site as a result of construction works associated with the approved development must be met in full by the Applicant.	Ongoing	All	Applies to all stages
Bicycle Parking and	End-of-Trip Facilities			
D16	Prior to the commencement of operation, compliance with the following requirements for secure bicycle parking and end-of-trip facilities must be submitted to the Crown Certifier: (a)the provision of a minimum 180 bicycle parking spaces; (b)the layout, design and security of bicycle facilities must comply with the minimum requirements of the latest version of AS 2890.3:2015 Parking facilities - Bicycle parking, Austroads Bicycle Parking Facilities: Guidelines for Design and Installation and Sydney DCP Section 3.11.3, and be located in easy to access, well-lit areas that incorporate passive surveillance; (c)the provision of end-of-trip facilities for staff; and (d)appropriate pedestrian and cyclist advisory signs are to be provided. Note: All works/regulatory signposting associated with the proposed development shall be at no cost to the relevant roads authority.	Ongoing	AII	Applies to all stages
School Zones				
D17	Prior to the commencement of operation, all required School Zone signage, speed management signage and associated pavement markings along Zetland Street, Joynton Avenue and Portman Street must be installed, inspected by TfNSW and handed over to TfNSW. The installation date information must also be provided to TfNSW at the same time. Note: Until the assets are formally handed-over and accepted by TfNSW, TfNSW takes no responsibility for the School Zones/assets. Note 1: Any required approvals for altering public road speed limits, design and signage are required to be obtained from the relevant consent authority.	Ongoing	All	Applies to all stages
D18	The Applicant must maintain records of all dates in relation to installing, altering and removing traffic control devices related to speed.	Ongoing	All	Applies to all stages
School Transport Pla	an			

D19 Utilities and Services	prior to the commencement of operation, a School Transport Plan (STP), must be submitted to the satisfaction of the Crown Certifier and a copy of the approved Plan is to be provided to Council for information. The plan must: (a) be prepared by a suitably qualified consultant in consultation with Council and TfNSW; (b) include arrangements to promote the use of active and sustainable transport modes, including: (i) objectives and modes share targets (i.e. Site and land use specific, measurable and achievable and timeframes for implementation); (ii) specific tools and actions to help achieve the objectives and mode share targets; (iii) details regarding the methodology and monitoring/review program to measure the effectiveness of the objectives and mode share targets, including the frequency of monitoring and the requirement for travel surveys to identify travel behaviours of users of the development. (c) include operational transport access management arrangements, including: (i) detailed pedestrian analysis including the identification of safe route options to identify the need for management measures such as staggered school start and finish times to ensure students and staff are able to access and leave the Site in a safe and efficient manner during school start and finish; (ii) the location and operational management procedures of the drop-off and pick-up parking, including staff management/traffic controller arrangements; (iii) the location and operational management procedures for the drop-off and pick-up of students by buses and coaches including staff management/traffic controller arrangements; (iv) delivery and services vehicle and bus access and management arrangements; (iv) management of approved access arrangements; (iv) management of approved access arrangements; (iv) potential traffic impacts on surrounding road networks and mitigation measures to minimise impacts, including measures to mitigate queuing impacts associated with vehicles accessing drop-off and pick-up zones; (iv) delivery and servi	Ongoing	All	Applies to all stages
D20	Prior to commencement of operation, the Applicant must obtain a Compliance Certificate for water and sewerage infrastructure servicing of the site under section 73 of the Sydney Water Act 1994.	Ongoing	All	Applies to all stages
Stormwater Operation	Prior to the commencement of operation, a Stormwater Operation and Maintenance Plan			
D21 Stormwater Complet	(SOMP) is to be submitted to the Crown Certifier. The SOMP must ensure the proposed stormwater quality measures remain effective and contain the following: (a)maintenance schedule of all stormwater quality treatment devices; (b)record and reporting details; (c)relevant contact information; and (d)Work Health and Safety requirements.	Ongoing	All	Applies to all stages

D22	Prior to occupation or use, or other timeframe agreed to by Council: (a)The Owner is required to enter into a Deed of Agreement with the City of Sydney and obtain registration of Title of a Positive Covenant for all proposed connections to the City's underground drainage system. The deed and positive covenant will contain terms reasonably required by the City and will be drafted by the City's Legal Services Unit at the cost of the applicant, in accordance with the City's Fees and Charges. (b)A Positive Covenant must be registered on the property title for all drainage systems involving On-Site Detention (OSD) to ensure maintenance of the approved OSD system regardless of the method of connection. The positive covenant will contain terms reasonably required by the City and will be drafted by the City's solicitor at the cost of the applicant, in accordance with the City's Fees and Charges.	Ongoing	All	Applies to all stages
Operational Waste I				
D23	Prior to the commencement of operation, the Applicant must prepare a Waste Management Plan for the development and submit it to the Crown Certifier. The Waste Management Plan must: (a)detail the type and quantity of waste to be generated during operation of the development; (b)describe the handling, storage and disposal of all waste streams generated on site, consistent with the Protection of the Environment Operations Act 1997, Protection of the Environment Operations (Waste) Regulation 2014 and the Waste Classification Guideline (Department of Environment, Climate Change and Water, 2009); (c)detail the materials to be reused or recycled, either on or off site; and (d)include the Management and Mitigation Measures included in the Operational Waste management plan prepared by Elephants Foot and dated 14/05/2021].	Ongoing	All	Applies to all stages
Landscaping				
D24	Prior to the commencement of operation landscaping of the site must be completed in accordance with the approved landscape plan(s).	Ongoing	All	Applies to all stages
D25	Prior to commencement of operation (pursuant to Section 6.28 of the Environmental Planning and Assessment Act 1979), a maintenance plan is to be submitted to and approved by the Crown Certifier. The maintenance plan is to be complied with during occupation of the property.	Ongoing	All	Applies to all stages
Waste and Recycling	g Collection Contract	-		
D26	Prior to occupation or use, the building owner must ensure that there is a contract with a licensed contractor for the removal of all waste. No garbage is to be placed on the public way, e.g. footpaths, roadways, plazas, reserves, at any time.	Ongoing	All	Applies to all stages
TfNSW Conditions				
D27	School Zones must be installed along all roads with a direct access point (either pedestrian or vehicular) from the school. School Zones must not to be provided along roads adjacent to the school without a direct access point. Road Safety precautions and parking zones should be incorporated into the neighbouring local road network: (a)40km/hr School Zones are to be installed in Zetland Street, Joynton Avenue and Portman Street in accordance with the following conditions. (b)Council should ensure that any parking, drop-off / pick-up zones and bus zones incorporated are in accordance with TfNSW standards.	Ongoing	All	Applies to all stages

D28	The Developer must obtain written authorisation from TfNSW to install the School Zone signs and associated pavement markings and/or remove/relocate any existing Speed Limit signs. To obtain authorisation, the Developer must submit the following for review and approval by TfNSW, at least eight (8) weeks prior to student occupation of the site: (a) © copy of Council's development Conditions of Consent (b) The proposed school commencement/opening date (c) Two (2) sets of detailed design plans showing the following: (d) School property boundaries (e) All adjacent road carriageways to the school property (f) All proposed school access points to the public road network and any conditions imposed/proposed on their use (g) All existing and proposed pedestrian crossing facilities on the adjacent road network (h) All existing and proposed traffic control devices and pavement markings on the adjacent road network (including School Zone signs and pavement markings). (i) All existing and proposed street furniture and street trees.	Ongoing	All	Applies to all stages
D29	School Zone signs and pavement marking patches must be installed in accordance with TfNSW approval/authorisation, guidelines and specifications.	Ongoing	All	Applies to all stages
D30	All School Zone signs and pavement markings must be installed prior to student occupation of the site.	Ongoing	All	Applies to all stages
Physical Models				
D31	Prior to occupation or use an accurate 1:500 scale model of the development as constructed must be submitted to and approved by Council's Area Coordinator Planning Assessments/Area Planning Manager for the City Model in Town Hall House. Note: (a)The models are to comply with all of the conditions of the Development Consent. (b)The models must be amended to reflect any further modifications to the approval (under Section 4.55 of the Environmental Planning and Assessment Act) that affect the external appearance of the building.	Ongoing	All	Applies to all stages
Submission of Electro	I onic CAD Models Prior to Occupation			
D32	Prior to occupation or use, an accurate 1:1 electronic CAD model of the completed development must be submitted to and approved by Council's Area Coordinator Planning Assessments/Area Planning Manager for the electronic Visualisation City Model.	Ongoing	All	Applies to all stages
D33	The data required to be submitted within the surveyed location must include and identify: (a)building design above and below ground in accordance with the development consent; (b)all underground services and utilities, underground structures and basements, known archaeological structures and artefacts; (c)a current two points on the site boundary clearly marked to show their Northing and Easting MGA (Map Grid of Australia) coordinates, which must be based on Established Marks registered in the Department of Lands and Property Information's SCIMS Database with a Horizontal Position Equal to or better than Class C. The data is to be submitted as a DGN or DWG file on a Compact Disc. All modelling is to be referenced to the Map Grid of Australia (MGA) spatially located in the Initial Data Extraction file.	Ongoing	All	Applies to all stages

D34	The electronic model must be constructed in accordance with the City's 3D CAD electronic model specification. The specification is available online at http://www.cityofsydney.nsw.gov.au/development/application-guide/application-process/model-requirements Council's Modelling staff should be consulted prior to creation of the model. The data is to comply with all of the conditions of the Development Consent.	Ongoing	All	Applies to all stages
Heritage Interpreta	ation Plan			
D35	Prior to occupation or use, the approved interpretation plan must be implemented to the satisfaction of the Crown Certifier.	Ongoing	All	Applies to all stages
Survey Prior to Occ				
D36	A Final Identification Survey prepared and signed by a Surveyor registered under the Surveying & Spatial Information Act, 2002 must be submitted at the completion of the building work certifying the location of the building in relation to the boundaries of the allotment. Any encroachments of the building over the road alignments must be approved in writing by the City's Properties division, or removed, prior to occupation or use Advisory note: It is recommended that the Crown certification plans provide for the external walls of the building to be set back a minimum of 20 millimetres from the northern boundary to allow for construction tolerances and minimise risk of encroachment and consequent delays and expenses.	Ongoing	All	Applies to all stages
Waste Manageme	nt			
D37	Prior to occupation or use, the Crown Certifier must ensure that waste handling works have been completed in accordance with: the Waste and Recycling Management Plan; other relevant development consent conditions; and Council's Guidelines for Waste Management in New Developments 2018.	Ongoing	All	Applies to all stages
Out of Hours Event	t Management Plan			
E1	Prior to the commencement of the first out of hours events (School Use) run by the school that involve 100 or more people, the Applicant is to prepare an Out of Hours Event Management Plan (School Use) in consultation with Council and submit it to the Council for information. The plan must include the following: (a)the number of attendees, time and duration; (b)arrival and departure times and modes of transport; (c)where relevant, a schedule of all annual events; (d)measures to encourage non-vehicular travel to the school and promote and support the use of alternate travel modes (i.e. public transport); (e)details of the use of the multipurpose rooms, community hall and games court, where applicable, restricting use before 7am and after 10.30pm; (f)measures to minimise localised traffic and parking impacts; and (g)include measures to minimise noise impacts on any sensitive residential receivers, including the preparation of acoustic management plan.	Ongoing	All	Applies to all stages
E2	The Out of Hours Event Management Plan (School Use) must be implemented by the Applicant for the duration of the identified events or use.	Ongoing	All	Applies to all stages

E3	Prior to the commencement of out of hours events (Community Use) run by the external parties that involve 100 or more people, the Applicant is to prepare an Out of Hours Event Management Plan (Community Use) in consultation with Council and submit it to the Council for information. The plan must include the following: (a) the number of attendees, time and duration; (b) arrival and departure times and modes of transport; (c) where relevant, a schedule of all annual events; (d) measures to encourage non-vehicular travel to the school and promote and support the use of alternate travel modes (i.e. public transport); (e) details of the use of the multipurpose rooms, community hall and games court, where applicable, restricting use before 7am and after 10.30pm; (f) measures to minimise localised traffic and parking impacts; and (g) measures to minimise noise impacts on any sensitive residential receivers, including the preparation of acoustic management plan.	Ongoing	AII	Applies to all stages
E4	The Out of Hours Event Management Plan (Community Use) must be implemented by the Applicant for the duration of the identified community event or use.	Ongoing	All	Applies to all stages
Operation of Plant a		ı		
E5	All plant and equipment used on site must be maintained in a proper and efficient condition operated in a proper and efficient manner.	Ongoing	All	Applies to all stages
Operational Noise L		,		
E6	The Applicant must ensure that noise generated by operation of the development does not exceed the noise limits in the Noise and Vibration Assessment prepared by Acoustic Logic dated 6/8/2021.	Ongoing	All	Applies to all stages
E7	The Applicant must undertake short term noise monitoring in accordance with the Noise Policy for Industry where valid data is collected following the commencement of use of each stage of the development. The monitoring program must be carried out by an appropriately qualified person and a monitoring report must be submitted to the Council within two months of commencement use of each stage of the development or other timeframe agreed to by the Council to verify that operational noise levels do not exceed the recommended noise levels for mechanical plant identified the Noise and Vibration Assessment prepared by Acoustic Logic dated 6/8/2021. Should the noise monitoring program identify any exceedance of the recommended noise levels referred to above, the Applicant is required to implement appropriate noise attenuation measures so that operational noise levels do not exceed the recommended noise levels or provide attenuation measures at the affected noise sensitive receivers.	Ongoing	All	Applies to all stages
Unobstructed Drive	ways and Parking Areas			
E8	All driveways, footways and parking areas must be unobstructed at all times. Driveways, footways and car spaces must not be used for the manufacture, storage or display of goods, materials, refuse, skips or any other equipment and must be used solely for vehicular and/or pedestrian access and for the parking of vehicles associated with the use of the premises.	Ongoing	All	Applies to all stages
Ecologically Sustainable Development				
E9	Unless otherwise agreed by the Council, within six months of commencement of operation, Green Star certification must be obtained demonstrating the development achieves a minimum 5 star Green Star Design & As Built rating. If required to be obtained, evidence of the certification must be provided to the Crown Certifier. If an alternative certification process has been agreed to by the Council, evidence of compliance of implementation must be provided to the Council and Crown Certifier.	Ongoing	All	Applies to all stages
Outdoor Lighting				

E10	Notwithstanding condition C35 should outdoor lighting result in any residual impacts on the amenity of surrounding sensitive receivers, the Applicant must provide mitigation measures in consultation with affected landowners to reduce the impacts to an acceptable level.	Ongoing	All	Applies to all stages		
Landscaping	Landscaping					
E11	The Applicant must maintain the landscaping and vegetation on the site in accordance with the approved Landscape Management Plan for the duration of occupation of the development.	Ongoing	All	Applies to all stages		
Waste Recycling/Collection						
E12	The collection of waste and recycling must only occur during the designated zone collection times as outlined in the City's Waste Policy – Local Approvals Policy for Managing Waste in Public Places 2017.	Ongoing	All	Applies to all stages		