

## APPENDIX 12: PROJECT REMEDIATION ACTION PLAN & ADDENDUM RAP

# Remediation Action Plan

Kyeemagh Infants School, Corner of  
Jacobson Avenue and Beehag  
Street, Kyeemagh NSW

80818157



Prepared for  
DWP Australia Pty Ltd

24 January 2019

## Contact Information

**Cardno (NSW/ACT) Pty Ltd**

ABN 95 001 145 035

Level 9 - The Forum  
203 Pacific Highway  
St Leonards NSW 2065  
Australia

www.cardno.com

Phone +61 2 9496 7700

Fax +61 2 9439 5170

## Document Information

Prepared for	DWP Australia Pty Ltd
Project Name	Kyeemagh Infants School, Corner of Jacobson Avenue and Beehag Street, Kyeemagh NSW
File Reference	80818157_R002_Kyeemaghl nfants_RAP_Rev0.docx
Job Reference	80818157
Date	24 January 2019
Version Number	Rev0

Author(s):



Ben Withnall  
Environmental Scientist

Effective Date 24/01/2019

Approved By:



Robert Campbell  
Senior Environmental Scientist

Date Approved 24/01/2019

## Document History

Version	Effective Date	Description of Revision	Prepared by	Reviewed by
V1	23/01/2019	Draft for Internal Review	Ben Withnall	Robert Campbell
RevA	23/01/2019	Draft for Client Review	BW	RC
Rev0	24/01/2019	Final Report	BW	RC

© Cardno. Copyright in the whole and every part of this document belongs to Cardno and may not be used, sold, transferred, copied or reproduced in whole or in part in any manner or form or in or on any media to any person other than by agreement with Cardno.

This document is produced by Cardno solely for the benefit and use by the client in accordance with the terms of the engagement. Cardno does not and shall not assume any responsibility or liability whatsoever to any third party arising out of any use or reliance by any third party on the content of this document.

## Executive Summary

Cardno (NSW/ACT) Pty Ltd (Cardno) was engaged by DWP Australia Pty Ltd (The Client) to prepare a Remediation Action Plan (RAP) to guide and inform the remediation of soils at Kyeemagh Infants School, corner of Jacobson Avenue and Beehag Street, Kyeemagh NSW. The Site is proposed to be redeveloped from its current configuration as an infants school into a K-6 capable primary school.

The Site is located on a parcel of land that has been in use as a school since 1942. The Detailed Site Investigation (DSI) conducted by Cardno in 2018/9 identified areas of Contaminants of Potential Concern (COPCs) within soils requiring remediation or management. The identified areas of concern were an area of asbestos impacted soils above the adopted NEPM Health Screening Level (HSL) in the east of the site, an area of nickel impacted topsoil above the site specific Ecological Investigation Level (EIL) in the northern area of the site, and an area of hydrocarbon fractions C<sub>16</sub>-C<sub>34</sub> impacted soil above the adopted NEPM Ecological Screening Level (ESL) beneath hardstand in the south west.

The objectives of the RAP are to define the soil remediation and validation requirements for the previously identified asbestos, nickel and hydrocarbon impacts at the Site. Additionally, the remedial strategies are designed to minimise the potential risks to human health and the environment relative to the proposed land use of the property as a primary school.

Cardno evaluated potentially applicable remedial alternatives to address the potential risks to human health and the environment. Due to the finalised design and business case for each option being pending at the time of this report, two remedial strategies are provided which will eliminate receptor pathways to the identified COPCs at the site. The recommended strategies involve a combination of off-site disposal of impacted soil, and on-site containment beneath hardstand. These strategies provide the most efficient option for remediating the site, taking advantage of soil removal required for construction purposes and the capping potential of hardstand for the new development.

The remedial strategies are to be performed jointly by an environmental consultant, occupational hygienist and a licensed contractor and will involve the following general steps:

### Remediation Strategy 1:

1. Stripping and excavation of asbestos and nickel impacted soils and disposal off-site at a licenced facility
2. Provision of an Asbestos Clearance Certificate for the removal of the asbestos impacted soils
3. Collection of soil validation samples from the walls and base of the resulting excavations
4. Importation of fill (if required) for landscaping, levelling and geotechnical requirements
5. Visual inspection and validation that hardstand has been restored across the hydrocarbon impacted area characterised by BH04.

### Remediation Strategy 2

1. Stripping and excavation of nickel impacted soils and disposal off-site at a licenced facility
2. Stripping and excavation of asbestos impacted soils and natural soils (if required) and stockpiling on-site
3. Disposal of any geotechnically unsuitable material (i.e. topsoil with organic material) off-site to a licenced facility
4. Provision of an Asbestos Clearance Certificate for the excavation of the asbestos impacted soils
5. Collection of soil validation samples from the walls and base of the resulting excavations
6. Emplacement of asbestos containing soils beneath a marker layer, capping layer and hardstand paving surrounding the school building
7. Importation of fill (if required) for landscaping, levelling and geotechnical requirements
8. Visual inspection and validation that hardstand has been restored across the hydrocarbon impacted area characterised by BH04
9. Development of a Long Term Environmental Management Plan (LTEMP) to ensure the long term effectiveness of the remedial strategy

This RAP also includes a Construction Environmental and Waste Management Plan, a Work Health and Safety Plan and a Contingency Plan in addition to waste classification and soil validation requirements.



## Table of Contents

1	Introduction	1
1.1	Background	1
1.2	Objectives	1
1.3	Scope of Work	1
1.4	Guidelines and Legislation	2
2	Site Identification and History	3
2.1	Site Definition	3
2.2	Previous Assessment Results	3
2.3	Site History Summary	4
3	Site Conditions and Surrounding Environment	5
3.1	Site Description	5
3.2	Surrounding Land Uses	6
3.3	Proposed Development	6
3.4	Topography and Drainage	6
3.5	Flood Potential	7
3.6	Regional Geology and Hydrogeology	7
4	Conceptual Site Model	8
4.2	Conceptual Site Model Summary and Risk Assessment	9
4.3	Data Gaps and Uncertainties	10
5	Remediation Objectives	11
5.1	Remediation Objectives	11
5.2	Soil Validation Remediation Goals	11
5.3	Waste Classification Criteria	12
5.4	Triggers for Further Management	12
6	Data Quality Objectives	13
6.1	Data Quality Objectives	13
6.2	Data Quality Indicators	14
7	Remediation Options	17
7.1	Remediation Objective	17
7.2	Remediation Options Hierarchy	17
7.3	Remedial Options Evaluation	17
8	Remediation Strategy	20
8.2	Remediation Strategy 1	20
8.3	Remediation Strategy 2	21
9	Construction Environmental and Waste Management Plan	24
9.1	Stockpile Management	24
9.2	Excavation Water Management	24
9.3	Air and Dust	24
9.4	Removal of Asbestos Waste	25

	9.5	Acid Sulfate Soils Management	27
	9.6	Unexpected Finds	27
	9.7	Stormwater	27
	9.8	Noise	28
	9.9	Land Disturbance	28
	9.10	General	28
10		Work Health and Safety	30
	10.1	WHS Planning and Preparation	30
	10.2	Incident Management Plan	30
	10.3	Incident Reporting	33
	10.4	Community Consultation	33
11		Sit Validation Requirements	34
	11.1	Visual Inspection and Survey	34
	11.2	Post Excavation Validation Sampling	34
	11.3	Soil Re-Use Validation	34
	11.4	Excavated Natural Material Sampling	35
	11.5	Imported Fill Sampling	35
12		Contingency Plan	36
13		Regulatory Approvals / Licences	37
	13.1	Regulatory Compliance Requirements	37
14		Conclusions	38
15		References	39
16		Limitations	40

## Appendices

**Appendix A** Figures

**Appendix B** Site Photographs

**Appendix C** Analytical Summary Tables

**Appendix D** Borehole Logs

## Tables

Table 2-1	Site Definition and Details	3
Table 3-1	Site Inspection Observations	5
Table 3-2	Surrounding Land Uses	6
Table 4-1	Conceptual Site Model (CSM)	8
Table 5-1	Soil Validation Criteria	11
Table 6-1	Data Quality Objectives	13
Table 6-2	Data Quality Indicators	15
Table 7-1	Remedial Option Identification	17

Table 7-2	Remedial Options Evaluation	18
Table 9-1	Asbestos Control Levels	26
Table 12-1	Remedial Works Contingency Plan	36

# 1 Introduction

Cardno (NSW/ACT) Pty Ltd (“Cardno”) was engaged by DWP Australia Pty Ltd (DWP) to prepare a Remediation Action Plan (RAP) to guide and inform remediation of soils at Kyeemagh Infants School. The school is located on the corner of Jacobson Avenue and Beehag Street, Kyeemagh NSW 2216 (“the Site”). The Site is legally identified as Part Lot 1 within Deposited Plan (DP) 335734 and Lot 1 within DP 120095. The pre-school facility in the eastern portion of the Site is excluded from the scope of investigation. The location and features of the site are presented in **Figures 1 and 2** in **Appendix A**.

The Department of Education is proposing to redevelop the Site to increase its current capacity from a K-2 capable school to a K-6 capable school. The RAP has been prepared in accordance with the scope of works presented in Cardno’s proposal dated 7 January 2019 in order to support submission of a Development Application for the site.

## 1.1 Background

The Site has an approximate area of 1.3 ha and is currently in use as an infant’s school. The Department of Education is proposing to redevelop the Site to increase its current capacity from a K-2 capable school to a K-6 capable school. The development works will involve the demolition of all existing structures and construction of new facilities. The proposed development is declared as State Significant Infrastructure (Application Number SSD 9391) and in accordance with item 12.1 of the Secretary’s Environmental Assessment Requirements (SEARS) for the project, a Detailed Site Investigation (DSI) was undertaken (Cardno, 2019a) in order to quantify any soil and groundwater contamination at the Site.

The findings of the DSI included identification of an area of bonded asbestos containing material (ACM) on and within soils in the eastern portion of the Site exceeding the adopted NEPM Tier I Health Screening Levels (HSLs) for continued use as a school. Additionally, an area of shallow topsoil was found to contain nickel concentrations above the adopted site specific Ecological Investigation Levels (EILs), an area of shallow fill was found to contain hydrocarbon fractions C<sub>16</sub>-C<sub>34</sub> above the adopted Ecological Screening Level (ESL) and Potential Acid Sulfate Soils (PASS) were identified at depth. Further details on the findings of the DSI are provided in **Section 2**.

Based on the findings of the DSI, Cardno concluded that the identified impacts could be managed and remedied in order to render the site suitable for continued use as a school. Cardno recommended that a RAP should be prepared to detail the remedial process and validation requirements for the site. This RAP has been prepared to address this recommendation.

## 1.2 Objectives

The objectives of the RAP are to:

- > Define the remediation and validation requirements;
- > Evaluate the effectiveness of potential remedial options;
- > Recommend the most appropriate remedial strategy that will render the site suitable for the proposed land use;
- > Establish the site validation criteria;
- > Outline the remedial process to be undertaken to achieve the selected remediation strategy for the site; and
- > Outline a Construction and Waste Management Plan (CWMP), Workplace Health and Safety (WHS) requirements, and an unexpected finds protocol and contingency plan;

Additionally, the RAP includes measures to minimise the potential risks to human health and the environment during implementation of the remedial works and under the proposed future land use.

## 1.3 Scope of Work

In order to meet the objects outlined in **Section 1.2** Cardno undertook the following scope of works:

- > Defined the Site, site features and history, areas of environmental concern and developed a Conceptual Site Model (CSM)

- > Identified remediation options suitable for identified COPCs;
- > Evaluated the various remedial options and identified the preferred remediation strategy;
- > Documented the process for implementation of the preferred remediation strategy;
- > Development of a CEMP outlining environmental controls required for the duration of the works including an Unexpected Finds Protocol and contingency plan;
- > Detail environmental and Work Health and Safety (WHS) control measures and community consultation requirements associated with implementation of the preferred remedial strategy; and
- > Preparation of this RAP.

## 1.4 Guidelines and Legislation

The scope of work outlined above was completed in general accordance with following guidelines and legislation:

- > ASSMAC (1998) *Acid Sulfate Soils Assessment Guidelines*, Acid Sulfate Soils Management Advisory Committee, August 1998;
- > CCME (2010), *Canadian soil quality guidelines: carcinogenic and other polycyclic aromatic hydrocarbons (PAHs) (environmental and human health effects)*, Scientific criteria document (revised), Canadian Council of Ministers for the Environment ,2010
- > Friebe, E & Nadebaum, P 2011, *Health screening levels for petroleum hydrocarbons in soil and groundwater. Part 1: Technical development document, CRC CARE Technical Report no. 10*, CRC for Contamination Assessment and Remediation of the Environment, Adelaide, Australia;
- > HEPA (2018) *PFAS National Environmental Management Plan*, January 2018;
- > NEPC (2013) *National Environment Protection (Assessment of Site Contamination) Measure (NEPM)*. National Environment Protection Council (NEPC) 1999, Amendment 2013;
- > NEPC (2013) *Schedule B(2) Guideline on Site Characterisation*, NEPM 1999, Amendment 2013;
- > NSW Department of Urban Affairs and Planning (1998) *Managing Land Contamination: Planning Guidelines: SEPP 55 Remediation of Land*, 1998;
- > NSW EPA (1995) *Contaminated Sites Sampling Design Guidelines*. New South Wales Environment Protection Authority (EPA), September 1995;
- > NSW EPA (2017) *Guidelines for the NSW Auditor Scheme (3rd edition)*, New South Wales Environment Protection Authority, September 2017
- > NSW OEH (2011) *Guidelines for Consultants Reporting on Contaminated Sites*. New South Wales Office of Environment & Heritage (OEH), November 1997, Reprinted September 2000, Reprinted August 2011;
- > Standards Australia (2005) *Australian Standard AS 4482.1-2005 – Guide to the investigation and sampling of sites with potentially contaminated soil. Part 1: Non-volatile and semi-volatile compounds*. Standards Australia, Homebush, NSW; and
- > Standards Australia (1999) *Australian Standard AS 4482.2-1999 - Guide to the sampling and investigation of potentially contaminated soil. Part 2: Volatile substances*. Standards Australia, Homebush, NSW.

## 2 Site Identification and History

### 2.1 Site Definition

The site is approximately 8 km south west of the Sydney CBD. The site location and site plan are provided in **Appendix A** with site details presented below in **Table 2-1**.

Table 2-1 Site Definition and Details

Item	Details
Site Address	Corner of Jacobson Avenue and Beehag Street, Kyeemagh NSW 2216
Approximate Site Area (ha)	1.3 ha
Title Details	Lot 1 DP 335734 and Lot 1 DP 120095
Local Government Area	Bayside City Council
Parish and County	St George, Cumberland
Current Site Owners	The Department of Education
Current Site Zoning	R2 Low Density Residential

### 2.2 Previous Assessment Results

Cardno was provided with the following previous reports relating to the Site:

- > Cardno (Cardno, 2019a) – *Detailed Site Investigation – Kyeemagh Infants School, Corner of Jacobson Avenue and Beehag Street, Kyeemagh NSW*, prepared for DWP Australia, January 2019
- > Parsons Brinckerhoff (PB, 2014a) *Asbestos Remediation Clearance Certificate*. Prepared 9 July 2014.
- > Parsons Brinckerhoff (PB, 2014b) *Asbestos in Grounds, Asbestos Management Plan, Kyeemagh Infants School, Kyeemagh, NSW*. Prepared July 2014.

The Cardno 2019 DSI contains summaries of the PB 2014a and 2014b reports. A summary of the Cardno 2019 DSI is provided in **Section 2.2.1** below.

#### 2.2.1 Cardno 2019 – Detailed Site Investigation - Kyeemagh Infants School, Corner of Jacobson Avenue and Beehag Street, Kyeemagh NSW, prepared for DWP Australia, January 2019

Cardno prepared a Detailed Site Investigation for the Kyeemagh Infants School site, excluding the North Brighton pre-school located adjacent the eastern site boundary, over the period November to December 2018. The objective of the DSI was to investigate the potential for soil and groundwater contamination at the site which may pose a risk to human health or the environment under the proposed redevelopment as a primary school.

The scope of work undertaken included a desktop site history assessment and field investigation. Based on the site history assessment, the Site has been used as a school since first being developed in 1942. The site configuration changed slightly over the years with the addition and removal of some structures. The land use surrounding the site is identified as generally low density residential housing, with the Cooks River and Muddy Creek being the closest bodies of water. Groundwater use in the area is generally for domestic and irrigation purposes, and there is reportedly one active bore on Site used for irrigation.

In order to investigate potential contamination at the site, Cardno advanced a total of 19 test pits, one hand auger and five boreholes across the site. The test pits and hand auger were advanced into natural soils, occurring between 0.2 and 1.2 metres below ground level (mBGL). Boreholes were advanced to depths of up to 17 mBGL within the proposed school building footprint, and depths of 5 mBGL in other areas for investigation of ASS. Three boreholes were converted into permanent monitoring wells to establish groundwater conditions at the site. Boreholes logs and a geological cross section are provided in **Appendix D**.

Cardno submitted soil, groundwater and fibre cement samples for analysis of Contaminants of Potential Concern (COPCs) associated with the site history, and ASS potential. Based on the analytical results the DSI identified the following:

- > ACM was detected within soils and at the soil surface above the adopted human health screening levels in the grassed open area in the east of the site;

- > Nickel concentrations within shallow topsoil exceeded the adopted ecological investigation levels adjacent to the staff carpark;
- > Concentrations of the Hydrocarbon fractions C<sub>16</sub>-C<sub>34</sub> exceeded the adopted ecological screening levels at one borehole beneath asphalt hardstand, however it was determined that as this area was to remain capped by an impervious hardstand, there was a low potential for a complete source-pathway-receptor linkage and remediation was not considered necessary;
- > Soils at depths of 7 meters below ground level (mBGL) and greater were determined to be PASS; and
- > Copper was detected in groundwater slightly above the adopted assessment criteria for marine waters within MW02, however this was qualified as likely being representative of regional groundwater quality.

Based on the analytical results, Cardno concluded that the likely sources of contamination were:

- > As a consequence of uncontrolled fill material;
- > As a consequence of demolition of buildings containing hazardous building materials; and
- > As a consequence of historical spills and leaks.

Cardno concluded that management and remediation of the identified impacts was required in order to render the site suitable for continued use as a school. Cardno recommended that remediation management or risk assessment would need to be undertaken and that a RAP and Acid Sulfate Soils Management Plan (ASSMP) should be prepared to address the identified impacts.

## 2.3 Site History Summary

Based on the available information, the Site is part of two lots and DPs that have been in use as a public school since 1942, and generally undeveloped land prior. Changes in site layout and surrounding properties such as the addition of buildings and infrastructure have occurred sporadically over time.

Cardno identified several minor sources of surface and subsurface impact listed above, indicating a limited area of surface soils and fill material impacted with bonded ACM, and an area of surface soils impacted with nickel which will require remediation or management. Additionally, soils at depth beneath the water table are considered to be PASS. Cardno concluded that the site could be made suitable for the intended use as a primary school if the areas of impact were addressed.

## 3 Site Conditions and Surrounding Environment

### 3.1 Site Description

The Site is currently used as an infant's school and has an area of approximately 1.3 ha. The land parcel is approximately rectangular in shape and is bounded by Jacobson Avenue to the South, Beehag Street to the west, and Tancred Avenue to the east. The northern boundary abuts low density residential housing. The western area of the Site contains the infant's school with classrooms, administrative buildings, amenities and recreation spaces. The centre of the site is primarily an open grassed play area. In the eastern area of the Site North Brighton Preschool occupies an approximately 1,700 m<sup>2</sup> area, which is excluded from the scope of the RAP. Figures detailing the Site location and surrounds, and plans for the proposed development are included in **Appendix A**.

Cardno conducted a site inspection on 10 November 2018 during field works for the DSI, with photographs from the site inspection included in **Appendix B**. Details of the observations made during the inspection are provided in **Table 3-1** below.

Table 3-1 Site Inspection Observations

Item	Observations
Current site use	Current site use is as an infant's school
Proposed site use	Future site use is for redevelopment to remain as a primary school
Site slope and drainage features	Site elevation is approximately 5 mAHD and is relatively level. Local topography is generally level with minor undulations and mounds. Drainage in surrounding streets is expected to be through a pit and pipe network via street guttering.
Vicinity Surface water bodies	The Cooks River is located approximately 240 m east north east of the Site, Botany Bay is located approximately 240 m south east of the Site, and Muddy Creek is located approximately 330 m north west of the Site. Muddy Creek drains into the Cooks River, which flows to Botany Bay.
Site surface coverings	The Site is mostly grassed, with areas of asphalt hardstand in play areas in the south western area of the Site. A graveled carpark is present in the north western corner of the Site accessed via Beehag Street.
Surface soils	Surface soils were visible in areas of sparse grass cover and consisted of sands and silty sands.
Buildings	<p>Eight buildings are present in the western area of the Site which comprise the infants school facilities. Buildings include;</p> <ul style="list-style-type: none"> <li>▪ A demountable office and classroom building in the north adjacent the carpark</li> <li>▪ A metal building housing the Sustainable Community Hub adjacent garden beds south of the office</li> <li>▪ A brick library building south west of the office</li> <li>▪ A brick amenities building south of the office</li> <li>▪ A clad classroom south of the Beehag Street entrance</li> <li>▪ Two clad classroom buildings and a clad storage building adjacent the Jacobson Avenue boundary</li> </ul> <p>The preschool facility contains additional buildings which are not included within the investigation area.</p>
Potential asbestos in building materials	Potential asbestos containing materials were observed in some buildings generally consisting of wall cladding to the buildings in the south adjacent to Jacobson Avenue.
Manufacturing, industrial or chemical processes and infrastructure	None observed.
Fuel storage tanks (USTs/ASTs)	None observed.
Dangerous goods	None observed.
Solid waste deposition	None observed.



Liquid waste disposal features	None observed.
Evidence of previous site contamination investigations	None observed.
Evidence of land contamination (staining or odours)	Fibre cement material was observed at the soil surface adjacent the access gate in the north eastern corner of the site, and adjacent TP19 ( <b>Figure 3, Appendix A</b> ).
Evidence of groundwater contamination	None observed.
Groundwater use	A functioning groundwater bore is present on site reportedly used for irrigation.
Vegetation	Mature trees are present primarily in the western infant's school area, and eastern pre-school area. The remainder of the Site is generally grassed or hardstand. Although grass cover was sparse in some areas, vegetation was generally observed to be healthy. Vegetation is mapped as Urban Exotic / Native (Native Vegetation of the Sydney Metropolitan Area, OEH)
Site fencing	The site is enclosed by a metal security fence on the eastern, western and southern boundaries, and a timber fence on the northern boundary.

### 3.2 Surrounding Land Uses

Land uses surrounding the site are detailed in **Table 3-2** and a map of the surrounds is shown in **Figure 1, Appendix A**.

Table 3-2 Surrounding Land Uses

Direction	Land Use or Activity
North	Low density residential followed by Mutch Avenue, Kyeemagh RSL Club and Muddy Creek
South	Jacobson Avenue followed by low density residential, General Holmes Drive and Botany Bay
East	Tancred Avenue followed by low density residential and the Cooks River, followed by Sydney Airport
West	Beehag Street followed by low density residential

The area is serviced by public roads and access to the site is available from Beehag Street to the west, and via a locked access way at the north eastern corner of the Site leading to Tancred Avenue.

### 3.3 Proposed Development

The proposed redevelopment aims to address demographic pressures identified in the Kogarah Primary Cluster by expanding the capacity of the school from a K-2 Infants School to K-6 primary school. The proposed school will have a capacity of up to 500 students. The redevelopment involves the demolition of all existing buildings in a staged process to allow the existing school to remain open. The concept design for the proposed development is included in **Appendix A**. New infrastructure includes;

- > A main two storey building in the eastern area of the Site adjacent to the pre-school boundary, comprising the majority of the current grassed open area;
- > An administration building in the central southern area of the Site;
- > Hardstand and a hall building in the south west corner of the Site;
- > A games court and refurbished carpark in the north western area of the Site; and
- > Landscaping of the remainder of the Site.

### 3.4 Topography and Drainage

Site elevation is approximately 3 to 5 mAHD and is relatively level with a raised mound south of the Sustainable Community Hub. The local topography is generally flat with minor undulations and mounding. Surface water is expected to generally infiltrate into the sandy soils. Drainage in surrounding streets is by kerbside guttering. Likely stormwater discharge points are the Cooks River and Botany Bay.

### 3.5 Flood Potential

Cardno undertook a review of available flood mapping of the area surrounding the school in order to provide flooding advice (Cardno, 2018). The Cooks River Flood Study undertaken by Parsons Brinckerhoff for Sydney Water in 2008 indicates that the Site is unlikely to be affected by the 1% AEP or PMP flood events.

### 3.6 Regional Geology and Hydrogeology

#### 3.6.1 Geology and Soil Landscape

The Soil Landscapes Map of Sydney 1:100,000 sheet indicates that the Site soils are comprised of Quaternary quartz sands with minor shell content, silt and fine sands (Qhbr). The NSW Office of Environment and Heritage eSPADE online GIS tool indicates that the site is characterised as part of the Tuggerah Soil Landscape, which is an Aeolian landscape with deep sandy soils with pH values ranging from 4.5 (strongly acidic) to 7.0 (neutral).

The subsurface profile encountered generally during the DSI (Cardno 2019a) consisted of topsoil and fill material consisting of sands and silty sands to a maximum depth of 2.2 metres below ground level (mBGL), with filling generally observed to be less than 1 m deep. Natural soils encountered generally consisted of sands and silty sands, with intermittent sandy clays present at greater depths.

The site is underlain by the Botany Sands Aquifer which is extensive, porous and highly productive. Groundwater flow is expected to be to the east towards the Cooks River or south towards Botany Bay with local variations in gradient. Static Water Levels (SWLs) gauged during the DSI (Cardno 2019a) from three monitoring wells on-site ranged between 3.8 and 3.9 metres below top of casing (ground level). Due to the proximity of the Site to Muddy Creek, the Cooks River and Botany Bay, groundwater at the Site may be tidally influenced.

#### 3.6.2 Acid Sulphate Soils

The Rockdale Local Environment Plan 2011 lists the Site as within a Class 4 Acid Sulfate Soils (ASS) potential area, with a Class 3 area present to the north. There is potential for ASS to be present beneath the Site, and works below 2 m below ground level (mBGL), or which may lower the water table by 2m may pose an environmental risk. As part of the DSI (Cardno 2019a), an investigation into ASS beneath the Site was undertaken. Some potential indicators of ASS were identified during fieldworks (odour, shell inclusions), and analytical results confirm that Potential Acid Sulfate Soils (PASS) is present at the Site within sands and clays at depths greater than 7 mBGL.

#### 3.6.3 Salinity

There is no data on the Salinity Hazard Map generated using the NSW planning Portal, therefore the potential occurrence of saline soil conditions at the Site is considered to be low.

## 4 Conceptual Site Model

This section summarises the previous environmental assessment and site historical information to confirm the Conceptual Site Model (CSM). Generally, a CSM provides an assessment of the fate and transport of COPCs relative to site specific, subsurface conditions with regard to their potential risk to human health and the environment. The CSM takes into account site specific factors including:

- > Source(s) of contamination;
- > COPCs associated with past and present site activities;
- > Vertical, lateral and temporal distribution of COPCs;
- > Site specific lithological information including soil type(s), depth to groundwater, effective porosity, and groundwater flow velocity and
- > Actual or potential receptors considering both current and future land use both for the site and adjacent properties, and any sensitive ecological receptors.

Based on the information sourced in the DSI, a CSM has been developed and is outlined in **Table 4-1**, below. Additional details are included in the sections that follow as necessary.

Table 4-1 Conceptual Site Model (CSM)

Conceptual Site Model Element	Description
Contamination Sources	<p>The sources of subsurface contamination include:</p> <ul style="list-style-type: none"> <li>▪ uncontrolled placement of fill material</li> <li>▪ uncontrolled demolition of buildings containing hazardous building materials</li> <li>▪ historical spills and leaks</li> </ul>
Site Current and Future Use	Current site use is as an infant's school. Future site is as a primary school.
Site Geology	Topsoil and fill material consisting of SAND and Silty SAND, underlain by medium to fine grain marine SAND and CLAY.
Site Hydrogeology	The Botany Sand Aquifer is present beneath the site. The SWL of groundwater at the Site measured from installed bores is 3.8 to 3.9 mBGL.
COPCs - Soil	<p>The following COPCs have been identified above adopted Tier I screening criteria at the Site:</p> <ul style="list-style-type: none"> <li>▪ Concentrations of asbestos have been detected within soils exceeding the adopted NEPM HSL at TP04, and fragments have been identified beneath turf at TP03, and at the soil surface adjacent TP19 and BH02;</li> <li>▪ Concentrations of nickel have been detected exceeding the adopted Site Specific EIL at in two hotspots at TP06 and TP13;</li> <li>▪ Concentrations of hydrocarbons (TRH C<sub>16</sub>-C<sub>34</sub>) have been identified exceeding the adopted NEPM ESL at BH04; and</li> <li>▪ Potential Acid Sulfate Soils have been identified at depths greater than 7m at the site.</li> </ul>
Extent of Impacts - Soil	<p>The vertical extent of TRH C<sub>16</sub>-C<sub>34</sub> impacted soils identified at sample location BH04 is considered to be limited to the depth of fill material (0.5 mBGL). The lateral extent has conservatively been estimated as the distance to the nearest clean location, with an indicative area of 1,500 m<sup>2</sup>.</p> <p>Concentrations of nickel were detected in surface soils greater than 2.5 times the adopted EIL in shallow surface soils at sample location TP06 and TP13. The vertical extent of impact is considered to be limited to the depth of fill (0.3 to 0.4 mBGL). The lateral extent has conservatively been estimated as the distance to the nearest clean location, with an indicative area of 1,300 m<sup>2</sup>, to be confirmed during remedial works.</p> <p>Concentrations of asbestos in soil exceeded the adopted HSL at sample location TP04 within shallow fill, with fragments noted at on the soil surface adjacent to sample locations TP03, TP19, and BH02. The vertical extent of impact is considered to be the depth of fill, which varies between 0.3 mBGL at BH01 and 1.2 mBGL at TP03. The lateral extent of impact has been conservatively</p>

	estimated as the distance to the nearest clean location, with an indicative area of 2,200 m <sup>2</sup> , to be confirmed during remedial works.
COPCs – Groundwater	Copper was detected slightly above the NEPM GILs for marine waters in MW02 (0.002 mg/L).
Extent of Impacts - Groundwater	Given concentrations of copper within Site soils were within acceptable criteria, and the urbanized nature of the site and surrounds, the concentrations are likely to be a function of regional groundwater quality rather than a result of site contamination. Given the distance to the nearest receiving body, and the low levels detected, the potential risks from groundwater at the Site are considered low and acceptable.
Potential Human Receptors	Current and future users of the site, including students, staff, construction and maintenance workers. Current complete receptor pathways include an inhalation pathway to asbestos impacted soils.
Potential Environmental Receptors	On-site vegetation communities, and off-site receptors including aquatic communities in the Cooks River and Botany Bay. Current complete receptor pathways include contact / uptake by on-site ecological communities (vegetation, soil biota) of nickel impacted soils.

## 4.2 Conceptual Site Model Summary and Risk Assessment

The following sections summarise the Conceptual Site Model and an evaluation of potential risks to human and environmental receptors. Consideration should be given to any data gaps or uncertainties described in **Section 4.3** below.

### 4.2.1 Asbestos in Soils

ACM in the form of fibre cement debris was identified at the soil surface in two locations adjacent TP19 and BH02, beneath turf at TP03, and within shallow fill material at TP04 exceeding the adopted Tier I HSLs. The potential area of impact is located in the eastern section of the Site, adjacent to the pre-school boundary fence. The fill material encountered within the area consists of sand and silty sand, with variable depths of between 0.3 and 1.2 mBGL.

During development and under the proposed site use the soils pose a potential low inhalation risk to construction personnel, site users, and off-site receptors and will require remediation, management or risk assessment to mitigate the risk and render the site suitable for the proposed land use. Prior to the redevelopment being complete, remediation would be undertaken to remove the completed receptor pathway. The inhalation risk is considered to be low due to airborne fibre monitoring undertaken as part of the DSI during soil disturbance being below the exposure standard.

### 4.2.2 Nickel in Shallow Soils

Concentrations of nickel were detected above the Tier I Site Specific EIL in shallow soils at two locations (TP06\_0.1 and TP13\_0.1) adjacent the staff carpark. The fill material encountered consisted of silty and gravelly sands and gravel to depths of between 0.3 and 0.4 mBGL.

Under the proposed site use the soils pose a potential risk to receptors such as on-site vegetation. According to the proposed development plans, the area characterised by TP06 and TP13 is proposed to be beneath the school building, expanded carpark, or landscaped. The landscaping of the area is indicated to involve removal of surface soils and import of topsoil. The proposed works are likely to remove the nickel containing soils, or mitigate their contact with on-site vegetation. As such, prior to the redevelopment being complete, the completed receptor pathway to on-site vegetation is to be removed.

### 4.2.3 TRH C<sub>16</sub>-C<sub>34</sub> in Soils

Concentrations of TRH fractions C<sub>16</sub>-C<sub>34</sub> were detected above the adopted ESL at location BH04 beneath asphalt hardstand. Under the current and future site use, the area surrounding BH04 is to remain beneath hardstand, physically separated from ecological receptors such as on-site vegetation. Therefore, the source-pathway-receptor linkage is considered incomplete under the proposed redevelopment and no further action is considered necessary provided that the area remains as hardstand.

### 4.2.4 Potential Acid Sulfate Soils (PASS)

PASS have been identified beneath water table at the site at depths of 7 mBGL and greater. Works for the proposed development are unlikely to reach the water table or disturb PASS with the exception of piling for

building foundations. The mitigation strategies, contingency controls and requirements for management of PASS at the site are contained within the Acid Sulfate Soils Management Plan (ASSMP) prepared by Cardno (Cardno, 2019b).

### 4.3 Data Gaps and Uncertainties

The recommendation made in this RAP were based on conclusions made by Cardno based on the results of discrete sampling undertaken as part of the DSI. However, subsurface conditions (soil, sediment and groundwater) can be complex and heterogeneous with many unknown geologic interactions that may affect the movement and/or concentrations of potential contaminants. Therefore should previously unidentified areas of soil impacts be discovered during future phases of work at the Site, additional investigation will be required.

Given the presence of fill on the site, there is likely to be some variability in the quality and type of the fill. Due to the discrete nature of ACM in soil, there is potential for ACM to be present in other areas. An Unexpected Finds Protocol should be employed to manage any previously unidentified areas of potential contamination.

Due to the Site being a working school, investigations were unable to be undertaken beneath buildings and therefore represent a data gap in site characterisation. While these data gaps are not considered to represent an impediment to the proposed development, if these soils are to be disturbed, in the future these soils require classification to enable appropriate management.

## 5 Remediation Objectives

### 5.1 Remediation Objectives

The purpose of the proposed remedial works is to manage and remediate the identified asbestos, hydrocarbon and nickel impacts at the Site in such a way that the potential risks posed to human health and the environment are minimised or eliminated.

The primary objectives for the remedial works are to:

- > Manage identified hydrocarbon impacts in soils in such a manner that the potential risk to the environment is minimised;
- > Remediate or manage asbestos and nickel impacted soils in such a manner that the potential risk to human health or the environment is minimised; and
- > Remediate or manage asbestos and nickel impacted soils in such a manner that the Site is made suitable for the proposed land use as a primary school.

Based on results of the DSI, the potential risk to ecological receptors from copper levels within groundwater was considered low and acceptable due to the distance to the nearest potential receptor, and the likely regional nature of the COPC concentrations reported in groundwater. As such, no remedial works are considered necessary for groundwater at the Site.

The proposed remedial works will include collection of additional soil samples to validate that the excavated soil can be re-used on site, and that soil remaining at the site is suitable for the continued use as a primary school. The Remediation Goals (RGs) for the remediation works are summarised below.

### 5.2 Soil Validation Remediation Goals

The soil validation RGs for the proposed remediation are based on the National Environment Protection Council (NEPC) formulated the National Environment Protection (Assessment of Site Contamination) Measure (NEPM) in relation to investigation levels for soil and groundwater in the assessment of site contamination (NEPC 1999a).

As detailed in **Section 2** and shown in **Appendix A**, the site is proposed to be redeveloped for continued land use as a primary school. As per NEPM guidance, the criteria for low density residential land use with accessible soils are applicable to primary schools. Therefore, the applicable soil RGs are as follows:

- > Asbestos
  - NEPM Health Screening Level (HSL) for asbestos contamination in soil for low density residential land use (HSL A)
- > Nickel:
  - Site Specific Ecological Investigation Levels (EILs) for nickel concentrations for continued low density residential land use (HIL C). These values are generated from on-site physiochemical soil parameters via the Ecological Investigation Level Calculation Spreadsheet, developed by CSIRO for the National Environment Protection Council.
- > Aesthetics:
  - Soils remaining onsite, particularly those near the soil surface, should not generate odour, be significantly stained, contain large quantities of inert waste or visible asbestos.

The quantitative validation criteria for each contaminant are provided in **Table 5-1** below.

Table 5-1 Soil Validation Criteria

Analyte	Guideline	Validation Criteria
Asbestos (ACM)	NEPM HSL A	0.01% Weight / Weight
Asbestos (Fibrous Asbestos and Asbestos Fines)	NEPM HSL A	0.001% Weight / Weight
Nickel	Site Specific EIL	8 mg/kg

### 5.3 Waste Classification Criteria

The soil analytical results collected during the DSI, remedial and validation works will be utilised to determine the waste classification of soil so it can be appropriately managed if transported off-site. The waste classification of the soil is based on the following guidelines:

- > Natural soils at the site proposed for excavation have the potential for characterisation as Excavated Natural Material (ENM). To characterise natural soils as ENM, sample results will be compared to the chemical and other material property requirements included in Table 4 of the *Protection of the Environmental Operations (Waste) Regulation 2014 – the excavated natural material order 2014* (ENM order).
- > If natural soil and fill material at the Site do not meet the ENM classification, comparison of analytical results will be made to criteria detailed in the *NSW DECCW (2014) Waste Classification Guidelines: Part 1: Classifying Waste* for waste classification purposes.

### 5.4 Triggers for Further Management

Further investigation or remediation may be required during the construction phase of the proposed works. Triggers for further management may include:

- > Unexpected finds including impacted (visually stained and/or odorous) soils during earthworks;
- > The presence of previously unidentified asbestos; and
- > The identification of buried waste.

Where the triggers for further management are identified, refer to **Section 9.6** for the measures to be implemented.



## 6 Data Quality Objectives

### 6.1 Data Quality Objectives

The NSW EPA (2017) Guidelines for the NSW Site Auditor Scheme (3rd Edition), which is endorsed under s105 of the Contaminated Land Management Act 1997, requires that Data Quality Objectives (DQOs) be prepared for all assessment and remediation programs. The DQO process as adopted by the NSW EPA is described within US EPA (2000) Guidance for the Data Quality Objectives Process and Data Quality Objectives Process for Hazardous Waste Site Investigations.

The DQOs for the site investigation, as detailed within NSW EPA (2006), are summarised in **Table 6-1** below.

Table 6-1 Data Quality Objectives

DQO Step	Description
Step 1 State the Problem	Environmental media at the site have been impacted with COPCs at concentrations above the Tier I screening guidelines. Remediation or management of soils necessary to render the site suitable for the intended land use as a primary school.
Step 2 Identify the Decisions	<p>The decisions that must be made are:</p> <ol style="list-style-type: none"> <li>1. Identify suitable remedial strategies capable of mitigating the identified impacts?</li> <li>2. Which remedial strategy(s) will most effectively remediate the site for the intended land use considering Site specific constraints?</li> <li>3. How will the selected remedial strategy be implemented?</li> <li>4. What are the validation criteria and how will the remedial works be validated?</li> </ol>
Step 3 Identify Inputs to the Decision	<p>The primary inputs to the decisions described above are:</p> <ol style="list-style-type: none"> <li>1. Analytical results from previous investigations undertaken at the site;</li> <li>2. Screening criteria made or approved by the NSW EPA for sensitive land uses (i.e. primary schools)</li> <li>3. Analytical results of validation samples collected following excavation of impacted soils;</li> <li>4. Observations made during site works concerning aesthetic issues, including odours, staining and waste inclusions.</li> <li>5. An assessment of the suitability of the analytical data obtained, against the Data Quality Indicators (DQIs);</li> </ol>
Step 4 Define the Study Boundaries	<p>The study site is defined as Kyeemagh Infants School, being parts of Lot 1 DP 335734 and Lot 1 DP 120095.</p> <p>The lateral extent of the study is shown in <b>Figure 2</b>, and excludes the New Brighton Preschool.</p> <p>The vertical extent of sampling is limited to 2.2 mBGL for validation purposes and to the depth of proposed excavations for waste classification purposes.</p> <p>The temporal extent of the study will remain valid provided that the current and proposed land use remains the same, and that no further sources of contamination are detected or introduced to the site. The conclusions are limited to information gained during sampling conducted for the DSI in 2018. The remedial and validation process is anticipated to be conducted concurrent with the property redevelopment which could last several years.</p>
Step 5 Develop a Decision Rule	<p>The decision rules for the RAP include:</p> <ol style="list-style-type: none"> <li>1. The number of soil validation points will meet the requirements for validation of the COPCs identified as per NEPM guidance;</li> <li>2. Primary, duplicate and triplicate soil and groundwater samples will be analysed at National Association of Testing Authorities, Australia (NATA) accredited laboratories;</li> <li>3. Field and laboratory QA/QC results will indicate reliability and representativeness of the data set, as defined in <b>Table 6-2</b> below;</li> </ol>



DQO Step	Description
	<ol style="list-style-type: none"> <li>4. Laboratory Limits of Reporting (LORs) will be below the applicable guideline criteria for the analysed COPC, where possible;</li> <li>5. Applicable guideline criteria will be sourced from NEPM guidelines and other NSW EPA endorsed guidelines (as necessary);</li> <li>6. Any soil aesthetic issues will be evaluated including areas of discolouration, odour and hazardous waste inclusions;</li> <li>7. If the concentration of a soil COPC in a sample is below the applicable guideline criteria, then no further assessment/remediation will be required with respect to that COPC;</li> <li>8. If the concentration of a COPC is less than applicable guideline criteria, then no further assessment/remediation will be required with respect to that COPC; and</li> <li>9. If the concentration of a soil COPC in a sample exceeds the applicable guideline criteria, then additional works (e.g. remediation or quantitative risk assessment) may be required to minimise the risk.</li> </ol>
Step 6 Specify Limits on Decision Errors	<p>To ensure the results obtained are reproducible and accurate, a QA/QC plan is incorporated into the sampling and analytical program. DQIs are used to assess the reliability of field procedures and analytical results. In particular, the DQIs within NSW DEC (2006) are used to document and quantify compliance. DQIs are described as follows, and are presented in <b>Table 6-2</b> below:</p> <ol style="list-style-type: none"> <li>1. Completeness – A measure of the amount of useable data from a data collection activity;</li> <li>2. Comparability – The confidence (expressed qualitatively) that data may be considered to be equivalent for each sampling and analytical event;</li> <li>3. Representativeness – The confidence (expressed qualitatively) that data are representative of each media present on the site;</li> <li>4. Precision – A quantitative measure of the variability (or reproducibility) of data; and</li> <li>5. Accuracy (bias) – A quantitative measure of the closeness of reported data to the true value.</li> </ol>
Step 7 Optimise the Design for Obtaining Data	<p>To achieve the DQOs and DQIs, the following sampling procedures will be implemented to optimise the design for obtaining data</p> <ol style="list-style-type: none"> <li>1. The number of soil sampling points for waste classification and spoil re-use will be in accordance with NEPM guidance and/or the NSW EPA Excavated Natural Material Order (2014)</li> <li>2. Soil samples will be collected from resulting excavations of impacted soils at the rate specified in the NEPM for validation of an area of the size produced</li> <li>3. Soil COPCs will be selected based on the area of concern as identified by previous data obtained during the DSI</li> <li>4. Samples were be collected by suitably qualified and experienced environmental consultants</li> <li>5. Soil samples will be collected and preserved in accordance with relevant standards/guidelines</li> <li>6. NATA accredited laboratories will be engaged for analysis of samples</li> <li>7. Soil observations including odours, staining and visual identification of potential asbestos bearing material will assist with selection of samples for laboratory analysis and the extent of remediation</li> <li>8. Field and laboratory QA/QC procedures will be adopted and reviewed to indicate the reliability of the results obtained.</li> </ol>

## 6.2 Data Quality Indicators

The following Data Quality Indicators (DQIs), referenced in Step 6 in **Table 6-1** have been adopted in accordance with the NSW EPA (2017) Guidelines for the NSW Site Auditor Scheme (3rd Edition). The DQIs outlined in **Table 6-2** assist with decisions regarding the contamination status of the site, including the quality of the laboratory data obtained.

Table 6-2 Data Quality Indicators

DQI	Frequency	Data Acceptance Criteria
Completeness		
Field documentation correct	All samples	All samples
Soil bore logs complete and correct	All samples	All samples
Suitably qualified and experience sampler	All samples	All samples
Appropriate lab methods and limits of reporting (LORs)	All samples	All samples
Chain of custodies (COCs) completed appropriately	All samples	All samples
Sample holding times complied with	All samples	All samples
Proposed/critical locations sampled	-	Proposed/critical locations sampled
Comparability		
Consistent standard operating procedures for collection of each sample. Samples should be collected, preserved and handled in a consistent manner	All samples	All samples
Experienced sampler	All samples	All samples
Consistent analytical methods, laboratories and units	All samples	All samples
Representativeness		
Sampling appropriate for media and analytes (appropriate collection, handling and storage)	All samples	All Samples
Samples homogenous	All samples	All Samples
Detection of laboratory artefacts, e.g. contamination blanks	-	Laboratory artefacts detected and assessed
Samples extracted and analysed within holding times	All samples	-
Precision		
Blind duplicates (intra-laboratory duplicates)	1 per 20 samples	30% RPD, then review RPDs >30% would be reviewed in relation to heterogeneity of sample and LOR
Split duplicates (inter-laboratory duplicates)	1 per 20 samples	30% RPD, then review RPDs >30% would be reviewed in relation to heterogeneity of sample and LOR
Laboratory duplicates	1 per 20 samples	<20% RPD Result > 20 x LOR <50% RPD Result 10-20 x LOR No Limit when RPD Result <10 x LOR
Accuracy		
Trip blanks	1 per sampling event (as required)	COPCs<LOR
Trip Spikes	1 per sampling event (as required)	70-130%
Surrogate spikes	All organic samples	50-150%
Matrix spikes	1 per 20 samples	70-130%
Laboratory control samples	1 per 20 samples	70-130%

DQI	Frequency	Data Acceptance Criteria
Method blanks	1 per 20 samples	<LOR

## 7 Remediation Options

### 7.1 Remediation Objective

The objective of the remedial works is to appropriately remediate or manage soil material at the Site identified with COPCs at concentrations above the NEPM Tier I screening guidelines to enable the site to be characterised as suitable for use as a primary school.

An evaluation of the applicable soil remedial options and identification of the recommended remedial strategy are included below.

### 7.2 Remediation Options Hierarchy

Soil remedial strategies potentially applicable to the site were evaluated along the following remediation hierarchy which is based on the recommended NSW EPA screening process.

1. “Do Nothing” The ‘do nothing’ option involves not removing or addressing any of the identified impacts
2. On-site treatment of soil so that the contaminant is either destroyed or the associated hazard is reduced to an acceptable limit
3. Off-site treatment of excavated soil so that the contaminant is either destroyed or the associated hazard is reduced to an acceptable limit, after which the soil is returned to the site
4. Removal of contaminated soil to an approved site or facility, and if necessary replacement with imported fill, and
5. Isolation and management of the soil on-site by capping/containment within an appropriate barrier.

### 7.3 Remedial Options Evaluation

Cardno has identified and evaluated the potential remedial options listed in the hierarchy above to provide a recommended remedial strategy to address the impacted soils at the Site. The options are described in **Table 7-1** below and the evaluation process is summarised in **Table 7-2**.

Table 7-1 Remedial Option Identification

Remedial Option	Discussion
Option 1: Do Nothing	This option involves not undertaking any remedial or management measures and proceeding with development.
Option 2: On-site treatment of soil	<p>This option includes on-site treatment of soil through physical methods such as sieving and separation, and land farming to stimulate biological degradation and volatilisation of COPCs. Periodic soil sampling is undertaken during the process to determine if the COPCs concentrations have been reduced to levels below the RGs. If present, removal of ACM manually from the surface soils also constitutes on-site treatment of soil.</p> <p>This options may also include an in-situ treatment method such as chemical oxidation to change the chemical and/or physical characteristics of the COPCs. Post treatment monitoring is usually required to determine the efficacy of the treatment method.</p> <p>The COPC nickel identified at the Site is not volatile or readily biodegradable and therefore, the identified concentrations cannot be reduced though on-site land farming in a reliable or timely manner.</p> <p>The COPC asbestos (in the form of ACM) can be removed from soils to reduce levels below the RGs through treatment methods such as sieving and separation, given that the site soils are generally sand. Although there is some inherent risk and uncertainty of the success of the method.</p>
Option 3: Off-site treatment of excavated soil	<p>This option includes off-site treatment of soil through physical methods such as sieving and separation, and land farming to stimulate biological degradation and volatilisation of COPCs. Periodic soil sampling is undertaken during the land farming process to determine if COPCs concentrations have been reduced to levels below the RGs. This option is considered when there is not sufficient space on-site to remediate site soils.</p> <p>As described above, the identified COPC nickel is not volatile or readily biodegradable and therefore, the identified concentrations, cannot be reduced though off-site land farming in a reliable or timely manner.</p>

Remedial Option	Discussion
	The COPC asbestos (in the form of ACM) can be removed from soils to reduce levels below the RGs through treatment methods such as sieving and separation, given that the site soils are generally sand. Although there is some inherent risk and uncertainty of the success of the method.
Option 4: Excavation and off-site disposal of impacted soil	<p>This option includes the excavation and transportation of soil to an off-site facility licensed to accept the waste. The volume of material is tracked through waste dockets and weight tickets at the receiving facility.</p> <p>This remedial strategy is appropriate to address the identified COPCs at the site in a timely manner and is reliable at removing COPCs from the site at concentrations above the RGs.</p>
Option 5: Isolation and management of the soil on-site by capping/containment	<p>This option includes the encapsulation and/or capping of impacted soils with an appropriately designed cap such as concrete or hardstand. This remedial strategy relies on removing source-pathway-receptor linkage by eliminating the pathway between contamination and receptors and is appropriate for managing the COPCs identified at the site at concentrations above the RGs.</p> <p>The site is not expected to require extensive bulk excavation, however some excavation of shallow soils and importation of new topsoil for landscaping is required.</p>

Based on the options above, the advantages and disadvantages of each remedial or management option including cost and applicability are compared in compared in **Table 7-2** below.

Table 7-2 Remedial Options Evaluation

Option	Description	Advantages	Disadvantages	Outcome
1	Do Nothing	<ul style="list-style-type: none"> <li>Elimination of remedial costs</li> </ul>	<ul style="list-style-type: none"> <li>Does not address the RGs listed in <b>Section 5</b>, and as such the land would remain unsuitable for the proposed use</li> </ul>	Unsuitable
2	On-site treatment of soil (asbestos only)	<ul style="list-style-type: none"> <li>Material is retained onsite</li> <li>Reduces risk to human health and the environment</li> <li>Reduces costs of off-site disposal</li> <li>Potentially removes liability for ongoing management</li> </ul>	<ul style="list-style-type: none"> <li>Only applicable to asbestos impacted soils</li> <li>Costs of the excavation and screening process</li> <li>Inherent risk that soils may not meet validation goals, causing rework</li> <li>Community and stakeholder considerations of working with asbestos on-site.</li> </ul>	Suitable (asbestos only)
3	Off-site treatment of soil (asbestos only)	<ul style="list-style-type: none"> <li>Material is retained onsite</li> <li>Reduces risk to human health and the environment</li> <li>Reduces costs of off-site disposal</li> <li>Potentially removes liability for ongoing management</li> </ul>	<ul style="list-style-type: none"> <li>Only applicable to asbestos impacted soils</li> <li>Costs of the excavation and screening process</li> <li>Additional transport costs compared to Option 2</li> <li>Inherent risk that soils may not meet validation goals, causing rework</li> </ul>	Unsuitable
4	Excavation and offsite disposal of impacted soils.	<ul style="list-style-type: none"> <li>Minimises potential risks to human health and environment</li> <li>Economically viable for smaller, localised areas of contamination</li> <li>Takes advantage of excavation required for construction purposes</li> <li>Suitable long-term remediation option</li> <li>Removes liability for ongoing management</li> </ul>	<ul style="list-style-type: none"> <li>Costs of offsite disposal at a licensed facility.</li> <li>Potential for larger quantities of material than expected to require disposal.</li> <li>Costs to import soil for construction purposes if required</li> <li>This strategy may require over-excavation and/or require importation of fill following disposal to return the site to its former grade, with associated costs.</li> </ul>	Suitable

5	Isolation and management of the soil on-site by containment below a capping layer or hardstand	<ul style="list-style-type: none"> <li>Material is retained onsite</li> <li>Reduces risk to human health and the environment</li> <li>Reduces costs of off-site disposal</li> <li>Reduces need for additional excavation works</li> </ul>	<ul style="list-style-type: none"> <li>May require over-excavation in order to place impacted material at depths below likely disturbance</li> <li>May require stockpiling and extended periods of work under asbestos conditions</li> <li>May require ongoing verification that the remedial strategy is suitable in the long term through implementation of a Long Term Environmental Management Plan</li> <li>May require a notification on the land title of the contamination retained on site.</li> </ul>	Suitable
---	--	---	---	----------

Based on the analysis included in the previous sections, Cardno recommends a combination of Option 4 (excavation and off-site disposal of impacted soils) and Option 5 (isolation of the soil on-site by containment) in order to address the impacts at the Site. These options involve either excavation and removal of asbestos, nickel and hydrocarbon impacted soils, or retention on site beneath an suitable capping layer. These options take advantage of excavation works required for site establishment, and of the capping potential of hardstand proposed for the redevelopment. These remedial options are effective at mitigating human health and ecological receptor pathways at the site by either removing the hazard, or isolating the impacted material.

At the time of this report, the finalised design and business case for implementing each option were pending. As such, Cardno have provided two remedial scenarios incorporating the preferred options above to render the site suitable for the proposed land use. Details of the preferred remediation strategies are provided in **Section 8**.

## 8 Remediation Strategy

As described above, two remedial scenarios incorporating Option 4 and Option 5 are provided in the following sections. Both Remediation Strategy 1 and Remediation Strategy 2 are capable of mitigating or removing potential human health and/or ecological exposure pathways to the asbestos, nickel and hydrocarbon impacts identified, and rendering the site suitable for the proposed land use as a primary school.

Details of the remedial strategies are outlined in the sections below. A Construction and Waste Management Plan is included in **Section 9**. Potential risks to future site workers can be managed through standard WHS practices which are detailed in **Section 10**. The soil validation plan is detailed in **Section 11**.

Should areas of previously unidentified contamination, including asbestos impacted soil, be encountered during the remediation and validation works, additional remedial measures may be required. If encountered, the Unexpected Finds Protocol detailed in **Section 9.6** should be implemented. Details on the requirements during small and larger scale asbestos removal, including WHS measures, are included in **Section 9.4**.

### 8.1.1 Data Gap Investigation

As described in **Section 4.3**, soils within building footprints have been identified as a Data Gap requiring investigation. This step in the process is applicable to both Remediation Strategy 1 and Remediation Strategy 2.

During the development process, as buildings are demolished and the soils become accessible, a suitably qualified environmental consultant will be engaged to undertake sampling of soils. The number of sampling locations per building footprint will be assessed prior to works, accounting for the previous sampling undertaken during the DSI, the proximity of the sampling points, and the size of the building footprint. It is likely that between one and three sampling points would be required per area. Samples will be submitted to a NATA accredited laboratory for analysis of COPCs relevant to the site use, historical analytical results, and field observations.

During this phase of works, additional sampling and inspection to refine the lateral extent of areas of impact for asbestos and nickel containing soils can also be undertaken. During preparation of the DSI, the extent of impact was estimated as to the nearest sampling point not impacted with COPCs above the adopted screening criteria. Methods such as shallow trenching and step-out sampling in approximately 3 m increments laterally from the sampling point of concern can be undertaken to inform finalised excavation dimensions.

The analytical results of the sampling will be compared to the Tier I Screening Criteria established in the DSI for the site and included within the data tables in **Appendix B**. Any exceedances of the criteria (if detected) will be assessed for significance, and if necessary, any impacts requiring remediation or management will be addressed and added as an addendum to this RAP.

### 8.1.2 Classification of Soils

An indicative waste classification was completed as part of the DSI for the Site (Cardno 2019a). In order to appropriately manage soils at the site requiring off-site disposal, a formal waste classification for the site should be produced to characterise fill material, and any natural soils requiring excavation and disposal. A review of the data obtained in the DSI should be undertaken and any additional sampling conducted in accordance with NEPM guidance and/or the NSW EPA Excavated Natural Material Order (2014).

## 8.2 Remediation Strategy 1

Remediation Strategy 1 involves a combination of off-site disposal of soils (Option 4) impacted with asbestos above the HSL and nickel above the EIL, and continued on-site containment (Option 5) of soils impacted with hydrocarbons above the ESL. This approach takes advantage of stripping and removal of shallow soils required for the development in order to remedy the impacts identified.

The remedial approach is to be performed jointly by a suitably qualified environmental consultant, occupational hygienist and a licensed contractor and will involve the following general steps:

1. Stripping and excavation of asbestos and nickel impacted soils and disposal off-site at a licenced facility
2. Provision of an Asbestos Clearance Certificate for the removal of the asbestos impacted soils
3. Collection of soil validation samples from the walls and base of the resulting excavations
4. Importation of fill (if required) for landscaping, levelling and geotechnical requirements



5. Visual inspection and validation that hardstand has been restored across the TRH impacted area characterised by BH04

Prior to works commencing, an Asbestos Management Plan / Asbestos Removal Control Plan must be developed by the licensed contractor detailing the proposed works and site specific control measures. All works involving asbestos must be undertaken in accordance with these plans, and the recommendations in **Section 9.4**.

### 8.2.1 Stripping and Excavation – Asbestos and Nickel Containing Soils

In order to remove the asbestos and nickel impacted soils at the Site, stripping of shallow topsoil and fill for off-site disposal at a licenced facility will be undertaken. The general process for the works is as follows:

1. Engagement of a licenced asbestos removalist to undertake works involving asbestos removal and remediation
2. Preparation of an Asbestos Management Plan / Asbestos Removal Control Plan detailing the removal process and site specific control measures to be implemented;
3. Notification to SafeWork NSW of the intention to remove non-friable asbestos
4. Provision of Asbestos Air Monitoring (AAM) during disturbance of asbestos containing soils
5. Stripping of asbestos impacted topsoil and fill within the eastern area of the site as shown in **Figure 3** in **Appendix A**.
6. Provision of an Asbestos Clearance Certificate for site surfaces following works
7. Stripping of nickel containing topsoil surrounding TP13 and TP06 to depths of approximately 0.4 mBGL as shown in **Figure 3** in **Appendix A**.
8. Importation of certified topsoil for landscaping of proposed areas.

It is estimated that approximately 0.3 to 0.5 m of topsoil and fill will be removed across the majority of the two areas, with localised deeper filling expected at TP03 to 1.2 mBGL. Borehole logs and a geological cross section of the area are provided in **Appendix D**. During the excavation, a suitably qualified environmental consultant should be present to inspect the material excavated and guide the vertical and lateral extent. This process reduces the potential for over- or under-excavation and enables documentation of the works for validation purposes.

### 8.2.2 Soil Validation Sampling

Once the shallow soils are excavated from the areas of concern, the environmental consultant shall collect validation samples from the walls and base on the resulting excavations. It is anticipated that the validation samples will be collected directly from the exposed soils by a hand protected with a dedicated nitrile glove.

Fill material and topsoil is required to be imported to the site for landscaping, backfill or geotechnical purposes. The material imported should be accompanied by appropriate documentation stating it meets the requirements for use at the Site. Check sampling should be undertaken on imported material to verify its suitability.

Additional details on the soil validation and imported fill sampling plan are included in **Section 11**.

### 8.2.3 Visual Validation – Area Surrounding BH04

Following site development works, validation that the soils surrounding BH04 containing hydrocarbons C<sub>16</sub>-C<sub>34</sub> above the adopted ESL remain encapsulated beneath hardstand will be undertaken. The inspection will include a photographic log and as-built plans detailing that hardstand remains over the impacted soils, and that completed receptor pathways from ecological receptors such as vegetation are not present.

## 8.3 Remediation Strategy 2

Remediation Strategy 2 involves a combination of off-site disposal of soils (Option 4) containing nickel above the EIL, and on-site containment (Option 5) of soils impacted with asbestos above the HSL, and hydrocarbons above the ESL. This approach takes advantage of stripping and removal of shallow soils required for the development, and the use of hardstand areas for capping of soils in order to remedy the impacts identified.

Containment of the asbestos impacted soils would be beneath hardstand paving located around the main school building in the eastern portion of the site. The placement of the material beneath hardstand is subject to its suitability as certified by a qualified geotechnical engineer.



The remedial approach is to be performed jointly by a suitably qualified environmental consultant, occupational hygienist and a licensed contractor and will involve the following general steps:

1. Stripping and excavation of nickel impacted soils and disposal off-site at a licenced facility
2. Stripping and excavation of asbestos impacted soils and natural soils (if required) and stockpiling on-site
3. Disposal of any geotechnically unsuitable material (i.e. topsoil with organic material) off-site to a licenced facility
4. Provision of an Asbestos Clearance Certificate for the excavation of the asbestos impacted soils
5. Collection of soil validation samples from the walls and base of the resulting excavations
6. Emplacement of asbestos containing soils beneath a marker layer, capping layer and hardstand
7. Importation of fill (if required) for landscaping, levelling and geotechnical requirements
8. Visual inspection and validation that hardstand has been restored across the TRH impacted area characterised by BH04
9. Development of a Long Term Environmental Management Plan (LTEMP) to ensure the long term effectiveness of the remedial strategy

### 8.3.1 Stripping and Excavation – Nickel Containing Soils

In order to remove the nickel impacted soils at the Site, stripping of shallow topsoil and fill surrounding TP06 and TP13 will be undertaken for off-site disposal at a licenced facility. The general process for the works is as follows:

1. Stripping of nickel containing topsoil surrounding TP13 and TP06 to depths of approximately 0.4 mBGL as shown in **Figure 3** in **Appendix A**.
2. Collection of soil validation samples from the walls and base of the resulting excavations
3. Importation of certified topsoil for landscaping of the area

It is estimated that approximately 0.4 m of topsoil and fill will be removed across the majority of the area. Borehole logs are provided in **Appendix D**.

### 8.3.2 Stripping and Excavation – Asbestos Containing Soils

In order to contain asbestos impacted soils at the site located adjacent the pre-school boundary fence, stripping and stockpiling of the material will be undertaken for site preparation. The general process for the works is as follows:

1. Engagement of a licenced asbestos removalist to undertake works involving asbestos removal and remediation
2. Preparation of an Asbestos Management Plan / Asbestos Removal Control Plan detailing the removal process and site specific control measures to be implemented;
3. Notification to SafeWork NSW of the intention to remove non-friable asbestos
4. Provision of Asbestos Air Monitoring (AAM) during disturbance of asbestos containing soils
5. Stripping of asbestos impacted topsoil and fill within the eastern area of the site as shown in Figure 3 in Appendix A and stockpiling on-site
6. Provision of an Asbestos Clearance Certificate for site surfaces following works

### 8.3.3 Soil Validation Sampling

Once the shallow soils are excavated from the areas of concern, the environmental consultant shall collect validation samples from the walls and base on the resulting excavations. It is anticipated that the validation samples will be collected directly from the exposed soils by a hand protected with a dedicated nitrile glove.

Fill material and topsoil is required to be imported to the site for landscaping, backfill or geotechnical purposes. The material imported should be accompanied by appropriate documentation stating it meets the requirements for use at the Site. Check sampling should be undertaken on imported material to verify its suitability.

Additional details on the soil validation and imported fill sampling plan are included in **Section 11**.

#### 8.3.4 On-Site Containment – Asbestos Containing Soils

Following stripping, excavation and site preparation works, the asbestos containing soils are to be placed beneath areas proposed for hardstand capping, namely the hard paving areas surrounding the main school building. Preference can be given to placement in areas required to be raised, such as the south-east corner of the Site adjacent to Jacobson Avenue.

Capping layers shall meet the requirements outlined in the ANZECC (1999) Guidelines for the On-Site Containment of Contaminated Soil. The nominal capping layer requirements include:

- > A marker layer of high visibility geofabric or similar must be placed beneath and above the asbestos containing soils once emplaced, including lining of the side walls
- > A buffer layer of uncontaminated material (such as site soils validated as suitable for re-use, or engineered fill such as DGB) such that the minimum depth between the surface and the contaminated soils is at least 0.3 m
- > An impervious hardstand layer such as concrete, pavement etc.

During and following placement, the base, sides and top of the emplaced soils are to be surveyed and recorded to allow the capping details and location of emplaced soils to be incorporated into a Long Term Environmental Management Plan (LTEMP) and Asbestos Register for the Site.

During emplacement of the soils and construction of the capping layer, regular inspections shall be undertaken to ensure correct capping depths and methods are being followed. Following completion, a validation inspection should be undertaken to ensure the capping layer has been suitably constructed, confirming the isolation of the source from receptors and include a photographic log and as-built plans.

#### 8.3.5 Visual Validation – Area Surrounding BH04

Following site development works, validation that the soils surrounding BH04 containing hydrocarbons C<sub>16</sub>-C<sub>34</sub> above the adopted ESL remain encapsulated beneath hardstand will be undertaken. The inspection will include a photographic log and as-built plans detailing that hardstand remains over the impacted soils, and that completed receptor pathways from ecological receptors such as vegetation are not present.

#### 8.3.6 Long Term Environmental Management Plan

Following completion of site remediation and validation works, a Long Term Environmental Management Plan (LTEMP) would be required to detail the location and nature of the emplaced soils, and the ongoing responsibilities and management requirements for the material. The LTEMP would include strategies to avoid the likelihood of breaching the capping layer, and procedures to be following in the event a breach occurs.

## 9 Construction Environmental and Waste Management Plan

The following sections include a Construction Environmental and Waste Management Plan which provides measures required to minimise the potential impact of works on the local environment, site workers and third parties. In all cases, environmental issues must be managed by the Principal Contractor in accordance with good environmental management practices with periodic supervision and documentation by the appointed environmental consultant. The purpose of these measures is to prevent site workers, the public and environmental exposure to potential health risks associated with these works.

### 9.1 Stockpile Management

Soil may require temporary stockpiling based on the timing of the construction activities. Soil placed in stockpiles around the site will be tracked according to the location of removal and location of stockpile. Stockpiles in place longer than 24 hours will be placed on an impervious base, compacted and covered with geofabric or similar.

Stockpiles are to be contoured to minimise the loss of material during rainfall, with upstream drainage and levee banks installed to divert water flows around the stockpile. Silt fencing is to be appropriately placed and installed to avoid sediment loading of stormwater drains and pipes. The installation of these controls is to be undertaken in accordance with the Landcom (2004) "Blue Book".

The stockpile(s) should be clearly labelled, with stockpiles containing asbestos materials appropriately identified with warning signage. In the event that larger stockpiles of asbestos, an area can be lined with plastic and used as a stockpiling area. Any stockpiled asbestos contaminated material should be dampened and covered with either geofabric layer or black plastic, which is to be disposed of as asbestos waste after completion of asbestos works.

#### 9.1.1 Waste Tracking

Tracking of waste movements around the site and material transported off-site for disposal is a critical component to demonstrate the remedial strategy is being implemented appropriately. Waste tracking will be achieved through use of waste dockets, survey of stockpiled materials or excavations and photographic documentation of movements of soil around and off-site. An environmental scientist should be on-site to oversee the majority of the remedial works to ensure that appropriate waste tracking procedures are employed.

### 9.2 Excavation Water Management

It is not anticipated that the water table or dewatering will be required as part of the development. Should any excavations or works accumulate water, or if dewatering is required, water contained or that collects in the soil excavations will be pumped out of the excavation to stormwater/sanitary sewer per Bayside Council disposal requirements. The details of the discharge/disposal requirements of any water that collects in the excavation will require further consideration during the remedial and validation works. Any water intended for disposal (either off-site or to stormwater/sanitary sewer) will require sampling to ensure it meets discharge water quality requirements.

### 9.3 Air and Dust

#### 9.3.1 Odours

Due to the nature of impact on-site, it is not anticipated that excessive odours will result from remediation works. However, qualified and experienced technical staff will be on site during all excavation works and should excessive odour be generated as a result of the process, on-site spraying of the excavated material with a suitable odour suppressant (ie. Anotec) will be undertaken to minimise any odour. Other options that may also be employed are:

- > A reduction in the size of the excavation face that is open at any one time to reduce the surface area generating the odour;
- > Location of any temporary stockpiles of impacted soil as far as possible (and in the predominant down wind direction) from sensitive receptors;
- > Smothering of the odours by covering the portion of the site that is generating the odour; and
- > Watering the stockpiles and excavations to minimise volatile emissions.

During excavation works, a PID and a Lower Explosive Limit (LEL) meter may be used to obtain readings and document VOC concentrations during activities when soil and groundwater are being disturbed.

### 9.3.2 Dust Control

The Principal contractor will be responsible for ensuring that excavation, loading, carting, and stockpiling operations are dust free. This may include (but is not limited to):

- > Stockpile protection;
- > Water application on stockpiles and access roads;
- > Limiting the area of exposed excavations and surfaces; and
- > Wind fences around earthworks areas.

In the event that excessive dust is generated during any operations on-site, the works will cease and modifications to the process will be made before the operation is resumed. There must be no observable dust transported off-site.

## 9.4 Removal of Asbestos Waste

Based on results of the DSI, asbestos has been identified at the site requiring remediation or management. The following practices should be followed.

### 9.4.1 Methodology

Contractors working with asbestos or in asbestos affected areas of the site will be required to prepare and lodge a Safe Work Method Statement and Asbestos Removal Control Plan for the Principal Contractor's approval before commencing work. The chosen remedial contractor will be a certified Asbestos Removal Contractor. A Class B license is required for removal of bonded material and a Class A license for removal of friable asbestos. If the material is in a degraded state, then it would be considered friable by nature and therefore in that circumstance a Class A license contractor would be required. The Department of Education may also stipulate a Class A licensed contractor be employed for all asbestos works in accordance with their over-arching asbestos management procedures.

### 9.4.2 Stockpiling

If stockpiling of asbestos waste is required, the affected material should be placed on-site in a specified asbestos waste bin, prepared in accordance with referenced codes including:

- > Locate bin on-site, away from adjacent land uses and other contaminated stockpiles, ideally over a concrete or bitumen paved area
- > Bins shall be lined with minimum thickness of 200-micron heavy duty plastic sheet, formed and sealed to ensure leachate from asbestos contaminated material does not escape
- > Exposed asbestos waste within the bin shall be lightly wetted regularly to reduce dust generation while loading and prior to plastic encapsulation;
- > Asbestos waste within the waste bin shall be double wrapped in minimum thickness of 200- micron heavy duty plastic sheet or bagged in specific asbestos bags to code requirements;
- > Sandbag or otherwise block any drainage around the waste bin
- > Barricade the perimeter of the stockpiled/waste bin material
- > In the event that larger stockpiles of asbestos or asbestos containing soils are required, an area can be lined with plastic and used as a stockpiling area
- > Following removal of stockpiles of asbestos waste, an Asbestos Clearance Certificate for the stockpile area shall be issued by a suitably qualified occupational hygienist.

### 9.4.3 Decontamination

Adequate decontamination facilities are to be installed onsite in accordance with the guidelines specified in the Code of Practice for the Safe Removal of Asbestos [NOHSC2002 (2005)], Model Code of Practice for How to Safely Remove Asbestos (2018) and the NSW Occupational Health and Safety (Asbestos) Regulations 2003 and amendments

#### 9.4.4 Respiratory Protection

If respirable fibres are identified, persons engaged in the asbestos removal work or accessing a contaminated area shall wear an approved respirator conforming to the requirements of SA/NZS 1715 and 1716.

#### 9.4.5 Warning Notices

Suitable warning signs shall be placed around the works area. These signs shall comply with all relevant acts, regulations and codes of practice, including but not limited to:

- > AS 1319-1983 – Dangerous Goods Act 1985;
- > Dangerous Goods (Storage & Handling) Regulations 2000; and
- > Dangerous Goods (Placarding of Workplaces) Regulations 1985.

#### 9.4.6 Loading and Transporting of Asbestos Contaminated Materials (If Required)

If required, asbestos impacted waste is to be removed and disposed of in accordance with all relevant acts, regulations, standards and codes of practice.

Removal of waste materials from the site shall only be carried out by a licensed contractor holding appropriate licenses, consents and approvals from NSW EPA, SafeWork and/or other Authorities to transport and dispose of the asbestos waste materials according to the classification guidelines.

Asbestos waste must be transported in a covered leak-proof vehicle to prevent any spillage or dispersal of waste. Bonded asbestos not stored in a bag must be wetted before it is transported offsite. Asbestos fibres and dust waste are classified as friable and must be covered in a manner to prevent the emission of any dust.

Details of all contaminated materials removal from the site shall be documented with copies of weighbridge slips, trip tickets and consignment disposal confirmation (where appropriate). Such information should be provided to the Site Owner for reporting purposes. A site log shall be maintained by the licensed removal contractor for all waste stockpiles (numbered locations), to enable the tracking of disposed loads against on-site origin and location of the materials.

Measures shall be implemented to ensure no asbestos contaminated material is spilled onto public roadways or tracked off-site on vehicle wheels. Such measures could include the deployment of a vehicle washing/cleaning facility, which should be placed at a location before the site egress. The facility shall be capable of handling all vehicles and plant operating on site. Residue from the cleaning facility will be deemed contaminated unless shown by validation to be below Reportable Acceptance Criteria.

The proposed waste transport route should be approved by council. Each load leaving the site shall be recorded. Any vehicle used for the transport of contaminated waste must be inspected before leaving the site to ensure that all residual waste is removed from the outside of the vehicle.

#### 9.4.7 Asbestos Fibre Monitoring

A suitably qualified professional shall carry out appropriate air monitoring of the workplace and surrounding areas during asbestos remediation/removal works in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Dust [NOHSC:3003(1988)] including but not limited to:

- > Air monitoring at the commencement of asbestos removal activity on the site;
- > Air monitoring continuously in areas related to hazard removal work;
- > Air monitoring for clearance following removal of friable asbestos.

Air-monitoring results are to remain below control levels in designated areas and monitored by the environmental consultant / hygienist. These control levels are occupational hygiene best practice and are not health based standards (they are below the concentration set in NES for asbestos). The control levels shall be as per **Table 9-1**:

Table 9-1 Asbestos Control Levels

Control level (airborne asbestos fibres/ml)	Control / Action
< 0.01	Continue with control measures
≥ 0.01	Review control measures
≥ 0.02	Stop removal work and find the cause

#### 9.4.8 Clearance Inspections

Following the removal of asbestos-contaminated materials, an inspection must be carried out with the licensed removal contractor, in order to establish areas which may require further remediation. All asbestos waste material must be removed from the work area prior to a clearance inspection.

The environmental consultant/hygienist may terminate the inspection if the work area is deemed to be contaminated and reconvene the inspection after follow-up remediation works to a satisfactory standard.

### 9.5 Acid Sulfate Soils Management

Potential Acid Sulfate Soils (PASS) have been identified at the site beneath the water table and depths of 7mBGL. Therefore, if ASS are proposed to be disturbed, the procedures outlined in the Acid Sulfate Soils Management Plan (ASSMP) (Cardno 2019b) must be implemented during the remedial and development process.

### 9.6 Unexpected Finds

In the case that an environmental consultant is not available for oversight, workers will be vigilant for hazardous materials that may be uncovered during excavations. Unexpected finds include, but are not limited to, odour, visual contamination, ASS or PASS, deleterious material inclusions, asbestos containing material, Underground Storage Tanks (USTs) or any other suspect materials. Any unexpected finds will be reported to the Contractor's on-site manager immediately. Additionally, the site owner/occupier should be informed as soon as practical following an unexpected find.

If hazardous materials are uncovered / discovered during excavations the Contractor shall:

- > Cease all work in that vicinity (and fence the area if appropriate)
- > Remove workers from the vicinity
- > An experienced environmental consultant should be contacted to assess the potential risks associated with the Unexpected Finds and provide appropriate management options
- > Investigate the nature of the risk of the materials, determine the appropriate response and document the actions in accordance with contractual obligations.

In the event of a serious unexpected find, which could cause harm to human health and/or the environment, the Bayside Council and the NSW EPA may need to be informed.

The risks posed by the removal works to Aboriginal or European heritage are expected to be minimal. However, in the event potential heritage items are encountered during excavations, works will cease and the Site Supervisor notified

### 9.7 Stormwater

#### 9.7.1 Erosion and Sedimentation Control

Cleared areas and exposed excavations may promote erosion. The following erosion and sediment controls will be implemented:

- > Limiting the extent of cleared areas and exposed excavations
- > Backfilling of excavated areas as soon as practicable
- > Diversion of stormwater from active areas using hay bales or sediment fences
- > Covering of temporary stockpiles with plastic (HDPE) or geofabric and placement of silt socks around excavations when necessary
- > Covering open stormwater grates in the vicinity of stormwater pits and excavations with silt fences or other appropriate materials
- > Placement of stockpiles away from footpaths, roadways, kerbs, access ways or drainage lines
- > Minimising translocation of contaminated soils throughout the site by ensuring excavator operators do not track over contaminated areas
- > If possible, a single vehicle entry and exit to minimise translocating soil



- > Depending on the volume of soil to be excavated, rumble strips may be required at the site access in order to prevent contaminated soil being transported off-site.

### 9.7.2 Water Management

Stormwater runoff quality may be adversely affected in the event of rainfall. Hay bales or similar mitigation measures will be placed near down-gradient stormwater entry points to prevent entry of contaminated sediment to stormwater, which may result from the project works.

## 9.8 Noise

Hours of operation, noise control and noise generating activities will comply with the DA requirements for the project.

## 9.9 Land Disturbance

Works include excavation, loading, carting and stockpiling operations of associated soils. These works shall be carried out in an orderly manner to minimise impact to the surrounding residences.

- > Excavation – the removal of soil shall be performed by the appointed excavation contractor using an excavator. If a transport truck is not on-site during excavation and soil will need to be temporarily stockpiled, no contaminated soils should be placed on areas validated as suitable for the proposed land use. In these locations, soil shall be excavated and placed on black plastic liners or on concrete surfaces in discrete stockpiles prior to off-site disposal. Stockpiles should be segregated for each potential contamination source.
- > Loading and Carting – the loading of the stockpile material shall occur with an appropriately sized machinery. The trucks and trailers shall be covered for transport as deemed necessary, and shall meet any other statutory requirements.

## 9.10 General

The appointed Principal Contractor shall ensure compliance with relevant SafeWork NSW guidelines and Work Health and Safety Acts and Regulations. The Principal Contractor shall also ensure compliance with any amendments to the Act or Regulations during the project duration.

The Principal Contractor shall monitor and control the access of all persons to the site and ensure that no unauthorised persons enter the site during remedial works (wherever practicable). All site personnel and visitors will be inducted and shall wear appropriate personal protective equipment (PPE).

The appointed Principal Contractor shall undertake additional underground and overhead service location specifically in areas surrounding the remediation location.

Any open excavation(s) are to be barricaded in accordance with the NSW Work Health and Safety Act; Clause 16 (1) and the Construction Safety Regulation Section 73, as administered by SafeWork NSW.

The appointed Principal Contractor shall install warning signs on the barricades surrounding the excavations, including but not limited to: DANGER: OPEN EXCAVATIONS; DANGER: NO SMOKING.

### 9.10.1 Vehicles

The appointed Principal Contractor shall ensure all vehicles are suitably contained and covered in the transport of all debris, spoil, rubbish and materials to or from the site, such that spillage or contamination of adjoining and other areas or property shall be prevented.

Vehicles shall also be maintained to prevent the transfer of mud or wastes onto adjacent streets or other areas. If wheel treads contain significant quantities of site soils the contractor will manually remove and dispose in stockpiles.

### 9.10.2 Traffic Control

The Principal Contractor shall supply signs and safety cones; erect at the appropriate entry and exit points; and maintain these devices in good condition. Excavation works, stockpiles and other hazards, shall be individually barricaded at all times. The site will be fully fenced to exclude public.

On-site pedestrian traffic will be averted from the work areas and excavation by means of signage, fencing and safety barricading.

### 9.10.3 Refuse Disposal

All site refuse, including food, equipment wrappings, unused materials, etc. shall be handled and disposed of appropriately into a skip.

### 9.10.4 Site Security

The site shall be secured by a lockable fence around the perimeter of the site and access to the site will be restricted. All excavations and above-ground remediation equipment will be barricaded with reflective barricades, with pertinent reflective signage. Keys to the gate will be restricted to approved personnel.

### 9.10.5 Training

Low environmental awareness of site workers may result in environmental impact including cross contamination of soil layers and off-site movement of contaminated soil. Accordingly, staff awareness training, inductions and daily tool box meetings shall be conducted.

### 9.10.6 Roles and Responsibilities

#### 9.10.6.1 Client

A summary of the client's role and responsibilities includes:

- > Overall responsibility for the project development and outcomes of the RAP
- > Liaison with neighbours and other stakeholders
- > Engagement of environmental management consultant to oversee implementation of the RAP
- > Engagement of contractors to perform further investigation works, and any subsequent contaminated soil disposal and site rehabilitation works as required
- > Provision of health and safety measures for site personnel and the works area
- > Maintain relevant records associated with the RAP.

#### 9.10.6.2 Principal Contractor

The principal contractor engaged for the management of impacted soils must:

- > Undertake all works in compliance with the provisions of the RAP
- > Liaison with site supervisor regarding progress of works
- > Report any environmental incidents and unexpected finds to the site supervisor
- > Collate all project documentation including landfill disposal dockets (where relevant)
- > Conduct works in accordance with the Site WH&S plan.

#### 9.10.6.3 Site Supervision

A Site Supervisor, who is an experienced environmental scientist familiar with the implementation of environmental controls, will be appointed to take responsibility for implementation of this RAP at the Site during excavation of impacted soils. The Site Supervisor's duties include:

- > Regular inspection of the site and site activities
- > Completion of the daily reporting sheet
- > Provision of on-site advice and direction with regard to implementation and compliance with the RAP
- > Liaison with site personnel/contractors and the client regarding progress of works
- > Provide and maintain a photographic record of works and results
- > Identification, reporting and management of the rectification of any non-conformances with the RAP.



## 10 Work Health and Safety

### 10.1 WHS Planning and Preparation

Prior to mobilising to complete the remedial works, the Principal Contractor and appointed remedial contractor will develop site and project specific Work Health and Safety Plans (WHSPs), Safe Work Method Statements and Job Safety Analyses for the scope of works to be undertaken. The WHS documentation will detail measures to mitigate potential risks to site workers, third parties and the local environment during the remedial works. General, minimal WHS procedures to be implemented during the remedial works are outlined as follows:

- > The contaminants identified (asbestos) poses potential for exposure via inhalation. Respirators, dust masks and disposable coveralls should be available on site for all works involving asbestos. The additional management practices detailed in **Section 9.4** should also be followed and included in the WHSPs.
- > Potential exposure pathways for contaminants include dermal absorption (skin contact, ingestion) of dust. All workers should wear long sleeve trousers/shirts on-site. Gloves and safety glasses shall be worn by all workers involved in handling of potentially contaminated soils.
- > Protective footwear (steel capped boots) to be worn on site at all times.
- > Hearing protection should be worn during soil removal activities (or when working in the vicinity of heavy plant/machinery).
- > Unauthorised access should be limited by ensuring that security gates are locked at the completion of each day's work.
- > Excavations greater than 1.5m depth need to be "stepped" by the appointed civil contractor or otherwise made safe.
- > Personnel are not to enter excavations (>1m depth) at any time.
- > PPE shall be provided in sufficient quantities to provide for the duties of each on-site individual.

### 10.2 Incident Management Plan


Emergency response includes pre-emergency planning, lines of authority and communication, emergency recognition and prevention, site control, evacuation routes, decontamination and first aid.

#### 10.2.1 Medical Emergency/Serious Injury

In the event of an accident or an emergency situation involving a serious injury or medical emergency, immediate action must be taken by the first person to recognise the event (refer to flowchart below).


A portable and fully-stocked first aid kit shall be retained on site at all times.

In the event of a fatality, the Police, Site Manager, and Project Manager shall be notified immediately.




### 10.2.2 Fire

In the event of a fire, the actions outlined in below shall be taken:



### 10.2.3 Environmental Incident

In the event of an environmental incident, the actions outlined below shall be taken:



### 10.3 Incident Reporting

Cardno employees and sub-contractors are required to verbally report incidents, accidents and near-misses to the Project Manager immediately after an event has occurred. It is the responsibility of the Project Manager to notify the Client Representative immediately after the occurrence of an environmental incident and to forward the completed a written incident report within 24 hours. Additional investigations may be necessary should a serious incident occur.

### 10.4 Community Consultation

Cardno anticipates that community consultation will be required during the course of the remedial and validation works. Unless incorporated into other management documents, a detailed Community Consultation Plan may be developed to manage communications with third parties.

## 11 Sit Validation Requirements

During and after the remedial works are complete, additional soil samples will be required to:

- > Validate the material proposed for re-use on-site is suitable for the proposed land use as a primary school
- > Validate that soil remaining in place at the site is suitable for the proposed land use as a primary school
- > Validate that on-site containment measures have been implemented appropriately (as required)
- > Validate any imported soil is suitable for the proposed mixed commercial land use and is not a potential source of contamination.

### 11.1 Visual Inspection and Survey

Following excavation of asbestos impacted soils, and capping layer construction (if Remediation Option 2 is selected) a validation clearance inspection should be undertaken by a suitably qualified occupational hygienist to ensure asbestos containing materials have been removed from areas where impacted fill was required to be excavated. Areas of the Site in which asbestos materials and / or hydrocarbon containing soils have been capped should be inspected by a suitably qualified environmental consultant and validated to ensure adequate capping has been implemented. Initial survey followed by periodic inspections during the capping construction shall be undertaken to ensure recommended capping thicknesses are achieved and the Remedial Objectives for this project have been met.

### 11.2 Post Excavation Validation Sampling

After soil is excavated from the area characterised by TP06 and TP13, and in asbestos impacted adjacent the eastern boundary, soil samples from the base and walls of the resulting excavation will be collected to validate the soil remaining on-site. The recommended density for collection of validation soil samples is 1 sample per 10 linear metres of sidewall and 1 sample per 100 m<sup>2</sup> of excavation base. However, this density should be doubled when asbestos has been identified as a COPC based on requirements in the NEPM.

Therefore:

- > A minimum of one validation soil sample will be collected per 5 linear metres of sidewall and 50 m<sup>2</sup> of excavation base area for asbestos analysis in the east of the site;
- > A minimum of one validation soil sample will be collected per 10 linear metres of sidewall and 100 m<sup>2</sup> of excavation base area for analysis of nickel in the area surrounding TP06 and TP13.

The post excavation soil samples will be analysed for the same parameters as listed in **Section 12.1**.

If the analytical results meet the RGs detailed in **Section 6**, the soil will be deemed suitable to remain in place under the proposed land use as a primary school.

### 11.3 Soil Re-Use Validation

If soils are required to be excavated and re-used on site for backfill or construction purposes, a review of data obtained during the DSI should be undertaken and, if necessary, additional soil samples collected by a suitably qualified environmental consultant. The target sample density for soil intended for re-use is 1 sample per 25 m<sup>3</sup> in accordance with NEPM guidance. The additional soil samples should be analysed by a NATA accredited laboratory for COPCs including (but not limited to) the following:

- > Total Recoverable Hydrocarbons (TRH);
- > Benzene, toluene, ethylbenzene, xylenes, naphthalene (BTEXN)
- > Polycyclic aromatic hydrocarbons (PAHs)
- > Eight metals (As, Cd, Cr, Cu, Ni, Pb, Zn and Hg)
- > Quantitative Asbestos per NEPM.

If the soil analytical results of the additional sampling meet the NEPM Tier I screening guidelines for the proposed land use as a primary school, the soil will be deemed suitable for re-use on-site as fill.

## 11.4 Excavated Natural Material Sampling

As stated previously, excavation of natural soils for site development will be required and potentially disposed of off-site. There is no indication that the natural soils at the site above the water table are impacted with measurable COPCs and it is possible that they can be classified as ENM.

Soil samples of the natural material will be collected across the proposed excavation footprint. Soil samples will be collected in accordance with the sampling densities outlined in Tables 2 and 3 of the ENM Order for analysis of COPCs and other physical attributes listed in Table 4 in the ENM Order. These parameters include:

- > TPH/TRH C10 to C36;
- > BTEX;
- > Total PAHs;
- > The metals Hg, Cd, Pb, As, Total Cr, Ni and Zn;
- > Physical parameters including pH, electrical conductivity, and foreign material inclusions

## 11.5 Imported Fill Sampling

Any soil imported to the Site, other than engineered materials, should be sampled to determine its suitability for the proposed land use. If imported fill material is accompanied by a VENM or ENM certificate, one sample per 1,000 m<sup>3</sup> should be collected. If imported fill material is not accompanied by a VENM or ENM certificate, one sample per 250 m<sup>3</sup> should be collected. Imported fill samples should be analysed for the COPCs and analytical methods including:

- > Total Petroleum/Recoverable Hydrocarbons (TRH);
- > Benzene, Toluene, Ethylbenzene, Total Xylenes and Naphthalene (BTEXN);
- > Polycyclic Aromatic Hydrocarbons (PAHs);
- > Heavy Metals (Arsenic, Cadmium, Chromium, Copper, Lead, Mercury, Nickel and Zinc);
- > Asbestos (weight/weight %)
- > pH, EC and foreign materials

## 12 Contingency Plan

As with any remedial scope of work, unanticipated events or outcomes may be encountered during the remedial program. Cardno has developed contingencies throughout the RAP to mitigate risks associated with potential issues that may arise during the remedial works. Contingency items considered for the current remediation are summarised in **Table 12-1** noting that there may be other unforeseen circumstances that may arise during the course of the works.

Table 12-1 Remedial Works Contingency Plan

Potential Issue	Contingency Measure
Evidence of additional contamination not previously identified	Further assessment involving intrusive investigations or remediation may be required to quantify and delineate potential contamination.
Greater than anticipated volumes of soil require management	The proposed remedial strategy is scalable in that additional soil can be excavated. Off-site soil disposal is scalable for if large, unexpected volumes of soil are produced. In the case of additional contaminated soil being identified and on-site containment is feasible, excess natural soils may meet the definition of Excavated Natural Material for beneficial re-use off-site, and retention of impacted soils at the site.
Unintentional release of stockpiled soil or water drained from stockpile	Construction of appropriate erosion and sedimentation controls around stockpiles Spill equipment will be staged on-site during the remedial works. Weather forecasts will be monitored throughout the course of the remedial works to anticipate any significant storm events. Works may be suspended if large volumes of rain are anticipated. Soil stockpiles would be sufficiently covered prior to any storm event.
Water ingress to excavation is unmanageable	Consider aggressive means to remove the water (multiple vacuum trucks) or below ground dewatering equipment. Consider installation of a physical barrier to block the water ingress.



## 13 Regulatory Approvals / Licences

---

### 13.1 Regulatory Compliance Requirements

Regulations and sources of regulatory guidance relevant to this remediation programme relate to waste management, environment protection and occupational health and safety.

#### 13.1.1 Waste Management

The remediation program must comply with the following legislation and policies

- > *Waste Avoidance and Resource Recovery Act 2001.*
- > *Protection of the Environment Operations (Waste) Regulation 2005.*
- > *NSW EPA (2014) Waste Classification Guidelines.*

#### 13.1.2 Environmental Protection

The remediation of asbestos impacted soils must be carried out in a manner compliant with national, state and local environmental regulations, including the

- > *Protection of the Environment Operations Act 1997.*
- > State Environmental Planning Policy (SEPP) 55 – Remediation of Land;
  - Given the minor nature of remediation work proposed to be undertaken at the Site, the works are considered to be Category 2 remediation work – work not needing consent. Whilst consent is not required, Clause 16 of SEPP 55 requires Council to be notified in writing at least 30 days before the commencement of work, and supply a Site Validation Report within 30 days of completion of works.
- > *Contaminated Land Management Act 1997*
- > National Environmental Protection (Assessment of Site Contamination) Measure 1999 (as amended 2013).

## 14 Conclusions

Cardno was engaged by DWP to prepare a RAP to guide and inform the remediation of soils at Kyeemagh Infants School, corner of Jacobson Avenue and Beehag Street, Kyeemagh NSW. The Site is proposed to be redeveloped from its current configuration as an infants school into a K-6 capable primary school.

The Site is located on a parcel of land that has been in use as a school since 1942. The DSI conducted by Cardno in 2018/19 identified areas of COPCs within soils requiring remediation or management. The identified areas of concern were an area of asbestos impacted soils above the adopted NEPM HSL in the east of the site, an area of nickel impacted topsoil above the site specific EIL in the northern area of the site, and an area of TRH C<sub>16</sub>-C<sub>34</sub> impacted soil above the adopted ESL beneath hardstand in the south west.

The objectives of the RAP are to define the soil remediation and validation requirements for the previously identified asbestos, nickel and TRH impacts at the Site. Additionally, the remedial strategies are designed to minimise the potential risks to human health and the environment relative to the proposed land use of the property as a primary school.

Cardno evaluated potentially applicable remedial alternatives to address the potential risks to human health and the environment. Due to the finalised design and business case for each option being pending at the time of this report, two remedial strategies are provided which will eliminate receptor pathways to the identified COPCs at the site. The recommended strategies involve a combination of off-site disposal of impacted soil, and on-site containment beneath hardstand. These strategies provide the most efficient option for remediating the site, taking advantage of soil removal required for construction purposes and the capping potential of hardstand for the new development.

The remedial strategies are to be performed jointly by an environmental consultant, occupational hygienist and a licensed contractor and will involve the following general steps:

### Remediation Strategy 1:

1. Stripping and excavation of asbestos and nickel impacted soils and disposal off-site at a licenced facility
2. Provision of an Asbestos Clearance Certificate for the removal of the asbestos impacted soils
3. Collection of soil validation samples from the walls and base of the resulting excavations
4. Importation of fill (if required) for landscaping, levelling and geotechnical requirements
5. Visual inspection and validation that hardstand has been restored across the TRH impacted area characterised by BH04.

### Remediation Strategy 2

1. Stripping and excavation of nickel impacted soils and disposal off-site at a licenced facility
2. Stripping and excavation of asbestos impacted soils and natural soils (if required) and stockpiling on-site
3. Disposal of any geotechnically unsuitable material (i.e. topsoil with organic material) off-site to a licenced facility
4. Provision of an Asbestos Clearance Certificate for the excavation of the asbestos impacted soils
5. Collection of soil validation samples from the walls and base of the resulting excavations
6. Emplacement of asbestos containing soils beneath a marker layer, capping layer and hardstand
7. Importation of fill (if required) for landscaping, levelling and geotechnical requirements
8. Visual inspection and validation that hardstand has been restored across the TRH impacted area characterised by BH04
9. Development of a Long Term Environmental Management Plan (LTEMP) to ensure the long term effectiveness of the remedial strategy

This RAP also includes a Construction Environmental and Waste Management Plan, a Work Health and Safety Plan and a Contingency Plan in addition to waste classification and soil validation requirements.

## 15 References

---

Cardno (2018) *Kyeemagh Public School – Flooding Advice*, letter dated 31 October 2018.

Cardno (Cardno, 2019a) *Detailed Site Investigation – Kyeemagh Infants School, Corner of Jacobson Avenue and Beehag Street, Kyeemagh NSW*, prepared for DWP Australia, January 2019

Cardno (2019b) *Acid Sulfate Soils Management Plan - Kyeemagh Infants School, Corner of Jacobson Avenue and Beehag Street, Kyeemagh NSW*, prepared for DWP Australia, January 2019

Parsons Brinckerhoff (PB, 2014a) *Asbestos Remediation Clearance Certificate*. Prepared 9 July 2014.

Parsons Brinckerhoff (PB, 2014b) *Asbestos in Grounds, Asbestos Management Plan, Kyeemagh Infants School, Kyeemagh, NSW*. Prepared July 2014.

DECC (2009) *Contaminated Sites: Guidelines on the Duty to Report Contamination under the Contaminated Land Management Act 1997*. Department of Environment and Climate Change NSW, Sydney. June 2009.

NEPC (2013) *National Environment Protection (Assessment of Site Contamination) Measure (NEPM)*. National Environment Protection Council (NEPC) 1999, Amendment 2013;

NEPC (2013) *Schedule B(2) Guideline on Site Characterisation*, NEPM 1999, Amendment 2013;

NSW Department of Urban Affairs and Planning (1998) *Managing Land Contamination: Planning Guidelines: SEPP 55 Remediation of Land*, 1998;

NSW OEH (2011) *Guidelines for Consultants Reporting on Contaminated Sites*. New South Wales Office of Environment a& Heritage (OEH), November 1997, Reprinted September 2000, Reprinted August 2011;

Parsons Brinckerhoff (PB, 2014a) *Asbestos Remediation Clearance Certificate*. Prepared 9 July 2014.

Parsons Brinckerhoff (PB, 2014b) *Asbestos in Grounds, Asbestos Management Plan, Kyeemagh Infants School, Kyeemagh, NSW*. Prepared July 2014.

Standards Australia (2005) *Australian Standard AS 4482.1-2005 – Guide to the investigation and sampling of sites with potentially contaminated soil. Part 1: Non-volatile and semi-volatile compounds*. Standards Australia, Homebush, NSW; and

Standards Australia (1999) *Australian Standard AS 4482.2-1999 - Guide to the sampling and investigation of potentially contaminated soil. Part 2: Volatile substances*. Standards Australia, Homebush, NSW.

## 16 Limitations

---

This report has been prepared for the client, and their agents and the local council planning authority for the purpose of guiding and informing the remediation programme. Use of the report by other parties for different purposes shall be at their own risk. Whilst the assessment has used current industry practice to characterise the nature and extent of contamination at this site, and the author is satisfied with the quantity and quality of the information presented as the basis for this report, the Cardno cannot guarantee completeness or accuracy of any data, descriptions or conclusions based on information provided to it by others.

The agreed scope of this assessment has been limited for the current purposes of the Client. The remedial approach presented in this RAP may not remediate all types of contamination occurring in all areas of the site.

This Document has been provided by Cardno subject to the following limitations:

- > This Document has been prepared for the particular purpose outlined in Cardno's proposal and no responsibility is accepted for the use of this Document, in whole or in part, in other contexts or for any other purpose;
- > The scope and the period of Cardno's services are as described in Cardno's proposal, and are subject to restrictions and limitations. Cardno did not perform a complete assessment of all possible conditions or circumstances that may exist at the site;
- > Conditions may exist which may limit the effectiveness of the proposed remedial approach, including geologic and hydrologic conditions, the presences of services or other underground infrastructure. Accordingly, more than one phase of remediation may be required to achieve the goals of this RAP;
- > In addition, it is recognised that the passage of time affects the information and assessment provided in this Document. Cardno's opinions are based upon information that existed at the time of the production of the Document. It is understood that the services provided allowed Cardno to form no more than an opinion of the actual conditions of the site at the time this Document was prepared and cannot be used to assess the effect of any subsequent changes in the quality of the site, or its surroundings, or any laws or regulations.
- > Where data supplied by the client or other external sources, including previous site investigation data, have been used, it has been assumed that the information is correct unless otherwise stated. No responsibility is accepted by Cardno for incomplete or inaccurate data supplied by others.
- > Cardno may have retained sub consultants affiliated with Cardno to provide services for the benefit of Cardno. To the maximum extent allowed by law, the Client acknowledges and agrees it will not have any direct legal recourse to, and waives any claim, demand, or cause of action against, Cardno's affiliated companies, and their employees, officers and directors.

This RAP is not any of the following:

- > A Site Audit Report or Site Audit Statement as defined under the Contaminated Land Management Act, 1997
- > A Detailed ESA or Environmental Site Investigation sufficient for an Environmental Auditor to be able to conclude a Site Audit Report and Site Audit Statement
- > A detailed hydrogeological assessment in conformance with NSW DEC (2007) Contaminated Sites: Guidelines for the Assessment and Management of Groundwater Contamination
- > An assessment of groundwater contaminants potentially arising from other sites or sources nearby

A total assessment of the site to determine suitability of the entire parcel of land at the site for one or more beneficial uses of land.

APPENDIX


A

FIGURES





LOCATION DIAGRAM NOT TO SCALE



# Kyeemagh Infants School

## Detailed Site Investigation


REGION & VICINITY

### Legend

 Site Boundary

FIGURE 1

1:20,000 Scale at A3





Map Produced by NSW/ACT (WNE)  
Date: 2018-12-11 | Project: 80818157  
Coordinate System: GDA 1994 MGA Zone 56  
Map: 80818157-GS-001-Location.mxd 01  
Imagery supplied by nearmap 2018



# Kyeemagh Infants School

## Detailed Site Investigation

SITE PLAN &  
INTRUSIVE LOCATIONS

### Legend





-  Site Boundary
-  Borehole / Test Pit Locations
-  Excluded Area



FIGURE 2

1:800 Scale at A3



 Cardno

Map Produced by NSW/ACT (WNE)  
Date: 2018-12-11 | Project: 80818157  
Coordinate System: GDA 1994 MGA Zone 56  
Map: 80818157-GS-002-SitePlan.mxd 01  
Imagery supplied by nearmap October, 2018



# Kyeemagh Infants School

## Detailed Site Investigation

### AREAS OF CONCERN


#### Legend

- Site Boundary
- Borehole / Test Pit Locations
- Excluded Area
- Areas of Concern (Indicative only)
  - EIL / ESL Exceedance
  - ACM In / On Soil



FIGURE 3

1:800 Scale at A3



**Cardno**

Map Produced by NSW/ACT (WNE)  
Date: 2018-12-11 | Project: 80818157  
Coordinate System: GDA 1994 MGA Zone 56  
Map: 80818157-GS-003-ConcernAreas.mxd 01  
Imagery supplied by nearmap October, 2018





Architect/ Designer  
dwp  
www.dwp.com

Location  
JACOBSON AVE, KYEEMAGH NSW 2216

## GROUND FLOOR

CS002 Q



APPENDIX

# B

SITE PHOTOGRAPHS



**Photograph 1:** Site view, facing west from Jacobson avenue boundary, showing grassed open playing area and school infrastructure.



**Photograph 2:** Site view of school infrastructure, hardstand and BH04 location, facing east.





**Photograph 3:** Site view towards BH02 location showing the north site boundary abutting residential properties, the pre-school area, and access gate to Tancred Avenue.



**Photograph 4:** Clad buildings adjacent to Jacobson Avenue with potential ACM wall linings.





**Photograph 5:** TP12 location showing shallow fill and topsoil profile over sands within the open grassed area.



**Photograph 6:** TP10 location showing shallow topsoil profile over sands adjacent Jacobson Avenue.





**Photograph 7:** ABS2 location adjacent TP19 showing representative fibre cement fragments containing chrysotile asbestos at the soil surface.



APPENDIX

C

ANALYTICAL SUMMARY TABLES

	BTEX							TRH				
	Benzene	Toluene	Ethylbenzene	Xylene (m & p)	Xylene (o)	Xylene Total	Total BTEX	C6 - C9	C10 - C14	C15 - C28	C29-C36	+C10 - C36 (Sum of total)
	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
LOR	0.1	0.1	0.1	0.2	0.1	0.3	0.2	20	20	50	50	50
NEPM 2013 EIL UR/POS, low pH, CEC, clay content - aged 0-2m												
NEPM 2013 ESL UR/POS, Coarse Soil 0-2m / CCME 2010 SQGs	50	85	70			105			120			
CRCCARE 2011 Soil HSL for Direct Contact, Intrusive Maintenance Worker 0-1m	1100	120,000	85,000			130,000						
NEPM 2013 Schedule B1 Table 7 Asbestos HSLs												
NEPM 2013 HIL, Residential A												
NEPM 2013 Soil HSL Residential A&B, for Vapour Intrusion, Sand												
0-1m	0.5	160	55			40						
1-2m	0.5	220	NL			60						
2-4m	0.5	310	NL			95						
>4m	0.5	540	NL			170						

Site	Location	Field ID	Sample Date												
Kyeemagh Infants School		TP01_0.2	10/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	62	62
		TP01_0.9		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		TP02_0.1		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	63	110	173
		TP02_0.4		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		TP03_0.2		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		TP03_1.2		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		TP04_0.1		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		TP05_0.1		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		TP05_0.9		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		TP06_0.1		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	100	480	580
		TP06_0.3		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		TP07_0.1		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		TP07_0.4		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		TP07_0.6		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		TP08_0.4		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		TP09_0.3		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		TP10_0.1		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	91	91
		TP11_0.2		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		TP11_1.2		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	72	92	164
		TP12_0.2		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		TP13_0.1	17/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	70	290	360
		TP13_0.4		-	-	-	-	-	-	-	-	-	-	-	-
		TP14_0.1		-	-	-	-	-	-	-	-	-	-	-	-
		TP14_0.7		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		TP15_0.1		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		TP15_0.6		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		TP16_0.1		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		TP16_0.8		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		TP17_0.1		-	-	-	-	-	-	-	-	-	-	-	-
		TP17_0.5		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		TP18_0.1	10/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		TP18_0.4		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		TP19_0.1		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		TP19_0.3		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		TP20_0.1		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		BH02_0.5		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		BH2_1.0		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		BH03_0.5		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		BH4_0.4		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	370	1600	1970
		BH05_0.2-0.5		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		TP03_AS81	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-
		TP04_0.4		-	-	-	-	-	-	-	-	-	-	-	-
		AS82		-	-	-	-	-	-	-	-	-	-	-	-
		TP12_0.2		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		TP12_0.2	10/11/2018	<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.2	<10	<50	<100	<100	<50
		TP16_0.1		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		TP16_0.1		<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.2	<10	<50	<100	<100	<50

Statistical Summary															
Maximum Concentration				<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.2	<20	<50	370	1600
Average Concentration				0.052	0.06	0.06	0.11	0.06	0.15	<0.2	<20	<50	40	88	104
Standard Deviation				0.011	0.044	0.044	0.033	0.044	0.022		1	3	55	256	316

	CRC Care TRH Fractions							MAH									
	C6-C10	C10-C16	C16-C34	C34-C40	C10 - C40 (Sum of total)	F1: C6-C10 less BTEX	F2: >C10-C16 less Naphthalene	Total MAH	1,2,4-trimethylbenzene	1,3,5-trimethylbenzene	Isopropylbenzene	n-butylbenzene	n-propylbenzene	p-isopropyltoluene	sec-butylbenzene	Styrene	tert-butylbenzene
	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
LOR	20	50	100	100	100	20	50	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
NEPM 2013 EIL UR/POS, low pH, CEC, clay content - aged 0-2m																	
NEPM 2013 ESL UR/POS, Coarse Soil 0-2m / CCME 2010 SQGs		120	300	2800		180											
CRCCARE 2011 Soil HSL for Direct Contact, Intrusive Maintenance Worker 0-1m	82,000	62,000	85,000	120,000													
NEPM 2013 Schedule B1 Table 7 Asbestos HSLs																	
NEPM 2013 HIL, Residential A																	
NEPM 2013 Soil HSL Residential A&B, for Vapour Intrusion, Sand																	
0-1m						45	110										
1-2m						70	240										
2-4m						110	440										
>4m						200	NL										

Site	Location	Field ID	Sample Date																
Kyeemagh Infants School		TP01_0.2	10/11/2018	<20	<50	<100	<100	<100	<20	<50	-	-	-	-	-	-	-	-	-
		TP01_0.9		<20	<50	<100	<100	<100	<20	<50	-	-	-	-	-	-	-	-	-
		TP02_0.1		<20	<50	130	<100	130	<20	<50	-	-	-	-	-	-	-	-	-
		TP02_0.4		<20	<50	<100	<100	<100	<20	<50	-	-	-	-	-	-	-	-	-
		TP03_0.2		<20	<50	<100	<100	<100	<20	<50	-	-	-	-	-	-	-	-	-
		TP03_1.2		<20	<50	<100	<100	<100	<20	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	<0.5	-
		TP04_0.1		<20	<50	<100	<100	<100	<20	<50	-	-	-	-	-	-	-	-	-
		TP05_0.1		<20	<50	<100	<100	<100	<20	<50	-	-	-	-	-	-	-	-	-
		TP05_0.9		<20	<50	<100	<100	<100	<20	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	<0.5	-
		TP06_0.1		<20	<50	350	520	870	<20	<50	-	-	-	-	-	-	-	-	-
		TP06_0.3		<20	<50	<100	<100	<100	<20	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	<0.5	-
		TP07_0.1		<20	<50	<100	<100	<100	<20	<50	-	-	-	-	-	-	-	-	-
		TP07_0.4		<20	<50	<100	<100	<100	<20	<50	-	-	-	-	-	-	-	-	-
		TP07_0.6		<20	<50	<100	<100	<100	<20	<50	-	-	-	-	-	-	-	-	-
		TP08_0.4		<20	<50	<100	<100	<100	<20	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	<0.5	-
		TP09_0.3		<20	<50	<100	<100	<100	<20	<50	-	-	-	-	-	-	-	-	-
		TP10_0.1		<20	<50	<100	150	150	<20	<50	-	-	-	-	-	-	-	-	-
		TP11_0.2		<20	<50	<100	<100	<100	<20	<50	-	-	-	-	-	-	-	-	-
		TP11_1.2		<20	<50	<100	<100	<100	<20	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	<0.5	-
		TP12_0.2		<20	<50	<100	<100	<100	<20	<50	-	-	-	-	-	-	-	-	-
		TP13_0.1	17/11/2018	<20	<50	270	240	510	<20	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	<0.5	-
		TP13_0.4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP14_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP14_0.7		<20	<50	<100	<100	<100	<20	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	<0.5	-
		TP15_0.1		<20	<50	<100	<100	<100	<20	<50	-	-	-	-	-	-	-	-	-
		TP15_0.6		<20	<50	<100	<100	<100	<20	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	<0.5	-
		TP16_0.1		<20	<50	<100	<100	<100	<20	<50	-	-	-	-	-	-	-	-	-
		TP16_0.8		<20	<50	<100	<100	<100	<20	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	<0.5	-
		TP17_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP17_0.5		<20	<50	<100	<100	<100	<20	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	<0.5	-
		TP18_0.1		<20	<50	<100	<100	<100	<20	<50	-	-	-	-	-	-	-	-	-
		TP18_0.4		<20	<50	<100	<100	<100	<20	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	<0.5	-
		TP19_0.1	10/11/2018	<20	<50	<100	<100	<100	<20	<50	-	-	-	-	-	-	-	-	-
		TP19_0.3		<20	<50	<100	<100	<100	<20	<50	-	-	-	-	-	-	-	-	-
		TP20_0.1	17/11/2018	<20	<50	<100	<100	<100	<20	<50	-	-	-	-	-	-	-	-	-
		BH02_0.5		<20	<50	<100	<100	<100	<20	<50	-	-	-	-	-	-	-	-	-
		BH2_1.0		<20	<50	<100	<100	<100	<20	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	<0.5	-
		BH03_0.5		<20	<50	<100	<100	<100	<20	<50	-	-	-	-	-	-	-	-	-
		BH4_0.4	10/11/2018	<20	<50	1200	940	2140	<20	<50	-	-	-	-	-	-	-	-	-
		BH05_0.2-0.5		<20	<50	<100	<100	<100	<20	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	<0.5	-
		TP03_AS81		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP04_0.4	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		ASB2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP12_0.2		<20	<50	<100	<100	<100	<20	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	<0.5	-
		TP12_0.2		<10	<50	<100	<100	<50	<10	<50	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP16_0.1		<20	<50	<100	<100	<100	<20	<50	-	-	-	-	-	-	-	-	-
		TP16_0.1	17/11/2018	<10	<50	<100	<100	<50	<10	<50	-	-	-	-	-	-	-	-	-

Statistical Summary																			
Maximum Concentration				<20	<50	1200	940	2140	<20	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Average Concentration				<20	<50	93	90	135	<20	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Standard Deviation				1	0	187	158	353	1	0	0	0	0	0				0	

	PAH																			
	Benzo(a)pyrene TEQ (half LOR)_	Benzo(a)pyrene TEQ (upper bound) *	Benzo(b+f)fluoranthene	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a)anthracene	BaP TEQ (zero)	Benzo(a)pyrene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Chrysene	Dibenz(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-c,d)pyrene	Naphthalene	PAHs (Sum of total)	Phenanthrene	Pyrene
LOR	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
NEPM 2013 EIL UR/POS, low pH, CEC, clay content - aged 0-2m																	170			
NEPM 2013 ESL UR/POS, Coarse Soil 0-2m / CCME 2010 SQGs									20											
CRCCARE 2011 Soil HSL for Direct Contact, Intrusive Maintenance Worker 0-1m																	29,000			
NEPM 2013 Schedule B1 Table 7 Asbestos HSLs																				
NEPM 2013 HIL, Residential A	3																	300		
NEPM 2013 Soil HSL Residential A&B, for Vapour Intrusion, Sand																				
0-1m																	3			
1-2m																	NL			
2-4m																	NL			
>4m																	NL			

Site	Location	Field ID	Sample Date																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
------	----------	----------	-------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Statistical Summary																				
Maximum Concentration	1.3	1.7	0.6	<0.5	<0.5	<0.5	1.1	1	0.9	<0.5	0.8	1	<0.5	1.3	<0.5	<0.5	<0.5	6.9	0.8	1.3
Average Concentration	0.6	1.2	0.3	<0.5	<0.5	<0.5	0.3	0.3	0.3	<0.5	0.3	0.3	<0.5	0.3	<0.5	<0.5	<0.5	0.5	0.3	0.3
Standard Deviation	0.1	0.1	0.1	0	0	0	0.1	0.2	0.1	0	0.1	0.1	0	0.2	0	0	0	1.1	0.1	0.2

	Asbestos			Metals								
	Asbestos from ACM in Soil (Y/N)	Asbestos from FA & AF in Soil (Y/N)	Detected (Y) / Not Detected (N)									
				Arsenic	Cadmium	Chromium (III+VI)	Copper	Iron	Lead	Mercury	Nickel	Zinc
	%w/w	%w/w	Comment	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
LOR				2	0.4	5	5	20	5	0.1	5	5
NEPM 2013 EIL UR/POS, low pH, CEC, clay content - aged 0-2m				100		160	60		1100		8	230
NEPM 2013 ESL UR/POS, Coarse Soil 0-2m / CCME 2010 SQGs												
CRCCARE 2011 Soil HSL for Direct Contact, Intrusive Maintenance Worker 0-1m												
NEPM 2013 Schedule B1 Table 7 Asbestos HSLs	0.01	0.001										
NEPM 2013 HIL, Residential A				100	20		6000		300	40	400	7400
NEPM 2013 Soil HSL Residential A&B, for Vapour Intrusion, Sand												
0-1m												
1-2m												
2-4m												
>4m												

Site	Location	Field ID	Sample Date												
Kyeemagh Infants School		TP01_0.2	10/11/2018	N	N	N	<2	<0.4	8.8	27	-	19	<0.1	15	44
		TP01_0.9		-	-	-	<2	<0.4	<5	<5	-	18	<0.1	<5	20
		TP02_0.1		N	N	N	<2	<0.4	18	9.4	-	35	0.7	15	72
		TP02_0.4		N	N	N	<2	<0.4	10	6.8	-	8.1	<0.1	9.6	27
		TP03_0.2		N	N	N	<2	<0.4	<5	6.6	-	19	<0.1	<5	35
		TP03_1.2		N	N	N	<2	<0.4	<5	<5	-	6.2	<0.1	<5	11
		TP04_0.1		N	N	N	<2	<0.4	<5	8.7	-	38	<0.1	<5	36
		TP05_0.1		N	N	N	<2	<0.4	<5	5.2	-	23	<0.1	<5	23
		TP05_0.9		-	-	-	<2	<0.4	<5	<5	360	<5	<0.1	<5	<5
		TP06_0.1		N	N	N	2.8	<0.4	130	37	-	8.1	<0.1	130	86
		TP06_0.3		-	-	-	<2	<0.4	13	16	-	11	<0.1	17	26
		TP07_0.1		N	N	N	2.5	<0.4	6.4	8.4	-	17	1.5	<5	46
		TP07_0.4		-	-	-	<2	<0.4	<5	<5	1500	11	0.2	<5	15
		TP07_0.6		-	-	-	<2	<0.4	<5	13	-	9	0.7	<5	20
		TP08_0.4		-	-	-	<2	<0.4	<5	<5	-	7.3	<0.1	<5	10
		TP09_0.3		N	N	N	<2	<0.4	<5	<5	-	10	<0.1	<5	14
		TP10_0.1		-	-	-	<2	<0.4	<5	<5	-	10	<0.1	<5	21
		TP11_0.2		N	N	N	<2	<0.4	<5	<5	-	<5	<0.1	<5	<5
		TP11_1.2		-	-	-	<2	<0.4	<5	<5	-	19	<0.1	<5	12
		TP12_0.2		N	N	N	<2	<0.4	<5	<5	630	13	<0.1	<5	17
		TP13_0.1	17/11/2018	N	N	N	<2	<0.4	32	12	-	11	<0.1	30	40
		TP13_0.4		N	N	N	-	-	-	-	-	-	-	-	-
		TP14_0.1		N	N	N	-	-	-	-	-	-	-	-	-
		TP14_0.7		-	-	-	<2	<0.4	<5	<5	-	<5	<0.1	<5	<5
		TP15_0.1		-	-	-	<2	<0.4	<5	16	-	65	0.1	<5	43
		TP15_0.6		-	-	-	<2	<0.4	<5	<5	-	<5	<0.1	<5	120
		TP16_0.1		-	-	-	<2	<0.4	<5	<5	-	17	<0.1	<5	18
		TP16_0.8		-	-	-	<2	<0.4	<5	<5	-	5.1	<0.1	<5	8.3
		TP17_0.1		N	N	N	-	-	-	-	-	-	-	-	-
		TP17_0.5		-	-	-	<2	<0.4	<5	<5	-	<5	<0.1	<5	<5
		TP18_0.1	10/11/2018	N	N	N	<2	<0.4	<5	11	-	56	<0.1	<5	130
		TP18_0.4		-	-	-	<2	<0.4	<5	<5	-	<5	<0.1	<5	<5
		TP19_0.1		N	N	N	<2	<0.4	<5	7.3	-	32	<0.1	<5	29
		TP19_0.3	17/11/2018	N	N	N	<2	<0.4	<5	10	-	10	<0.1	<5	25
		TP20_0.1		N	N	N	<2	<0.4	5.3	12	-	42	<0.1	<5	66
		BH02_0.5		N	N	N	<2	<0.4	<5	<5	-	9.8	<0.1	<5	17
		BH2_1.0	10/11/2018	-	-	-	<2	<0.4	<5	5.6	-	12	<0.1	<5	24
		BH03_0.5		N	N	N	<2	<0.4	<5	<5	-	7	<0.1	<5	6.8
		BH4_0.4		-	-	-	<2	<0.4	<5	11	-	13	<0.1	13	25
		BH05_0.2-0.5	17/11/2018	-	-	-	<2	<0.4	<5	<5	-	<5	<0.1	<5	<5
		TP03_ASB1		N	N	Y	-	-	-	-	-	-	-	-	-
		TP04_0.4		0.1908	N	Y	-	-	-	-	-	-	-	-	-
		ASB2	10/11/2018	N	N	Y	-	-	-	-	-	-	-	-	-
	TP12_0.2	QA100	17/11/2018	-	-	-	<2	<0.4	<5	11	-	14	<0.1	<5	15
	TP12_0.2	QA200		-	-	-	<5	<1	<2	<5	-	8	<0.1	<2	10
	TP16_0.1	QA300	17/11/2018	-	-	-	<2	<0.4	<5	5.2	-	19	<0.1	<5	20
	TP16_0.1	QA400		-	-	-	<5	<1	<2	5	-	21	<0.1	<2	22

Statistical Summary												
Maximum Concentration	0.1908	0	0	<5	<1	130	37	1500	65	1.5	130	130
Average Concentration				<5	<1	7.4	7.2	830	16	0.1	7.6	29
Standard Deviation				0.5	0.1	20	7.1	596	14	0.3	20	29



	Inorganics								VOCs			Organic	SVOCs
	% Clay*	Iron (%)	Conductivity (1:5 aqueous extract)	CEC	pH (Lab)	pH (Field)	pH (Fox)	Reaction Ratings	cis-1,4-Dichloro-2-butene	Pentachloroethane	trans-1,4-Dichloro-2-butene	TOC	EPN
	%	%	US/CM	meq/100g	pH_Units	PH UNITS	pH Unit	COMMENT	mg/kg	mg/kg	mg/kg	%	mg/kg
LOR	1	0.01	10	0.05	0.1	0.1	0.1		0.5	0.5	0.5	0.1	0.2
NEPM 2013 EIL UR/POS, low pH, CEC, clay content - aged 0-2m													
NEPM 2013 ESL UR/POS, Coarse Soil 0-2m / CCME 2010 SQGs													
CRCCARE 2011 Soil HSL for Direct Contact, Intrusive Maintenance Worker 0-1m													
NEPM 2013 Schedule B1 Table 7 Asbestos HSLs													
NEPM 2013 HIL, Residential A													
NEPM 2013 Soil HSL Residential A&B, for Vapour Intrusion, Sand													
0-1m													
1-2m													
2-4m													
>4m													

Site	Location	Field ID	Sample Date											
Kyeemagh Infants School		TP01_0.2	10/11/2018	-	-	-	-	-	-	-	-	-	-	-
		TP01_0.9		-	-	-	-	-	-	-	-	-	-	-
		TP02_0.1		-	-	-	-	-	-	-	-	-	<0.2	-
		TP02_0.4		-	-	-	-	-	-	-	-	-	-	-
		TP03_0.2		-	-	-	-	-	-	-	-	-	<0.2	-
		TP03_1.2		-	-	-	-	-	-	-	-	-	-	-
		TP04_0.1		-	-	-	-	-	-	-	-	-	<0.2	-
		TP05_0.1		-	-	-	-	-	-	-	-	-	-	-
		TP05_0.9		<1	0.04	12	0.76	5.9	-	-	-	0.1	-	-
		TP06_0.1		-	-	-	-	-	-	-	-	-	-	-
		TP06_0.3		-	-	-	-	-	-	-	-	-	-	-
		TP07_0.1		-	-	-	-	-	-	-	-	-	-	-
		TP07_0.4		<1	0.15	58	2.8	5.8	-	-	-	0.6	-	-
		TP07_0.6		-	-	-	-	-	-	-	-	-	-	-
		TP08_0.4		-	-	-	-	-	-	-	-	-	-	-
		TP09_0.3		-	-	-	-	-	-	-	-	-	-	-
		TP10_0.1		-	-	-	-	-	-	-	-	-	-	-
		TP11_0.2		-	-	-	-	-	-	-	-	-	<0.2	-
		TP11_1.2		-	-	-	-	-	-	-	-	-	-	-
		TP12_0.2		<1	0.06	31	1.9	5.9	-	-	-	0.7	<0.2	-
		TP13_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	<0.2	-
		TP13_0.4		-	-	-	-	-	-	-	-	-	-	-
		TP14_0.1		-	-	-	-	-	-	-	-	-	-	-
		TP14_0.7		-	-	-	-	-	-	-	-	-	-	-
		TP15_0.1		-	-	-	-	-	-	-	-	-	-	-
		TP15_0.6		-	-	-	-	-	-	-	-	-	<0.2	-
		TP16_0.1		-	-	-	-	-	-	-	-	-	-	-
		TP16_0.8		-	-	-	-	-	-	-	-	-	-	-
		TP17_0.1	10/11/2018	-	-	-	-	-	-	-	-	-	-	-
		TP17_0.5		-	-	-	-	-	-	-	-	-	-	-
		TP18_0.1		-	-	-	-	-	-	-	-	-	<0.2	-
		TP18_0.4		-	-	-	-	-	-	-	-	-	-	-
		TP19_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-
		TP19_0.3		-	-	-	-	-	-	-	-	-	-	-
		TP20_0.1	10/11/2018	-	-	-	-	-	-	-	-	-	<0.2	-
		BH02_0.5		-	-	-	-	-	-	-	-	-	-	-
		BH2_1.0		-	-	-	-	-	-	-	-	-	-	-
		BH03_0.5		-	-	-	-	-	-	-	-	-	-	-
		BH4_0.4	17/11/2018	-	-	-	-	-	-	-	-	-	-	-
		BH05_0.2-0.5		-	-	-	-	-	-	-	-	-	-	-
		TP03_ASB1		-	-	-	-	-	-	-	-	-	-	-
		TP04_0.4		-	-	-	-	-	-	-	-	-	-	-
		ASB2	17/11/2018	-	-	-	-	-	-	-	-	-	-	-
		TP12_0.2	10/11/2018	-	-	-	-	-	-	-	-	-	<0.2	-
		TP12_0.2		-	-	-	-	-	-	<0.5	<0.5	<0.5	-	-
		TP16_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-
		TP16_0.1		-	-	-	-	-	-	-	-	-	-	-

Statistical Summary													
Maximum Concentration	<1	0.15	58	2.8	5.9	0	0	0	<0.5	<0.5	<0.5	0.7	<0.2
Average Concentration	<1	0.08	34	1.8	5.9				<0.5	<0.5	<0.5	0.5	<0.2
Standard Deviation	0	0.06	23	1	0.1							0.3	0





	Chlorinated Hydrocarbons																		
	2,2-dichloropropane	Bromochloromethane	Bromodichloromethane	Bromoform	Carbon tetrachloride	Chlorodibromomethane	Chloroethane	Chloroform	Chloromethane	cis-1,2-dichloroethene	cis-1,3-dichloropropene	Dibromomethane	Dichloromethane	Hexachlorobutadiene	Trichloroethene	Tetrachloroethene	trans-1,2-dichloroethene	trans-1,3-dichloropropene	Vinyl chloride
LOR	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
NEPM 2013 EIL UR/POS, low pH, CEC, clay content - aged 0-2m	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
NEPM 2013 ESL UR/POS, Coarse Soil 0-2m / CCME 2010 SQGs																			
CRCCARE 2011 Soil HSL for Direct Contact, Intrusive Maintenance Worker 0-1m																			
NEPM 2013 Schedule B1 Table 7 Asbestos HSLs																			
NEPM 2013 HIL, Residential A																			
NEPM 2013 Soil HSL Residential A&B, for Vapour Intrusion, Sand																			
0-1m																			
1-2m																			
2-4m																			
>4m																			

Site	Location	Field ID	Sample Date																
Kyeemagh Infants School		TP01_0.2	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP01_0.9		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP02_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP02_0.4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP03_0.2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP03_1.2		-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5
		TP04_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP05_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP05_0.9		-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5
		TP06_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP06_0.3		-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5
		TP07_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP07_0.4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP07_0.6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP08_0.4		-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5
		TP09_0.3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP10_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP11_0.2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP11_1.2		-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5
		TP12_0.2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP13_0.1	17/11/2018	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5
		TP13_0.4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP14_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP14_0.7		-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5
		TP15_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP15_0.6		-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5
		TP16_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP16_0.8		-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5
		TP17_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP17_0.5		-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5
		TP18_0.1	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP18_0.4		-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5
		TP19_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP19_0.3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP20_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		BH02_0.5	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		BH2_1.0		-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5
		BH03_0.5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		BH4_0.4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		BH05_0.2-0.5	10/11/2018	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5
		TP03_ASB1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP04_0.4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		ASB2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP12_0.2	10/11/2018	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5
		TP12_0.2		<0.5	-	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5
		TP16_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP16_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Statistical Summary																			
Maximum Concentration				<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5
Average Concentration				<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5
Standard Deviation					0	0	0	0	0	1	0	1	0	0	0	0	0	0	1

	Halogenated Hydrocarbons													
	1,2,3-trichlorobenzene	1,2,4-trichlorobenzene	1,2-dibromoethane	1,2-dichlorobenzene	1,3-dichlorobenzene	1,4-dichlorobenzene	2-chlorotoluene	4-chlorotoluene	Bromobenzene	Bromomethane	Chlorobenzene	Dichlorodifluoromethane	Iodomethane	Trichlorofluoromethane
	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
LOR	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
NEPM 2013 EIL UR/POS, low pH, CEC, clay content - aged 0-2m														
NEPM 2013 ESL UR/POS, Coarse Soil 0-2m / CCME 2010 SQGs														
CRCCARE 2011 Soil HSL for Direct Contact, Intrusive Maintenance Worker 0-1m														
NEPM 2013 Schedule B1 Table 7 Asbestos HSLs														
NEPM 2013 HIL, Residential A														
NEPM 2013 Soil HSL Residential A&B, for Vapour Intrusion, Sand														
0-1m														
1-2m														
2-4m														
>4m														

Site	Location	Field ID	Sample Date													
Kyeemagh Infants School		TP01_0.2	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP01_0.9		-	-	-	-	-	-	-	-	-	-	-	-	-
		TP02_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-
		TP02_0.4		-	-	-	-	-	-	-	-	-	-	-	-	-
		TP03_0.2		-	-	-	-	-	-	-	-	-	-	-	-	-
		TP03_1.2		-	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP04_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-
		TP05_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-
		TP05_0.9		-	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP06_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-
		TP06_0.3		-	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP07_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-
		TP07_0.4		-	-	-	-	-	-	-	-	-	-	-	-	-
		TP07_0.6		-	-	-	-	-	-	-	-	-	-	-	-	-
		TP08_0.4		-	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP09_0.3		-	-	-	-	-	-	-	-	-	-	-	-	-
		TP10_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-
		TP11_0.2		-	-	-	-	-	-	-	-	-	-	-	-	-
		TP11_1.2		-	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP12_0.2		-	-	-	-	-	-	-	-	-	-	-	-	-
		TP13_0.1	17/11/2018	-	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP13_0.4		-	-	-	-	-	-	-	-	-	-	-	-	-
		TP14_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-
		TP14_0.7		-	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP15_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-
		TP15_0.6		-	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP16_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-
		TP16_0.8		-	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP17_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-
		TP17_0.5		-	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP18_0.1	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP18_0.4		-	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP19_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-
		TP19_0.3		-	-	-	-	-	-	-	-	-	-	-	-	-
		TP20_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-
		BH02_0.5	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-
		BH2_1.0		-	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		BH03_0.5		-	-	-	-	-	-	-	-	-	-	-	-	-
		BH4_0.4		-	-	-	-	-	-	-	-	-	-	-	-	-
		BH05_0.2-0.5	10/11/2018	-	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP03_AS01		-	-	-	-	-	-	-	-	-	-	-	-	-
		TP04_0.4		-	-	-	-	-	-	-	-	-	-	-	-	-
		AS02		-	-	-	-	-	-	-	-	-	-	-	-	-
		TP12_0.2	10/11/2018	QA100	-	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5
		TP12_0.2		QA200	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP16_0.1	17/11/2018	QA300	-	-	-	-	-	-	-	-	-	-	-	-
		TP16_0.1		QA400	-	-	-	-	-	-	-	-	-	-	-	-

Statistical Summary																
Maximum Concentration				<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Average Concentration				<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Standard Deviation						0	0	0	0		0	0	1	0	1	0

Organochlorine Pesticides														
Vic EPA IWRG 621 OCP (Total)*	Vic EPA IWRG 621 Other OCP (Total)*	4,4-DDE	a-BHC	Aldrin	Aldrin + Dieldrin	b-BHC	Chlordane	Chlordane (cis)	Chlordane (trans)	d-BHC	DDD	DDT	DDT+DDE+DDD	
MG/KG	MG/KG	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
LOR	0.1	0.1	0.05	0.05	0.05	0.05	0.1	0.05	0.05	0.05	0.05	0.05	0.05	
NEPM 2013 EIL UR/POS, low pH, CEC, clay content - aged 0-2m												180		
NEPM 2013 ESL UR/POS, Coarse Soil 0-2m / CCME 2010 SQGs														
CRCCARE 2011 Soil HSL for Direct Contact, Intrusive Maintenance Worker 0-1m														
NEPM 2013 Schedule B1 Table 7 Asbestos HSLs														
NEPM 2013 HIL, Residential A					6		50						240	
NEPM 2013 Soil HSL Residential A&B, for Vapour Intrusion, Sand														
0-1m														
1-2m														
2-4m														
>4m														

Site	Location	Field ID	Sample Date														
Kyeemagh Infants School		TP01_0.2	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP01_0.9		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP02_0.1		1.46	0.7	0.06	<0.05	<0.05	0.64	<0.05	0.7	-	-	<0.05	<0.05	0.06	0.12
		TP02_0.4		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP03_0.2		<0.1	<0.1	<0.05	<0.05	<0.05	<0.05	<0.1	-	-	<0.05	<0.05	<0.05	<0.05	<0.05
		TP03_1.2		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP04_0.1		<0.1	<0.1	<0.05	<0.05	<0.05	<0.05	<0.1	-	-	<0.05	<0.05	<0.05	<0.05	<0.05
		TP05_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP05_0.9		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP06_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP06_0.3		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP07_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP07_0.4		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP07_0.6		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP08_0.4		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP09_0.3		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP10_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP11_0.2		<0.1	<0.1	<0.05	<0.05	<0.05	<0.05	<0.1	-	-	<0.05	<0.05	<0.05	<0.05	<0.05
		TP11_1.2		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP12_0.2		<0.1	<0.1	<0.05	<0.05	<0.05	<0.05	<0.1	-	-	<0.05	<0.05	<0.05	<0.05	<0.05
		TP13_0.1	17/11/2018	<0.1	<0.1	<0.05	<0.05	<0.05	<0.05	<0.1	-	-	<0.05	<0.05	<0.05	<0.05	<0.05
		TP13_0.4		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP14_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP14_0.7		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP15_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP15_0.6		<0.1	<0.1	<0.05	<0.05	<0.05	<0.05	<0.1	-	-	<0.05	<0.05	<0.05	<0.05	<0.05
		TP16_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP16_0.8		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP17_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP17_0.5		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP18_0.1		<0.1	<0.1	<0.05	<0.05	<0.05	0.05	<0.05	<0.1	-	-	<0.05	<0.05	<0.05	<0.05
		TP18_0.4		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP19_0.1	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP19_0.3		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP20_0.1	17/11/2018	<0.1	<0.1	<0.05	<0.05	<0.05	<0.05	<0.1	-	-	<0.05	<0.05	<0.05	<0.05	<0.05
		BH02_0.5		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		BH2_1.0		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		BH03_0.5		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		BH4_0.4	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		BH05_0.2-0.5		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP03_ASB1		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP04_0.4		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		ASB2	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP12_0.2	10/11/2018	<0.1	<0.1	<0.05	<0.05	<0.05	<0.05	<0.05	<0.1	-	-	<0.05	<0.05	<0.05	<0.05
		TP12_0.2		-	-	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.2	<0.03
		TP16_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP16_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-

Statistical Summary																	
Maximum Concentration	1.5	0.7	0.06	<0.05	<0.05	0.64	<0.05	0.7	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.2	0.12	
Average Concentration	0.2	0.1	0.03	<0.05	<0.05	0.08	<0.05	0.1	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.2	0.03	
Standard Deviation	0.5	0.2	0.01	0	0	0.18	0	0.2			0	0	0	0			

[illegible]



	Organophosphorous Pesticides																
	Fenitrothion	Fensulfotthion	Fenthion	Malathion	Merphos	Methyl parathion	Mevinphos (Phosdrin)	Monocrotophos	Naled (Dibrom)	Omethoate	Phorate	Prothiofos	Pyrazophos	Ronnel	Terbufos	Trichloronate	Tetrachlorvinphos
LOR	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
NEPM 2013 EIL UR/POS, low pH, CEC, clay content - aged 0-2m	0.2	0.2	0.2	0.2	0.2	0.2	0.2	2	0.2	2	0.2	0.05	0.2	0.2	0.2	0.2	0.2
NEPM 2013 ESL UR/POS, Coarse Soil 0-2m / CCME 2010 SQGs																	
CRCCARE 2011 Soil HSL for Direct Contact, Intrusive Maintenance Worker 0-1m																	
NEPM 2013 Schedule B1 Table 7 Asbestos HSLs																	
NEPM 2013 HIL, Residential A																	
NEPM 2013 Soil HSL Residential A&B, for Vapour Intrusion, Sand																	
0-1m																	
1-2m																	
2-4m																	
>4m																	

Site	Location	Field ID	Sample Date	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kyeemagh Infants School		TP01_0.2	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP01_0.9		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP02_0.1		<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<2	<0.2	<2	<0.2	-	<0.2	<0.2	<0.2	<0.2	<0.2
		TP02_0.4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP03_0.2		<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<2	<0.2	<2	<0.2	-	<0.2	<0.2	<0.2	<0.2	<0.2
		TP03_1.2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP04_0.1		<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<2	<0.2	<2	<0.2	-	<0.2	<0.2	<0.2	<0.2	<0.2
		TP05_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP05_0.9		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP06_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP06_0.3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP07_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP07_0.4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP07_0.6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP08_0.4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP09_0.3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP10_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP11_0.2		<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<2	<0.2	<2	<0.2	-	<0.2	<0.2	<0.2	<0.2	<0.2
		TP11_1.2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP12_0.2		<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<2	<0.2	<2	<0.2	-	<0.2	<0.2	<0.2	<0.2	<0.2
		TP13_0.1	17/11/2018	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<2	<0.2	<2	<0.2	-	<0.2	<0.2	<0.2	<0.2	<0.2
		TP13_0.4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP14_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP14_0.7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP15_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP15_0.6		<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<2	<0.2	<2	<0.2	-	<0.2	<0.2	<0.2	<0.2	<0.2
		TP16_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP16_0.8		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP17_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP17_0.5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP18_0.1	10/11/2018	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<2	<0.2	<2	<0.2	-	<0.2	<0.2	<0.2	<0.2	<0.2
		TP18_0.4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP19_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP19_0.3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP20_0.1	17/11/2018	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<2	<0.2	<2	<0.2	-	<0.2	<0.2	<0.2	<0.2	<0.2
		BH02_0.5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		BH2_1.0		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		BH03_0.5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		BH4_0.4	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		BH05_0.2-0.5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP03_ASB1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP04_0.4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		ASB2	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP12_0.2		<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<2	<0.2	<2	<0.2	-	<0.2	<0.2	<0.2	<0.2	<0.2
		TP12_0.2	10/11/2018	-	-	<0.05	<0.05	-	<0.2	-	-	-	<0.05	-	-	-	-	-	-
		TP16_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP16_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP16_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Statistical Summary																			
Maximum Concentration				<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<2	<0.2	<2	<0.2	<0.05	<0.2	<0.2	<0.2	<0.2	<0.2
Average Concentration				<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<2	<0.2	<2	<0.2	<0.05	<0.2	<0.2	<0.2	<0.2	<0.2
Standard Deviation				0	0	0	0	0	0	0	0	0	0		0	0	0	0	0



	Solvents							Pesticides					Polychlorinated Biphenyls									
	Methyl Ethyl Ketone	2-hexanone (MBK)	4-Methyl-2-pentanone	Acetone	Allyl chloride	Carbon disulfide	Vinyl acetate	Demeton-S-methyl	Fenamiphos	Parathion	Pirimiphos-methyl	Pirimphos-ethyl	Arochlor 1016	Arochlor 1221	Arochlor 1232	Arochlor 1242	Arochlor 1248	Arochlor 1254	Arochlor 1260	PCBs (Sum of total)		
	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg		
LOR	0.5	5	0.5	0.5	0.5	0.5	5	0.05	0.05	0.2	0.2	0.05	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1		
NEPM 2013 EIL UR/POS, low pH, CEC, clay content - aged 0-2m																						
NEPM 2013 ESL UR/POS, Coarse Soil 0-2m / CCME 2010 SQGs																						
CRCCARE 2011 Soil HSL for Direct Contact, Intrusive Maintenance Worker 0-1m																						
NEPM 2013 Schedule B1 Table 7 Asbestos HSLs																						
NEPM 2013 HIL, Residential A																				1		
NEPM 2013 Soil HSL Residential A&B, for Vapour Intrusion, Sand																						
0-1m																						
1-2m																						
2-4m																						
>4m																						

Site	Location	Field ID	Sample Date	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kyeemagh Infants School		TP01_0.2	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP01_0.9		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP02_0.1		-	-	-	-	-	-	<0.2	<0.2	-	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
		TP02_0.4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP03_0.2		-	-	-	-	-	-	<0.2	<0.2	-	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
		TP03_1.2		<0.5	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-
		TP04_0.1		-	-	-	-	-	-	<0.2	<0.2	-	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
		TP05_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP05_0.9		<0.5	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-
		TP06_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP06_0.3		<0.5	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-
		TP07_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP07_0.4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP07_0.6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP08_0.4		<0.5	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-
		TP09_0.3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP10_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP11_0.2		-	-	-	-	-	-	<0.2	<0.2	-	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
		TP11_1.2		<0.5	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-
		TP12_0.2		-	-	-	-	-	-	<0.2	<0.2	-	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
		TP13_0.1	17/11/2018	<0.5	-	<0.5	<0.5	<0.5	<0.5	-	<0.2	<0.2	-	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
		TP13_0.4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP14_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP14_0.7		<0.5	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-
		TP15_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP15_0.6		<0.5	-	<0.5	<0.5	<0.5	<0.5	-	<0.2	<0.2	-	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
		TP16_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP16_0.8		<0.5	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-
		TP17_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP17_0.5		<0.5	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-
		TP18_0.1	10/11/2018	-	-	-	-	-	-	<0.2	<0.2	-	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
		TP18_0.4		<0.5	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-
		TP19_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP19_0.3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP20_0.1	17/11/2018	-	-	-	-	-	-	<0.2	<0.2	-	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
		BH02_0.5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		BH2_1.0		<0.5	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-
		BH03_0.5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		BH4_0.4	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		BH05_0.2-0.5		<0.5	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-
		TP03_ASB1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP04_0.4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		ASB2	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP12_0.2	10/11/2018	<0.5	-	<0.5	<0.5	<0.5	<0.5	-	-	<0.2	<0.2	-	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
		TP12_0.2		<5	<5	<5	-	-	<0.5	<5	<0.05	<0.05	<0.2	-	<0.05	-	-	-	-	<0.1
		TP16_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP16_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Statistical Summary																				
Maximum Concentration				<5	<5	<5	<0.5	<0.5	<0.5	<0.5	<5	<0.05	<0.05	<0.2	<0.2	<0.05	<0.1	<0.1	<0.1	<0.1
Average Concentration				<5	<5	<5	<0.5	<0.5	<0.5	<0.5	<5	<0.05	<0.05	<0.2	<0.2	<0.05	<0.1	<0.1	<0.1	<0.1
Standard Deviation				1		1	0	0	0					0	0		0	0	0	0





Location	Depth (m)	Date Sampled	Filling (F) / Natural (N)	Material Type	pH <sub>F</sub>	pH <sub>FOX</sub>	pH <sub>F</sub> - pH <sub>FOX</sub>	Reaction Rate	pH kcl	Peroxide pH	TPA	TSA	Peroxide Oxidisable Sulfur	Chromium Reducible Sulfur	Acid Neutralising Capacity	Acid Trail	Net Acidity	Liming rate
					pH units	pH units	pH units		pH units	pH Units	mol H+/t	mol H+/t	%S	%S	%S	TAA Mole H+/t	%S	kg CaCO <sub>3</sub> /t
BH03_1.0-1.1	1.0-1.1	17/11/2018	F	Sand	6.4	5	1.4	1	-	-	-	-	-	-	-	-	-	-
BH03_2.5-2.95	2.5-2.95	17/11/2018	N	Sand	6.8	5	1.8	2	-	-	-	-	-	-	-	-	-	-
BH03_4.0-4.45	4.0-4.45	17/11/2018	N	Sand	9.3	7.4	1.9	1	-	-	-	-	-	-	-	-	-	-
BH03_5.5-5.95	5.5-5.95	17/11/2018	N	Sand	9.4	7.5	1.9	1	-	-	-	-	-	-	-	-	-	-
BH03_7.0-7.45	7.0-7.45	17/11/2018	N	Sand	9	7	2	2	-	-	-	-	-	-	-	-	-	-
BH03_8.5-8.95	8.5-8.95	17/11/2018	N	Sandy Clay	9.1	6.2	2.9	4	9.3	7.5	<2	<2	0.35	0.29	1.00	<2	<0.02	<1
BH03_10.0-10.45	10.0-10.45	17/11/2018	N	Sandy Clay	8.9	2.3	6.6	4	8.2	2.6	210	210	0.48	0.35	0.24	<2	0.19	8.8
BH03_11.5-11.95	11.5-11.95	17/11/2018	N	Sand	8.1	4.4	3.7	2	-	-	-	-	-	-	-	-	-	-
BH03_13.0-13.45	13.0-13.45	17/11/2018	N	Sand	8.3	6.1	2.2	2	-	-	-	-	-	-	-	-	-	-
BH04_0.5-0.95	0.5-0.95	10/11/2018	F	Sand	6.2	3.9	2.3	1	6.7	4.9	<2	<2	<0.02	<0.005	0.09	<2	<0.02	<1
BH04_2.0-2.45	2.0-2.45	10/11/2018	N	Silty Sand	4.9	3.3	1.6	1	5.7	4.4	<2	<2	<0.02	<0.005	n/a	3	<0.02	<1
BH04_3.0-3.45	3.0-3.45	10/11/2018	N	Silty Sand	5.5	3.4	2.1	1	-	-	-	-	-	-	-	-	-	-
BH05_1.5-1.95	1.5-1.95	10/11/2018	N	Silty Sand	5.6	3.5	2.1	1	5.7	4.9	<2	<2	<0.02	<0.005	n/a	3	<0.02	<1
BH05_4.5-4.95	4.5-4.95	11/11/2018	N	Sand	6.5	5	1.5	1	-	-	-	-	-	-	-	-	-	-
Guideline Value				Eurofins LOR	-	-	-	-	0.1	0.1	2	2	0.02	0.005	0.02	2	0.02	1
ASSMAC (1998) Potential Acid Sulfate Soil Indicator Value					4 - 5.5 <sup>1</sup>	< 4 <sup>3</sup>	1 <sup>4</sup>	-	-	-				-	-	-	-	-
ASSMAC (1998) Actual Acid Sulfate Soil Indicator Value					≤ 4 <sup>2</sup>	-	-	-	-	-				-	-	-	-	-
ASSMAC (1998) Action Criteria - Coarse Soils (1 - 1000 tonnes) 5					-	-	-	-	-	-	18	18	0.03	0.03	-	18	0.03	-
ASSMAC (1998) Action Criteria - Medium Soils (1 - 1000 tonnes) 6					-	-	-	-	-	-	36	36	0.06	0.06	-	36	0.06	-
ASSMAC (1998) Action Criteria - Fine Soils (1 - 1000 tonnes) 7					-	-	-	-	-	-	62	62	0.10	0.10	-	62	0.10	-
ASSMAC (1998) Action Criteria - Coarse Soils (>1000 tonnes) 5					-	-	-	-	-	-	18	18	0.03	0.03	-	18	0.03	-
ASSMAC (1998) Action Criteria - Medium Soils (>1000 tonnes) 6					-	-	-	-	-	-	18	18	0.03	0.03	-	18	0.03	-
ASSMAC (1998) Action Criteria - Fine Soils (>1000 tonnes) 7					-	-	-	-	-	-	18	18	0.03	0.03	-	18	0.03	-
Notes to Table:																		
1 - pH values >4 and <5.5 are acid and may be the result of some previous or limited oxidation of sulfides, but is not confirmatory of actual acid sulfate soils																		
2 - pH readings of pH≤4, indicates that actual acid sulfate soils are present with the sulfides having been oxidized in the past, resulting in acid soils (and soil pore water)																		
3 - The lower the final pH <sub>FOX</sub> value is, the better the indication of a positive result.																		
» If the pH <sub>FOX</sub> < 3 and there was a strong reaction to the peroxide, there is a high level of certainty of a potential acid sulfate soils. The more the pH <sub>FOX</sub> drops below 3, the more positive the presence of sulfides.																		
» A pH <sub>FOX</sub> 3-4 is less positive and laboratory analyses are needed to confirm if sulfides are present.																		
» For pH <sub>FOX</sub> 4-5 the test is neither positive nor negative. Sulfides may be present either in small quantities and be poorly reactive under quick test field conditions.																		
» For pH <sub>FOX</sub> >5 and little or no drop in pH from the field value, little net acid generating ability is indicated.																		
4 - If the pH <sub>F</sub> value is at least one unit below field pH <sub>FOX</sub> , it may indicate potential acid sulfate soils. The greater the difference between the two measurements, the more indicative the value is of a potential acid sulfate soils.																		
5 - coarse soils comprise sands to loamy sands - Approximate clay content (% < 0.002mm) ≤ 5%																		
6 - Medium soils comprise sandy loams to light clays - Approximate clay content (% < 0.002mm) between 5 and 40%																		
7 - Fine soils comprise medium to heavy clays and silty clays - Approximate clay content (% < 0.002mm) ≥ 40%																		
8 - NT - Not Tested																		
9 - 1.0; No reaction to slight. 2.0; Moderate reaction. 3.0; Strong reaction with persistent froth. 4.0; Extreme reaction.																		
Liming Rate: A Safety Factor of 1.5 has been incorporated to account for the mixing process																		
Acid Trail / Net Acidity - Indicates acidic soils, however may not indicate Acid Sulfate Soils																		
Contaminant Exceedance Indicators:																		
Bold Indicates the laboratory result is within the specified range of the ASSMAC (1998) Actual Acid Sulfate Soil Indicator Values																		
Italics Indicates the laboratory result either exceeds or is within the specified range of the ASSMAC (1998) Potential Acid Sulfate Soil Indicator Values																		
Indicates exceedance of the ASSMAC (1998) Action Criteria triggering the need to prepare a ASS Management Plan																		
Indicates the requirement for localised lime treatment of the material, that is, when the laboratory results for SCr (%w/w) > 0.03 and the SCr (mole H=t) > 18																		

	BTEX							TPH					MAH									
	Benzene	Toluene	Ethylbenzene	Xylene (m & p)	Xylene (o)	Total BTEX	Xylene Total	C6 - C9	C10 - C14	C15 - C28	C29-C36	C10 - C36 (Sum of total)	Total MAH	1,2,4-trimethylbenzene	1,3,5-trimethylbenzene	Isopropylbenzene	n-butylbenzene	n-propylbenzene	p-isopropyltoluene	sec-butylbenzene	Styrene	tert-butylbenzene
EQL	0.1	0.1	0.1	0.2	0.1	0.2	0.3	10	20	50	50	50	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
NSW 2014 General Solid Waste CT1 (No Leaching)	10	288	600				1,000	650				10,000									60	
NSW 2014 Restricted Solid Waste CT2 (No Leaching)	40	1,152	2,400				4,000	2,600				40,000									240	
NSW 2014 General Solid Waste SCC1 (with leached)	18	518	1,080				1,800	6500				10,000									108	

Field ID	Date																					
ASB2	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BH02_0.5	17/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	-	-	-	-	-	-	-	-	-
BH2_1.0	17/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	<0.5	-
BH03_0.5	17/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	-	-	-	-	-	-	-	-	-
BH4_0.4	10/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	370	1,600	1,970	-	-	-	-	-	-	-	-	-
BH05_0.2-0.5	10/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	<0.5	-
TP01_0.2	10/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	62	62	-	-	-	-	-	-	-	-	-
TP01_0.9	10/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	-	-	-	-	-	-	-	-	-
TP02_0.1	10/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	63	110	173	-	-	-	-	-	-	-	-	-
TP02_0.4	10/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	-	-	-	-	-	-	-	-	-
TP03_0.2	10/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	-	-	-	-	-	-	-	-	-
TP03_1.2	10/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	<0.5	-
TP03_AS81	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP04_0.1	10/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	-	-	-	-	-	-	-	-	-
TP04_0.4	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP05_0.1	10/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	-	-	-	-	-	-	-	-	-
TP05_0.9	10/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	<0.5	-
TP06_0.1	10/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	100	480	580	-	-	-	-	-	-	-	-	-
TP06_0.3	10/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	<0.5	-
TP07_0.1	10/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	-	-	-	-	-	-	-	-	-
TP07_0.4	10/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	-	-	-	-	-	-	-	-	-
TP07_0.6	10/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	-	-	-	-	-	-	-	-	-
TP08_0.4	10/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	<0.5	-
TP09_0.3	10/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	-	-	-	-	-	-	-	-	-
TP10_0.1	10/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	91	91	-	-	-	-	-	-	-	-	-
TP11_0.2	10/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	-	-	-	-	-	-	-	-	-
TP11_1.2	10/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	72	92	164	<0.5	<0.5	<0.5	<0.5	-	-	-	<0.5	-
TP12_0.2	10/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	-	-	-	-	-	-	-	-	-
TP13_0.1	17/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	70	290	360	<0.5	<0.5	<0.5	<0.5	-	-	-	<0.5	-
TP13_0.4	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP14_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP14_0.7	17/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	<0.5	-
TP15_0.1	17/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	-	-	-	-	-	-	-	-	-
TP15_0.6	17/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	<0.5	-
TP16_0.1	17/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	-	-	-	-	-	-	-	-	-
TP16_0.8	17/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	<0.5	-
TP17_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP17_0.5	17/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	<0.5	-
TP18_0.1	17/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	-	-	-	-	-	-	-	-	-
TP18_0.4	17/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	<0.5	-
TP19_0.1	10/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	-	-	-	-	-	-	-	-	-
TP19_0.3	10/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	-	-	-	-	-	-	-	-	-
TP20_0.1	17/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	-	-	-	-	-	-	-	-	-
QA100	10/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	<0.5	-
QA200	10/11/2018	<0.2	<0.5	<0.5	<0.5	<0.5	<0.2	<0.5	<10	<50	<100	<100	<50	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
QA300	17/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	-	-	-	-	-	-	-	-	-
QA400	17/11/2018	<0.2	<0.5	<0.5	<0.5	<0.5	<0.2	<0.5	<10	<50	<100	<100	<50	-	-	-	-	-	-	-	-	-

Statistics																						
Number of Results	43	43	43	43	43	2	43	41	41	41	41	41	14	15	15	15	1	1	1	1	15	1
Minimum Concentration	<0.1	<0.1	<0.1	<0.2	<0.1	<0.2	<0.3	<10	<20	<50	<50	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Maximum Concentration	83	82	82	83	84	<0.2	84	<20	<50	370	1,600	1,970	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Average Concentration *	2	2	2	2	2	0.1	2.1	9.8	11	40	88	104	0.25	0.25	0.25	0.25					0.25	
Standard Deviation *	13	12	12	13	13	0	13	1.1	3.3	55	256	316	0	0	0	0					0	

\* A Non Detect Multiplier of 0.5 has been applied.

Statistics																							
Number of Results	41	41	39	41	41	41	41	41	41	41	41	41	41	41	41	41	83	41	41	41	25	25	25
Minimum Concentration	<0.5	0.6	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.5	0	0	1
Maximum Concentration	1	1.3	1.7	0.6	<0.5	<0.5	<0.5	1.1	0.9	<0.5	0.8	1	<0.5	1.3	<0.5	<0.5	<1	6.9	0.8	1.3	0.1908	0	1
Average Concentration *	0.28	0.63	1.2	0.26	0.25	0.25	0.25	0.27	0.28	0.25	0.27	0.27	0.25	0.28	0.25	0.25	0.26	0.49	0.26	0.28	0.0076	0	1
Standard Deviation *	0.15	0.14	0.092	0.055	0	0	0	0.13	0.12	0	0.11	0.12	0	0.17	0	0	0.032	1.1	0.086	0.17	0.038	0	0

\* A Non Detect Multiplier of 0.5 has been applied.

	Metals									VOCs			SVOCs												
	Arsenic	Cadmium	Chromium (III+VI)	Copper	Iron	Lead	Mercury	Nickel	Zinc	cis-1,4-Dichloro-2-butene	Pentachloroethane	trans-1,4-Dichloro-2-butene	EPN	1,1,1,2-tetrachloroethane	1,1,1-trichloroethane	1,1,2,2-tetrachloroethane	1,1,2-trichloroethane	1,1-dichloroethane	1,1-dichloroethene	1,1-dichloropropene	1,2,3-trichloropropane	1,2-dibromo-3-chloropropane	1,2-dichloroethane	1,2-dichloropropane	1,3-dichloropropane
EQL	2	0.4	2	5	20	5	0.1	2	5	0.5	0.5	0.5	0.2	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
NSW 2014 General Solid Waste CT1 (No Leaching)	100	20	100			100	4	40						200	600	26	24		14				10		
NSW 2014 Restricted Solid Waste CT2 (No Leaching)	400	80	400			400	16	160						800	2,400	104	96		56				40		
NSW 2014 General Solid Waste SCC1 (with leached)	500	100	1,900			1,500	50	1,050						360	1,080	46.8	43.2		0.7				0.5		

Field ID	Date																								
ASB2	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BH02_0.5	17/11/2018	<2	<0.4	<5	<5	-	9.8	<0.1	<5	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BH2_1.0	17/11/2018	<2	<0.4	<5	5.6	-	12	<0.1	<5	24	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<0.5	<0.5	<0.5
BH03_0.5	17/11/2018	<2	<0.4	<5	<5	-	7.0	<0.1	<5	6.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BH4_0.4	10/11/2018	<2	<0.4	<5	11	-	13	<0.1	13	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BH05_0.2-0.5	10/11/2018	<2	<0.4	<5	<5	-	<5	<0.1	<5	<5	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<0.5	<0.5	<0.5
TP01_0.2	10/11/2018	<2	<0.4	8.8	27	-	19	<0.1	15	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP01_0.9	10/11/2018	<2	<0.4	<5	<5	-	18	<0.1	<5	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP02_0.1	10/11/2018	<2	<0.4	18	9.4	-	35	0.7	15	72	-	-	<0.2	-	-	-	-	-	-	-	-	-	-	-	-
TP02_0.4	10/11/2018	<2	<0.4	10	6.8	-	8.1	<0.1	9.6	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP03_0.2	10/11/2018	<2	<0.4	<5	6.6	-	19	<0.1	<5	35	-	-	<0.2	-	-	-	-	-	-	-	-	-	-	-	-
TP03_1.2	10/11/2018	<2	<0.4	<5	<5	-	6.2	<0.1	<5	11	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<0.5	<0.5	<0.5
TP03_AS81	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP04_0.1	10/11/2018	<2	<0.4	<5	8.7	-	38	<0.1	<5	36	-	-	<0.2	-	-	-	-	-	-	-	-	-	-	-	-
TP04_0.4	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP05_0.1	10/11/2018	<2	<0.4	<5	5.2	-	23	<0.1	<5	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP05_0.9	10/11/2018	<2	<0.4	<5	<5	360	<5	<0.1	<5	<5	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<0.5	<0.5	<0.5
TP06_0.1	10/11/2018	2.8	<0.4	130	37	-	8.1	<0.1	130	86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP06_0.3	10/11/2018	<2	<0.4	13	16	-	11	<0.1	17	26	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<0.5	<0.5	<0.5
TP07_0.1	10/11/2018	2.5	<0.4	6.4	8.4	-	17	1.5	<5	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP07_0.4	10/11/2018	<2	<0.4	<5	<5	1,500	11	0.2	<5	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP07_0.6	10/11/2018	<2	<0.4	<5	13	-	9.0	0.7	<5	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP08_0.4	10/11/2018	<2	<0.4	<5	<5	-	7.3	<0.1	<5	10	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<0.5	<0.5	<0.5
TP09_0.3	10/11/2018	<2	<0.4	<5	<5	-	10	<0.1	<5	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP10_0.1	10/11/2018	<2	<0.4	<5	<5	-	10	<0.1	<5	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP11_0.2	10/11/2018	<2	<0.4	<5	<5	-	<5	<0.1	<5	<5	-	-	<0.2	-	-	-	-	-	-	-	-	-	-	-	-
TP11_1.2	10/11/2018	<2	<0.4	<5	<5	-	19	<0.1	<5	12	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<0.5	<0.5	<0.5
TP12_0.2	10/11/2018	<2	<0.4	<5	<5	630	13	<0.1	<5	17	-	-	<0.2	-	-	-	-	-	-	-	-	-	-	-	-
TP13_0.1	17/11/2018	<2	<0.4	32	12	-	11	<0.1	30	40	-	-	<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<0.5	<0.5	<0.5
TP13_0.4	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP14_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP14_0.7	17/11/2018	<2	<0.4	<5	<5	-	<5	<0.1	<5	<5	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<0.5	<0.5	<0.5
TP15_0.1	17/11/2018	<2	<0.4	<5	16	-	65	0.1	<5	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP15_0.6	17/11/2018	<2	<0.4	<5	<5	-	<5	<0.1	<5	120	-	-	<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<0.5	<0.5	<0.5
TP16_0.1	17/11/2018	<2	<0.4	<5	<5	-	17	<0.1	<5	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP16_0.8	17/11/2018	<2	<0.4	<5	<5	-	5.1	<0.1	<5	8.3	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<0.5	<0.5	<0.5
TP17_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP17_0.5	17/11/2018	<2	<0.4	<5	<5	-	<5	<0.1	<5	<5	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<0.5	<0.5	<0.5
TP18_0.1	17/11/2018	<2	<0.4	<5	11	-	56	<0.1	<5	130	-	-	<0.2	-	-	-	-	-	-	-	-	-	-	-	-
TP18_0.4	17/11/2018	<2	<0.4	<5	<5	-	<5	<0.1	<5	<5	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<0.5	<0.5	<0.5
TP19_0.1	10/11/2018	<2	<0.4	<5	7.3	-	32	<0.1	<5	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP19_0.3	10/11/2018	<2	<0.4	<5	10	-	10	<0.1	<5	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP20_0.1	17/11/2018	<2	<0.4	5.3	12	-	42	<0.1	<5	66	-	-	<0.2	-	-	-	-	-	-	-	-	-	-	-	-
QA100	10/11/2018	<2	<0.4	<5	11	-	14	<0.1	<5	15	-	-	<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<0.5	<0.5	<0.5
QA200	10/11/2018	<5	<1	<2	<5	-	8	<0.1	<2	10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
QA300	17/11/2018	<2	<0.4	<5	5.2	-	19	<0.1	<5	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA400	17/11/2018	<5	<1	<2	5	-	21	<0.1	<2	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Statistics																									
Number of Results	41	41	41	41	3	41	41	41	41	1	1	1	10	15	15	15	15	15	15	1	15	1	15	15	15
Minimum Concentration	<2	<0.4	<2	5	360	<5	0.1	<2	<5	<0.5	<0.5	<0.5	<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
Maximum Concentration	<5	<1	130	37	1,500	65	1.5	130	130	<0.5	<0.5	<0.5	<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
Average Concentration *	1.2	0.21	7.4	7.2	830	16	0.12	7.6	29				0.1	0.25	0.25	0.25	0.25	0.25		0.25		0.25	0.25	0.25	
Standard Deviation *	0.47	0.065	20	7.1	596	14	0.26	20	29				0	0	0	0	0	0		0		0	0	0	

\* A Non Detect Multiplier of 0.5 has been applied.



	Chlorinated Hydrocarbons																		
	1,2-dichloropropane	Bromochloromethane	Bromodichloromethane	Bromoform	Carbon tetrachloride	Chlorodibromomethane	Chloroethane	Chloroform	Chloromethane	cis-1,2-dichloroethene	cis-1,3-dichloropropene	Dibromomethane	Dichloromethane	Hexachlorobutadiene	Trichloroethene	Tetrachloroethene	trans-1,2-dichloroethene	trans-1,3-dichloropropene	Vinyl chloride
	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
EQL	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
NSW 2014 General Solid Waste CT1 (No Leaching)					10			120					172		10	14			4
NSW 2014 Restricted Solid Waste CT2 (No Leaching)					40			480					688		40	56			16
NSW 2014 General Solid Waste SCC1 (with leached)					18			126					8.6		18	25.2			7.2

Field ID	Date																		
ASB2	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BH02_0.5	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BH2_1.0	17/11/2018	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5
BH03_0.5	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BH4_0.4	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BH05_0.2-0.5	10/11/2018	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5
TP01_0.2	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP01_0.9	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP02_0.1	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP02_0.4	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP03_0.2	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP03_1.2	10/11/2018	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5
TP03_AS81	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP04_0.1	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP04_0.4	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP05_0.1	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP05_0.9	10/11/2018	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5
TP06_0.1	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP06_0.3	10/11/2018	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5
TP07_0.1	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP07_0.4	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP07_0.6	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP08_0.4	10/11/2018	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5
TP09_0.3	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP10_0.1	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP11_0.2	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP11_1.2	10/11/2018	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5
TP12_0.2	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP13_0.1	17/11/2018	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5
TP13_0.4	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP14_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP14_0.7	17/11/2018	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5
TP15_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP15_0.6	17/11/2018	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5
TP16_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP16_0.8	17/11/2018	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5
TP17_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP17_0.5	17/11/2018	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5
TP18_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP18_0.4	17/11/2018	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5
TP19_0.1	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP19_0.3	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP20_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA100	10/11/2018	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5
QA200	10/11/2018	<0.5	-	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5
QA300	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA400	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Statistics																			
Number of Results	1	14	15	15	15	15	15	15	15	15	15	15	15	14	1	15	15	15	15
Minimum Concentration	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Maximum Concentration	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5
Average Concentration *		0.25	0.25	0.25	0.25	0.25	0.4	0.25	0.4	0.25	0.25	0.25	0.25	0.25		0.25	0.25	0.25	0.4
Standard Deviation *		0	0	0	0	0	0.58	0	0.58	0	0	0	0	0		0	0	0	0.58

\* A Non Detect Multiplier of 0.5 has been applied.

	Halogenated Hydrocarbons																						
	1,2,3- trichlorobenzene	1,2,4- trichlorobenzene	1,2-dibromoethane	1,2-dichlorobenzene	1,3-dichlorobenzene	1,4-dichlorobenzene	2-chlorotoluene	4-chlorotoluene	Bromobenzene	Bromomethane	Chlorobenzene	Dichlorodifluoromethane	Iodomethane	Trichlorofluoromethane	4,4-DDE	a-BHC	Aldrin	Aldrin + Dieldrin	b-BHC	Chlordane	Chlordane (cis)	Chlordane (trans)	d-BHC
mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	
EQL	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
NSW 2014 General Solid Waste CT1 (No Leaching)				86		150					2,000												
NSW 2014 Restricted Solid Waste CT2 (No Leaching)				344		600					8,000												
NSW 2014 General Solid Waste SCC1 (with leached)				4.3		7.5					3,600												

Field ID	Date																						
ASB2	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BH02_0.5	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BH2_1.0	17/11/2018	-	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-
BH03_0.5	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BH4_0.4	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BH05_0.2-0.5	10/11/2018	-	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-
TP01_0.2	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP01_0.9	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP02_0.1	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.06	<0.05	<0.05	0.64	<0.05	0.7	-	<0.05
TP02_0.4	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP03_0.2	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<0.05	<0.05	<0.05	<0.05	<0.05	<0.1	-	<0.05
TP03_1.2	10/11/2018	-	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-
TP03_AS81	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP04_0.1	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<0.05	<0.05	<0.05	<0.05	<0.05	<0.1	-	<0.05
TP04_0.4	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP05_0.1	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP05_0.9	10/11/2018	-	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-
TP06_0.1	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP06_0.3	10/11/2018	-	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-
TP07_0.1	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP07_0.4	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP07_0.6	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP08_0.4	10/11/2018	-	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-
TP09_0.3	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP10_0.1	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP11_0.2	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<0.05	<0.05	<0.05	<0.05	<0.05	<0.1	-	<0.05
TP11_1.2	10/11/2018	-	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-
TP12_0.2	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<0.05	<0.05	<0.05	<0.05	<0.05	<0.1	-	<0.05
TP13_0.1	17/11/2018	-	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.05	<0.05	<0.05	<0.05	<0.05	<0.1	-	<0.05
TP13_0.4	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP14_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP14_0.7	17/11/2018	-	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-
TP15_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP15_0.6	17/11/2018	-	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.05	<0.05	<0.05	<0.05	<0.05	<0.1	-	<0.05
TP16_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP16_0.8	17/11/2018	-	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-
TP17_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP17_0.5	17/11/2018	-	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-
TP18_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<0.05	<0.05	<0.05	0.05	<0.05	<0.1	-	<0.05
TP18_0.4	17/11/2018	-	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-
TP19_0.1	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP19_0.3	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP20_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<0.05	<0.05	<0.05	<0.05	<0.05	<0.1	-	<0.05
QA100	10/11/2018	-	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.05	<0.05	<0.05	<0.05	<0.05	<0.1	-	<0.05
QA200	10/11/2018	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<5	<0.5	<5	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
QA300	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA400	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Statistics																							
Number of Results	1	1	15	15	15	15	1	15	15	15	15	15	15	15	11	11	11	11	11	11	1	1	11
Minimum Concentration	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.05	<0.05	<0.05	0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Maximum Concentration	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<5	<0.5	<5	0.06	<0.05	<0.05	0.64	<0.05	0.7	<0.05	<0.05	<0.05
Average Concentration *			0.25	0.25	0.25	0.25		0.25	0.25	0.4	0.25	0.4	0.25	0.4	0.028	0.025	0.025	0.083	0.025	0.11			0.025
Standard Deviation *			0	0	0	0		0	0	0.58	0	0.58	0	0.58	0.011	0	0	0.18	0	0.2			0

\* A Non Detect Multiplier of 0.5 has been applied.

	Organochlorine Pesticides																							
	DDD	DDT	DDT+DDE+DDD	Dieldrin	Endosulfan	Endosulfan I	Endosulfan II	Endosulfan sulphate	Endrin	Endrin aldehyde	Endrin ketone	γ-BHC (Lindane)	Heptachlor	Heptachlor epoxide	Hexachlorobenzene	Methoxychlor	Toxaphene	Azinophos methyl	Bolstar (Sulprofos)	Bromophos-ethyl	Carbophenathion	Chlorfenvinphos	Chlorpyrifos	Chlorpyrifos-methyl
	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
EQL	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	1	0.05	0.2	0.05	0.05	0.05	0.05	0.05
NSW 2014 General Solid Waste CT1 (No Leaching)					60	60	60	60															4	
NSW 2014 Restricted Solid Waste CT2 (No Leaching)					240	240	240	240															16	
NSW 2014 General Solid Waste SCC1 (with leached)					3 108	108	108	108															7.5	

Field ID	Date																							
ASB2	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BH02_0.5	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BH2_1.0	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BH03_0.5	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BH4_0.4	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BH05_0.2-0.5	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP01_0.2	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP01_0.9	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP02_0.1	10/11/2018	<0.05	0.06	0.12	0.64	-	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<1	<0.2	<0.2	-	-	<0.2	<0.2	<0.2
TP02_0.4	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP03_0.2	10/11/2018	<0.05	<0.05	<0.05	<0.05	-	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<1	<0.2	<0.2	-	-	<0.2	<0.2	<0.2
TP03_1.2	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP03_AS81	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP04_0.1	10/11/2018	<0.05	<0.05	<0.05	<0.05	-	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<1	<0.2	<0.2	-	-	<0.2	<0.2	<0.2
TP04_0.4	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP05_0.1	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP05_0.9	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP06_0.1	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP06_0.3	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP07_0.1	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP07_0.4	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP07_0.6	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP08_0.4	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP09_0.3	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP10_0.1	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP11_0.2	10/11/2018	<0.05	<0.05	<0.05	<0.05	-	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<1	<0.2	<0.2	-	-	<0.2	<0.2	<0.2
TP11_1.2	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP12_0.2	10/11/2018	<0.05	<0.05	<0.05	<0.05	-	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<1	<0.2	<0.2	-	-	<0.2	<0.2	<0.2
TP13_0.1	17/11/2018	<0.05	<0.05	<0.05	<0.05	-	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<1	<0.2	<0.2	-	-	<0.2	<0.2	<0.2
TP13_0.4	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP14_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP14_0.7	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP15_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP15_0.6	17/11/2018	<0.05	<0.05	<0.05	<0.05	-	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<1	<0.2	<0.2	-	-	<0.2	<0.2	<0.2
TP16_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP16_0.8	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP17_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP17_0.5	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP18_0.1	17/11/2018	<0.05	<0.05	<0.05	0.05	-	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<1	<0.2	<0.2	-	-	<0.2	<0.2	<0.2
TP18_0.4	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP19_0.1	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP19_0.3	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP20_0.1	17/11/2018	<0.05	<0.05	<0.05	<0.05	-	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<1	<0.2	<0.2	-	-	<0.2	<0.2	<0.2
QA100	10/11/2018	<0.05	<0.05	<0.05	<0.05	-	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<1	<0.2	<0.2	-	-	<0.2	<0.2	<0.2
QA200	10/11/2018	<0.05	<0.2	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.2	-	<0.05	-	<0.05	<0.05	<0.05	<0.05	<0.05
QA300	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA400	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Statistics																								
Number of Results	11	11	11	11	1	11	11	11	11	11	11	11	11	11	11	11	10	11	10	1	1	11	11	11
Minimum Concentration	<0.05	<0.05	<0.05	0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<1	<0.05	<0.2	<0.05	<0.05	<0.05	<0.05	<0.05
Maximum Concentration	<0.05	<0.2	0.12	0.64	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.2	<1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.2	<0.2
Average Concentration *	0.025	0.035	0.034	0.083		0.025	0.025	0.025	0.025	0.025	0.025	0.025	0.025	0.025	0.025	0.032	0.5	0.093	0.1			0.093	0.093	0.093
Standard Deviation *	0	0.024	0.029	0.18		0	0	0	0	0	0	0	0	0	0	0.023	0	0.023	0			0.023	0.023	0.023

\* A Non Detect Multiplier of 0.5 has been applied.



	Organophosphorous Pesticides																								
	Coumaphos	Demeton-O	Demeton-S	Diazinon	Dichlorvos	Dimethoate	Disulfoton	Ethion	Ethoprop	Fenitrothion	Fensulfothion	Fenthion	Malathion	Merphos	Methyl parathion	Mevinphos (Phosdrin)	Monocrotophos	Naled (Dibrom)	Omethoate	Phorate	Prothiofos	Pyrazophos	Ronnel	Terbufos	Trichloronate
	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
EQL	2	0.2	0.2	0.05	0.05	0.05	0.2	0.05	0.2	0.2	0.2	0.05	0.05	0.2	0.2	0.2	0.2	0.2	2	0.2	0.05	0.2	0.2	0.2	0.2
NSW 2014 General Solid Waste CT1 (No Leaching)																									
NSW 2014 Restricted Solid Waste CT2 (No Leaching)																									
NSW 2014 General Solid Waste SCC1 (with leached)																									

Field ID	Date																								
ASB2	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BH02_0.5	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BH2_1.0	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BH03_0.5	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BH4_0.4	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BH05_0.2-0.5	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP01_0.2	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP01_0.9	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP02_0.1	10/11/2018	<2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<2	<0.2	<2	<0.2	-	<0.2	<0.2	<0.2	<0.2
TP02_0.4	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP03_0.2	10/11/2018	<2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<2	<0.2	<2	<0.2	-	<0.2	<0.2	<0.2	<0.2
TP03_1.2	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP03_AS81	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP04_0.1	10/11/2018	<2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<2	<0.2	<2	<0.2	-	<0.2	<0.2	<0.2	<0.2
TP04_0.4	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP05_0.1	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP05_0.9	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP06_0.1	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP06_0.3	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP07_0.1	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP07_0.4	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP07_0.6	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP08_0.4	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP09_0.3	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP10_0.1	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP11_0.2	10/11/2018	<2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<2	<0.2	<2	<0.2	-	<0.2	<0.2	<0.2	<0.2
TP11_1.2	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP12_0.2	10/11/2018	<2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<2	<0.2	<2	<0.2	-	<0.2	<0.2	<0.2	<0.2
TP13_0.1	17/11/2018	<2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<2	<0.2	<2	<0.2	-	<0.2	<0.2	<0.2	<0.2
TP13_0.4	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP14_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP14_0.7	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP15_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP15_0.6	17/11/2018	<2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<2	<0.2	<2	<0.2	-	<0.2	<0.2	<0.2	<0.2
TP16_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP16_0.8	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP17_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP17_0.5	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP18_0.1	17/11/2018	<2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<2	<0.2	<2	<0.2	-	<0.2	<0.2	<0.2	<0.2
TP18_0.4	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP19_0.1	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP19_0.3	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP20_0.1	17/11/2018	<2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<2	<0.2	<2	<0.2	-	<0.2	<0.2	<0.2	<0.2
QA100	10/11/2018	<2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<2	<0.2	<2	<0.2	-	<0.2	<0.2	<0.2	<0.2
QA200	10/11/2018	-	-	-	<0.05	<0.05	<0.05	-	<0.05	-	-	<0.05	<0.05	-	<0.2	-	<0.2	-	-	-	<0.05	-	-	-	-
QA300	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA400	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Statistics																									
Number of Results	10	10	10	11	11	11	10	11	10	10	10	11	11	10	11	10	11	10	10	10	1	10	10	10	10
Minimum Concentration	<2	<0.2	<0.2	<0.05	<0.05	<0.05	<0.2	<0.05	<0.2	<0.2	<0.2	<0.05	<0.05	<0.2	<0.2	<0.2	<0.2	<0.2	<2	<0.2	<0.05	<0.2	<0.2	<0.2	<0.2
Maximum Concentration	<2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<2	<0.2	<2	<0.2	<0.05	<0.2	<0.2	<0.2	<0.2
Average Concentration *	1	0.1	0.1	0.093	0.093	0.093	0.1	0.093	0.1	0.1	0.1	0.093	0.093	0.1	0.1	0.1	0.92	0.1	1	0.1		0.1	0.1	0.1	0.1
Standard Deviation *	0	0	0	0.023	0.023	0.023	0	0.023	0	0	0	0.023	0.023	0	0	0	0.27	0	0	0		0	0	0	0

\* A Non Detect Multiplier of 0.5 has been applied.

	Tetrachlorvinphos	Solvents							Insecticides	Pesticides					Polychlorinated Biphenyls								
		Methyl Ethyl Ketone	2-hexanone (MBK)	4-Methyl-2-pentanone	Acetone	Allyl chloride	Carbon disulfide	Vinyl acetate		Demeton-S-methyl	Fenamiphos	Parathion	Pirimphos-methyl	Pirimphos-ethyl	Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	PCBs (Sum of total)	
		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	
EQL	0.2	0.5	5	0.5	0.5	0.5	0.5	5	0.2	0.05	0.05	0.2	0.2	0.05	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
NSW 2014 General Solid Waste CT1 (No Leaching)		4,000																				50	
NSW 2014 Restricted Solid Waste CT2 (No Leaching)		16,000																				50	
NSW 2014 General Solid Waste SCC1 (with leached)		7,200																				50	

Field ID	Date																					
ASB2	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BH02_0.5	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BH2_1.0	17/11/2018	-	<0.5	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BH03_0.5	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BH4_0.4	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BH05_0.2-0.5	10/11/2018	-	<0.5	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP01_0.2	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP01_0.9	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP02_0.1	10/11/2018	<0.2	-	-	-	-	-	-	<0.2	-	-	<0.2	<0.2	-	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
TP02_0.4	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP03_0.2	10/11/2018	<0.2	-	-	-	-	-	-	<0.2	-	-	<0.2	<0.2	-	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
TP03_1.2	10/11/2018	-	<0.5	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP03_AS81	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP04_0.1	10/11/2018	<0.2	-	-	-	-	-	-	<0.2	-	-	<0.2	<0.2	-	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
TP04_0.4	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP05_0.1	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP05_0.9	10/11/2018	-	<0.5	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP06_0.1	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP06_0.3	10/11/2018	-	<0.5	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP07_0.1	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP07_0.4	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP07_0.6	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP08_0.4	10/11/2018	-	<0.5	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP09_0.3	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP10_0.1	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP11_0.2	10/11/2018	<0.2	-	-	-	-	-	-	<0.2	-	-	<0.2	<0.2	-	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
TP11_1.2	10/11/2018	-	<0.5	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP12_0.2	10/11/2018	<0.2	-	-	-	-	-	-	<0.2	-	-	<0.2	<0.2	-	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
TP13_0.1	17/11/2018	<0.2	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.2	-	-	<0.2	<0.2	-	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
TP13_0.4	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP14_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP14_0.7	17/11/2018	-	<0.5	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP15_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP15_0.6	17/11/2018	<0.2	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.2	-	-	<0.2	<0.2	-	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
TP16_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP16_0.8	17/11/2018	-	<0.5	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP17_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP17_0.5	17/11/2018	-	<0.5	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP18_0.1	17/11/2018	<0.2	-	-	-	-	-	-	<0.2	-	-	<0.2	<0.2	-	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
TP18_0.4	17/11/2018	-	<0.5	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP19_0.1	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP19_0.3	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP20_0.1	17/11/2018	<0.2	-	-	-	-	-	-	<0.2	-	-	<0.2	<0.2	-	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
QA100	10/11/2018	<0.2	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.2	-	-	<0.2	<0.2	-	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
QA200	10/11/2018	-	<5	<5	<5	-	<0.5	<5	-	<0.05	<0.05	<0.2	-	<0.05	-	-	-	-	-	-	-	<0.1
QA300	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA400	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Statistics																					
Number of Results	10	15	1	15	14	14	15	1	10	1	1	11	10	1	10	10	10	10	10	10	11
Minimum Concentration	<0.2	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	<0.2	<0.05	<0.05	<0.2	<0.2	<0.05	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Maximum Concentration	<0.2	<5	<5	<5	<0.5	<0.5	<0.5	<5	<0.2	<0.05	<0.05	<0.2	<0.2	<0.05	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Average Concentration *	0.1	0.4		0.4	0.25	0.25	0.25		0.1			0.1	0.1		0.05	0.05	0.05	0.05	0.05	0.05	0.05
Standard Deviation *	0	0.58		0.58	0	0	0		0			0	0		0	0	0	0	0	0	0

\* A Non Detect Multiplier of 0.5 has been applied.

		BTEX						TRH				
		Benzene	Toluene	Ethylbenzene	Xylene (m & p)	Xylene (o)	Xylene Total	C6 - C9	C10 - C14	C15 - C28	C29-C36	+C10 - C36 (Sum of total)
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
LOR		1	1	1	2	1	2	20	50	100	50	50
ANZECC 2000 Marine Water (90%)		900										
NEPM 2013 Table 1C GILs, Marine Waters		500										
NEPM 2013 GW HSL Residential A&B, for Vapour Intrusion, Sand												
2-4m		800										
4-8m		800										
>8m		900										
ANZECC 2000 Irrigation - Long-term trigger value												
PFAS NEMP 2018 Table 5 Interim marine 90%												

Field ID	Location	Sample Date											
MW01		23/11/2018	<1	<1	<1	<2	<1	<3	<20	<50	<100	<100	<100
MW02			<1	<1	<1	<2	<1	<3	<20	<50	<100	<100	<100
MW03			<1	<1	<1	<2	<1	<3	<20	<50	<100	<100	<100
QA100	MW02		<1	<1	<1	<2	<1	<3	<20	<50	<100	<100	<100
QA200	MW02		<1	<2	<2	<2	<2	<2	<20	<50	<100	<50	<50

Statistical Summary

Maximum Concentration	<1	<2	<2	<2	<2	<3	<20	<50	<100	<100	<100
Average Concentration *	<1	<2	<2	<2	<2	<3	<20	<50	<100	<100	<100
Standard Deviation *	0	0	0	0	0	0	0	0	0	11	11

\* A Non Detect Multiplier of 0.5 has been applied.



		CRC Care TRH Fractions							PAH				
		C6-C10	C10-C16	C16-C34	C34-C40	C10 - C40 (Sum of total)	F1: C6-C10 less BTEX	F2: >C10-C16 less Naphthalene	Benzo(b+j)fluoranthene	Acenaphthene	Acenaphthylene	Anthracene	Benz(a)anthracene
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
LOR		20	50	100	100	100	20	50	1	1	1	1	1
ANZECC 2000 Marine Water (90%)													
NEPM 2013 Table 1C GILs, Marine Waters													
NEPM 2013 GW HSL Residential A&B, for Vapour Intrusion, Sand													
2-4m							1,000	1,000					
4-8m							1,000	1,000					
>8m							1,000	1,000					
ANZECC 2000 Irrigation - Long-term trigger value													
PFAS NEMP 2018 Table 5 Interim marine 90%													

Field ID	Location	Sample Date											
MW01		23/11/2018	<20	<50	<100	<100	<100	<20	<50	<1	<1	<1	<1
MW02			<20	<50	<100	<100	<100	<20	<50	<1	<1	<1	<1
MW03			<20	<50	<100	<100	<100	<20	<50	<1	<1	<1	<1
QA100	MW02		<20	<50	<100	<100	<100	<20	<50	<1	<1	<1	<1
QA200	MW02		<20	<100	<100	<100	<100	<20	<100	<1.0	<1.0	<1.0	<1.0

Statistical Summary

Maximum Concentration	<20	<100	<100	<100	<100	<20	<100	<1	<1	<1	<1	<1
Average Concentration *	<20	<100	<100	<100	<100	<20	<100	<1	<1	<1	<1	<1
Standard Deviation *	0	11	0	0	0	0	11	0	0	0	0	0

\* A Non Detect Multiplier of 0.5 has been applied.

		PAH												
		BaP TEQ (zero)	Benzo(a)pyrene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Chrysene	Dibenz(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-c,d)pyrene	Naphthalene	PAHs (Sum of total)	Phenanthrene	Pyrene
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
LOR		0.5	0.5	1	1	1	1	1	1	1	1	0.5	1	1
ANZECC 2000 Marine Water (90%)											90			
NEPM 2013 Table 1C GILs, Marine Waters											50			
NEPM 2013 GW HSL Residential A&B, for Vapour Intrusion, Sand														
2-4m														
4-8m														
>8m														
ANZECC 2000 Irrigation - Long-term trigger value														
PFAS NEMP 2018 Table 5 Interim marine 90%														

Field ID		Location	Sample Date												
MW01		MW02	23/11/2018		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
MW02					<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
MW03					<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
QA100	MW02				<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
QA200	MW02			<0.5	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0

Statistical Summary														
Maximum Concentration					<0.5	<1	<1	<1	<1	<1	<1	<10	<1	<1
Average Concentration *					<0.6	<1	<1	<1	<1	<1	<1	<10	<1	<1
Standard Deviation *						0	0	0	0	0	0	0	0	0

\* A Non Detect Multiplier of 0.5 has been applied.

		Metals							
		Arsenic (filtered)	Cadmium (filtered)	Chromium (III+VI) (filtered)	Copper (filtered)	Lead (filtered)	Mercury (filtered)	Nickel (filtered)	Zinc (filtered)
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
LOR		0.001	0.0001	0.001	0.001	0.001	0.0001	0.001	0.005
ANZECC 2000 Marine Water (90%)			0.014		0.003	0.0066	0.0007	0.2	0.023
NEPM 2013 Table 1C GILs, Marine Waters			0.0007		0.0013	0.0044	0.0001	0.007	0.015
NEPM 2013 GW HSL Residential A&B, for Vapour Intrusion, Sand									
2-4m									
4-8m									
>8m									
ANZECC 2000 Irrigation - Long-term trigger value		0.1	0.01	0.1	0.2	2	0.002	0.2	2
PFAS NEMP 2018 Table 5 Interim marine 90%									

Field ID		Location	Sample Date								
MW01		MW02	23/11/2018	<0.001	<0.0002	0.002	0.002	<0.001	<0.0001	<0.001	<0.005
MW02				<0.001	<0.0002	<0.001	<0.001	<0.001	<0.0001	0.001	<0.005
MW03				<0.001	<0.0002	0.002	0.001	<0.001	<0.0001	0.004	0.006
QA100				<0.001	<0.0002	<0.001	<0.001	<0.001	<0.0001	0.002	<0.005
QA200				<0.001	<0.0001	<0.001	0.001	<0.001	<0.0001	0.001	<0.005

Statistical Summary									
Maximum Concentration				<0.001	<0.0002	0.002	0.002	<0.001	<0.0001
Average Concentration *				<0.001	<0.0002	0.001	0.001	<0.001	<0.0001
Standard Deviation *				0	0	0.001	0.001	0	0

\* A Non Detect Multiplier of 0.5 has been applied.



		Perfluorocarbons								
		2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	Perfluorobutane sulfonic acid (PFBS)	Perfluoropentane sulfonic acid (PFPeS)	Perfluorohexane sulfonic acid (PFHxS)	Perfluoroheptane sulfonic acid (PFHpS)	Perfluorooctane sulfonic acid (PFOS)	Perfluorodecanesulfonic acid (PFDS)	Perfluorobutanoic acid (PFBA)	Perfluoropentanoic acid (PFPeA)
		mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
LOR		5E-05	0.01	0.01	0.01	0.01	0.01	0.01	0.05	0.01
ANZECC 2000 Marine Water (90%)										
NEPM 2013 Table 1C GILs, Marine Waters										
NEPM 2013 GW HSL Residential A&B, for Vapour Intrusion, Sand										
2-4m										
4-8m										
>8m										
ANZECC 2000 Irrigation - Long-term trigger value										
PFAS NEMP 2018 Table 5 Interim marine 90%							2			

Field ID		Location	Sample Date									
MW01		MW02	23/11/2018	<0.00005	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.05	<0.01
MW02				<0.00005	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05	<0.01
MW03				<0.00005	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.05	<0.01
QA100				<0.00005	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05	<0.01
QA200				<0.00005	<0.02	<0.02	<0.02	<0.02	<0.01	<0.02	<0.1	<0.02

Statistical Summary

Maximum Concentration	<5E-05	<0.02	<0.02	0.02	<0.02	<0.01	<0.02	<0.1	<0.02
Average Concentration *	<5E-06	<0.02	<0.02	0.01	<0.02	<0.01	<0.02	<0.1	<0.02
Standard Deviation *	0	0	0	0.01	0	0	0	0	0

\* A Non Detect Multiplier of 0.5 has been applied.

		Perfluorocarbons										
		Perfluorohexanoic acid (PFHxA)	Perfluoroheptanoic acid (PFHpA)	Perfluorooctanoate (PFOA)	Perfluorononanoic acid (PFNA)	Perfluorodecanoic acid (PFDA)	Perfluoroundecanoic acid (PFUnDA)	Perfluorododecanoic acid (PFDoDA)	Perfluorotridecanoic acid (PFTTrDA)	Perfluorotetradecanoic acid (PFTeDA)	Perfluorooctane sulfonamide (FOSA)	N-Methyl perfluorooctane sulfonamide (MeFOSA)
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
LOR		0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.05
ANZECC 2000 Marine Water (90%)												
NEPM 2013 Table 1C GILs, Marine Waters												
NEPM 2013 GW HSL Residential A&B, for Vapour Intrusion, Sand												
2-4m												
4-8m												
>8m												
ANZECC 2000 Irrigation - Long-term trigger value												
PFAS NEMP 2018 Table 5 Interim marine 90%				632								

Field ID	Location	Sample Date											
MW01		23/11/2018	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05	<0.05
MW02			<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05	<0.05
MW03			<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05	<0.05
QA100	MW02		<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05	<0.05
QA200	MW02		<0.02	<0.02	<0.01	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.05	<0.05

Statistical Summary

Maximum Concentration	<0.02	<0.02	<0.01	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.05	<0.05	<0.05
Average Concentration *	<0.02	<0.02	<0.01	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.05	<0.05	<0.05
Standard Deviation *	0	0	0	0	0	0	0	0	0	0	0	0

\* A Non Detect Multiplier of 0.5 has been applied.

		Perfluorocarbons										
		N-Ethyl perfluorooctane sulfonamide (EtFOSA)	N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	4:2 Fluorotelomer sulfonic acid (4:2 FTS)	6:2 Fluorotelomer Sulfonate (6:2 Fts)	8:2 Fluorotelomer sulfonate (8:2 Fts)	10:2 Fluorotelomer sulfonic acid (10:2 FTS)	Sum of PFAS	Sum of PFAS (WA DER List)	Sum of PFHxS and PFOS
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
LOR		0.05	0.05	0.02	0.02	0.01	0.05	0.01	0.01	0.01	0.01	0.01
ANZECC 2000 Marine Water (90%)												
NEPM 2013 Table 1C GILs, Marine Waters												
NEPM 2013 GW HSL Residential A&B, for Vapour Intrusion, Sand												
2-4m												
4-8m												
>8m												
ANZECC 2000 Irrigation - Long-term trigger value												
PFAS NEMP 2018 Table 5 Interim marine 90%												

Field ID	Location	Sample Date											
MW01		23/11/2018	<0.05	<0.05	<0.05	<0.05	<0.01	<0.05	<0.01	<0.01	<0.1	<0.05	0.02
MW02			<0.05	<0.05	<0.05	<0.05	<0.01	<0.05	<0.01	<0.01	<0.1	<0.05	<0.01
MW03			<0.05	<0.05	<0.05	<0.05	<0.01	<0.05	<0.01	<0.01	<0.1	<0.05	0.01
QA100	MW02		<0.05	<0.05	<0.05	<0.05	<0.01	<0.05	<0.01	<0.01	<0.1	<0.05	<0.01
QA200	MW02		<0.05	<0.05	<0.02	<0.02	<0.05	<0.05	<0.05	<0.05	<0.01	<0.01	<0.01

Statistical Summary												
Maximum Concentration	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.1	<0.05	0.02
Average Concentration *	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.1	<0.05	1.02
Standard Deviation *	0	0	0	0	0	0	0	0	0	0	0	0

\* A Non Detect Multiplier of 0.5 has been applied.

	A	B	C	D	E	F	G	H	I	J	K	L
1	UCL Statistics for Uncensored Full Data Sets											
2												
3	User Selected Options			Kyeemagh Infants School: TRH C16-C34 85% UCL Excluding Hotspots								
4	Date/Time of Computation			ProUCL 5.112/12/2018 5:18:13 PM								
5	From File			627289, 628416, ES1833866, ES1834552								
6	Full Precision			OFF								
7	Confidence Coefficient			95%								
8	Number of Bootstrap Operations			2000								
9												
10												
11	C0											
12												
13	General Statistics											
14	Total Number of Observations				31		Number of Distinct Observations				4	
15							Number of Missing Observations				0	
16	Minimum				100		Mean				114.5	
17	Maximum				350		Median				100	
18	SD				53.47		Std. Error of Mean				9.603	
19	Coefficient of Variation				0.467		Skewness				3.901	
20												
21	Normal GOF Test											
22	Shapiro Wilk Test Statistic				0.308		Shapiro Wilk GOF Test					
23	5% Shapiro Wilk Critical Value				0.929		Data Not Normal at 5% Significance Level					
24	Lilliefors Test Statistic				0.51		Lilliefors GOF Test					
25	5% Lilliefors Critical Value				0.156		Data Not Normal at 5% Significance Level					
26	Data Not Normal at 5% Significance Level											
27												
28	Assuming Normal Distribution											
29	95% Normal UCL					95% UCLs (Adjusted for Skewness)						
30	95% Student's-t UCL				130.8		95% Adjusted-CLT UCL (Chen-1995)				137.5	
31							95% Modified-t UCL (Johnson-1978)				131.9	
32												
33	Gamma GOF Test											
34	A-D Test Statistic				10.01		Anderson-Darling Gamma GOF Test					
35	5% A-D Critical Value				0.746		Data Not Gamma Distributed at 5% Significance Level					
36	K-S Test Statistic				0.519		Kolmogorov-Smirnov Gamma GOF Test					
37	5% K-S Critical Value				0.158		Data Not Gamma Distributed at 5% Significance Level					
38	Data Not Gamma Distributed at 5% Significance Level											
39												
40	Gamma Statistics											
41	k hat (MLE)				9.316		k star (bias corrected MLE)				8.436	
42	Theta hat (MLE)				12.29		Theta star (bias corrected MLE)				13.57	
43	nu hat (MLE)				577.6		nu star (bias corrected)				523	
44	MLE Mean (bias corrected)				114.5		MLE Sd (bias corrected)				39.43	
45						Approximate Chi Square Value (0.05)				471		
46	Adjusted Level of Significance				0.0413		Adjusted Chi Square Value				468.3	
47												
48	Assuming Gamma Distribution											
49	95% Approximate Gamma UCL (use when n>=50))				127.2		95% Adjusted Gamma UCL (use when n<50)				127.9	
50												





	A	B	C	D	E	F	G	H	I	J	K	L
1	UCL Statistics for Uncensored Full Data Sets											
2												
3	User Selected Options			Kyeemagh Infants School: Nickel 95% UCL Excluding Hotspots								
4	Date/Time of Computation			ProUCL 5.112/12/2018 3:11:33 PM								
5	From File			627289, 628416, ES1833866, ES1834552								
6	Full Precision			OFF								
7	Confidence Coefficient			95%								
8	Number of Bootstrap Operations			2000								
9												
10												
11	C0											
12												
13	General Statistics											
14	Total Number of Observations				30		Number of Distinct Observations				6	
15							Number of Missing Observations				0	
16	Minimum				2		Mean				6.287	
17	Maximum				17		Median				5	
18	SD				3.702		Std. Error of Mean				0.676	
19	Coefficient of Variation				0.589		Skewness				1.955	
20												
21	Normal GOF Test											
22	Shapiro Wilk Test Statistic				0.587		Shapiro Wilk GOF Test					
23	5% Shapiro Wilk Critical Value				0.927		Data Not Normal at 5% Significance Level					
24	Lilliefors Test Statistic				0.469		Lilliefors GOF Test					
25	5% Lilliefors Critical Value				0.159		Data Not Normal at 5% Significance Level					
26	Data Not Normal at 5% Significance Level											
27												
28	Assuming Normal Distribution											
29	95% Normal UCL					95% UCLs (Adjusted for Skewness)						
30	95% Student's-t UCL				7.435		95% Adjusted-CLT UCL (Chen-1995)				7.656	
31							95% Modified-t UCL (Johnson-1978)				7.475	
32												
33	Gamma GOF Test											
34	A-D Test Statistic				5.738		Anderson-Darling Gamma GOF Test					
35	5% A-D Critical Value				0.749		Data Not Gamma Distributed at 5% Significance Level					
36	K-S Test Statistic				0.447		Kolmogorov-Smirnov Gamma GOF Test					
37	5% K-S Critical Value				0.161		Data Not Gamma Distributed at 5% Significance Level					
38	Data Not Gamma Distributed at 5% Significance Level											
39												
40	Gamma Statistics											
41	k hat (MLE)				4.243		k star (bias corrected MLE)				3.841	
42	Theta hat (MLE)				1.482		Theta star (bias corrected MLE)				1.637	
43	nu hat (MLE)				254.6		nu star (bias corrected)				230.4	
44	MLE Mean (bias corrected)				6.287		MLE Sd (bias corrected)				3.208	
45						Approximate Chi Square Value (0.05)				196.3		
46	Adjusted Level of Significance				0.041		Adjusted Chi Square Value				194.5	
47												
48	Assuming Gamma Distribution											
49	95% Approximate Gamma UCL (use when n>=50))				7.38		95% Adjusted Gamma UCL (use when n<50)				7.449	
50												



	A	B	C	D	E	F	G	H	I	J	K	L
1	UCL Statistics for Uncensored Full Data Sets											
2												
3	User Selected Options			Kyeemagh Infatns School: B(a)P In Fill Material 95% UCL								
4	Date/Time of Computation			ProUCL 5.112/12/2018 3:16:45 PM								
5	From File			627289, 628416, ES1833866, ES1834552								
6	Full Precision			OFF								
7	Confidence Coefficient			95%								
8	Number of Bootstrap Operations			2000								
9												
10												
11	C0											
12												
13	General Statistics											
14	Total Number of Observations				41		Number of Distinct Observations				3	
15							Number of Missing Observations				0	
16	Minimum				0.5		Mean				0.515	
17	Maximum				0.9		Median				0.5	
18	SD				0.0691		Std. Error of Mean				0.0108	
19	Coefficient of Variation				0.134		Skewness				5.047	
20												
21	Normal GOF Test											
22	Shapiro Wilk Test Statistic				0.235		Shapiro Wilk GOF Test					
23	5% Shapiro Wilk Critical Value				0.941		Data Not Normal at 5% Significance Level					
24	Lilliefors Test Statistic				0.535		Lilliefors GOF Test					
25	5% Lilliefors Critical Value				0.137		Data Not Normal at 5% Significance Level					
26	Data Not Normal at 5% Significance Level											
27												
28	Assuming Normal Distribution											
29	95% Normal UCL					95% UCLs (Adjusted for Skewness)						
30	95% Student's-t UCL				0.533		95% Adjusted-CLT UCL (Chen-1995)				0.541	
31							95% Modified-t UCL (Johnson-1978)				0.534	
32												
33	Gamma GOF Test											
34	A-D Test Statistic				14.49		Anderson-Darling Gamma GOF Test					
35	5% A-D Critical Value				0.747		Data Not Gamma Distributed at 5% Significance Level					
36	K-S Test Statistic				0.538		Kolmogorov-Smirnov Gamma GOF Test					
37	5% K-S Critical Value				0.137		Data Not Gamma Distributed at 5% Significance Level					
38	Data Not Gamma Distributed at 5% Significance Level											
39												
40	Gamma Statistics											
41	k hat (MLE)				79.47		k star (bias corrected MLE)				73.67	
42	Theta hat (MLE)				0.00648		Theta star (bias corrected MLE)				0.00699	
43	nu hat (MLE)				6516		nu star (bias corrected)				6041	
44	MLE Mean (bias corrected)				0.515		MLE Sd (bias corrected)				0.06	
45						Approximate Chi Square Value (0.05)				5861		
46	Adjusted Level of Significance				0.0441		Adjusted Chi Square Value				5855	
47												
48	Assuming Gamma Distribution											
49	95% Approximate Gamma UCL (use when n>=50))				0.53		95% Adjusted Gamma UCL (use when n<50)				0.531	
50												



---

	A	B	C	D	E	F	G	H	I	J	K	L
1	UCL Statistics for Uncensored Full Data Sets											
2												
3	User Selected Options			Kyeemagh Infants School: Chromium 95% UCL								
4	Date/Time of Computation			ProUCL 5.17/12/2018 11:50:02 AM								
5	From File			627289, 628416, ES1833866, ES1834552								
6	Full Precision			OFF								
7	Confidence Coefficient			95%								
8	Number of Bootstrap Operations			2000								
9												
10												
11	C0											
12												
13	General Statistics											
14	Total Number of Observations				41		Number of Distinct Observations				10	
15							Number of Missing Observations				0	
16	Minimum				2		Mean				9.329	
17	Maximum				130		Median				5	
18	SD				19.92		Std. Error of Mean				3.112	
19	Coefficient of Variation				2.136		Skewness				5.869	
20												
21	Normal GOF Test											
22	Shapiro Wilk Test Statistic				0.267		Shapiro Wilk GOF Test					
23	5% Shapiro Wilk Critical Value				0.941		Data Not Normal at 5% Significance Level					
24	Lilliefors Test Statistic				0.412		Lilliefors GOF Test					
25	5% Lilliefors Critical Value				0.137		Data Not Normal at 5% Significance Level					
26	Data Not Normal at 5% Significance Level											
27												
28	Assuming Normal Distribution											
29	95% Normal UCL					95% UCLs (Adjusted for Skewness)						
30	95% Student's-t UCL				14.57		95% Adjusted-CLT UCL (Chen-1995)				17.49	
31							95% Modified-t UCL (Johnson-1978)				15.04	
32												
33	Gamma GOF Test											
34	A-D Test Statistic				9.792		Anderson-Darling Gamma GOF Test					
35	5% A-D Critical Value				0.772		Data Not Gamma Distributed at 5% Significance Level					
36	K-S Test Statistic				0.434		Kolmogorov-Smirnov Gamma GOF Test					
37	5% K-S Critical Value				0.141		Data Not Gamma Distributed at 5% Significance Level					
38	Data Not Gamma Distributed at 5% Significance Level											
39												
40	Gamma Statistics											
41	k hat (MLE)				1.249		k star (bias corrected MLE)				1.174	
42	Theta hat (MLE)				7.469		Theta star (bias corrected MLE)				7.947	
43	nu hat (MLE)				102.4		nu star (bias corrected)				96.26	
44	MLE Mean (bias corrected)				9.329		MLE Sd (bias corrected)				8.611	
45							Approximate Chi Square Value (0.05)				74.63	
46	Adjusted Level of Significance				0.0441		Adjusted Chi Square Value				73.93	
47												
48	Assuming Gamma Distribution											
49	95% Approximate Gamma UCL (use when n>=50))				12.03		95% Adjusted Gamma UCL (use when n<50)				12.15	
50												



	A	B	C	D	E	F	G	H	I	J	K	L
1	UCL Statistics for Uncensored Full Data Sets											
2												
3	User Selected Options			Kyeemagh Infants School: Fill material nickel 95% UCL								
4	Date/Time of Computation			ProUCL 5.112/12/2018 3:01:43 PM								
5	From File			627289, 628416, ES1833866, ES1834552								
6	Full Precision			OFF								
7	Confidence Coefficient			95%								
8	Number of Bootstrap Operations			2000								
9												
10												
11	C0											
12												
13	General Statistics											
14	Total Number of Observations				30		Number of Distinct Observations				8	
15							Number of Missing Observations				0	
16	Minimum				2		Mean				11.29	
17	Maximum				130		Median				5	
18	SD				23.13		Std. Error of Mean				4.222	
19	Coefficient of Variation				2.049		Skewness				4.997	
20												
21	Normal GOF Test											
22	Shapiro Wilk Test Statistic				0.331		Shapiro Wilk GOF Test					
23	5% Shapiro Wilk Critical Value				0.927		Data Not Normal at 5% Significance Level					
24	Lilliefors Test Statistic				0.374		Lilliefors GOF Test					
25	5% Lilliefors Critical Value				0.159		Data Not Normal at 5% Significance Level					
26	Data Not Normal at 5% Significance Level											
27												
28	Assuming Normal Distribution											
29	95% Normal UCL					95% UCLs (Adjusted for Skewness)						
30	95% Student's-t UCL				18.46		95% Adjusted-CLT UCL (Chen-1995)				22.35	
31							95% Modified-t UCL (Johnson-1978)				19.1	
32												
33	Gamma GOF Test											
34	A-D Test Statistic				5.446		Anderson-Darling Gamma GOF Test					
35	5% A-D Critical Value				0.774		Data Not Gamma Distributed at 5% Significance Level					
36	K-S Test Statistic				0.421		Kolmogorov-Smirnov Gamma GOF Test					
37	5% K-S Critical Value				0.165		Data Not Gamma Distributed at 5% Significance Level					
38	Data Not Gamma Distributed at 5% Significance Level											
39												
40	Gamma Statistics											
41	k hat (MLE)				1.063		k star (bias corrected MLE)				0.979	
42	Theta hat (MLE)				10.62		Theta star (bias corrected MLE)				11.53	
43	nu hat (MLE)				63.77		nu star (bias corrected)				58.72	
44	MLE Mean (bias corrected)				11.29		MLE Sd (bias corrected)				11.41	
45						Approximate Chi Square Value (0.05)				42.11		
46	Adjusted Level of Significance				0.041		Adjusted Chi Square Value				41.29	
47												
48	Assuming Gamma Distribution											
49	95% Approximate Gamma UCL (use when n>=50))				15.74		95% Adjusted Gamma UCL (use when n<50)				16.05	
50												





APPENDIX

D

BOREHOLE LOGS

Client: DWP Australia  
Project: Detailed Site Investigation and Geotechnical Investigation  
Location: Kyeemagh Infants School, Kyeemagh, NSW Job N

**Hole No: BH01**

**Job No: 5017190157**

Sheet: 1 of 2

**Position: E330215.509 N6241986.553 56 MGA94**

**Angle from Horizontal: 90°**

**Surface Elevation: 3.480 m AHD**

Rig Type: Ute Mounted Drill Rig

**Mounting: Light Vehicle**

**Driller: TR**

**Casing Diameter:**





**Contractor: Stratacore**

**Data Started: 10/11/18**

Date Completed: 10/11/18

**Logged By: DD**

**Checked By: JB**




Drilling			Sampling & Testing		Material Description										
Method	Resistance	Casing	Water	Sample or Field Test	RL (m AHD)	Depth (m)	Graphic Log	Classification	SOIL TYPE, plasticity or particle characteristic, colour, secondary and minor components ROCK TYPE, grain size and type, colour, fabric & texture, strength, weathering, defects and structure	Moisture Condition	Consistency Relative Density	STRUCTURE & Other Observations			
<div>AD/T</div> <div>WB</div>	F-H		<div>10/11/18</div>	SPT 1.00 - 1.45 m 4, 4, 6 N=10		3			0.10m 0.30m Silty SAND: fine grained, grey, with organics FILL: Gravely SAND: fine grained, grey, fine to medium grained gravel Silty SAND: fine grained, grey yellow	D		TOPSOIL FILL			
													MARINE		
									1						
								2							
								2							
								SPT 2.50 - 2.95 m 5, 9, 15 N=24		1		2.20m Silty SAND: fine to medium grained, white yellow	M		
									3						
									0						
								ES 4.00 - 4.45 m BH01 4.00-4.45 ASS SPT 4.00 - 4.45 m 8, 16, 26 N=42		-1	SP				MD to D
									4						
				5.50 - 5.95 m BH01 5.50-5.95 ASS SPT 5.50 - 5.95 m 17, 19, 19 N=38		-2		5.50m SAND: fine to medium grained, pale grey, trace fine grained rounded gravel							
					6										
						-3		SP		w	D				
				7.00 - 7.45 m BH01 7.00-7.45 ASS SPT 7.00 - 7.45 m 5, 5, 3 N=8		-4		7.38m Silty CLAY: medium plasticity, black, trace fine grained gravel, trace of shells			F to St	7.40 m: HP = 100 Kpa			
						8		CI							
				8.50 - 8.95 m BH01 8.50-8.95 ASS SPT 8.50 - 8.95 m 0, 0, 0 N=0		-5		8.30m Sandy CLAY: low to medium plasticity, black, fine grained sand, with shell fragments			VS to S				
						9		CL-CI							
						-6			10.00m						




METHOD	PENETRATION	FIELD TESTS	SAMPLES	SOIL CONSISTENCY
EX Excavator bucket R Ripper HA Hand auger PT Push tube SON Sonic drilling AH Air hammer PS Percussion sampler AS Short spiral auger AD/V Solid flight auger: V-Bit AD/T Solid flight auger: TC-Bit HFA Hollow flight auger WB Washbore drilling RR Rock roller	VE Very Easy (No Resistance) E Easy F Firm H Hard VH Very Hard (Refusal)	SPT - Standard Penetration Test HP - Hand/Pocket Penetrometer DCP - Dynamic Cone Penetrometer PSP - Perth Sand Penetrometer MC - Moisture Content PBT - Plate Bearing Test IMP - Borehole Impression Test PID - Photoionisation Detector VS - Vane Shear; P=Peak, R=Residual (uncorrected kPa)	B - Bulk disturbed sample D - Disturbed sample ES - Environmental sample U - Thin wall tube 'undisturbed'	VS - Very Soft S - Soft F - Firm St - Stiff VSt - Very Stiff H - Hard
	<b>WATER</b> Water Level on Date shown water inflow water outflow		<b>MOISTURE</b> D - Dry M - Moist W - Wet PL - Plastic limit LL - Liquid limit w - Moisture content	<b>RELATIVE DENSITY</b> VL - Very Loose L - Loose MD - Medium Dense D - Dense VD - Very Dense

Refer to explanatory notes for details of abbreviations and basis of descriptions

CARDNO (NSW/ACT) PTY LTD

<b>Client:</b> DWP Australia		<b>Hole No: BH01</b>	
<b>Project:</b> Detailed Site Investigation and Geotechnical Investigation			
<b>Location:</b> Kyeemagh Infants School, Kyeemagh, NSW		<b>Job No:</b> 5017190157	<b>Sheet:</b> 2 of 2
<b>Position:</b> E330215.509 N6241986.553 56 MGA94		<b>Angle from Horizontal:</b> 90°	<b>Surface Elevation:</b> 3.480 m AHD
<b>Rig Type:</b> Ute Mounted Drill Rig		<b>Mounting:</b> Light Vehicle	<b>Driller:</b> TR
<b>Casing Diameter:</b>		<b>Contractor:</b> Stratacore	
<b>Data Started:</b> 10/11/18		<b>Date Completed:</b> 10/11/18	<b>Logged By:</b> DD
		<b>Checked By:</b> JB	

Drilling			Water	Sampling & Testing	RL (m AHD)	Depth (m)	Material Description							
Method	Resistance	Casing		Sample or Field Test			Graphic Log	Classification	SOIL TYPE, plasticity or particle characteristic, colour, secondary and minor components ROCK TYPE, grain size and type, colour, fabric & texture, strength, weathering, defects and structure	Moisture Condition	Consistency Relative Density	STRUCTURE & Other Observations		
WB ↓	F-H			10.00 - 10.45 m BH01 10.00-10.45 ASS SPT 10.00 - 10.45 m 1, 0, 1 N=1	-7		CL- CI	Clayey CLAY: fine to medium, black, low plasticity clay	W		VL	MARINE		
				SPT 11.50 - 11.95 m 4, 5, 7 N=12	-8						11.50m		SAND: medium grained, yellow grey	MD
				SPT 13.00 - 13.45 m 4, 7, 14 N=21	-10		SP	13.00m			Clayey SAND: fine grained, grey, low plasticity clay		D to VD	WEATHERED ROCK
				SPT 14.50 - 14.80 m 26, 30 N=R	-11			14.60m			SAND: fine to medium grained, grey yellow			
				SPT 16.00 - 16.45 m 0, 8, 30 N=38	-12		SP	16.45m			TERMINATED AT 16.45 m Target depth			
					-13									
					-14									
					-15									
					-16									

<b>METHOD</b> EX Excavator bucket R Ripper HA Hand auger PT Push tube SON Sonic drilling AH Air hammer PS Percussion sampler AS Short spiral auger AD/V Solid flight auger: V-Bit AD/T Solid flight auger: TC-Bit HFA Hollow flight auger WB Washbore drilling RR Rock roller	<b>PENETRATION</b> VE Very Easy (No Resistance) E Easy F Firm H Hard VH Very Hard (Refusal)  <b>WATER</b>  Water Level on Date shown  water inflow  water outflow	<b>FIELD TESTS</b> SPT - Standard Penetration Test HP - Hand/Pocket Penetrometer DCP - Dynamic Cone Penetrometer PSP - Perth Sand Penetrometer MC - Moisture Content PBT - Plate Bearing Test IMP - Borehole Impression Test PID - Photoionisation Detector VS - Vane Shear; P=Peak, R=Residual (uncorrected kPa)	<b>SAMPLES</b> B - Bulk disturbed sample D - Disturbed sample ES - Environmental sample U - Thin wall tube 'undisturbed'  <b>MOISTURE</b> D - Dry M - Moist W - Wet PL - Plastic limit LL - Liquid limit w - Moisture content	<b>SOIL CONSISTENCY</b> VS - Very Soft S - Soft F - Firm St - Stiff VSt - Very Stiff H - Hard  <b>RELATIVE DENSITY</b> VL - Very Loose L - Loose MD - Medium Dense D - Dense VD - Very Dense
--	--	--	---	---

Refer to explanatory notes for details of abbreviations and basis of descriptions



<b>Client:</b> DWP Australia		<b>Hole No: BH02</b>	
<b>Project:</b> Detailed Site Investigation and Geotechnical Investigation			
<b>Location:</b> Kyeemagh Infants School, Kyeemagh, NSW		<b>Job No:</b> 5017190157	<b>Sheet:</b> 1 of 2
<b>Position:</b> E330177.733 N6242026.438 56 MGA94		<b>Angle from Horizontal:</b> 90°	<b>Surface Elevation:</b> 4.600 m AHD
<b>Rig Type:</b> Ute Mounted Drill Rig		<b>Mounting:</b> Light Vehicle	<b>Driller:</b> TR
<b>Casing Diameter:</b>		<b>Contractor:</b> Stratacore	
<b>Data Started:</b> 17/11/18		<b>Date Completed:</b> 17/11/18	<b>Logged By:</b> DD
		<b>Checked By:</b> JB	




Drilling			Water	Sampling & Testing		RL (m AHD)	Depth (m)	Material Description					
Method	Resistance	Casing		Sample or Field Test	Graphic Log			Classification	SOIL TYPE, plasticity or particle characteristic, colour, secondary and minor components ROCK TYPE, grain size and type, colour, fabric & texture, strength, weathering, defects and structure	Moisture Condition	Consistency Relative Density	STRUCTURE & Other Observations	
AD/T	E		07/11/18										
	</												

<b>METHOD</b> EX Excavator bucket R Ripper HA Hand auger PT Push tube SON Sonic drilling AH Air hammer PS Percussion sampler AS Short spiral auger AD/V Solid flight auger: V-Bit AD/T Solid flight auger: TC-Bit HFA Hollow flight auger WB Washbore drilling RR Rock roller	<b>PENETRATION</b> VE Very Easy (No Resistance) E Easy F Firm H Hard VH Very Hard (Refusal)  <b>WATER</b> ▽ Water Level on Date shown ► water inflow ◄ water outflow	<b>FIELD TESTS</b> SPT - Standard Penetration Test HP - Hand/Pocket Penetrometer DCP - Dynamic Cone Penetrometer PSP - Perth Sand Penetrometer MC - Moisture Content PBT - Plate Bearing Test IMP - Borehole Impression Test PID - Photoionisation Detector VS - Vane Shear; P=Peak, R=Residual (uncorrected kPa)	<b>SAMPLES</b> B - Bulk disturbed sample D - Disturbed sample ES - Environmental sample U - Thin wall tube 'undisturbed'  <b>MOISTURE</b> D - Dry M - Moist W - Wet PL - Plastic limit LL - Liquid limit w - Moisture content	<b>SOIL CONSISTENCY</b> VS - Very Soft S - Soft F - Firm St - Stiff VSt - Very Stiff H - Hard  <b>RELATIVE DENSITY</b> VL - Very Loose L - Loose MD - Medium Dense D - Dense VD - Very Dense
--	--	--	---	---

Refer to explanatory notes for details of abbreviations and basis of descriptions

<b>Client:</b> DWP Australia		<b>Hole No: BH02</b>	
<b>Project:</b> Detailed Site Investigation and Geotechnical Investigation			
<b>Location:</b> Kyeemagh Infants School, Kyeemagh, NSW		<b>Job No:</b> 5017190157	<b>Sheet:</b> 2 of 2
<b>Position:</b> E330177.733 N6242026.438 56 MGA94		<b>Angle from Horizontal:</b> 90°	<b>Surface Elevation:</b> 4.600 m AHD
<b>Rig Type:</b> Ute Mounted Drill Rig		<b>Mounting:</b> Light Vehicle	<b>Driller:</b> TR
<b>Casing Diameter:</b>		<b>Contractor:</b> Stratacore	
<b>Data Started:</b> 17/11/18		<b>Date Completed:</b> 17/11/18	<b>Logged By:</b> DD
		<b>Checked By:</b> JB	




Drilling			Water	Sampling & Testing	RL (m AHD)	Depth (m)	Material Description					
Method	Resistance	Casing		Sample or Field Test			Graphic Log	Classification	SOIL TYPE, plasticity or particle characteristic, colour, secondary and minor components ROCK TYPE, grain size and type, colour, fabric & texture, strength, weathering, defects and structure	Moisture Condition	Consistency Relative Density	STRUCTURE & Other Observations
WB ↓	E			SPT 10.00 - 10.45 m 0, 0, 0 N=0	-6	CL	Sandy CLAY: low plasticity, black brown, fine grained sand ( <i>continued</i> )	W	VS to S	MARINE		
				SPT 11.50 - 11.95 m 20, 2, 4 N=6	-7							
				SPT 13.00 - 13.45 m 2, 5, 8 N=13	-8	CL- CL	Sandy CLAY: low to medium plasticity, grey, fine grained sand		St			
				SPT 14.50 - 14.68 m 24, 30/30mm N=R	-9							
				SPT 16.00 - 16.45 m 7, 5, 5 N=10	-10	SP	SAND: medium grained, grey		D to VD			
				SPT 17.50 - 17.95 m 16, 19, 17 N=36	-11							
					-12	CL- CH	Sandy CLAY: medium to high plasticity, fine grained sand		H			
					-13							
					-14	SP	Clayey SAND: fine to medium grained, grey, low plasticity clay		D to VD			
					-15							
						TERMINATED AT 17.95 m Target depth						

<b>METHOD</b> EX Excavator bucket R Ripper HA Hand auger PT Push tube SON Sonic drilling AH Air hammer PS Percussion sampler AS Short spiral auger AD/V Solid flight auger: V-Bit AD/T Solid flight auger: TC-Bit HFA Hollow flight auger WB Washbore drilling RR Rock roller	<b>PENETRATION</b> VE Very Easy (No Resistance) E Easy F Firm H Hard VH Very Hard (Refusal)  <b>WATER</b>  Water Level on Date shown  water inflow  water outflow	<b>FIELD TESTS</b> SPT - Standard Penetration Test HP - Hand/Pocket Penetrometer DCP - Dynamic Cone Penetrometer PSP - Perth Sand Penetrometer MC - Moisture Content PBT - Plate Bearing Test IMP - Borehole Impression Test PID - Photoionisation Detector VS - Vane Shear; P=Peak, R=Residual (uncorrected kPa)	<b>SAMPLES</b> B - Bulk disturbed sample D - Disturbed sample ES - Environmental sample U - Thin wall tube 'undisturbed'  <b>MOISTURE</b> D - Dry M - Moist W - Wet PL - Plastic limit LL - Liquid limit w - Moisture content	<b>SOIL CONSISTENCY</b> VS - Very Soft S - Soft F - Firm St - Stiff VSt - Very Stiff H - Hard  <b>RELATIVE DENSITY</b> VL - Very Loose L - Loose MD - Medium Dense D - Dense VD - Very Dense
--	--	--	---	---

Refer to explanatory notes for details of abbreviations and basis of descriptions

<b>Client:</b> DWP Australia		<b>Hole No: BH03</b>	
<b>Project:</b> Detailed Site Investigation and Geotechnical Investigation			
<b>Location:</b> Kyeemagh Infants School, Kyeemagh, NSW		<b>Job No:</b> 5017190157	<b>Sheet:</b> 1 of 2
<b>Position:</b> E330229.353 N6241972.538 56 MGA94		<b>Angle from Horizontal:</b> 90°	<b>Surface Elevation:</b> 3.830 m AHD
<b>Rig Type:</b> Ute Mounted Drill Rig		<b>Mounting:</b> Light Vehicle	<b>Driller:</b> TR
<b>Casing Diameter:</b>		<b>Contractor:</b> Stratacore	
<b>Data Started:</b> 17/11/18		<b>Date Completed:</b> 17/11/18	<b>Logged By:</b> DD
		<b>Checked By:</b> JB	




Drilling			Water	Sampling & Testing		RL (m AHD)	Depth (m)	Material Description					
Method	Resistance	Casing		Sample or Field Test	Graphic Log			Classification	SOIL TYPE, plasticity or particle characteristic, colour, secondary and minor components ROCK TYPE, grain size and type, colour, fabric & texture, strength, weathering, defects and structure	Moisture Condition	Consistency Relative Density	STRUCTURE & Other Observations	
AD/T	E-F	WB	07/11/18	D 0.20 - 0.50 m			0.10m	SAND: fine to medium grained, dark brown, with organics SAND: fine to medium grained, pale brown	D to M	MD	TOPSOIL MARINE		
				SPT 1.00 - 1.45 m 1, 3, 3 N=6	3	1							
				B 2.00 - 2.50 m	2	2							
				SPT 2.50 - 2.95 m 2, 7, 10 N=17	1	3							
				SPT 4.00 - 4.45 m 6, 20, 22 N=42	0	4	4.00m	SAND: fine to medium grained, white yellow					
				SPT 5.50 - 5.95 m 3, 12, 27 N=39	-1	5		medium grained sand					
				SPT 7.00 - 7.45 m 7, 7, 6 N=13	-2	6		turning grey in colour					
				SPT 8.50 - 8.95 m 0, 0, 1 N=1	-3	7	8.20m	Sandy CLAY: low plasticity, grey, fine to medium grained sand					
					-4	8							
					-5	9							
					-6								

<b>METHOD</b> EX Excavator bucket R Ripper HA Hand auger PT Push tube SON Sonic drilling AH Air hammer PS Percussion sampler AS Short spiral auger AD/V Solid flight auger: V-Bit AD/T Solid flight auger: TC-Bit HFA Hollow flight auger WB Washbore drilling RR Rock roller	<b>PENETRATION</b> VE Very Easy (No Resistance) E Easy F Firm H Hard VH Very Hard (Refusal)  <b>WATER</b>  Water Level on Date shown  water inflow  water outflow	<b>FIELD TESTS</b> SPT - Standard Penetration Test HP - Hand/Pocket Penetrometer DCP - Dynamic Cone Penetrometer PSP - Perth Sand Penetrometer MC - Moisture Content PBT - Plate Bearing Test IMP - Borehole Impression Test PID - Photoionisation Detector VS - Vane Shear; P=Peak, R=Residual (uncorrected kPa)	<b>SAMPLES</b> B - Bulk disturbed sample D - Disturbed sample ES - Environmental sample U - Thin wall tube 'undisturbed'  <b>MOISTURE</b> D - Dry M - Moist W - Wet PL - Plastic limit LL - Liquid limit w - Moisture content	<b>SOIL CONSISTENCY</b> VS - Very Soft S - Soft F - Firm St - Stiff VSt - Very Stiff H - Hard  <b>RELATIVE DENSITY</b> VL - Very Loose L - Loose MD - Medium Dense D - Dense VD - Very Dense
--	--	--	---	---

Refer to explanatory notes for details of abbreviations and basis of descriptions

<b>Client:</b> DWP Australia		<b>Hole No: BH03</b>	
<b>Project:</b> Detailed Site Investigation and Geotechnical Investigation			
<b>Location:</b> Kyeemagh Infants School, Kyeemagh, NSW		<b>Job No:</b> 5017190157	<b>Sheet:</b> 2 of 2
<b>Position:</b> E330229.353 N6241972.538 56 MGA94		<b>Angle from Horizontal:</b> 90°	<b>Surface Elevation:</b> 3.830 m AHD
<b>Rig Type:</b> Ute Mounted Drill Rig		<b>Mounting:</b> Light Vehicle	<b>Driller:</b> TR
<b>Casing Diameter:</b>		<b>Contractor:</b> Stratacore	
<b>Data Started:</b> 17/11/18		<b>Date Completed:</b> 17/11/18	<b>Logged By:</b> DD
		<b>Checked By:</b> JB	



Drilling			Water	Sampling & Testing	RL (m AHD)	Depth (m)	Material Description					
Method	Resistance	Casing		Sample or Field Test			Graphic Log	Classification	SOIL TYPE, plasticity or particle characteristic, colour, secondary and minor components ROCK TYPE, grain size and type, colour, fabric & texture, strength, weathering, defects and structure	Moisture Condition	Consistency Relative Density	STRUCTURE & Other Observations
<div>WB</div> <div>↓</div>	E-F			SPT 10.00 - 10.45 m 0, 1, 0 N=1	<div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div>							




<b>METHOD</b> EX Excavator bucket R Ripper HA Hand auger PT Push tube SON Sonic drilling AH Air hammer PS Percussion sampler AS Short spiral auger AD/V Solid flight auger: V-Bit AD/T Solid flight auger: TC-Bit HFA Hollow flight auger WB Washbore drilling RR Rock roller	<b>PENETRATION</b> VE Very Easy (No Resistance) E Easy F Firm H Hard VH Very Hard (Refusal)  <b>WATER</b>  Water Level on Date shown  water inflow  water outflow	<b>FIELD TESTS</b> SPT - Standard Penetration Test HP - Hand/Pocket Penetrometer DCP - Dynamic Cone Penetrometer PSP - Perth Sand Penetrometer MC - Moisture Content PBT - Plate Bearing Test IMP - Borehole Impression Test PID - Photoionisation Detector VS - Vane Shear; P=Peak, R=Residual (uncorrected kPa)	<b>SAMPLES</b> B - Bulk disturbed sample D - Disturbed sample ES - Environmental sample U - Thin wall tube 'undisturbed'  <b>MOISTURE</b> D - Dry M - Moist W - Wet PL - Plastic limit LL - Liquid limit w - Moisture content	<b>SOIL CONSISTENCY</b> VS - Very Soft S - Soft F - Firm St - Stiff VSt - Very Stiff H - Hard  <b>RELATIVE DENSITY</b> VL - Very Loose L - Loose MD - Medium Dense D - Dense VD - Very Dense
--	--	--	---	---

Refer to explanatory notes for details of abbreviations and basis of descriptions



<b>Client:</b> DWP Australia		<b>Hole No: BH04</b>	
<b>Project:</b> Detailed Site Investigation and Geotechnical Investigation			
<b>Location:</b> Kyeemagh Infants School, Kyeemagh, NSW		<b>Job No:</b> 5017190157	<b>Sheet:</b> 1 of 1
<b>Position:</b> E330149.299 N6241929.836 56 MGA94		<b>Angle from Horizontal:</b> 90°	<b>Surface Elevation:</b> 4.380 m AHD
<b>Rig Type:</b> Ute Mounted Drill Rig		<b>Mounting:</b> Light Vehicle	<b>Driller:</b> TR
<b>Casing Diameter:</b>		<b>Contractor:</b> Stratacore	
<b>Data Started:</b> 10/11/18		<b>Date Completed:</b> 10/11/18	<b>Logged By:</b> DD
		<b>Checked By:</b> JB	

Drilling			Water	Sampling & Testing	RL (m AHD)	Depth (m)	Graphic Log	Classification	Material Description SOIL TYPE, plasticity or particle characteristic, colour, secondary and minor components ROCK TYPE, grain size and type, colour, fabric & texture, strength, weathering, defects and structure	Moisture Condition	Consistency Relative Density	STRUCTURE & Other Observations		
Method	Resistance	Casing		Sample or Field Test										
	E		Not Encountered	SPT 0.50 - 0.95 m 0, 0, 0 N=0	4		0.13m ASPHALT: corase grained gravel, black	SP	FILL: SAND: fine to medium grained, grey	D	L	PAVEMENT FILL		
				B 1.00 - 1.20 m	1		0.50m SAND: fine to medium grained, pale brown					MARINE		
				B 1.50 - 2.00 m SPT 1.50 - 1.95 m 3, 5, 6 N=11	3		1.50m Silty SAND: fine to medium grained, brown							
					2		SP					Turning white/ pale brown in colour		
				SPT 3.00 - 3.45 m 5, 12, 15 N=27	3									
					1									
					4								4.00m	
					0								TERMINATED AT 4.00 m Refusal Borehole Refusal Depth Collapse at 4.0m 10/11/18 at 16:20	
					5									
					-1									
	6													
	-2													
	7													
	-3													
	8													
	-4													
	9													
	-5													

<b>METHOD</b> EX Excavator bucket R Ripper HA Hand auger PT Push tube SON Sonic drilling AH Air hammer PS Percussion sampler AS Short spiral auger AD/V Solid flight auger: V-Bit AD/T Solid flight auger: TC-Bit HFA Hollow flight auger WB Washbore drilling RR Rock roller	<b>PENETRATION</b> VE Very Easy (No Resistance) E Easy F Firm H Hard VH Very Hard (Refusal)  <b>WATER</b>  Water Level on Date shown  water inflow  water outflow	<b>FIELD TESTS</b> SPT - Standard Penetration Test HP - Hand/Pocket Penetrometer DCP - Dynamic Cone Penetrometer PSP - Perth Sand Penetrometer MC - Moisture Content PBT - Plate Bearing Test IMP - Borehole Impression Test PID - Photoionisation Detector VS - Vane Shear; P=Peak, R=Residual (uncorrected kPa)	<b>SAMPLES</b> B - Bulk disturbed sample D - Disturbed sample ES - Environmental sample U - Thin wall tube 'undisturbed'  <b>MOISTURE</b> D - Dry M - Moist W - Wet PL - Plastic limit LL - Liquid limit w - Moisture content	<b>SOIL CONSISTENCY</b> VS - Very Soft S - Soft F - Firm St - Stiff VSt - Very Stiff H - Hard  <b>RELATIVE DENSITY</b> VL - Very Loose L - Loose MD - Medium Dense D - Dense VD - Very Dense
--	--	--	---	---

Refer to explanatory notes for details of abbreviations and basis of descriptions

Client: DWP Australia  
Project: Detailed Site Investigation and Geotechnical Investigation  
Location: Kyeemagh Infants School, Kyeemagh, NSW Job N

Hole No: BH05

**Job No: 5017190157**

Sheet: 1 of 1

Position: E330122.818 N6241979.746 56 MGA94

**Angle from Horizontal: 90°**

**Surface Elevation: 4.560 m AHD**

Rig Type: Ute Mounted Drill Rig

**Mounting: Light Vehicle**

Driller: TR

**Casing Diameter:**

**Contractor: Stratacore**

**Data Started: 10/11/18**

Date Completed: 10/11/18

**Logged By: DD**

**Checked By: JB**

Drilling			Water	Sampling & Testing	RL (m AHD)	Depth (m)	Material Description				
Method	Resistance	Casing		Sample or Field Test			Graphic Log	Classification	SOIL TYPE, plasticity or particle characteristic, colour, secondary and minor components ROCK TYPE, grain size and type, colour, fabric & texture, strength, weathering, defects and structure	Moisture Condition	Consistency Relative Density
AD/T			Not Encountered	D 0.20 - 0.50 m			SP	0.20m Gravelly SAND: fine grained, black	D	L to MD	TOPSOIL
		SPT 0.50 - 0.95 m 3, 6, 6 N=12				Silty SAND: fine grained, dark grey					MARINE
		D 1.00 - 1.10 m									
		SPT 1.50 - 1.95 m 2, 3, 4 N=7									
						2.00m Silty SAND: fine grained, brown					
		SPT 3.00 - 3.45 m 3, 5, 9 N=14			SP		D to M	MD			
						SPT 4.50 - 4.95 m 2, 3, 9 N=12			SP	4.50m SAND: fine to medium grained, pale brown	M
								5.50m			
					-1			TERMINATED AT 5.50 m Target depth			
					-2						
					-3						
					-4						
					-5						
					-6						
					-7						
					-8						
					-9						
					-10						
					-11						
					-12						
					-13						
					-14						
					-15						
					-16						
					-17						
					-18						
					-19						
					-20						
					-21						
					-22						
					-23						
					-24						
					-25						
					-26						
					-27						
					-28						
					-29						
					-30						
					-31						
					-32						
					-33						
					-34						
					-35						
					-36						
					-37						
					-38						
					-39						
					-40						
					-41						
					-42						
					-43						
					-44						
					-45						
					-46						
					-47						
					-48						
					-49						
					-50						
					-51						
					-52						
					-53						
					-54						
					-55						
					-56						
					-57						
					-58						
					-59						
					-60						
					-61						
					-62						
					-63						
					-64						
					-65						
					-66						
					-67						
					-68						
					-69						
					-70						
					-71						
					-72						
					-73						
					-74						
					-75						
					-76						
					-77						
					-78						
					-79						
					-80						
					-81						
					-82						
					-83						
					-84						
					-85						
					-86						
					-87						
					-88						
					-89						
					-90						
					-91						
					-92						
					-93						
					-94						
					-95						
					-96						
					-97						
					-98						
					-99						
					-100						

METHOD	PENETRATION	FIELD TESTS	SAMPLES	SOIL CONSISTENCY
EX Excavator bucket R Ripper HA Hand auger PT Push tube SON Sonic drilling AH Air hammer PS Percussion sampler AS Short spiral auger AD/V Solid flight auger: V-Bit AD/T Solid flight auger: TC-Bit HFA Hollow flight auger WB Washbore drilling RR Rock roller	VE Very Easy (No Resistance) E Easy F Firm H Hard VH Very Hard (Refusal)	SPT - Standard Penetration Test HP - Hand/Pocket Penetrometer DCP - Dynamic Cone Penetrometer PSP - Perth Sand Penetrometer MC - Moisture Content PBT - Plate Bearing Test IMP - Borehole Impression Test PID - Photionisation Detector VS - Vane Shear; P=Peak, R=Resdual (uncorrected kPa)	B - Bulk disturbed sample D - Disturbed sample ES - Environmental sample U - Thin wall tube 'undisturbed'	VS - Very Soft S - Soft F - Firm St - Stiff VSt - Very Stiff H - Hard
	<b>WATER</b> Water Level on Date shown water inflow water outflow		<b>MOISTURE</b> D - Dry M - Moist W - Wet PL - Plastic limit LL - Liquid limit w - Moisture content	<b>RELATIVE DENSITY</b> VL - Very Loose L - Loose MD - Medium Dense D - Dense VD - Very Dense

Refer to explanatory notes for details of abbreviations and basis of descriptions

CARDNO (NSW/ACT) PTY LTD

Client: DWP Australia  
Project: Detailed Site Investigation and Geotechnical Investigation  
Location: Kyeemagh Infants School, Kyeemagh, NSW Job N

**Hole No: TP01**

Job No: 5017190157

Sheet: 1 of 1

**Position: E330227.528 N6242031.053 56 MGA94**

**Angle from Horizontal: 90°**

**Surface Elevation:**

Machine Type: 10 tonne Excavator

**Excavation Method:**

### Excavation Dimensions:

**Contractor:**

Date Excavated: 10/11/18

**Logged By: JG**

**Checked By:**

Excavation			Water	Sampling & Testing	Depth (m)	Material Description					
Method	Resistance	Stability		Sample or Field Test		Graphic Log	Classification	SOIL TYPE, plasticity or particle characteristic, colour, secondary and minor components ROCK TYPE, grain size and type, colour, fabric & texture, strength, weathering, defects and structure	Moisture Condition	Consistency Relative Density	STRUCTURE & Other Observations
<div>↑</div> <div>EX</div> <div>↓</div>										TOPSOIL 0.00 m: PID = 0.1ppm	
			ES 0.20 m TP01_0.2			0.20m	Silty SAND: fine to medium grained, poorly graded, black, with coal ash layer	D		FILL 0.20 m: PID = 0.0 ppm	
			ES 0.90 m TP01_0.9			0.90m	FILL: SAND: fine to medium grained, uniform, brown yellow grey	M			
						1.40m	SAND: fine to medium grained, uniform, yellow brown	M	F	MARINE	
					1.5			TERMINATED AT 1.40 m Target depth			
					2.0						
					2.5						
					3.0						
					3.5						
					4.0						
					4.5						

METHOD	PENETRATION	FIELD TESTS	SAMPLES	SOIL CONSISTENCY
EX Excavator bucket R Ripper HA Hand auger PT Push tube SON Sonic drilling AH Air hammer PS Percussion sampler AS Short spiral auger AD/V Solid flight auger: V-Bit AD/T Solid flight auger: TC-Bit HFA Hollow flight auger WB Washbore drilling RR Rock roller	VE Very Easy (No Resistance) E Easy F Firm H Hard VH Very Hard (Refusal)	SPT - Standard Penetration Test HP - Hand/Pocket Penetrometer DCP - Dynamic Cone Penetrometer PSP - Perth Sand Penetrometer MC - Moisture Content PBT - Plate Bearing Test IMP - Borehole Impression Test PID - Photoionisation Detector VS - Vane Shear; P=Peak, R=Residual (uncorrected kPa)	B - Bulk disturbed sample D - Disturbed sample ES - Environmental sample U - Thin wall tube 'undisturbed'	VS - Very Soft S - Soft F - Firm St - Stiff VSt - Very Stiff H - Hard
	WATER Water Level on Date shown water inflow water outflow		MOISTURE D - Dry M - Moist W - Wet PL - Plastic limit LL - Liquid limit w - Moisture content	RELATIVE DENSITY VL - Very Loose L - Loose MD - Medium Dense D - Dense VD - Very Dense

Refer to explanatory notes for details of abbreviations and basis of descriptions.

CARDNO (NSW/ACT) PTY LTD



**Client:** DWP Australia  
**Project:** Detailed Site Investigation and Geotechnical Investigation  
**Location:** Kyeemagh Infants School, Kyeemagh, NSW **Job No:** 5017190157 **Sheet:** 1 of 1

**Position:** E330192.866 N6242040.364 56 MGA94 **Angle from Horizontal:** 90° **Surface Elevation:**

**Machine Type:** 10 tonne Excavator **Excavation Method:**

**Excavation Dimensions:** **Contractor:**

**Date Excavated:** 10/11/18 **Logged By:** JG **Checked By:**

Excavation			Water	Sampling & Testing	Depth (m)	Material Description				
Method	Resistance	Stability		Sample or Field Test		Graphic Log	Classification	SOIL TYPE, plasticity or particle characteristic, colour, secondary and minor components ROCK TYPE, grain size and type, colour, fabric & texture, strength, weathering, defects and structure	Moisture Condition	Consistency Relative Density
EX				ES 0.10 m TP02_0.1	0.10m		Silty SAND: fine to medium grained, poorly graded, brown grey	D		TOPSOIL 0.00 m: PID = 3.5 ppm
		ES 0.40 m TP02_0.4	0.40m	FILL: Silty SAND: fine to medium grained, uniform, yellow brown						
					0.5		SAND: fine to medium grained, uniform, yellow brown	M	F	
					0.90m		TERMINATED AT 0.90 m Target depth			




### METHOD

EX Excavator bucket  
 R Ripper  
 HA Hand auger  
 PT Push tube  
 SON Sonic drilling  
 AH Air hammer  
 PS Percussion sampler  
 AS Short spiral auger  
 AD/V Solid flight auger: V-Bit  
 AD/T Solid flight auger: TC-Bit  
 HFA Hollow flight auger  
 WB Washbore drilling  
 RR Rock roller

### PENETRATION

VE Very Easy (No Resistance)  
 E Easy  
 F Firm  
 H Hard  
 VH Very Hard (Refusal)

### WATER

 Water Level on Date shown  
 water inflow  
 water outflow

### FIELD TESTS

SPT - Standard Penetration Test  
 HP - Hand/Pocket Penetrometer  
 DCP - Dynamic Cone Penetrometer  
 PSP - Perth Sand Penetrometer  
 MC - Moisture Content  
 PBT - Plate Bearing Test  
 IMP - Borehole Impression Test  
 PID - Photoionisation Detector  
 VS - Vane Shear; P=Peak, R=Residual (uncorrected kPa)

### SAMPLES

B - Bulk disturbed sample  
 D - Disturbed sample  
 ES - Environmental sample  
 U - Thin wall tube 'undisturbed'

### MOISTURE

D - Dry  
 M - Moist  
 W - Wet  
 PL - Plastic limit  
 LL - Liquid limit  
 w - Moisture content

### SOIL CONSISTENCY

VS - Very Soft  
 S - Soft  
 F - Firm  
 St - Stiff  
 VSt - Very Stiff  
 H - Hard

### RELATIVE DENSITY

VL - Very Loose  
 L - Loose  
 MD - Medium Dense  
 D - Dense  
 VD - Very Dense

Refer to explanatory notes for details of abbreviations and basis of descriptions



Client: DWP Australia		Job No: 5017190157		Sheet: 1 of 1	
Project: Detailed Site Investigation and Geotechnical Investigation		Angle from Horizontal: 90°		Surface Elevation:	
Location: Kyeemagh Infants School, Kyeemagh, NSW		Excavation Method:		Contractor:	
Position: 56 MGA94		Logged By: JG		Checked By:	
Machine Type: 10 tonne Excavator		Excavation Dimensions:			
Date Excavated: 10/11/18					

Excavation			Sampling & Testing		Material Description						
Method	Resistance	Stability	Water	Sample or Field Test	Depth (m)	Graphic Log	Classification	Soil Type, plasticity or particle characteristic, colour, secondary and minor components Rock Type, grain size and type, colour, fabric & texture, strength, weathering, defects and structure	Moisture Condition	Consistency Relative Density	STRUCTURE & Other Observations
EX				ES 0.20 m TP03_0.2	0.20			Silty SAND: fine to medium grained, poorly graded, grey brown mottled white	D		TOPSOIL 0.00 m: PID = 0.2ppm
					0.5			FILL: Silty SAND: fine to medium grained, poorly graded, white grey brown mottled black	D		FILL 0.20 m: PID = 1.2ppm
				ES 1.20 m TP03_1.2	1.20			SAND: fine to medium grained, uniform, yellow brown	M	F	MARINE
					1.70			TERMINATED AT 1.70 m Target depth			
					2.0						
					2.5						
					3.0						
					3.5						
					4.0						
					4.5						

<b>METHOD</b> EX Excavator bucket R Ripper HA Hand auger PT Push tube SON Sonic drilling AH Air hammer PS Percussion sampler AS Short spiral auger AD/V Solid flight auger: V-Bit AD/T Solid flight auger: TC-Bit HFA Hollow flight auger WB Washbore drilling RR Rock roller	<b>PENETRATION</b> VE Very Easy (No Resistance) E Easy F Firm H Hard VH Very Hard (Refusal)  <b>WATER</b> Water Level on Date shown water inflow water outflow	<b>FIELD TESTS</b> SPT - Standard Penetration Test HP - Hand/Pocket Penetrometer DCP - Dynamic Cone Penetrometer PSP - Perth Sand Penetrometer MC - Moisture Content PBT - Plate Bearing Test IMP - Borehole Impression Test PID - Photoionisation Detector VS - Vane Shear; P=Peak, R=Residual (uncorrected kPa)	<b>SAMPLES</b> B - Bulk disturbed sample D - Disturbed sample ES - Environmental sample U - Thin wall tube 'undisturbed'  <b>MOISTURE</b> D - Dry M - Moist W - Wet PL - Plastic limit LL - Liquid limit w - Moisture content	<b>SOIL CONSISTENCY</b> VS - Very Soft S - Soft F - Firm St - Stiff VSt - Very Stiff H - Hard  <b>RELATIVE DENSITY</b> VL - Very Loose L - Loose MD - Medium Dense D - Dense VD - Very Dense
--	--	--	---	---

Client: DWP Australia		Job No: 5017190157		Sheet: 1 of 1	
Project: Detailed Site Investigation and Geotechnical Investigation		Angle from Horizontal: 90°		Surface Elevation:	
Location: Kyeemagh Infants School, Kyeemagh, NSW		Excavation Method:		Contractor:	
Machine Type: 10 tonne Excavator		Excavation Dimensions:		Date Excavated: 10/11/18	
Logged By: JG		Checked By:			

Excavation			Sampling & Testing		Material Description						
Method	Resistance	Stability	Water	Sample or Field Test	Depth (m)	Graphic Log	Classification	SOIL TYPE, plasticity or particle characteristic, colour, secondary and minor components ROCK TYPE, grain size and type, colour, fabric & texture, strength, weathering, defects and structure	Moisture Condition	Consistency Relative Density	STRUCTURE & Other Observations
EX 				ES 0.10 m TP04_0.1	0.10m			Silty SAND: fine to medium grained, poorly graded, brown black	D		TOPSOIL 0.00 m: PID = 2.6ppm
				ES 0.40 m TP04_0.4	0.40m			FILL: Silty SAND: fine to medium grained, poorly graded, brown grey	D		FILL 0.10 m: PID = 1.7ppm
						0.5			SAND: fine to medium grained, uniform, yellow brown	M	F
					0.90m			TERMINATED AT 0.90 m Target depth			
					1.0						
					1.5						
					2.0						
					2.5						
					3.0						
					3.5						
					4.0						
					4.5						

<b>METHOD</b> EX Excavator bucket R Ripper HA Hand auger PT Push tube SON Sonic drilling AH Air hammer PS Percussion sampler AS Short spiral auger AD/V Solid flight auger: V-Bit AD/T Solid flight auger: TC-Bit HFA Hollow flight auger WB Washbore drilling RR Rock roller	<b>PENETRATION</b> VE Very Easy (No Resistance) E Easy F Firm H Hard VH Very Hard (Refusal)  <b>WATER</b> Water Level on Date shown water inflow water outflow	<b>FIELD TESTS</b> SPT - Standard Penetration Test HP - Hand/Pocket Penetrometer DCP - Dynamic Cone Penetrometer PSP - Perth Sand Penetrometer MC - Moisture Content PBT - Plate Bearing Test IMP - Borehole Impression Test PID - Photoionisation Detector VS - Vane Shear; P=Peak, R=Residual (uncorrected kPa)	<b>SAMPLES</b> B - Bulk disturbed sample D - Disturbed sample ES - Environmental sample U - Thin wall tube 'undisturbed'  <b>MOISTURE</b> D - Dry M - Moist W - Wet PL - Plastic limit LL - Liquid limit w - Moisture content	<b>SOIL CONSISTENCY</b> VS - Very Soft S - Soft F - Firm St - Stiff VSt - Very Stiff H - Hard  <b>RELATIVE DENSITY</b> VL - Very Loose L - Loose MD - Medium Dense D - Dense VD - Very Dense
--	--	--	---	---



**Client:** DWP Australia  
**Project:** Detailed Site Investigation and Geotechnical Investigation  
**Location:** Kyeemagh Infants School, Kyeemagh, NSW **Job No:** 5017190157 **Sheet:** 1 of 1




**Position:** See attached plan **Angle from Horizontal:** 90° **Surface Elevation:**

**Machine Type:** 10 tonne Excavator **Excavation Method:**

**Excavation Dimensions:** **Contractor:**

**Date Excavated:** 10/11/18 **Logged By:** JG **Checked By:**

Excavation			Water	Sampling & Testing	Depth (m)	Material Description					
Method	Resistance	Stability		Sample or Field Test		Graphic Log	Classification	SOIL TYPE, plasticity or particle characteristic, colour, secondary and minor components ROCK TYPE, grain size and type, colour, fabric & texture, strength, weathering, defects and structure	Moisture Condition	Consistency Relative Density	STRUCTURE & Other Observations
↕ EX ↕				ES 0.10 m TP05_0.1			0.10m	FILL: Silty SAND: fine to medium grained, uniform, grey brown	D		FILL 0.00 m: PID = 3.7ppm
				ES 0.90 m TP05_0.9			0.90m	SAND: fine to medium grained, uniform, white yellow grey	M	F	MARINE 0.10 m: PID = 0.8ppm
					1.0			TERMINATED AT 0.90 m Target depth			
					1.5						
					2.0						
					2.5						
					3.0						
					3.5						
					4.0						
					4.5						

<b>METHOD</b> EX Excavator bucket R Ripper HA Hand auger PT Push tube SON Sonic drilling AH Air hammer PS Percussion sampler AS Short spiral auger AD/V Solid flight auger: V-Bit AD/T Solid flight auger: TC-Bit HFA Hollow flight auger WB Washbore drilling RR Rock roller		<b>PENETRATION</b> VE Very Easy (No Resistance) E Easy F Firm H Hard VH Very Hard (Refusal)  <b>WATER</b>  Water Level on Date shown  water inflow  water outflow		<b>FIELD TESTS</b> SPT - Standard Penetration Test HP - Hand/Pocket Penetrometer DCP - Dynamic Cone Penetrometer PSP - Perth Sand Penetrometer MC - Moisture Content PBT - Plate Bearing Test IMP - Borehole Impression Test PID - Photoionisation Detector VS - Vane Shear; P=Peak, R=Residual (uncorrected kPa)		<b>SAMPLES</b> B - Bulk disturbed sample D - Disturbed sample ES - Environmental sample U - Thin wall tube 'undisturbed'  <b>MOISTURE</b> D - Dry M - Moist W - Wet PL - Plastic limit LL - Liquid limit w - Moisture content		<b>SOIL CONSISTENCY</b> VS - Very Soft S - Soft F - Firm St - Stiff VSt - Very Stiff H - Hard  <b>RELATIVE DENSITY</b> VL - Very Loose L - Loose MD - Medium Dense D - Dense VD - Very Dense	
--	--	--	--	--	--	---	--	---	--

Refer to explanatory notes for details of abbreviations and basis of descriptions



**Client:** DWP Australia  
**Project:** Detailed Site Investigation and Geotechnical Investigation  
**Location:** Kyeemagh Infants School, Kyeemagh, NSW **Job No:** 5017190157 **Sheet:** 1 of 1

**Position:** See attached plan **Angle from Horizontal:** 90° **Surface Elevation:**

**Machine Type:** 10 tonne Excavator **Excavation Method:**

**Excavation Dimensions:** **Contractor:**

**Date Excavated:** 10/11/18 **Logged By:** JG **Checked By:**

Excavation			Water	Sampling & Testing	Depth (m)	Material Description					
Method	Resistance	Stability		Sample or Field Test		Graphic Log	Classification	SOIL TYPE, plasticity or particle characteristic, colour, secondary and minor components ROCK TYPE, grain size and type, colour, fabric & texture, strength, weathering, defects and structure	Moisture Condition	Consistency Relative Density	STRUCTURE & Other Observations
EX				ES 0.10 m TP06_0.1	0.10m		Gravelly SAND: fine grained, poorly graded, brown black, medium to coarse grained gravel	D		TOPSOIL 0.00 m: PID = 1.8ppm	
				ES 0.30 m TP06_0.3				0.30m	FILL: GRAVEL: medium, poorly graded, black mottled yellow		D
					0.5		SAND: fine to medium grained, uniform, yellow brown	M	F	MARINE	
					0.80m		TERMINATED AT 0.80 m Target depth				
					1.0						
					1.5						
					2.0						
					2.5						
					3.0						
					3.5						
					4.0						
					4.5						




**METHOD**

EX Excavator bucket  
 R Ripper  
 HA Hand auger  
 PT Push tube  
 SON Sonic drilling  
 AH Air hammer  
 PS Percussion sampler  
 AS Short spiral auger  
 AD/V Solid flight auger: V-Bit  
 AD/T Solid flight auger: TC-Bit  
 HFA Hollow flight auger  
 WB Washbore drilling  
 RR Rock roller

**PENETRATION**

VE Very Easy (No Resistance)  
 E Easy  
 F Firm  
 H Hard  
 VH Very Hard (Refusal)

**WATER**

 Water Level on Date shown  
 water inflow  
 water outflow

**FIELD TESTS**

SPT - Standard Penetration Test  
 HP - Hand/Pocket Penetrometer  
 DCP - Dynamic Cone Penetrometer  
 PSP - Perth Sand Penetrometer  
 MC - Moisture Content  
 PBT - Plate Bearing Test  
 IMP - Borehole Impression Test  
 PID - Photoionisation Detector  
 VS - Vane Shear; P=Peak, R=Residual (uncorrected kPa)

**SAMPLES**

B - Bulk disturbed sample  
 D - Disturbed sample  
 ES - Environmental sample  
 U - Thin wall tube 'undisturbed'

**MOISTURE**

D - Dry  
 M - Moist  
 W - Wet  
 PL - Plastic limit  
 LL - Liquid limit  
 w - Moisture content

**SOIL CONSISTENCY**

VS - Very Soft  
 S - Soft  
 F - Firm  
 St - Stiff  
 VSt - Very Stiff  
 H - Hard

**RELATIVE DENSITY**

VL - Very Loose  
 L - Loose  
 MD - Medium Dense  
 D - Dense  
 VD - Very Dense

Refer to explanatory notes for details of abbreviations and basis of descriptions




**Client:** DWP Australia  
**Project:** Detailed Site Investigation and Geotechnical Investigation  
**Location:** Kyeemagh Infants School, Kyeemagh, NSW  
**Job No:** 5017190157  
**Sheet:** 1 of 1

**Position:** See attached plan  
**Angle from Horizontal:** 90°  
**Surface Elevation:**

**Machine Type:** 10 tonne Excavator  
**Excavation Method:**

**Excavation Dimensions:**  
**Contractor:**

**Date Excavated:** 10/11/18  
**Logged By:** JG  
**Checked By:**




Excavation			Water	Sampling & Testing	Depth (m)	Material Description					
Method	Resistance	Stability		Sample or Field Test		Graphic Log	Classification	SOIL TYPE, plasticity or particle characteristic, colour, secondary and minor components ROCK TYPE, grain size and type, colour, fabric & texture, strength, weathering, defects and structure	Moisture Condition	Consistency Relative Density	STRUCTURE & Other Observations
EX				ES 0.10 m TP07_0.1	0.10m 0.40m 0.5 1.0			D		TOPSOIL	
				ES 0.40 m TP07_0.4			0.10m			Silty SAND: fine to medium grained, poorly graded, brown	0.00 m: PID = 4.2 ppm
				ES 0.60 m TP07_0.6			0.40m			FILL: Silty SAND: fine to medium grained, uniform, brown	FILL
							0.60m			FILL: Gravelly SAND: fine to medium grained, gap graded, brown yellow, medium to coarse grained gravel	0.10 m: PID = 2.3 ppm
							SAND: fine to medium grained, uniform, yellow brown	M	F	0.40 m: PID = 1.3 ppm	
							1.10m			MARINE	
							TERMINATED AT 1.10 m Target depth				

### METHOD

EX Excavator bucket  
 R Ripper  
 HA Hand auger  
 PT Push tube  
 SON Sonic drilling  
 AH Air hammer  
 PS Percussion sampler  
 AS Short spiral auger  
 AD/V Solid flight auger: V-Bit  
 AD/T Solid flight auger: TC-Bit  
 HFA Hollow flight auger  
 WB Washbore drilling  
 RR Rock roller

### PENETRATION

VE Very Easy (No Resistance)  
 E Easy  
 F Firm  
 H Hard  
 VH Very Hard (Refusal)

**WATER**  
 Water Level on Date shown  
 water inflow  
 water outflow

### FIELD TESTS

SPT - Standard Penetration Test  
 HP - Hand/Pocket Penetrometer  
 DCP - Dynamic Cone Penetrometer  
 PSP - Perth Sand Penetrometer  
 MC - Moisture Content  
 PBT - Plate Bearing Test  
 IMP - Borehole Impression Test  
 PID - Photoionisation Detector  
 VS - Vane Shear; P=Peak, R=Residual (uncorrected kPa)

### SAMPLES

B - Bulk disturbed sample  
 D - Disturbed sample  
 ES - Environmental sample  
 U - Thin wall tube 'undisturbed'

**MOISTURE**  
 D - Dry  
 M - Moist  
 W - Wet  
 PL - Plastic limit  
 LL - Liquid limit  
 w - Moisture content

### SOIL CONSISTENCY

VS - Very Soft  
 S - Soft  
 F - Firm  
 St - Stiff  
 VSt - Very Stiff  
 H - Hard

**RELATIVE DENSITY**  
 VL - Very Loose  
 L - Loose  
 MD - Medium Dense  
 D - Dense  
 VD - Very Dense

Refer to explanatory notes for details of abbreviations and basis of descriptions



**Client:** DWP Australia  
**Project:** Detailed Site Investigation and Geotechnical Investigation  
**Location:** Kyeemagh Infants School, Kyeemagh, NSW **Job No:** 5017190157 **Sheet:** 1 of 1

**Position:** See attached plan **Angle from Horizontal:** 90° **Surface Elevation:**

**Machine Type:** 10 tonne Excavator **Excavation Method:**

**Excavation Dimensions:** **Contractor:**

**Date Excavated:** 10/11/18 **Logged By:** JG **Checked By:**

Excavation			Water	Sampling & Testing	Depth (m)	Material Description					
Method	Resistance	Stability		Sample or Field Test		Graphic Log	Classification	SOIL TYPE, plasticity or particle characteristic, colour, secondary and minor components ROCK TYPE, grain size and type, colour, fabric & texture, strength, weathering, defects and structure	Moisture Condition	Consistency Relative Density	STRUCTURE & Other Observations
EX				ES 0.10 m TP08_0.1	0.10m		Silty SAND: fine to medium grained, gap graded, brown	D		TOPSOIL 0.00 m: PID = 2.9ppm FILL 0.10 m: PID = 4.0ppm	
			ES 0.40 m TP08_0.4	D							
					0.5		SAND: fine to medium grained, uniform, yellow brown	M	F	MARINE	
					0.90m		TERMINATED AT 0.90 m Target depth				
					1.0						
					1.5						
					2.0						
					2.5						
					3.0						
					3.5						
					4.0						
					4.5						




**METHOD**

EX Excavator bucket  
 R Ripper  
 HA Hand auger  
 PT Push tube  
 SON Sonic drilling  
 AH Air hammer  
 PS Percussion sampler  
 AS Short spiral auger  
 AD/V Solid flight auger: V-Bit  
 AD/T Solid flight auger: TC-Bit  
 HFA Hollow flight auger  
 WB Washbore drilling  
 RR Rock roller

**PENETRATION**

VE Very Easy (No Resistance)  
 E Easy  
 F Firm  
 H Hard  
 VH Very Hard (Refusal)

**WATER**

 Water Level on Date shown  
 water inflow  
 water outflow

**FIELD TESTS**

SPT - Standard Penetration Test  
 HP - Hand/Pocket Penetrometer  
 DCP - Dynamic Cone Penetrometer  
 PSP - Perth Sand Penetrometer  
 MC - Moisture Content  
 PBT - Plate Bearing Test  
 IMP - Borehole Impression Test  
 PID - Photoionisation Detector  
 VS - Vane Shear; P=Peak, R=Residual (uncorrected kPa)

**SAMPLES**

B - Bulk disturbed sample  
 D - Disturbed sample  
 ES - Environmental sample  
 U - Thin wall tube 'undisturbed'

**MOISTURE**

D - Dry  
 M - Moist  
 W - Wet  
 PL - Plastic limit  
 LL - Liquid limit  
 w - Moisture content

**SOIL CONSISTENCY**

VS - Very Soft  
 S - Soft  
 F - Firm  
 St - Stiff  
 VSt - Very Stiff  
 H - Hard

**RELATIVE DENSITY**

VL - Very Loose  
 L - Loose  
 MD - Medium Dense  
 D - Dense  
 VD - Very Dense

Refer to explanatory notes for details of abbreviations and basis of descriptions


**Client:** DWP Australia  
**Project:** Detailed Site Investigation and Geotechnical Investigation  
**Location:** Kyeemagh Infants School, Kyeemagh, NSW **Job No:** 5017190157 **Sheet:** 1 of 1




**Position:** See attached plan **Angle from Horizontal:** 90° **Surface Elevation:**

**Machine Type:** 10 tonne Excavator **Excavation Method:**

**Excavation Dimensions:** **Contractor:**



**Date Excavated:** 10/11/18 **Logged By:** JG **Checked By:**




Excavation			Water	Sampling & Testing	Depth (m)	Material Description					
Method	Resistance	Stability		Sample or Field Test		Graphic Log	Classification	SOIL TYPE, plasticity or particle characteristic, colour, secondary and minor components ROCK TYPE, grain size and type, colour, fabric & texture, strength, weathering, defects and structure	Moisture Condition	Consistency Relative Density	STRUCTURE & Other Observations
EX				ES 0.30 m TP09_0.3				Silty SAND: fine to medium grained, uniform, brown yellow	D		TOPSOIL 0.00 m: PID = 3.3ppm
				ES 0.80 m TP09_0.8	0.5		0.30m	SAND: fine to medium grained, uniform, yellow brown	M	F	MARINE 0.30 m: PID = 2.0ppm
					1.0			TERMINATED AT 0.80 m Target depth			
					1.5						
					2.0						
					2.5						
					3.0						
					3.5						
					4.0						
					4.5						

<b>METHOD</b> EX Excavator bucket R Ripper HA Hand auger PT Push tube SON Sonic drilling AH Air hammer PS Percussion sampler AS Short spiral auger AD/V Solid flight auger: V-Bit AD/T Solid flight auger: TC-Bit HFA Hollow flight auger WB Washbore drilling RR Rock roller		<b>PENETRATION</b> VE Very Easy (No Resistance) E Easy F Firm H Hard VH Very Hard (Refusal)  <b>WATER</b>  Water Level on Date shown  water inflow  water outflow		<b>FIELD TESTS</b> SPT - Standard Penetration Test HP - Hand/Pocket Penetrometer DCP - Dynamic Cone Penetrometer PSP - Perth Sand Penetrometer MC - Moisture Content PBT - Plate Bearing Test IMP - Borehole Impression Test PID - Photoionisation Detector VS - Vane Shear; P=Peak, R=Residual (uncorrected kPa)		<b>SAMPLES</b> B - Bulk disturbed sample D - Disturbed sample ES - Environmental sample U - Thin wall tube 'undisturbed'  <b>MOISTURE</b> D - Dry M - Moist W - Wet PL - Plastic limit LL - Liquid limit w - Moisture content		<b>SOIL CONSISTENCY</b> VS - Very Soft S - Soft F - Firm St - Stiff VSt - Very Stiff H - Hard  <b>RELATIVE DENSITY</b> VL - Very Loose L - Loose MD - Medium Dense D - Dense VD - Very Dense	
--	--	--	--	--	--	---	--	---	--

Refer to explanatory notes for details of abbreviations and basis of descriptions

Client: DWP Australia		Job No: 5017190157		Sheet: 1 of 1	
Project: Detailed Site Investigation and Geotechnical Investigation		Angle from Horizontal: 90°		Surface Elevation:	
Location: Kyeemagh Infants School, Kyeemagh, NSW		Excavation Method:		Contractor:	
Machine Type: 10 tonne Excavator		Logged By: JG		Checked By:	
Excavation Dimensions:		Date Excavated: 10/11/18			

Excavation			Sampling & Testing		Material Description						
Method	Resistance	Stability	Water	Sample or Field Test	Depth (m)	Graphic Log	Classification	SOIL TYPE, plasticity or particle characteristic, colour, secondary and minor components ROCK TYPE, grain size and type, colour, fabric & texture, strength, weathering, defects and structure	Moisture Condition	Consistency Relative Density	STRUCTURE & Other Observations
EX				ES 0.10 m TP10_0.1	0.10m			Silty SAND: fine to medium grained, uniform, brown	D		TOPSOIL 0.00 m: PID = 2.3ppm
				ES 0.40 m TP10_0.4	0.40m			FILL: SAND: fine to medium grained, uniform, brown yellow			0.10 m: PID = 3.4ppm
								0.5			SAND: fine to medium grained, uniform, yellow brown
					0.90m			TERMINATED AT 0.90 m Target depth			
					1.0						
					1.5						
					2.0						
					2.5						
					3.0						
					3.5						
					4.0						
					4.5						

<b>METHOD</b> EX Excavator bucket R Ripper HA Hand auger PT Push tube SON Sonic drilling AH Air hammer PS Percussion sampler AS Short spiral auger AD/V Solid flight auger: V-Bit AD/T Solid flight auger: TC-Bit HFA Hollow flight auger WB Washbore drilling RR Rock roller	<b>PENETRATION</b> VE Very Easy (No Resistance) E Easy F Firm H Hard VH Very Hard (Refusal)  <b>WATER</b>  Water Level on Date shown  water inflow  water outflow	<b>FIELD TESTS</b> SPT - Standard Penetration Test HP - Hand/Pocket Penetrometer DCP - Dynamic Cone Penetrometer PSP - Perth Sand Penetrometer MC - Moisture Content PBT - Plate Bearing Test IMP - Borehole Impression Test PID - Photoionisation Detector VS - Vane Shear; P=Peak, R=Residual (uncorrected kPa)	<b>SAMPLES</b> B - Bulk disturbed sample D - Disturbed sample ES - Environmental sample U - Thin wall tube 'undisturbed'  <b>MOISTURE</b> D - Dry M - Moist W - Wet PL - Plastic limit LL - Liquid limit w - Moisture content	<b>SOIL CONSISTENCY</b> VS - Very Soft S - Soft F - Firm St - Stiff VSt - Very Stiff H - Hard  <b>RELATIVE DENSITY</b> VL - Very Loose L - Loose MD - Medium Dense D - Dense VD - Very Dense
--	--	--	---	---

Refer to explanatory notes for details of abbreviations and basis of descriptions




**Client:** DWP Australia  
**Project:** Detailed Site Investigation and Geotechnical Investigation  
**Location:** Kyeemagh Infants School, Kyeemagh, NSW **Job No:** 5017190157 **Sheet:** 1 of 1

**Position:** See attached plan **Angle from Horizontal:** 90° **Surface Elevation:**

**Machine Type:** 10 tonne Excavator **Excavation Method:**

**Excavation Dimensions:** **Contractor:**

**Date Excavated:** 10/11/18 **Logged By:** JG **Checked By:**

Excavation			Water	Sampling & Testing	Depth (m)	Material Description					
Method	Resistance	Stability		Sample or Field Test		Graphic Log	Classification	SOIL TYPE; plasticity or particle characteristic, colour, secondary and minor components ROCK TYPE; grain size and type, colour, fabric & texture, strength, weathering, defects and structure	Moisture Condition	Consistency Relative Density	STRUCTURE & Other Observations
↑ EX ↓				ES 0.20 m TP11_0.2	0.20m			Silty SAND: fine to medium grained, uniform, brown white	D		TOPSOIL 0.00 m: PID = 2.0ppm
								SAND: fine to medium grained, uniform, yellow brown	M	F	MARINE 0.20 m: PID = 2.5ppm
				ES 1.20 m TP11_1.2	1.0						
					1.20m			TERMINATED AT 1.20 m Target depth			
					1.5						
					2.0						
					2.5						
					3.0						
					3.5						
					4.0						
					4.5						




**METHOD**

EX Excavator bucket  
 R Ripper  
 HA Hand auger  
 PT Push tube  
 SON Sonic drilling  
 AH Air hammer  
 PS Percussion sampler  
 AS Short spiral auger  
 AD/V Solid flight auger: V-Bit  
 AD/T Solid flight auger: TC-Bit  
 HFA Hollow flight auger  
 WB Washbore drilling  
 RR Rock roller

**PENETRATION**

VE Very Easy (No Resistance)  
 E Easy  
 F Firm  
 H Hard  
 VH Very Hard (Refusal)

**WATER**

 Water Level on Date shown  
 water inflow  
 water outflow

**FIELD TESTS**

SPT - Standard Penetration Test  
 HP - Hand/Pocket Penetrometer  
 DCP - Dynamic Cone Penetrometer  
 PSP - Perth Sand Penetrometer  
 MC - Moisture Content  
 PBT - Plate Bearing Test  
 IMP - Borehole Impression Test  
 PID - Photoionisation Detector  
 VS - Vane Shear; P=Peak, R=Residual (uncorrected kPa)

**SAMPLES**

B - Bulk disturbed sample  
 D - Disturbed sample  
 ES - Environmental sample  
 U - Thin wall tube 'undisturbed'

**MOISTURE**

D - Dry  
 M - Moist  
 W - Wet  
 PL - Plastic limit  
 LL - Liquid limit  
 w - Moisture content

**SOIL CONSISTENCY**

VS - Very Soft  
 S - Soft  
 F - Firm  
 St - Stiff  
 VSt - Very Stiff  
 H - Hard

**RELATIVE DENSITY**

VL - Very Loose  
 L - Loose  
 MD - Medium Dense  
 D - Dense  
 VD - Very Dense

Refer to explanatory notes for details of abbreviations and basis of descriptions


**Client:** DWP Australia  
**Project:** Detailed Site Investigation and Geotechnical Investigation  
**Location:** Kyeemagh Infants School, Kyeemagh, NSW **Job No:** 5017190157 **Sheet:** 1 of 1

**Position:** See attached plan **Angle from Horizontal:** 90° **Surface Elevation:**

**Machine Type:** 10 tonne Excavator **Excavation Method:**

**Excavation Dimensions:** **Contractor:**

**Date Excavated:** 10/11/18 **Logged By:** JG **Checked By:**

Excavation			Water	Sampling & Testing	Depth (m)	Material Description					
Method	Resistance	Stability		Sample or Field Test		Graphic Log	Classification	SOIL TYPE, plasticity or particle characteristic, colour, secondary and minor components ROCK TYPE, grain size and type, colour, fabric & texture, strength, weathering, defects and structure	Moisture Condition	Consistency Relative Density	STRUCTURE & Other Observations
EX				ES 0.20 m TP12_0.2, QA100, QA200	0.5		SP	FILL: SAND: fine to medium grained, uniform, brown yellow	D	L	FILL 0.00 m: PID = 2.2ppm
				ES 1.00 m TP12_1.0				1.00m			SAND: fine to medium grained, uniform, yellow brown
					1.0			TERMINATED AT 1.00 m Target depth			
					1.5						
					2.0						
					2.5						
					3.0						
					3.5						
					4.0						
					4.5						




**METHOD**

EX Excavator bucket  
 R Ripper  
 HA Hand auger  
 PT Push tube  
 SON Sonic drilling  
 AH Air hammer  
 PS Percussion sampler  
 AS Short spiral auger  
 AD/V Solid flight auger: V-Bit  
 AD/T Solid flight auger: TC-Bit  
 HFA Hollow flight auger  
 WB Washbore drilling  
 RR Rock roller

**PENETRATION**

VE Very Easy (No Resistance)  
 E Easy  
 F Firm  
 H Hard  
 VH Very Hard (Refusal)

**WATER**

 Water Level on Date shown  
 water inflow  
 water outflow

**FIELD TESTS**

SPT - Standard Penetration Test  
 HP - Hand/Pocket Penetrometer  
 DCP - Dynamic Cone Penetrometer  
 PSP - Perth Sand Penetrometer  
 MC - Moisture Content  
 PBT - Plate Bearing Test  
 IMP - Borehole Impression Test  
 PID - Photoionisation Detector  
 VS - Vane Shear; P=Peak, R=Residual (uncorrected kPa)

**SAMPLES**

B - Bulk disturbed sample  
 D - Disturbed sample  
 ES - Environmental sample  
 U - Thin wall tube 'undisturbed'

**MOISTURE**

D - Dry  
 M - Moist  
 W - Wet  
 PL - Plastic limit  
 LL - Liquid limit  
 w - Moisture content

**SOIL CONSISTENCY**

VS - Very Soft  
 S - Soft  
 F - Firm  
 St - Stiff  
 VSt - Very Stiff  
 H - Hard

**RELATIVE DENSITY**

VL - Very Loose  
 L - Loose  
 MD - Medium Dense  
 D - Dense  
 VD - Very Dense

Refer to explanatory notes for details of abbreviations and basis of descriptions


**Client:** DWP Australia  
**Project:** Detailed Site Investigation and Geotechnical Investigation  
**Location:** Kyeemagh Infants School, Kyeemagh, NSW **Job No:** 5017190157 **Sheet:** 1 of 1

**Position:** See attached plan **Angle from Horizontal:** 90° **Surface Elevation:**

**Machine Type:** 10 tonne Excavator **Excavation Method:**

**Excavation Dimensions:** **Contractor:**

**Date Excavated:** 10/11/18 **Logged By:** JG **Checked By:**

Excavation			Water	Sampling & Testing	Depth (m)	Material Description					
Method	Resistance	Stability		Sample or Field Test		Graphic Log	Classification	SOIL TYPE, plasticity or particle characteristic, colour, secondary and minor components ROCK TYPE, grain size and type, colour, fabric & texture, strength, weathering, defects and structure	Moisture Condition	Consistency Relative Density	STRUCTURE & Other Observations
EX				ES 0.10 m TP13_0.1			0.10m	Silty SAND: fine to medium grained, poorly graded, brown grey, trace fine to medium grained gravel	D		TOPSOIL
			ES 0.40 m TP13_0.4	0.40m			FILL: SAND: fine to medium grained, gap graded, brown, trace fine to medium grained gravel	0.00 m: PID = 0.6 ppm, bricks, concrete chunks, plastic sheeting			
						0.5	SP	SAND: fine to medium grained, uniform, yellow brown	M	MD	0.10 m: PID = 0.8 ppm, large concrete chunks present MARINE
					1.0			TERMINATED AT 0.90 m Target depth			
					1.5						
					2.0						
					2.5						
					3.0						
					3.5						
					4.0						
					4.5						




**METHOD**

EX Excavator bucket  
 R Ripper  
 HA Hand auger  
 PT Push tube  
 SON Sonic drilling  
 AH Air hammer  
 PS Percussion sampler  
 AS Short spiral auger  
 AD/V Solid flight auger: V-Bit  
 AD/T Solid flight auger: TC-Bit  
 HFA Hollow flight auger  
 WB Washbore drilling  
 RR Rock roller

**PENETRATION**

VE Very Easy (No Resistance)  
 E Easy  
 F Firm  
 H Hard  
 VH Very Hard (Refusal)

**WATER**

 Water Level on Date shown  
 water inflow  
 water outflow

**FIELD TESTS**

SPT - Standard Penetration Test  
 HP - Hand/Pocket Penetrometer  
 DCP - Dynamic Cone Penetrometer  
 PSP - Perth Sand Penetrometer  
 MC - Moisture Content  
 PBT - Plate Bearing Test  
 IMP - Borehole Impression Test  
 PID - Photoionisation Detector  
 VS - Vane Shear; P=Peak, R=Residual (uncorrected kPa)

**SAMPLES**

B - Bulk disturbed sample  
 D - Disturbed sample  
 ES - Environmental sample  
 U - Thin wall tube 'undisturbed'

**MOISTURE**

D - Dry  
 M - Moist  
 W - Wet  
 PL - Plastic limit  
 LL - Liquid limit  
 w - Moisture content

**SOIL CONSISTENCY**

VS - Very Soft  
 S - Soft  
 F - Firm  
 St - Stiff  
 VSt - Very Stiff  
 H - Hard

**RELATIVE DENSITY**



VL - Very Loose  
 L - Loose  
 MD - Medium Dense  
 D - Dense  
 VD - Very Dense

Refer to explanatory notes for details of abbreviations and basis of descriptions




**CARDNO (NSW/ACT) PTY LTD**

Client: DWP Australia		Job No: 5017190157		Sheet: 1 of 1	
Project: Detailed Site Investigation and Geotechnical Investigation					
Location: Kyeemagh Infants School, Kyeemagh, NSW		Angle from Horizontal: 90°		Surface Elevation:	
Machine Type: 10 tonne Excavator		Excavation Method:			
Excavation Dimensions:		Contractor:			
Date Excavated: 10/11/18		Logged By: JG		Checked By:	

Excavation			Sampling & Testing		Material Description						
Method	Resistance	Stability	Water	Sample or Field Test	Depth (m)	Graphic Log	Classification	SOIL TYPE, plasticity or particle characteristic, colour, secondary and minor components ROCK TYPE, grain size and type, colour, fabric & texture, strength, weathering, defects and structure	Moisture Condition	Consistency Relative Density	STRUCTURE & Other Observations
EX				ES 0.10 m TP14_0.1				0.10m FILL: Silty SAND: fine to medium grained, gap graded, grey SAND: fine to medium grained, uniform, grey yellow	D		FILL 0.00 m: PID = 0.6 ppm MARINE 0.10 m: PID = 0.7 ppm
				ES 0.70 m TP14_0.7	0.5		SP		M	L	
					0.70m			TERMINATED AT 0.70 m Target depth			
					1.0						
					1.5						
					2.0						
					2.5						
					3.0						
					3.5						
					4.0						
					4.5						

<b>METHOD</b> EX Excavator bucket R Ripper HA Hand auger PT Push tube SON Sonic drilling AH Air hammer PS Percussion sampler AS Short spiral auger AD/V Solid flight auger: V-Bit AD/T Solid flight auger: TC-Bit HFA Hollow flight auger WB Washbore drilling RR Rock roller	<b>PENETRATION</b> VE Very Easy (No Resistance) E Easy F Firm H Hard VH Very Hard (Refusal)  <b>WATER</b>  Water Level on Date shown  water inflow  water outflow	<b>FIELD TESTS</b> SPT - Standard Penetration Test HP - Hand/Pocket Penetrometer DCP - Dynamic Cone Penetrometer PSP - Perth Sand Penetrometer MC - Moisture Content PBT - Plate Bearing Test IMP - Borehole Impression Test PID - Photoionisation Detector VS - Vane Shear; P=Peak, R=Residual (uncorrected kPa)	<b>SAMPLES</b> B - Bulk disturbed sample D - Disturbed sample ES - Environmental sample U - Thin wall tube 'undisturbed'  <b>MOISTURE</b> D - Dry M - Moist W - Wet PL - Plastic limit LL - Liquid limit w - Moisture content	<b>SOIL CONSISTENCY</b> VS - Very Soft S - Soft F - Firm St - Stiff VSt - Very Stiff H - Hard  <b>RELATIVE DENSITY</b> VL - Very Loose L - Loose MD - Medium Dense D - Dense VD - Very Dense
--	--	--	---	---

Refer to explanatory notes for details of abbreviations and basis of descriptions





**Client:** DWP Australia  
**Project:** Detailed Site Investigation and Geotechnical Investigation  
**Location:** Kyeemagh Infants School, Kyeemagh, NSW **Job No:** 5017190157 **Sheet:** 1 of 1




**Position:** See attached plan **Angle from Horizontal:** 90° **Surface Elevation:**

**Machine Type:** 10 tonne Excavator **Excavation Method:**

**Excavation Dimensions:** **Contractor:**

**Date Excavated:** 10/11/18 **Logged By:** JG **Checked By:**

Excavation			Water	Sampling & Testing	Depth (m)	Material Description					
Method	Resistance	Stability		Sample or Field Test		Graphic Log	Classification	SOIL TYPE, plasticity or particle characteristic, colour, secondary and minor components ROCK TYPE, grain size and type, colour, fabric & texture, strength, weathering, defects and structure	Moisture Condition	Consistency Relative Density	STRUCTURE & Other Observations
↑ EX ↓				ES 0.10 m TP15_0.1	0.10m		SP	SAND: fine to medium grained, gap graded, grey	D	TOPSOIL 0.00 m: PID = 0.4ppm FILL 0.10 m: PID = 0.2ppm , large concrete chunk present	
				FILL: SAND: fine to medium grained, poorly graded, grey brown							
				ES 0.60 m TP15_0.6	0.5		SP	SAND: fine to medium grained, uniform, yellow brown	M	MD	MARINE
					1.10m			TERMINATED AT 1.10 m Target depth			
					1.5						
					2.0						
					2.5						
					3.0						
					3.5						
					4.0						
					4.5						

<b>METHOD</b> EX Excavator bucket R Ripper HA Hand auger PT Push tube SON Sonic drilling AH Air hammer PS Percussion sampler AS Short spiral auger AD/V Solid flight auger: V-Bit AD/T Solid flight auger: TC-Bit HFA Hollow flight auger WB Washbore drilling RR Rock roller	<b>PENETRATION</b> VE Very Easy (No Resistance) E Easy F Firm H Hard VH Very Hard (Refusal)  <b>WATER</b>  Water Level on Date shown  water inflow  water outflow	<b>FIELD TESTS</b> SPT - Standard Penetration Test HP - Hand/Pocket Penetrometer DCP - Dynamic Cone Penetrometer PSP - Perth Sand Penetrometer MC - Moisture Content PBT - Plate Bearing Test IMP - Borehole Impression Test PID - Photoionisation Detector VS - Vane Shear; P=Peak, R=Residual (uncorrected kPa)	<b>SAMPLES</b> B - Bulk disturbed sample D - Disturbed sample ES - Environmental sample U - Thin wall tube 'undisturbed'  <b>MOISTURE</b> D - Dry M - Moist W - Wet PL - Plastic limit LL - Liquid limit w - Moisture content	<b>SOIL CONSISTENCY</b> VS - Very Soft S - Soft F - Firm St - Stiff VSt - Very Stiff H - Hard  <b>RELATIVE DENSITY</b> VL - Very Loose L - Loose MD - Medium Dense D - Dense VD - Very Dense
--	--	--	---	---

Refer to explanatory notes for details of abbreviations and basis of descriptions


**Client:** DWP Australia  
**Project:** Detailed Site Investigation and Geotechnical Investigation  
**Location:** Kyeemagh Infants School, Kyeemagh, NSW **Job No:** 5017190157 **Sheet:** 1 of 1

**Position:** See attached plan **Angle from Horizontal:** 90° **Surface Elevation:**

**Machine Type:** 10 tonne Excavator **Excavation Method:**

**Excavation Dimensions:** **Contractor:**

**Date Excavated:** 10/11/18 **Logged By:** JG **Checked By:**

Excavation			Water	Sampling & Testing	Depth (m)	Material Description					
Method	Resistance	Stability		Sample or Field Test		Graphic Log	Classification	SOIL TYPE, plasticity or particle characteristic, colour, secondary and minor components ROCK TYPE, grain size and type, colour, fabric & texture, strength, weathering, defects and structure	Moisture Condition	Consistency Relative Density	STRUCTURE & Other Observations
EX			ES 0.10 m TP16_0.1 , QA 300, QA 400		SP	0.10m Silty SAND: fine to medium grained, poorly graded, grey SAND: fine to medium grained, poorly graded, yellow grey	D		TOPSOIL 0.00 m: PID = 0.6ppm MARINE 0.10 m: PID = 0.3ppm		
			ES 0.80 m TP16_0.8	0.80m		TERMINATED AT 0.80 m Target depth	M	L			
								</			




**METHOD**

EX Excavator bucket  
 R Ripper  
 HA Hand auger  
 PT Push tube  
 SON Sonic drilling  
 AH Air hammer  
 PS Percussion sampler  
 AS Short spiral auger  
 AD/V Solid flight auger: V-Bit  
 AD/T Solid flight auger: TC-Bit  
 HFA Hollow flight auger  
 WB Washbore drilling  
 RR Rock roller

**PENETRATION**

VE Very Easy (No Resistance)  
 E Easy  
 F Firm  
 H Hard  
 VH Very Hard (Refusal)

**WATER**

 Water Level on Date shown  
 water inflow  
 water outflow

**FIELD TESTS**

SPT - Standard Penetration Test  
 HP - Hand/Pocket Penetrometer  
 DCP - Dynamic Cone Penetrometer  
 PSP - Perth Sand Penetrometer  
 MC - Moisture Content  
 PBT - Plate Bearing Test  
 IMP - Borehole Impression Test  
 PID - Photoionisation Detector  
 VS - Vane Shear; P=Peak, R=Residual (uncorrected kPa)

**SAMPLES**

B - Bulk disturbed sample  
 D - Disturbed sample  
 ES - Environmental sample  
 U - Thin wall tube 'undisturbed'

**MOISTURE**

D - Dry  
 M - Moist  
 W - Wet  
 PL - Plastic limit  
 LL - Liquid limit  
 w - Moisture content

**SOIL CONSISTENCY**

VS - Very Soft  
 S - Soft  
 F - Firm  
 St - Stiff  
 VSt - Very Stiff  
 H - Hard

**RELATIVE DENSITY**

VL - Very Loose  
 L - Loose  
 MD - Medium Dense  
 D - Dense  
 VD - Very Dense

Refer to explanatory notes for details of abbreviations and basis of descriptions


**Client:** DWP Australia  
**Project:** Detailed Site Investigation and Geotechnical Investigation  
**Location:** Kyeemagh Infants School, Kyeemagh, NSW **Job No:** 5017190157 **Sheet:** 1 of 1

**Position:** See attached plan **Angle from Horizontal:** 90° **Surface Elevation:**

**Machine Type:** 10 tonne Excavator **Excavation Method:**

**Excavation Dimensions:** **Contractor:**

**Date Excavated:** 10/11/18 **Logged By:** JG **Checked By:**

Excavation			Water	Sampling & Testing	Depth (m)	Material Description					
Method	Resistance	Stability		Sample or Field Test		Graphic Log	Classification	SOIL TYPE, plasticity or particle characteristic, colour, secondary and minor components ROCK TYPE, grain size and type, colour, fabric & texture, strength, weathering, defects and structure	Moisture Condition	Consistency Relative Density	STRUCTURE & Other Observations
EX				ES 0.10 m TP17_0.1		SP	0.10m SAND: fine to medium grained, poorly graded, grey brown, silt	D		TOPSOIL 0.00 m: PID = 0.4ppm	
				ES 0.50 m TP17_0.5			0.50m SAND: fine to medium grained, uniform, yellow grey	M	MD	MARINE 0.10 m: PID = 0.4ppm	
					0.5		TERMINATED AT 0.50 m Target depth				
					1.0						
					1.5						
					2.0						
					2.5						
					3.0						
					3.5						
					4.0						
					4.5						




**METHOD**

EX Excavator bucket  
 R Ripper  
 HA Hand auger  
 PT Push tube  
 SON Sonic drilling  
 AH Air hammer  
 PS Percussion sampler  
 AS Short spiral auger  
 AD/V Solid flight auger: V-Bit  
 AD/T Solid flight auger: TC-Bit  
 HFA Hollow flight auger  
 WB Washbore drilling  
 RR Rock roller

**PENETRATION**

VE Very Easy (No Resistance)  
 E Easy  
 F Firm  
 H Hard  
 VH Very Hard (Refusal)

**WATER**

 Water Level on Date shown  
 water inflow  
 water outflow

**FIELD TESTS**

SPT - Standard Penetration Test  
 HP - Hand/Pocket Penetrometer  
 DCP - Dynamic Cone Penetrometer  
 PSP - Perth Sand Penetrometer  
 MC - Moisture Content  
 PBT - Plate Bearing Test  
 IMP - Borehole Impression Test  
 PID - Photoionisation Detector  
 VS - Vane Shear; P=Peak, R=Residual (uncorrected kPa)

**SAMPLES**

B - Bulk disturbed sample  
 D - Disturbed sample  
 ES - Environmental sample  
 U - Thin wall tube 'undisturbed'

**MOISTURE**

D - Dry  
 M - Moist  
 W - Wet  
 PL - Plastic limit  
 LL - Liquid limit  
 w - Moisture content

**SOIL CONSISTENCY**

VS - Very Soft  
 S - Soft  
 F - Firm  
 St - Stiff  
 VSt - Very Stiff  
 H - Hard

**RELATIVE DENSITY**

VL - Very Loose  
 L - Loose  
 MD - Medium Dense  
 D - Dense  
 VD - Very Dense




Refer to explanatory notes for details of abbreviations and basis of descriptions

Client: DWP Australia		Job No: 5017190157		Sheet: 1 of 1	
Project: Detailed Site Investigation and Geotechnical Investigation		Angle from Horizontal: 90°		Surface Elevation:	
Location: Kyeemagh Infants School, Kyeemagh, NSW		Excavation Method:		Contractor:	
Machine Type: 10 tonne Excavator		Logged By: JG		Checked By:	
Excavation Dimensions:		Date Excavated: 10/11/18			

Excavation			Sampling & Testing		Depth (m)	Material Description				
Method	Resistance	Stability	Water	Sample or Field Test		Graphic Log	Classification	SOIL TYPE, plasticity or particle characteristic, colour, secondary and minor components ROCK TYPE, grain size and type, colour, fabric & texture, strength, weathering, defects and structure	Moisture Condition	Consistency Relative Density
↑ EX ↓				ES 0.10 m TP18_0.1	0.10m	SP	Silty SAND: fine to medium grained, poorly graded, grey brown  SAND: fine to medium grained, uniform, yellow grey	D		TOPSOIL 0.00 m: PID = 0.1ppm MARINE 0.10 m: PID = 0.1ppm
				ES 0.40 m TP18_0.4				M	L	
					0.5		TERMINATED AT 0.40 m Target depth			
					1.0					
					1.5					
					2.0					
					2.5					
					3.0					
					3.5					
					4.0					
					4.5					

<b>METHOD</b> EX Excavator bucket R Ripper HA Hand auger PT Push tube SON Sonic drilling AH Air hammer PS Percussion sampler AS Short spiral auger AD/V Solid flight auger: V-Bit AD/T Solid flight auger: TC-Bit HFA Hollow flight auger WB Washbore drilling RR Rock roller	<b>PENETRATION</b> VE Very Easy (No Resistance) E Easy F Firm H Hard VH Very Hard (Refusal)  <b>WATER</b>  Water Level on Date shown  water inflow  water outflow	<b>FIELD TESTS</b> SPT - Standard Penetration Test HP - Hand/Pocket Penetrometer DCP - Dynamic Cone Penetrometer PSP - Perth Sand Penetrometer MC - Moisture Content PBT - Plate Bearing Test IMP - Borehole Impression Test PID - Photoionisation Detector VS - Vane Shear; P=Peak, R=Residual (uncorrected kPa)	<b>SAMPLES</b> B - Bulk disturbed sample D - Disturbed sample ES - Environmental sample U - Thin wall tube 'undisturbed'  <b>MOISTURE</b> D - Dry M - Moist W - Wet PL - Plastic limit LL - Liquid limit w - Moisture content	<b>SOIL CONSISTENCY</b> VS - Very Soft S - Soft F - Firm St - Stiff VSt - Very Stiff H - Hard  <b>RELATIVE DENSITY</b> VL - Very Loose L - Loose MD - Medium Dense D - Dense VD - Very Dense
--	--	--	---	---

Refer to explanatory notes for details of abbreviations and basis of descriptions



Client: DWP Australia		Job No: 5017190157		Sheet: 1 of 1	
Project: Detailed Site Investigation and Geotechnical Investigation					
Location: Kyeemagh Infants School, Kyeemagh, NSW		Angle from Horizontal: 90°		Surface Elevation:	
Machine Type: 10 tonne Excavator		Excavation Method:		Contractor:	
Excavation Dimensions:		Logged By: JG		Checked By:	
Date Excavated: 10/11/18					

Excavation			Sampling & Testing		Material Description						
Method	Resistance	Stability	Water	Sample or Field Test	Depth (m)	Graphic Log	Classification	SOIL TYPE, plasticity or particle characteristic, colour, secondary and minor components ROCK TYPE, grain size and type, colour, fabric & texture, strength, weathering, defects and structure	Moisture Condition	Consistency Relative Density	STRUCTURE & Other Observations
<div style="display: flex; align-items: center; justify-content: center;"> <div style="width: 100px; border-left: 1px solid black; margin-right: 5px;"></div> <div style="writing-mode: vertical-rl; transform: rotate(180deg); font-size: 0.8em;">EX</div> </div>				ES 0.10 m TP19_0.1	0.10m	[Symbol]		Silty SAND: fine to medium grained, poorly graded, brown grey	D		TOPSOIL 0.00 m: PID = 0.3ppm
				ES 0.30 m TP19_0.3	0.30m	[Symbol]		FILL: Gravelly SAND: fine to medium grained, gap graded, brown grey, fine to medium grained gravel			FILL 0.10 m: PID = 3.3ppm
						0.5	[Symbol]	SP	SAND: fine to medium grained, uniform, yellow grey	M	L
					0.80m			TERMINATED AT 0.80 m Target depth			
					1.0						
					1.5						
					2.0						
					2.5						
					3.0						
					3.5						
					4.0						
					4.5						

<b>METHOD</b> EX Excavator bucket R Ripper HA Hand auger PT Push tube SON Sonic drilling AH Air hammer PS Percussion sampler AS Short spiral auger AD/V Solid flight auger: V-Bit AD/T Solid flight auger: TC-Bit HFA Hollow flight auger WB Washbore drilling RR Rock roller	<b>PENETRATION</b> VE Very Easy (No Resistance) E Easy F Firm H Hard VH Very Hard (Refusal)  <b>WATER</b> Water Level on Date shown water inflow water outflow	<b>FIELD TESTS</b> SPT - Standard Penetration Test HP - Hand/Pocket Penetrometer DCP - Dynamic Cone Penetrometer PSP - Perth Sand Penetrometer MC - Moisture Content PBT - Plate Bearing Test IMP - Borehole Impression Test PID - Photoionisation Detector VS - Vane Shear; P=Peak, R=Residual (uncorrected kPa)	<b>SAMPLES</b> B - Bulk disturbed sample D - Disturbed sample ES - Environmental sample U - Thin wall tube 'undisturbed'  <b>MOISTURE</b> D - Dry M - Moist W - Wet PL - Plastic limit LL - Liquid limit w - Moisture content	<b>SOIL CONSISTENCY</b> VS - Very Soft S - Soft F - Firm St - Stiff VSt - Very Stiff H - Hard  <b>RELATIVE DENSITY</b> VL - Very Loose L - Loose MD - Medium Dense D - Dense VD - Very Dense
--	--	--	---	---



**Client:** DWP Australia  
**Project:** Detailed Site Investigation and Geotechnical Investigation  
**Location:** Kyeemagh Infants School, Kyeemagh, NSW **Job No:** 5017190157 **Sheet:** 1 of 1

**Position:** See attached plan **Angle from Horizontal:** 90° **Surface Elevation:**

**Machine Type:** 10 tonne Excavator **Excavation Method:**

**Excavation Dimensions:** **Contractor:**

**Date Excavated:** 10/11/18 **Logged By:** JG **Checked By:**

Excavation			Water	Sampling & Testing	Depth (m)	Material Description					
Method	Resistance	Stability		Sample or Field Test		Graphic Log	Classification	SOIL TYPE, plasticity or particle characteristic, colour, secondary and minor components ROCK TYPE, grain size and type, colour, fabric & texture, strength, weathering, defects and structure	Moisture Condition	Consistency Relative Density	STRUCTURE & Other Observations
↑ EX ↓				ES 0.10 m TP20_0.1	0.10m		SP	0.10m Silty SAND: fine to medium grained, poorly graded, grey	D		0.00 m: PID = 0.5ppm
				ES 0.40 m TP20_0.4				0.40m FILL: SAND: fine to medium grained, uniform, yellow brown			0.10 m: PID = 0.3ppm
					0.5			SAND: fine to medium grained, uniform, yellow grey	M	L	MARINE
					0.90m			TERMINATED AT 0.90 m Target depth			
					1.0						
					1.5						
					2.0						
					2.5						
					3.0						
					3.5						
					4.0						
					4.5						




**METHOD**

EX Excavator bucket  
 R Ripper  
 HA Hand auger  
 PT Push tube  
 SON Sonic drilling  
 AH Air hammer  
 PS Percussion sampler  
 AS Short spiral auger  
 AD/V Solid flight auger: V-Bit  
 AD/T Solid flight auger: TC-Bit  
 HFA Hollow flight auger  
 WB Washbore drilling  
 RR Rock roller

**PENETRATION**

VE Very Easy (No Resistance)  
 E Easy  
 F Firm  
 H Hard  
 VH Very Hard (Refusal)

**WATER**

 Water Level on Date shown  
 water inflow  
 water outflow

**FIELD TESTS**

SPT - Standard Penetration Test  
 HP - Hand/Pocket Penetrometer  
 DCP - Dynamic Cone Penetrometer  
 PSP - Perth Sand Penetrometer  
 MC - Moisture Content  
 PBT - Plate Bearing Test  
 IMP - Borehole Impression Test  
 PID - Photoionisation Detector  
 VS - Vane Shear; P=Peak, R=Residual (uncorrected kPa)

**SAMPLES**

B - Bulk disturbed sample  
 D - Disturbed sample  
 ES - Environmental sample  
 U - Thin wall tube 'undisturbed'

**MOISTURE**

D - Dry  
 M - Moist  
 W - Wet  
 PL - Plastic limit  
 LL - Liquid limit  
 w - Moisture content


**SOIL CONSISTENCY**

VS - Very Soft  
 S - Soft  
 F - Firm  
 St - Stiff  
 VSt - Very Stiff  
 H - Hard


**RELATIVE DENSITY**

VL - Very Loose  
 L - Loose  
 MD - Medium Dense  
 D - Dense  
 VD - Very Dense

Refer to explanatory notes for details of abbreviations and basis of descriptions



KEY  
rehole  
st pit



#### MATERIAL GRAPHIC



### INDICATIVE GEOLOGICAL CROSS SECTION KYEEMAGH INFANTS SCHOOL



## APPENDIX 13: DETAILED SITE INVESTIGATION



# Detailed Site Investigation

Kyeemagh Infants School, Corner of  
Jacobson Avenue and Beehag  
Street, Kyeemagh NSW

80818157



Prepared for  
DWP Australia Pty Ltd

23 January 2019

## Contact Information

**Cardno (NSW/ACT) Pty Ltd**

ABN 95 001 145 035

Level 9 - The Forum  
203 Pacific Highway  
St Leonards NSW 2065  
Australia

www.cardno.com

Phone +61 2 9496 7700

Fax +61 2 9439 5170

## Document Information

Prepared for DWP Australia Pty Ltd

Project Name Kyeemagh Infants School,  
Corner of Jacobson Avenue  
and Beehag Street,  
Kyeemagh NSW

File Reference 80818157\_R001\_Kyeemagh  
Infants\_DSI\_Rev0.docm

Job Reference 80818157

Date 23 January 2019

Version Number Rev0

Author(s):



Ben Withnall  
Environmental Scientist

Effective Date 23/01/2019

Approved By:



Robert Campbell  
Senior Environmental Scientist

Date Approved 23/01/2019

## Document History

Version	Effective Date	Description of Revision	Prepared by	Reviewed by
V1	12/12/2018	Draft for Internal Review	BW	RC
RevA	14/12/2018	Draft for Client Review	BW	RC
Rev0	23/01/2018	Final Report	BW	RC

© Cardno. Copyright in the whole and every part of this document belongs to Cardno and may not be used, sold, transferred, copied or reproduced in whole or in part in any manner or form or in or on any media to any person other than by agreement with Cardno.

This document is produced by Cardno solely for the benefit and use by the client in accordance with the terms of the engagement. Cardno does not and shall not assume any responsibility or liability whatsoever to any third party arising out of any use or reliance by any third party on the content of this document.

## Executive Summary

Cardno (NSW/ACT) Pty Ltd ("Cardno") was engaged by DWP Australia Pty Ltd ("the Client") to undertake a Detailed Site Investigation (DSI) for the proposed redevelopment of Kyeemagh Infants School, located on the corner of Jacobson Avenue and Beehag Street, Kyeemagh NSW 2216 ("the Site"). The Site is legally identified as Part Lot 1 within Deposited Plan (DP) 335734 and Lot 1 within DP 120095. The pre-school facility in the eastern portion of the Site is excluded from the scope of investigation. The DSI has been prepared in accordance with the scope of works presented in Cardno's proposal dated 29 November 2018.

The Department of Education is proposing to redevelop the Site to increase its current capacity from a K-2 capable school to a K-6 capable school. The purpose of the DSI was to assess soil and groundwater conditions at the Site with regards to potential contamination and Acid Sulfate Soils (ASS) in accordance with Item 12 of the Secretaries Environmental Assessment Requirements for Application Number SSD 9391.

The objective of the DSI was to investigate the potential for soil and groundwater contamination at the site which may pose a risk to human health or the environment under the proposed redevelopment as a primary school.

### Summary of Field Investigation

Cardno conducted a field investigation which consisted of advancing 19 test pits, one hand auger and five boreholes across the site. Test pits were advanced a minimum of 0.5 m into natural soils. Boreholes were advanced to depths of up to 17 m within the proposed school building footprint, and depths of 5 m in other areas. Three boreholes were converted into permanent monitoring wells to establish groundwater conditions at the site.

The subsurface profile encountered generally consisted of topsoil and fill material consisting of sands and silty sands to a maximum depth of 1.2 metres below ground level (mBGL), with filling generally observed to be less than 1 m deep. Natural soils encountered generally consisted of sands and silty sands, with intermittent sandy clays present at greater depths. Groundwater was encountered at depths of approximately 3.8 to 4 mBGL.

### Summary of Contamination Potential

Based on the site history and results of the intrusive investigation, the potential sources of impacts at the Site included:

- > Contamination as a consequence of uncontrolled fill material;
- > Contamination as a consequence of demolition of buildings containing hazardous building materials and soil impacts as a consequence of residual demolition waste
- > Presence of soil contamination as a consequence of historical spills and leaks

### Summary of Results, CSM and Risk Assessment

#### *Groundwater*

Cardno installed and sampled three monitoring wells across the Site as part of the intrusive investigation. Concentrations of COPCs within groundwater were generally below the adopted assessment criteria with the exception of copper within MW02. Given that concentrations of copper within site soils were within acceptable criteria, and the urbanized nature of the site and surrounds, the concentrations are likely to be a function of regional groundwater quality rather than a site specific source. The potential risks from groundwater at the Site are considered low and acceptable.

#### *Asbestos in Soils*

ACM in the form of fibre cement debris was identified at the soil surface in two locations, beneath turf at TP03, and within shallow fill material at TP04, exceeding the adopted Health Screening Levels (HSLs) and NEPM guidance for continued use as a primary school. The potential area of impact is located in the eastern section of the Site, adjacent to the pre-school boundary fence. The fill material encountered within the area consists of sand and silty sand, with variable depths of between 0.3 and 1.2 mBGL.

Under the current site use, the risk posed to receptors by the soils is considered low. This is due to:

- > The material encountered being bonded fibre cement material in fair condition;
- > That no further material was encountered at the soil surface; and

- > That control air monitoring during disturbance of the soils indicate airborne concentrations were below the exposure standard.

During the proposed development, disturbance of the soils poses a potential low inhalation risk to construction and maintenance workers, site users, and off-site receptors. An Asbestos Management Plan (AMP) should be developed to manage potential risks during construction.

Under the proposed site use, the soils will require remediation, management or risk assessment in order to render the site suitable. Options for remediation or management include consolidation of the material on-site beneath a suitable capping layer or hardstand, or removal from site and disposal at a suitably licenced landfill. If retention of the material on site is preferred, a Long Term Environmental Management Plan (LTEMP) shall be required.

It is Cardno's opinion that the identified impacts can be managed and remedied during development in order to render the site suitable.

#### *Nickel and TRH C<sub>16</sub>-C<sub>34</sub>*

Concentrations of nickel were detected above the Tier I Site Specific Ecological Investigation Level (EIL) in shallow soils at two locations (TP06\_0.1 and TP13\_0.1), in addition, hydrocarbon fractions C<sub>16</sub>-C<sub>34</sub> were detected at concentrations above the adopted Ecological Screening Level (ESL) in BH04\_0.4 for continued use as a primary school.

During development the area characterised by TP06 and TP13 is proposed to be beneath the school building, expanded carpark, or landscaped. The landscaping of the area is indicated to involve removal of surface soils and import of topsoil. The proposed works are likely to remove the nickel containing soils, or mitigate their contact with on-site vegetation. As such, the potential risk posed by the soils to sensitive receptors is considered low.

During development, the area characterised by TRH impacts identified at sample location BH04 is intended to remain as a hardstand area, with installation of subsurface water tanks and concrete slabs. The presence of hardstand is considered to effectively mitigate any potential exposure of ecological receptors to the soils containing hydrocarbons above the adopted screening criteria. As such, the potential risk posed by the soils is considered low.

It is Cardno's opinion that under the proposed development the identified impacts do not pose an unacceptable risk to environmental receptors, and any receptor pathways are likely to be mitigated during the planned redevelopment.

#### **Potential Acid Sulfate Soils**

Potential Acid Sulfate Soils (PASS) have been identified at depths of 7 mBGL and greater, associated with natural sands and clays. If these soils are to be disturbed and allowed to oxidise, the potential acid generation poses an environmental risk to ecological receptors such as on-site vegetation and off-site receptors via groundwater. The acid generated also has the potential to degrade structures installed. An Acid Sulfate Soils Management Plan (ASSMP) should be developed to manage the disturbance of these soils by activities such as excavation and piling, or by lowering of the water table.

#### **Recommendations**

To manage the potential risks at the Site and validate the suitability of the Site for the continued land use, some remediation, management or risk assessment of the site will be required. Based on the information above, Cardno provides the following recommendations:

- > Develop a Remediation Action Plan (RAP) to evaluate the potential management, remediation and / or risk assessment options, detail additional soil sampling rates for data gap investigation, waste classification / re-use requirements and validation criteria to guide and inform the development works. Potential applicable remedial strategies that should be considered include but are not limited to:
  - Site specific human health and ecological risk assessment;
  - Excavation and off-site disposal of impacted soil;
  - Capping with material suitable for the development and future areas of vegetation (potentially 500 mm of clean soil or a suitable depth of hardstand);
- > The RAP should also include:

- An Unexpected Finds Protocol to manage any risks of unidentified impacts such as hazardous materials or waste in fill material;
  - Sampling requirements to classify soil if off-site disposal of soils is required. A suitably qualified Environmental Consultant should be engaged to undertake sampling at densities in accordance with the NSW EPA *Sampling Design Guidelines* (1995) and/or the NSW EPA *Excavated Natural Material Order* (2014) in order to issue a Waste Classification for the material;
  - If re-use of excavated soils on-site is proposed, validation sampling at a rate consistent with NEPM and / or ENM Order guidance should be undertaken to ensure the soils are suitable for the proposed land-use. The sampling density would be included in the RAP.
- > If not incorporated into the RAP, additional management plans should be developed including:
- An Acid Sulfate Soils Management Plan (ASSMP) detailing the procedure for disturbance of PASS material, and the process for treatment and validation of neutralisation;
  - An Asbestos Management Plan (AMP) detailing the procedure for disturbance of ACM containing soils including control measures and WHS requirements.



## Table of Contents

Executive Summary	iii
1 Introduction	1
1.1 Background	1
1.2 Purpose and Objectives	1
1.3 Scope	1
1.4 Guidelines and Legislation	2
2 Site Condition and Surrounding Environment	4
2.1 Site Definition	4
2.2 Site Description	4
2.3 Surrounding Land Uses	5
2.4 Proposed Development	5
2.5 Topography and Drainage	6
2.6 Flood Potential	6
2.7 Regional Geology and Hydrogeology	6
2.8 Previous Reports	7
2.9 EPA Records Search	7
2.10 SafeWork Dangerous Goods	9
2.11 Planning Information	9
2.12 Site Historical Uses	9
3 Data Quality Objectives	11
3.1 Data Quality Objectives	11
3.2 Data Quality Indicators	13
4 Soil Assessment Criteria	15
4.1 Assessment Criteria	15
5 Soil Investigation Program	17
5.1 Site Investigation Methodology	17
5.2 Field Observations	21
5.3 Laboratory Soil Results	21
5.4 Laboratory Groundwater Results	23
5.5 Site Hydrology	24
6 Quality Assurance / Quality Control	25
6.1 Field QA/QC Evaluation	25
6.2 Laboratory QA/QC	25
6.3 Data Useability	25
7 Indicative Waste Classification	26
7.1 Area Excluding TP03 and TP04	26
7.2 Area Characterised by TP03 and TP04	26
7.3 Natural Soils	26
7.4 Potential for On-Site Re-Use	26

8	Preliminary Conceptual Site Model	28
8.1	Preliminary Conceptual Site Model	28
8.2	Conceptual Site Model Summary and Risk Assessment	29
8.3	Data Gaps and Uncertainties	30
9	Conclusions and Recommendations	31
9.1	Conclusions	31
9.2	Recommendations	32
10	References	33
11	Limitations	34
	Quality Control / Quality Assurance Report	46

## Appendices

<b>Appendix A</b>	Figures
<b>Appendix B</b>	Site Photographs
<b>Appendix C</b>	Supporting Documents
<b>Appendix D</b>	Analytical Summary Tables
<b>Appendix E</b>	Borehole Logs
<b>Appendix F</b>	Laboratory Analytical Reports
<b>Appendix G</b>	QA/QC Report

## Tables

Table 2-1	Site Definition and Details	4
Table 2-2	Site Inspection Observations	4
Table 2-3	Surrounding Land Uses	5
Table 2-4	Groundwater Summary Table	6
Table 2-5	Records of notice within dataset buffer	8
Table 2-6	Records from the NSW EPA Contaminated Land list within buffer zone.	8
Table 2-7	Historical Land Uses	9
Table 3-1	Data Quality Objectives	11
Table 3-2	Data Quality Indicators	13
Table 4-1	Groundwater Beneficial Uses	15
Table 5-1	Investigation Activity Summary	17
Table 5-2	Soil Sample Locations	18
Table 5-3	Summary of Soil Samples and Analysis	19
Table 5-4	Typical Soil Profile	21
Table 5-5	Summary of Soil Exceedances	23
Table 5-6	Summary of Groundwater Results Exceeding the Adopted Assessment Criteria	23
Table 5-7	Site Hydrology	24

Table 5-8	Monitoring Well Construction	24
Table 5-9	Groundwater Purging Parameters	24
Table 6-1	Summary of Field QA/QC Samples	25
Table 8-1	Conceptual Site Model (CSM)	28

## Abbreviations and Units

BTEXN	Benzene, Toluene, Ethyl-benzene, Xylenes and Naphthalene
OCP	Organochlorine Pesticides
OPP	Organophosphate Pesticides
PAHs	Polycyclic Aromatic Hydrocarbons
PCBs	Polychlorinated Biphenyls
TOC	Total Organic Carbon
TPH	Total Petroleum Hydrocarbons
TRH	Total Recoverable Hydrocarbons
VOC	Volatile Organic Compounds

## Technical Terms

ACM	Asbestos Containing Material
AGL	Above Ground Level
AHD	Australian Height Datum
AMG	Australian Map Grid
ANZECC	Australian and New Zealand Environment and Conservation Council
AST	Aboveground Storage Tank
BGL	Below Ground Level
CoC	Chain of Custody
CoPC	Contaminants of Potential Concern
DECC	Former Department of Environment and Climate Change NSW
DECCW	Former Department of Environment, Climate Change and Water
DNAPL	Dense Non-Aqueous Phase Liquid
DO	Dissolved Oxygen
DSI	Detailed Site Investigation
EC	Electrical Conductivity
EILs	Environmental Investigation Levels
EPA	Environment Protection Authority
EPL	Environment Protection Licence
GCMS	Gas Chromatograph - Mass Spectrometer
GME	Groundwater Monitoring Event
HILs	Health based Investigation Levels
LNAPL	Light Non-Aqueous Phase Liquid
LOR	Limit of Reporting
N/A	Not Applicable
NAPL	Non-Aqueous Phase Liquid
NEPM	National Environment Protection Measure

OEH	Office of Environment and Heritage
pH <sub>F</sub> /pH <sub>FOX</sub>	Field pH and Field pH Peroxide Oxidation
PID	Photo-ionisation Detector
PQL	Practical Quantitation Limit
PSI	Preliminary Site Investigation
QA	Quality Assurance
QC	Quality Control
RL	Reduced Level
RPD	Relative Percentage Difference
S <sub>CR</sub>	Chromium Reducible Sulphur
SPOCAS	Suspension Peroxide Oxidation Combined Acidity and Sulphur
UCL	Upper confidence Limit
UST	Underground Storage Tank

### Units

Ha	Hectares
mBGL	Metres Below Ground Level
mg/kg	Milligram per Kilogram (approximately equivalent to ppm)
mg/L	Milligram per Litre
mBTC	Metres Below Top of Casing
ppb	Part per Billion
ppm	Parts per Million
µg/kg	Microgram per Kilogram (approximately equivalent to ppb)
µg/L	Microgram per Litre
µS/cm	Micro Siemens per Centimetre

# 1 Introduction

---

## 1.1 Background

Cardno (NSW/ACT) Pty Ltd (“Cardno”) was engaged by DWP Australia Pty Ltd (“the Client”) to undertake a Detailed Site Investigation (DSI) for the proposed redevelopment of Kyeemagh Infants School, located on the corner of Jacobson Avenue and Beehag Street, Kyeemagh NSW 2216 (“the Site”). The Site is legally identified as Part Lot 1 within Deposited Plan (DP) 335734 and Lot 1 within DP 120095. The pre-school facility in the eastern portion of the Site is excluded from the scope of investigation. The location and features of the site are presented in **Figures 1 and 2** in **Appendix A**. The DSI has been prepared in accordance with the scope of works presented in Cardno’s proposal dated 29 November 2018.

The Department of Education is proposing to redevelop the Site to increase its current capacity from a K-2 capable school to a K-6 capable school. The proposed redevelopment has been assessed as State Significant Development and this DSI has been commissioned to satisfy Item 12.1 of the Secretary’s Environmental Assessment Requirements (SEARS) for Application Number SSD 9391, issued under Section 4.12(8) of the *Environmental Planning and Assessment Act* and Schedule 2 of the *Environmental Planning and Assessment Regulation 2000*. The requirements of Item 12 are to assess and quantify any soil and groundwater contamination and demonstrate that the Site is suitable for the proposed use in accordance with *State Environmental Planning Policy No. 55 – Remediation of Land 1998*.

## 1.2 Purpose and Objectives

The purpose of this DSI is to provide the Client with information on subsurface soil and groundwater conditions at the Site with regards to potential contamination and Acid Sulfate Soils (ASS) which may pose a risk to human health or the environment under the proposed development.

The objectives of the DSI are to:

- > Identify the potential for past or present activities on the Site; and to the extent practicable surrounding the Site, to cause contamination of land or groundwater at the Site;
- > Identify potential areas and contaminants of concern at the Site;
- > Develop a Conceptual Site Model (CSM) incorporating identified impacts (if any) and potential receptors of concern to assess the potential for the protected beneficial uses of the land and groundwater to be impacted due to contamination; and
- > Provide recommendations for additional assessment and/or management options if impacted soil and/or groundwater is identified.

## 1.3 Scope

To meet the DSI objectives Cardno undertook the following scope of work:

- > Defined the Site features and immediate surrounds based on site observations during the assessment activities;
- > Reviewed available background information for the Site, including searches of public databases;
- > Undertook an intrusive investigation which included:
  - Locating services in the assessment area;
  - The advancement of 19 test pits, one hand auger, and five soil borings using an excavator and 4x4 vehicle mounted Drill Techniques D-4T drill rig;
  - Submission of 41 primary soil samples, 37 samples for Acid Sulfate Soils analysis, two fibre cement samples and associated Quality Assurance / Quality Control samples to a NATA accredited laboratory for analysis of:
    - > Total Recoverable Hydrocarbons (TRH);
    - > Benzene, Toluene, Ethylbenzene, Total Xylenes and Naphthalene (BTEXN);



- > Volatile Organic Compounds (VOCs);
- > Polycyclic Aromatic Hydrocarbons (PAHs);
- > Heavy Metals (Arsenic, Cadmium, Chromium, Copper, Lead, Mercury, Nickel and Zinc);
- > Organochlorine and Organophosphate Pesticides;
- > Polychlorinated Biphenyls (PCBs);
- > Acid Sulfate Soils Field Screening (pH<sub>F</sub>/pH<sub>FOX</sub>);
- > Suspension Peroxide Oxidation Combined Acidity and Sulphur (SPOCAS);
- > Chromium Reducible Sulphur (S<sub>CR</sub>); and
- > Asbestos (weight/weight %).
- Submission of three primary groundwater samples and associated Quality Assurance / Quality Control samples to a NATA accredited laboratory for analysis of:
  - > Total Recoverable Hydrocarbons (TRH);
  - > Benzene, Toluene, Ethylbenzene, Total Xylenes and Naphthalene (BTEXN);
  - > Volatile Organic Compounds (VOCs);
  - > Polycyclic Aromatic Hydrocarbons (PAHs);
  - > Heavy Metals (Arsenic, Cadmium, Chromium, Copper, Lead, Mercury, Nickel and Zinc);
  - > 28 per- and poly-fluoroalkyl substances (PFAS)
- > Development of a conceptual site model (CSM) to evaluate potential risks to identified sensitive receivers;
- > Preparation of this DSI report.

## 1.4 Guidelines and Legislation

The scope of work outlined above was completed in accordance with the requirements included in the following guidelines and legislation:

- > ASSMAC (1998) *Acid Sulfate Soils Assessment Guidelines*, Acid Sulfate Soils Management Advisory Committee, August 1998;
- > CCME (2010), *Canadian soil quality guidelines: carcinogenic and other polycyclic aromatic hydrocarbons (PAHs) (environmental and human health effects)*, Scientific criteria document (revised), Canadian Council of Ministers for the Environment, 2010
- > CRC Care (2011) *Technical Report No. 10 Health Screening Levels for Petroleum Hydrocarbons in Soil and Groundwater Part 1: Technical Development Document*, September 2011;
- > HEPA (2018) *PFAS National Environmental Management Plan*, January 2018;
- > NEPC (2013) *National Environment Protection (Assessment of Site Contamination) Measure (NEPM)*. National Environment Protection Council (NEPC) 1999, Amendment 2013;
- > NEPC (2013) *Schedule B(2) Guideline on Site Characterisation*, NEPM 1999, Amendment 2013;
- > NSW Department of Urban Affairs and Planning (1998) *Managing Land Contamination: Planning Guidelines: SEPP 55 Remediation of Land*, 1998;
- > NSW EPA (1995) *Contaminated Sites Sampling Design Guidelines*. New South Wales Environment Protection Authority (EPA), September 1995;
- > NSW OEH (2011) *Guidelines for Consultants Reporting on Contaminated Sites*. New South Wales Office of Environment & Heritage (OEH), November 1997, Reprinted September 2000, Reprinted August 2011;
- > Standards Australia (2005) *Australian Standard AS 4482.1-2005 – Guide to the investigation and sampling of sites with potentially contaminated soil. Part 1: Non-volatile and semi-volatile compounds*. Standards Australia, Homebush, NSW; and

- > Standards Australia (1999) *Australian Standard AS 4482.2-1999 - Guide to the sampling and investigation of potentially contaminated soil. Part 2: Volatile substances*. Standards Australia, Homebush, NSW.

## 2 Site Condition and Surrounding Environment

### 2.1 Site Definition

The site is approximately 8 km south west of the Sydney CBD. The site location and site plan are provided in **Appendix A** with site details presented below in **Table 2-1**.

Table 2-1 Site Definition and Details

Item	Details
Site Address	Corner of Jacobson Avenue and Beehag Street, Kyeemagh NSW 2216
Approximate Site Area (ha)	1.3 ha
Title Details	Lot 1 DP 335734 and Lot 1 DP 120095
Local Government Area	Bayside City Council
Parish and County	St George, Cumberland
Current Site Owners	The Department of Education
Current Site Zoning	R2 Low Density Residential

### 2.2 Site Description

The Site is currently used as an infant's school and has an area of approximately 1.3 ha. The land parcel is approximately rectangular in shape and is bounded by Jacobson Avenue to the South, Beehag Street to the west, and Tancred Avenue to the east. The northern boundary abuts low density residential housing. The western area of the Site contains the infant's school with classrooms, administrative buildings, amenities and recreation spaces. The centre of the site is primarily an open grassed play area. In the eastern area of the Site North Brighton Preschool occupies an approximately 1,700 m<sup>2</sup> area, which is excluded from the scope of investigation. Figures detailing the Site location and surrounds, and plans for the proposed development are included in **Appendix A**.

Cardno conducted a site inspection on 10 November 2018 during field works. Details of the observations made during the inspection are provided in **Table 2-2** below.

Table 2-2 Site Inspection Observations

Item	Observations
Current site use	Current site use is as an infants school
Proposed site use	Future site use is for redevelopment to remain as a primary school
Site slope and drainage features	Site elevation is approximately 5 mAHD and is relatively level. Local topography is generally level with minor undulations and mounds. Drainage in surrounding streets is expected to be through a pit and pipe network via street guttering.
Vicinity Surface water bodies	The Cooks River is located approximately 240 m east north east of the Site, Botany Bay is located approximately 240 m south east of the Site, and Muddy Creek is located approximately 330 m north west of the Site. Muddy Creek drains into the Cooks River, which flows to Botany Bay.
Site surface coverings	The Site is mostly grassed, with areas of asphalt hardstand in play areas in the south western area of the Site. A graveled carpark is present in the north western corner of the Site accessed via Beehag Street.
Surface soils	Surface soils were visible in areas of sparse grass cover and consisted of sands and silty sands.
Buildings	<p>Eight buildings are present in the western area of the Site which comprise the infants school facilities. Buildings include;</p> <ul style="list-style-type: none"> <li>▪ A demountable office and classroom building in the north adjacent the carpark</li> <li>▪ A metal building housing the Sustainable Community Hub adjacent garden beds south of the office</li> </ul>

	<ul style="list-style-type: none"> <li>A brick library building south west of the office</li> <li>A brick amenities building south of the office</li> <li>A clad classroom south of the Beehag Street entrance</li> <li>Two clad classroom buildings and a clad storage building adjacent the Jacobson Avenue boundary</li> </ul> <p>The preschool facility contains additional buildings which are not included within the investigation area.</p>
Potential asbestos in building materials	Potential asbestos containing materials were observed in some buildings generally consisting of wall cladding to the buildings in the south adjacent to Jacobson Avenue.
Manufacturing, industrial or chemical processes and infrastructure	None observed.
Fuel storage tanks (USTs/ASTs)	None observed.
Dangerous goods	None observed.
Solid waste deposition	None observed.
Liquid waste disposal features	None observed.
Evidence of previous site contamination investigations	None observed.
Evidence of land contamination (staining or odours)	Fibre cement material was observed at the soil surface adjacent the access gate in the north eastern corner of the site ( <b>Figure 3, Appendix A</b> ).
Evidence of groundwater contamination	None observed.
Groundwater use	A functioning groundwater bore is present on site reportedly used for irrigation.
Vegetation	Mature trees are present primarily in the western infant's school area, and eastern pre-school area. The remainder of the Site is generally grassed or hardstand. Although grass cover was sparse in some areas, vegetation was generally observed to be healthy. Vegetation is mapped as Urban Exotic / Native (Native Vegetation of the Sydney Metropolitan Area, OEH)
Site fencing	The site is enclosed by a metal security fence on the eastern, western and southern boundaries, and a timber fence on the northern boundary.

## 2.3 Surrounding Land Uses

Land uses surrounding the site are detailed in **Table 2-3** and a map of the surrounds is shown in **Figure 1, Appendix A**.

Table 2-3 Surrounding Land Uses

Direction	Land Use or Activity
North	Low density residential followed by Mutch Avenue, Kyeemagh RSL Club and Muddy Creek
South	Jacobson Avenue followed by low density residential, General Holmes Drive and Botany Bay
East	Tancred Avenue followed by low density residential and the Cooks River, followed by Sydney Airport
West	Beehag Street followed by low density residential

The area is serviced by public roads and access to the site is available from Beehag Street to the west, and via a locked access way at the north eastern corner of the Site leading to Tancred Avenue.

## 2.4 Proposed Development

The proposed redevelopment aims to address demographic pressures identified in the Kogarah Primary Cluster by expanding the capacity of the school from a K-2 Infants School to K-6 primary school. The proposed school will have a capacity of up to 500 students. The redevelopment involves the demolition of all existing buildings in a staged process to allow the existing school to remain open. The concept design for the proposed development is included in **Appendix A**. New infrastructure includes;

- > A main two storey building in the eastern area of the Site adjacent to the pre-school boundary, comprising the majority of the current grassed open area;
- > An administration building in the central southern area of the Site;
- > Hardstand and a hall building in the south west corner of the Site;
- > A games court and refurbished carpark in the north western area of the Site; and
- > Landscaping of the remainder of the Site.

## 2.5 Topography and Drainage

Site elevation is approximately 3 to 5 mAHN and is relatively level with a raised mound south of the Sustainable Community Hub. The local topography is generally flat with minor undulations and mounding. Surface water is expected to generally infiltrate into the sandy soils. Drainage in surrounding streets is by kerbside guttering. Likely stormwater discharge points are the Cooks River and Botany Bay.

## 2.6 Flood Potential

Cardno undertook a review of available flood mapping of the area surrounding the school in order to provide flooding advice (Cardno, 2018). The Cooks River Flood Study undertaken by Parsons Brinckerhoff for Sydney Water in 2008 indicates that the Site is unlikely to be affected by the 1% AEP or PMP flood events.

## 2.7 Regional Geology and Hydrogeology

The Soil Landscapes of Sydney Sydney 1:100,000 sheet indicates that the Site soils are likely comprised of Quaternary quartz sands with minor shell content, silt and fine sands (Qhbr). The NSW Office of Environment and Heritage eSPADE online GIS tool indicates that the site is characterised as part of the Tuggerah Soil Landscape, which is an Aeolian landscape with deep sandy soils with pH values ranging from 4.5 (strongly acidic) to 7.0 (neutral).

The site is underlain by the Botany Sands Aquifer which is extensive, porous and highly productive. Groundwater flow is expected to be to the east towards the Cooks River or south towards Botany Bay with local variations in gradient. Due to the proximity of the Site to Muddy Creek, the Cooks River and Botany Bay, groundwater at the Site may be tidally influenced.

### 2.7.1 Groundwater Database

A search of the NSW Groundwater Database maintained by the Department of Primary Industries – Water identified 88 bores within 500m of the site. The purpose of these bores are summarised in **Table 2-4** below.

There are reportedly two bores on-site, with one currently in use:

- GW023455: Private spear for general domestic use installed 01/12/1965. Drilled depth of 4.9mBGL (unlikely to be currently in use)
- GW109028: School bore for high security domestic recreation use installed on 02/12/2002. Drilled depth 8.0 mBGL. Static Water Level 6.0 mBGL (currently in use).
- Static water levels (SWLs) in nearby bores were measured at between 2.44 mBGL and 5.49 mBGL

Table 2-4 Groundwater Summary Table

Intended Purpose	Number of Bores within 500 m
Domestic	81
Irrigation	6
Recreation	1

The majority of groundwater extraction in the surrounding area is for domestic use, likely for garden irrigation.

### 2.7.2 Acid Sulphate Soils

The Rockdale Local Environment Plan 2011 lists the Site as within a Class 4 Acid Sulfate Soils (ASS) potential area, with a Class 3 area present to the north. There is potential for ASS to be present beneath the Site, and works below 2 m below ground level (mBGL), or which may lower the water table by 2m may pose an environmental risk. As part of this DSI, an investigation into ASS beneath the Site has been undertaken. Some



potential indicators of ASS were identified during fieldworks (odour, shell inclusions), and analytical results confirm that Potential Acid Sulfate Soils (PASS) is present at the Site within sands and clays beneath the water table at depths of 7 mBGL and greater. An Acid Sulfate Soils Management Plan (ASSMP) should be developed for the project to manage any disturbance of ASS during works.

### 2.7.3 Salinity

There is no data on the Salinity Hazard Map generated using the NSW planning Portal, therefore the potential occurrence of saline soil conditions at the Site is considered to be low.

## 2.8 Previous Reports

Cardno was provided with the following previous reports relating to the Site:

- > Parsons Brinckerhoff (PB, 2014a) *Asbestos Remediation Clearance Certificate*. Prepared 9 July 2014.
- > Parsons Brinckerhoff (PB, 2014b) *Asbestos in Grounds, Asbestos Management Plan, Kyeemagh Infants School, Kyeemagh, NSW*. Prepared July 2014.

### 2.8.1 PB 2014a Asbestos Remediation Clearance Certificate

An Asbestos Remediation Clearance Certificate was issued by Parsons Brinckerhoff (PB) following removal of fragments of asbestos cement debris. The report states that on 9 July 2014 Australasian Technical Services Pty Ltd were engaged to remove asbestos cement debris from ground surfaces within a section of the school's grassy play area. The subject area of the report was in the south eastern corner of the Site abutting the preschool boundary fence and Jacobson Avenue boundary fence. Following removal works, the report states that visible materials were removed as far as reasonably practicable. The report excludes all other areas and areas below ground surfaces. Control air monitoring during the works was found to be within acceptable airborne fibre limits. A copy of the report is included within **Appendix C**.

### 2.8.2 PB 2014b Asbestos in Grounds, Asbestos Management Plan, Kyeemagh Infants School, Kyeemagh, NSW

Following the issue of the Asbestos Remediation Clearance Certificate (PB 2014a) an Asbestos Management Plan for *Asbestos In Grounds* was prepared by PB and issued in July 2014. The report outlines management measures for the identified asbestos impacted areas. The report states that the 'asbestos zone' comprises the PB 2014a subject area, and that asbestos cement fragments may be present as a component of buried fill in this area.

The report states that the site can be defined as low risk provided that the identified material remains undisturbed, and control measures such as regular monitoring and removal of fragments, and capping of the area with turf, mulch or hardstand is maintained.

Section 5 of the report provides a maintenance works management framework. Section 5.2 outlines that if the asbestos zone is to be disturbed, a licensed asbestos removal contractor with a friable licence should be engaged and provide appropriate control measures to ensure personnel and other school users are not exposed. Controls include undertaking works out of school hours, and work in progress asbestos air monitoring, analysed by a NATA accredited laboratory. Following works, management measures must be re-instated. A copy of the report is included within **Appendix C**.

## 2.9 EPA Records Search

### 2.9.1 Contaminated Land Record of Notices

The Contaminated Land Record of Notices is maintained by the Office of Environment and Heritage (OEH) in accordance with Part 5 of the Contaminated Land Management (CLM) Act 1997 and contains regulatory notices issued by the Environment Protection Authority (EPA) in relation to contaminated sites. The results of a search of the register indicate there are two sites within a 1 km radius of the site which have been notified to the EPA.

Table 2-5 Records of notice within dataset buffer

Site	Address	Activity	Notices	Distance (m)	Direction
Shell Service Station Brighton Le Sands and adjacent land	2 General Holmes Drive, Brighton Le Sands	Service Station	4 former	960 m from Site	South West of Site
Cook Park	General Holmes Drive, Brighton Le Sands	Service Station	6 former	966 m from Site	South of Site

The potential for the notified sites identified to have impact at the Site is considered low due to the distance, and that they are not currently regulated.

### 2.9.2 PoEO Public Register

The PoEO Public Register under Section 308 of the Protection of the Environment Operations (PoEO) Act 1997 contains Environment Protection Licences (EPLs), applications and notices issued by the EPA. A search for current licences to identify issues of relevance within a 1km radius zone did not return any active licences. A search for former licenced activities now revoked or surrendered returned six listings within the 1km buffer zone. The majority of these listings relate to general licences for application of herbicides, road construction (M5 Motorway) and water-based extractive activities. A summary of the former licences is contained in **Appendix C**.

The potential for the activities listed to have impact on the site is considered low due to the type of activities (herbicide impacts to waterways, road construction, extractive activities). The potential for diffuse effects will be considered if soil or groundwater impacts are identified.

### 2.9.3 List of Contaminated Sites Notified to the EPA

In response to 2008 amendments to the *Contaminated Land Management Act* (2008) clarifying the Section 60 duty to report contaminated sites, the EPA has received approximately 1,600 notifications to date from owners or occupiers of sites where they believe the sites are contaminated. Sites appearing on this list indicate that the notifiers consider that the sites are contaminated and warrant reporting to the NSW EPA; however, the contamination may or may not be significant enough to warrant regulation by the NSW EPA. The EPA needs to review and, if necessary, obtain more information before it can make a determination as to whether the sites warrant regulation.

A search of the list of NSW Contaminated Sites identified 2 notified sites within a the 1km radius, listed in the Record of Notices. The results of the search are presented in **Table 2-6** below.

Table 2-6 Records from the NSW EPA Contaminated Land list within buffer zone.

Site	Address	Activity	Management Class	Distance (m)	Direction
Shell Service Station Brighton Le Sands and adjacent land	2 General Holmes Drive, Brighton Le Sands	Service Station	Contamination formerly regulated under the CLM act	960 m from Site	South West of Site
Cook Park	General Holmes Drive, Brighton Le Sands	Service Station	Contamination formerly regulated under the CLM act	966 m from Site	South of Site

The potential for the notified sites identified to have impact at the Site is considered low due to the distance, and that contamination has been addressed.

### 2.9.4 Underground Petroleum Storage Systems (UPSS)

A search of the UPSS Sensitive Zone dataset maintained by the NSW EPA indicates that the Site is considered to be within a UPSS Sensitive Zone. No evidence of a UPSS was identified at the Site. Results of the search are contained within **Appendix C**.

### 2.9.5 EPA PFAS Investigation Program

A search of the NSW EPA PFAS Investigation Program dataset indicates that the Site is within 240 m of an EPA PFAS Investigation Program site, being Botany Bay and Georges River. Results of the search are contained within **Appendix C**.

### 2.10 SafeWork Dangerous Goods

A search of the SafeWork NSW records for the Storage of Schedule 11 Hazardous Chemicals was undertaken for the Site. The results of the search indicate that SafeWork NSW does not hold any records for the Storage of Hazardous Chemicals at the Site. A copy of the response is provided in **Appendix C**.

### 2.11 Planning Information

The site is zoned as R2 Low Density Residential under the Rockdale LEP 2011.

### 2.12 Site Historical Uses

Historical Site uses and surrounding land uses observed from historical aerial photographs contained in **Appendix C** are summarised in **Table 2-7** below. Additionally, an article in the St George and Sutherland Shire Leader published in on August 14, 2017 titled '*Kyeemagh Infants School Turns 75*' reports that the school celebrated 75 years of operation in 2017, indicating the Site has been in use as a school since 1942.

A search of historical business directory records for the area surrounding the Site did not identify any listings of concern within proximity to the Site.

Table 2-7 Historical Land Uses

Decade	Site Use	General Surrounding Land Use
1930-1943	<ul style="list-style-type: none"> <li>An open undeveloped area, potentially grassed</li> </ul>	<ul style="list-style-type: none"> <li>North: Open undeveloped area, potentially paddocks.</li> <li>South: Open undeveloped area, followed by a road.</li> <li>East: A road is present east of the Site, followed by an Open undeveloped area.</li> </ul>
1943-1951	<ul style="list-style-type: none"> <li>A building is present in the south western corner of the site, and a smaller shed immediately north.</li> <li>The remainder of the site appears sparsely grassed / vegetated with some tracks.</li> <li>The western half of the site appears to be fenced.</li> </ul>	<ul style="list-style-type: none"> <li>North: Open area with some land disturbance / potential farming followed by a road. A house and sheds are present in the far north.</li> <li>West: Low density residential housing immediately west and market gardens to the north-west.</li> <li>East: low density residential housing. The current road structure surrounding the Site is in place.</li> <li>South: low density residential housing and roads.</li> </ul>
1951-1955	<ul style="list-style-type: none"> <li>The Site remains generally unchanged</li> </ul>	<ul style="list-style-type: none"> <li>Surroundings remain generally unchanged</li> </ul>
1955-1961	<ul style="list-style-type: none"> <li>The site has been cleared and additional small buildings are present in the south western corner. A building is now present abutting the centre of the northern site boundary.</li> </ul>	<ul style="list-style-type: none"> <li>As above for south, east and west.</li> <li>North: The property abutting the northern site boundary has been developed, and appears to be paddocks or sporting greens.</li> </ul>
1961-1965	<ul style="list-style-type: none"> <li>A building is present in the eastern area of the Site in the location of the current pre-school.</li> <li>Potential car parking is present along the northern site boundary.</li> </ul>	<ul style="list-style-type: none"> <li>As above for south, east and west.</li> <li>North: the property abutting the northern site has been further developed with a large building present at the corner of Beehag Street and Mutch Avenue.</li> </ul>
1965-1982	<ul style="list-style-type: none"> <li>The site remains relatively unchanged. Hardstand areas are visible between the buildings in the southern corner of the site.</li> <li>Some established trees are present.</li> </ul>	<ul style="list-style-type: none"> <li>As above for south, east and west.</li> <li>The reserve adjacent the Cooks River to the north has been developed with a boat ramp.</li> </ul>

	<ul style="list-style-type: none"> <li>The pre-school area is fenced as a separate area.</li> </ul>	
1982-1991	<ul style="list-style-type: none"> <li>The Site remains relatively unchanged. A small building is present similar to the current storage shed. One small building has also been removed.</li> </ul>	<ul style="list-style-type: none"> <li>As above</li> </ul>
1991-2009	<ul style="list-style-type: none"> <li>An additional building is present adjacent the Beehag Street boundary</li> <li>The building adjacent the northern site boundary has been removed</li> </ul>	<ul style="list-style-type: none"> <li>As above for south, east, west.</li> <li>The former sporting / recreation facility abutting the northern boundary has been removed and redeveloped into low density housing</li> </ul>
2009-present	<ul style="list-style-type: none"> <li>The demountable office building is now present. The school and site layout resembles the current configuration with the addition of a shaded play area in the centre of the site.</li> <li>The Sustainable Community Hub was installed in 2017.</li> </ul>	<ul style="list-style-type: none"> <li>As above for north, east, west.</li> <li>Development of the reserve / Botany foreshore to the south.</li> </ul>

## 3 Data Quality Objectives

### 3.1 Data Quality Objectives

The NSW EPA (2017) Guidelines for the NSW Site Auditor Scheme (3rd Edition), which is endorsed under s105 of the Contaminated Land Management Act 1997, requires that Data Quality Objectives (DQOs) be prepared for all assessment and remediation programs. The DQO process as adopted by the NSW EPA is described within US EPA (2000) Guidance for the Data Quality Objectives Process and Data Quality Objectives Process for Hazardous Waste Site Investigations.

The DQOs for the site investigation, as detailed within NSW EPA (2006), are summarised in Error! Reference source not found..

Table 3-1 Data Quality Objectives

DQO Step	Description
Step 1 State the Problem	<p>The site is proposed for redevelopment and it is necessary to establish the current soil and groundwater quality at the site. Investigation into soils and groundwater with respect to potential risks to human health and the environment is required to determine if the Site is suitable for the proposed land use. Therefore,</p> <ol style="list-style-type: none"> <li>1. A DSI is required to assess the quality of site soils and groundwater, and to assess the potential risks posed to on and off-site receptors under the proposed land use.</li> <li>2. If subsurface impacts are identified, appropriate remedial measures to make the site suitable cannot be identified until a DSI is completed.</li> </ol>
Step 2 Identify the Decisions	<p>The decisions that must be made are:</p> <ol style="list-style-type: none"> <li>1. Are site soils suitable for the intended land use/s?</li> <li>2. What is the risk posed to potential on-site (and off-site) receptors from the concentrations of COPCs identified at the site (if any)?</li> <li>3. Is remediation or management of site soils necessary to ensure the site is made suitable for the intended land use?</li> </ol>
Step 3 Identify Inputs to the Decision	<p>The primary inputs to the decisions described above are:</p> <ol style="list-style-type: none"> <li>1. Assessment of soils, with samples collected from a minimum of 23 locations advanced across the site;</li> <li>2. Assessment of groundwater, with samples collected from three monitoring wells on site;</li> <li>3. Ensuring a sufficient number of samples are collected, in accordance with regulatory guidelines, to characterise site soils and groundwater;</li> <li>4. Laboratory analysis of soil and groundwater samples for relevant COPCs, based on historical land use;</li> <li>5. Assessment of the analytical results against applicable guideline criteria, based on the intended land use/s;</li> <li>6. Assessment of the suitability of the analytical data obtained, against the Data Quality Indicators (DQIs) outlined below;</li> <li>7. Aesthetic observations of soils, including odours, staining and waste inclusions; and</li> <li>8. Aesthetic observations of groundwater, including odours, sheen and light non aqueous phase liquids (LNAPL), if encountered.</li> </ol>
Step 4 Define the Study Boundaries	<p>The study site is defined as Kyeemagh Infants School, being parts of Lot 1 DP 335734 and Lot 1 DP 120095.</p> <p>The lateral extent of the study is shown in <b>Figure 2</b>, and excludes the New Brighton Preschool.</p> <p>The vertical extent of the soil study extends to the maximum depth encountered as part of this investigation, being 16 mBGL for ASS investigation.</p> <p>The temporal extent of the study is limited to the sampling conducted in 2018.</p>
Step 5 Develop a Decision Rule	<p>The decision rules for the DSI include:</p> <ul style="list-style-type: none"> <li>▪ The number of soil sampling points will meet the requirements for a targeted site characterisation outlined in NSW EPA (1995) Sampling Design Guidelines;</li> </ul>



DQO Step	Description
	<ul style="list-style-type: none"> <li>The number of groundwater samples will be sufficient for site characterization;</li> <li>Primary, duplicate and triplicate soil and groundwater samples will be analysed at National Association of Testing Authorities, Australia (NATA) accredited laboratories;</li> <li>Field and laboratory QA/QC results will indicate reliability and representativeness of the data set;</li> <li>Laboratory Limits of Reporting (LORs) will be below the applicable guideline criteria for the analysed COPC, where possible;</li> <li>Applicable guideline criteria will be sourced from NEPM (2013) guidelines and other NSW EPA endorsed guidelines (as necessary);</li> <li>Any soil aesthetic issues will be evaluated including areas of discolouration, odour and hazardous waste inclusions;</li> <li>Any groundwater aesthetic issues will be evaluated including odours, sheen and LNAPL;</li> <li>If soil COPCs exceed the applicable guideline criteria, the site will be deemed to potentially contain 'hot spots' of contamination;</li> <li>If the concentration of a soil and groundwater COPC in a sample is below the applicable guideline criteria, then no further assessment/remediation will be required with respect to that COPC;</li> <li>If the 95% upper confidence limit (UCL) of a soil COPC is less than applicable guideline criteria, standard deviation is less than 50%, and no reported concentration is greater than 250% of criteria, then no further assessment/remediation will be required with respect to that COPC; and</li> <li>If the concentration of a soil or groundwater COPC in a sample exceeds the applicable guideline criteria, the additional works (e.g. remediation or quantitative risk assessment) may be required to minimise the risk.</li> </ul>
Step 6 Specify Limits on Decision Errors	<p>To ensure the results obtained are reproducible and accurate, a QA/QC plan is incorporated into the sampling and analytical program. DQIs are used to assess the reliability of field procedures and analytical results. In particular, the DQIs within NSW DEC (2006) are used to document and quantify compliance. DQIs are described as follows, and are presented in <b>Table 3-2</b> below:</p> <ol style="list-style-type: none"> <li>Completeness – A measure of the amount of useable data from a data collection activity;</li> <li>Comparability – The confidence (expressed qualitatively) that data may be considered to be equivalent for each sampling and analytical event;</li> <li>Representativeness – The confidence (expressed qualitatively) that data are representative of each media present on the site;</li> <li>Precision – A quantitative measure of the variability (or reproducibility) of data; and</li> <li>Accuracy (bias) – A quantitative measure of the closeness of reported data to the true value.</li> </ol> <p>In addition, this step should include the following considerations to quantify tolerable limits:</p> <ul style="list-style-type: none"> <li>If 95% upper confidence limits (UCLs) are adopted for a particular soil COPC, a decision can be made based on a 95% probability that the 'true' arithmetic average contaminant concentration within the sampling area will not exceed the value determined by this method. Therefore, the limit on the decision error will be that there is a 5% probability that the calculated arithmetic average contaminant concentration may be incorrect; and</li> <li>If the minimum soil sampling points required for site characterisation based on detected circular hot spots by using a systematic sampling pattern is adopted (Table A of NSW EPA 1995), a decision can be made based on a 95% confidence of detecting a hot spot of a particular diameter. Therefore, the limit on the decision error will be that there is a 5% probability that a hotspot of a particular diameter may not be detected.</li> </ul>
Step 7 Optimise the Design for Obtaining Data	<p>To achieve the DQOs and DQIs, the following sampling procedures will be implemented to optimise the design for obtaining data</p> <ol style="list-style-type: none"> <li>The number of soil sampling points will meet the requirements required for a targeted site characterisation outlined in Table A of NSW EPA (1995) <i>Sampling Design Guidelines</i></li> <li>Fill and natural soil samples will be collected from a minimum of 23 locations advanced at the site</li> <li>Soil COPCs will be selected based on a review of historical activities at the site</li> <li>Samples were be collected by suitably qualified and experienced environmental consultants</li> <li>Soil samples will be collected and preserved in accordance with relevant standards/guidelines</li> </ol>

DQO Step	Description
	6. NATA accredited laboratories will be engaged for analysis of samples
	7. Soil observations including odours, staining and PID readings will assist with selection of samples for laboratory analysis
	8. Field and laboratory QA/QC procedures will be adopted and reviewed to indicate the reliability of the results obtained.

### 3.2 Data Quality Indicators

The following Data Quality Indicators (DQIs), referenced in Step 6 in **Table 3-1** have been adopted in accordance with the NSW EPA (2017) Guidelines for the NSW Site Auditor Scheme (3rd Edition). The DQIs outlined in **Table 3-2** assist with decisions regarding the contamination status of the site, including the quality of the laboratory data obtained.

Table 3-2 Data Quality Indicators

DQI	Frequency	Data Acceptance Criteria
<b>Completeness</b>		
Field documentation correct	All samples	All samples
Soil bore logs complete and correct	All samples	All samples
Suitably qualified and experience sampler	All samples	All samples
Appropriate lab methods and limits of reporting (LORs)	All samples	All samples
Chain of custodies (COCs) completed appropriately	All samples	All samples
Sample holding times complied with	All samples	All samples
Proposed/critical locations sampled	-	Proposed/critical locations sampled
<b>Comparability</b>		
Consistent standard operating procedures for collection of each sample. Samples should be collected, preserved and handled in a consistent manner	All samples	All samples
Experienced sampler	All samples	All samples
Climatic conditions (temp, rain etc) recorded and influence on samples quantified (if required)	All samples	All samples
Consistent analytical methods, laboratories and units	All samples	All samples
<b>Representativeness</b>		
Sampling appropriate for media and analytes (appropriate collection, handling and storage)	All samples	All Samples
Samples homogenous	All samples	All Samples
Detection of laboratory artefacts, e.g. contamination blanks	-	Laboratory artefacts detected and assessed
Samples extracted and analysed within holding times	All samples	-
<b>Precision</b>		
Blind duplicates (intra-laboratory duplicates)	1 per 20 samples	30% RPD, then review RPDs >30% would be reviewed in relation to heterogeneity of sample and LOR
Split duplicates (inter-laboratory duplicates)	1 per 20 samples	30% RPD, then review

DQI	Frequency	Data Acceptance Criteria
		RPDs >30% would be reviewed in relation to heterogeneity of sample and LOR
Laboratory duplicates	1 per 20 samples	<20% RPD Result > 20 × LOR <50% RPD Result 10-20 × LOR No Limit when RPD Result <10 × LOR
Accuracy		
Trip blanks	1 per sampling event (as required)	COPCs<LOR
Trip Spikes	1 per sampling event (as required)	70-130%
Surrogate spikes	All organic samples	50-150%
Matrix spikes	1 per 20 samples	70-130%
Laboratory control samples	1 per 20 samples	70-130%
Method blanks	1 per 20 samples	<LOR

## 4 Soil Assessment Criteria

### 4.1 Assessment Criteria

The following sections detail the adopted Tier I Screening Values which are compared to the soil and groundwater analytical data included on the summary data tables included in **Appendix D**. The analytical results obtained have been compared to the assessment criteria below.

#### 4.1.1 Soil Assessment Criteria

Based on the proposed redevelopment as a primary school, the criteria for residential land use with accessible soils (A) have been applied. A review of the borehole logs for the site indicates that values for Sands / Coarse soils are applicable:

Assessment criteria for the Site were derived from the following guidelines:

- > Total Recoverable Hydrocarbons (TRH), Benzene, Toluene, Ethylbenzene, Xylene, and Naphthalene (BTEXN), Benzo(a)pyrene:
  - NEPM (2013) Health Screening Levels (HSLs) for Vapour Intrusion (VI) and Direct Contact;
  - CRC Care (2011) Soil HSLs for Intrusive Maintenance Workers (Shallow Trench).
  - NEPM (2013) Ecological Screening Levels (ESLs); and
  - CCME (2010) Soil Quality Guidelines (SQGs)
- > Heavy metals M8 (Arsenic, Cadmium, Chromium, Copper, Lead, Nickel, Mercury, Zinc), Polycyclic Aromatic Hydrocarbons (PAHs), Organochlorine Pesticides, Organophosphorus Pesticides, Polychlorinated Biphenyls, Volatile Organic Compounds (VOCs):
  - NEPM (2013) Health Investigation Level (HILs);
  - NEPM (2013) Generic Ecological Investigation Levels (EILs);
  - Site Specific EILs where applicable calculated via the Ecological Investigation Level Calculation Spreadsheet, developed by CSIRO for the National Environment Protection Council, December 2010.
- > Asbestos:
  - Quantification % w/w, Presence / Absence.
- > Acid Sulfate Soils (ASS):
  - ASSMAC (1998) Action Criteria – Coarse Soils (<1000t)

#### 4.1.2 Groundwater Assessment Criteria

For the purposes of evaluating groundwater conditions at the site, a review of the potential on-site and off-site groundwater beneficial uses have been conducted. The results of the review are provided in **Table 4-1** below.

Table 4-1 Groundwater Beneficial Uses

Beneficial Use		Likelihood of Use		Comment
		Onsite	Offsite	
Aquatic Ecosystems	Groundwater	N/A	Potential	Aquatic ecosystems are not present on-site. There is potential for groundwater to travel to aquatic ecosystems including the Cooks River and Botany Bay.
Human Uses	Potable Water	Unlikely	Unlikely	Groundwater use on-site and surrounding the site is generally for domestic use, likely irrigation. Potable water supply is via reticulated water, and stock watering is unlikely given the surrounding land uses.
	Primary /Secondary Contact Recreation / Aesthetic	Unlikely	Unlikely	
	Irrigation	Likely	Likely	

Beneficial Use		Likelihood of Use		Comment
		Onsite	Offsite	
	Stock Watering	Unlikely	Unlikely	
	Industrial Use	Unlikely	Unlikely	
	Aquaculture	Unlikely	Unlikely	
Buildings and Structures		Refer Comment	Refer Comment	
Intrusive Maintenance / Trench / Excavation Worker		Potential	Potential	Groundwater may be encountered during trenching, excavation and piling works.

Based on a review of the beneficial uses, the groundwater analytical results will be compared to applicable guideline criteria for protection of marine aquatic ecosystems, recreational use, and irrigation due to the on-site use for irrigation and potential flow towards the Cooks River and Botany Bay. As such, the groundwater analytical results will be compared to the following assessment criteria:

- > Heavy Metals, Benzene, Xylenes, Naphthalene, VOCs:
  - NEPM1999 Groundwater Investigation Levels (GILs) for marine waters (95%).
  - ANZECC 2000 Australian Water Quality Guidelines for Fresh and Marine Waters: Irrigation Long-Term Trigger Values.
- > TRH and BTEX:
  - NEPM Groundwater HSLs for vapour intrusion for low-high density residential land use (HSL A&B). A review of the depth to groundwater and excavation depth at the site indicates that the Sand HSLs at depths between 4 m to 8 m are applicable.
- > Per- and poly-fluoroalkyl substances (PFAS)
  - PFAS NEMP (2018) Interim Marine (95%) and Recreational Water.



## 5 Soil Investigation Program

### 5.1 Site Investigation Methodology

The scope and method of the work is summarised in **Table 5-1** below. Sampling locations are shown on **Figure 2**, **Appendix A** and collected samples and analysis are summarised in **Table 5-3**. Fieldwork was undertaken by an experienced Cardno environmental scientist and geotechnical engineer in accordance with the agreed scope of work per the procedures in **Table 5-1**, below. Laboratory analytical summary tables are included in **Appendix D** and borehole logs are provided in **Appendix E**.

In accordance with the PB 2014b Asbestos Management Plan, works were undertaken outside of school hours. During disturbance of the 'asbestos zone' adjacent the preschool, a licenced Class A asbestos removalist was engaged (Australasian Technical Services Pty Ltd). Work in progress air monitoring was undertaken by EnviroX Consulting, and a clearance certificate issued for the area disturbed following works. A copy of the clearance certificate is provided in **Appendix C**.

Table 5-1 Investigation Activity Summary

Activity	Details
Dates of Field Activity	08/11/2018, 10/11/2018, 17/11/2018, 23/11/2018
Service Location	Conducted a Dial Before You Dig search and engaged a qualified service locator to mark services and clear borehole locations prior to ground penetration.
Intrusive Works	Non-destructive drilling (hand auger) within high risk zone followed by drilling using a 4x4 vehicle mounted Drill Techniques D-4T drill rig with solid flight augers and wash boring, and test pits using a 5t excavator.
Bores, Test Pits and Target Depths	Fieldworks for soil sampling and monitoring well installation were undertaken on 10 and 17 November 2018: <ul style="list-style-type: none"> <li>19 test pits and one hand auger were advanced across the site into natural soils;</li> <li>Five boreholes were drilled to varying depths between 5 mBGL and 17.95 mBGL</li> <li>Three boreholes were converted into permanent groundwater monitoring wells. Well construction details are included in <b>Appendix E</b>.</li> <li>After the monitoring wells were installed they were developed by pumping approximately 80 litres of groundwater from each well.</li> </ul>
Soil Logging	Soils encountered during drilling were described and logged. Borehole logs are presented in <b>Appendix E</b> .
Soil Sampling	A total of 41 primary soil samples, two fibre cement samples and 37 samples for ASS analysis were submitted for analysis from the 19 test pits, one hand auger and five boreholes advanced across the site excluding QA/QC samples. Samples were collected by gloved hand using nitrile gloves. Samples from test pits were collected from material that had not been in contact with the excavator bucket. Samples from boreholes were collected from the auger return. Samples at depth for ASS screening were collected from the Standard Penetration Test return.  Samples for asbestos in soil were based on collecting 500mL of representative soil for each target interval for screening of asbestos content (% weight/weight)  Primary soil samples and two intra-laboratory duplicated were analysed by Eurofins mgt for COPCs as per <b>Table 5-3</b> . Two triplicate samples were sent to ALS Environmental and analysed for the same COPCs.
Groundwater Sampling	Three primary groundwater samples, one intra-laboratory duplicate and one inter-laboratory triplicate sample were collected from the monitoring wells on 23 November 2018. The groundwater wells were developed as noted above and purged approximately one week later using low flow purging equipment with dedicated tubing. During purging, groundwater quality parameters including pH, dissolved oxygen, electrical conductivity, oxidation-reduction potential, and temperature were recorded. Groundwater was sampled once the water quality parameters stabilised. Groundwater purging logs are included in <b>Appendix D</b> .

	The primary groundwater samples and intra-laboratory duplicate was sent to Eurofins mgt for analysis on the contaminants of potential concern (CoPC) as per <b>Table 5.2</b> . The triplicate groundwater sample was submitted to ALS for analysis of the same COPCs.
Sample Preservation and Transport	Samples were placed in laboratory supplied containers and stored on ice in an ice box while on Site and in transit to the laboratory under Chain of Custody (CoC) documentation. Samples for ASS screening and analysis were frozen prior to dispatch. CoC documentation is presented in <b>Appendix F</b> .
Borehole and Test Pit Re-instatement	Boreholes and test pits for sampling were backfilled with soil removed from the bore during drilling where possible. Where additional backfill was required washed sand was used. Locations in grassed areas were capped with turf removed prior to drilling, or with new turf in the case of TP03.

The coordinates of the soil samples collected during the investigation program are included in **Table 5-2** below. A summary of the soil samples is included in **Table 5-2** below. Tabulated summaries of laboratory results are presented in **Appendix D**. Copies of the NATA stamped laboratory reports and chain of custody documentation are included in **Appendix F**. The Quality Assurance/Quality Control program is discussed in **Appendix G**.

Table 5-2 Soil Sample Locations

Borehole ID	Easting	Northing	RL (m AHD)
BH01	330214.784390157	6241985.38888958	3.482560902
BH02	330176.890083148	6242025.4168091	4.603321871
BH03	330180.727843445	6241985.26691309	3.829202915
BH04	330148.524206037	6241928.78947002	4.380349699
BH05	330122.664385726	6241978.06358734	4.555388904
TP01	330227.253574592	6242029.99716608	3.652436884
TP02	330192.092346145	6242039.0284916	4.402758435
TP03	330228.407901175	6241971.87488026	3.532988047
TP04	330198.654486418	6241996.98876323	3.769962181
TP05	330186.399446727	6242012.08943301	3.887581294
TP06	330155.727611612	6242007.80251647	4.442983868
TP07	330162.62287691	6241997.83746968	4.288093089
TP08	330188.74141962	6241968.68063922	3.758432115
TP09	330207.989146137	6241962.19764201	3.525020347
TP10	330193.667881051	6241942.11731322	3.710534554
TP11	330167.252254299	6241958.12709222	4.61879868
TP12	330152.537040247	6241973.13200167	4.271883799
TP13	330137.433438883	6241991.72065215	4.542154508
TP14	330142.189179353	6241959.19530421	4.911706657
TP15	330150.379169589	6241948.33761529	4.99423734
TP16	330180.463340772	6241928.57758081	4.508043814
TP17	330154.017918912	6241906.03962298	6.364304828
TP18	330099.890302882	6241951.4864973	5.418704539
TP19	330217.845050392	6241986.92682675	3.463848467
TP20	330126.99801036	6241934.95488447	5.356861049

Table 5-3 Summary of Soil Samples and Analysis

Sample ID	Date	Laboratory Analysis
TP01_0.2	10/11/2018	TRH/BTEXN/PAH/Metals 8/Asbestos (w/w%)
TP01_0.9	10/11/2018	TRH/BTEXN/PAH/Metals 8
TP02_0.1	10/11/2018	TRH/BTEXN/PAH/Metals 8/OCP/OPP/PCB/Asbestos (w/w%)
TP02_0.4	10/11/2018	TRH/BTEXN/PAH/Metals 8/Asbestos (w/w%)
TP03_ASB1	10/11/2018	Asbestos Presence / Absence
TP03_0.2	10/11/2018	TRH/BTEXN/PAH/Metals 8/OCP/OPP/PCB/Asbestos (w/w%)
TP03_1.2	10/11/2018	TRH/VOC/PAH/Metals (8)
TP04_0.1	10/11/2018	TRH/BTEXN/PAH/Metals 8/OCP/OPP/PCB/Asbestos (w/w%)
TP05_0.1	10/11/2018	TRH/BTEXN/PAH/Metals 8/Asbestos (w/w%)
TP05_0.9	10/11/2018	TRH/VOC/PAH/Metals (8)/NEPM Screen for Soil Classification
TP06_0.1	10/11/2018	TRH/BTEXN/PAH/Metals 8/Asbestos (w/w%)
TP06_0.3	10/11/2018	TRH/VOC/PAH/Metals (8)
TP07_0.1	10/11/2018	TRH/BTEXN/PAH/Metals 8/Asbestos (w/w%)
TP07_0.4	10/11/2018	TRH/BTEXN/PAH/Metals 8/NEPM Screen for Soil Classification
TP07_0.6	10/11/2018	TRH/BTEXN/PAH/Metals 8
TP08_0.4	10/11/2018	TRH/VOC/PAH/Metals (8)
TP09_0.3	10/11/2018	TRH/BTEXN/PAH/Metals 8/Asbestos (w/w%)
TP10_0.1	10/11/2018	TRH/BTEXN/PAH/Metals 8
TP11_0.2	10/11/2018	TRH/BTEXN/PAH/Metals 8/OCP/OPP/PCB/Asbestos (w/w%)
TP11_1.2	10/11/2018	TRH/VOC/PAH/Metals (8)
TP12_0.2	10/11/2018	TRH/BTEXN/PAH/Metals 8/OCP/OPP/PCB/Asbestos (w/w%)/NEPM Screen for Soil Classification
TP13_0.1	17/11/2018	TRH/BTEXN/PAH/Metals 8/OCP/OPP/PCB/Asbestos (w/w%)
TP13_0.4	17/11/2018	Asbestos (w/w%)
TP14_0.1	17/11/2018	Asbestos (w/w%)
TP14_0.7	17/11/2018	TRH/VOC/PAH/Metals (8)
TP15_0.1	17/11/2018	TRH/BTEXN/PAH/Metals 8
TP15_0.6	17/11/2018	TRH/VOC/PAH/Metals (8)/OCP/OPP/PCB
TP16_0.1	17/11/2018	TRH/BTEXN/PAH/Metals 8
TP16_0.8	17/11/2018	TRH/VOC/PAH/Metals (8)
TP17_0.5	17/11/2018	TRH/VOC/PAH/Metals (8)
TP18_0.1	17/11/2018	TRH/VOC/PAH/Metals (8)/OCP/OPP/PCB
TP18_0.4	17/11/2018	TRH/VOC/PAH/Metals (8)
TP19_0.1	10/11/2018	TRH/BTEXN/PAH/Metals 8/Asbestos (w/w%)
TP19_0.3	10/11/2018	TRH/BTEXN/PAH/Metals 8/Asbestos (w/w%)
TP20_0.1	17/11/2018	TRH/BTEXN/PAH/Metals 8/OCP/OPP/PCB/Asbestos (w/w%)
QA100	10/11/2018	OCP/OPP/PCB/TRH/VOC/PAH/Metals (8)
QA200	10/11/2018	OCP/OPP/PCB/TRH/VOC/PAH/Metals (8)
QA300	17/11/2018	TRH/BTEXN/PAH/Metals 8
QA400	17/11/2018	TRH/BTEXN/PAH/Metals 8
ASB2	17/11/2018	Asbestos Presence / Absence

BH01_1.0-1.45	10/11/2018	pH <sub>F</sub> /pH <sub>FOX</sub> /SCR/SPOCAS
BH01_2.5-2.95	10/11/2018	pH <sub>F</sub> /pH <sub>FOX</sub>
BH01_4.0-4.45	10/11/2018	pH <sub>F</sub> /pH <sub>FOX</sub>
BH01_5.5-5.95	10/11/2018	pH <sub>F</sub> /pH <sub>FOX</sub>
BH01_7.0-7.45	10/11/2018	pH <sub>F</sub> /pH <sub>FOX</sub>
BH01_8.5-8.95	10/11/2018	pH <sub>F</sub> /pH <sub>FOX</sub> /SCR/SPOCAS
BH01_10.0-10.45	10/11/2018	pH <sub>F</sub> /pH <sub>FOX</sub> /SCR/SPOCAS
BH01_11.0-11.45	10/11/2018	pH <sub>F</sub> /pH <sub>FOX</sub>
BH01_13.0-13.45	10/11/2018	pH <sub>F</sub> /pH <sub>FOX</sub>
BH01_14.5-14.95	10/11/2018	pH <sub>F</sub> /pH <sub>FOX</sub>
BH01_16.0-16.45	10/11/2018	pH <sub>F</sub> /pH <sub>FOX</sub> /SCR/SPOCAS
BH02_0.5	17/11/2018	TRH/BTEXN/PAH/Metals 8/Asbestos (w/w%)
BH02_1.0	17/11/2018	TRH/VOC/PAH/Metals (8)
BH02_2.0-2.45	17/11/2018	pH <sub>F</sub> /pH <sub>FOX</sub>
BH02_4.0-4.45	17/11/2018	pH <sub>F</sub> /pH <sub>FOX</sub> /SCR/SPOCAS
BH02_5.5-5.95	17/11/2018	pH <sub>F</sub> /pH <sub>FOX</sub>
BH02_7.0-7.45	17/11/2018	pH <sub>F</sub> /pH <sub>FOX</sub> /SCR/SPOCAS
BH02_8.5-8.95	17/11/2018	pH <sub>F</sub> /pH <sub>FOX</sub>
BH02_10.0-10.45	17/11/2018	pH <sub>F</sub> /pH <sub>FOX</sub>
BH02_11.5-11.95	17/11/2018	pH <sub>F</sub> /pH <sub>FOX</sub> /SCR/SPOCAS
BH02_13.0-13.45	17/11/2018	pH <sub>F</sub> /pH <sub>FOX</sub>
BH02_14.5-14.95	17/11/2018	pH <sub>F</sub> /pH <sub>FOX</sub>
BH02_16.0-16.45	17/11/2018	pH <sub>F</sub> /pH <sub>FOX</sub>
BH02_17.5-17.95	17/11/2018	pH <sub>F</sub> /pH <sub>FOX</sub>
BH03_0.5	17/11/2018	TRH/BTEXN/PAH/Metals 8/Asbestos (w/w%)
BH03_1.0-1.1	17/11/2018	pH <sub>F</sub> /pH <sub>FOX</sub>
BH03_2.5-2.95	17/11/2018	pH <sub>F</sub> /pH <sub>FOX</sub>
BH03_4.0-4.45	17/11/2018	pH <sub>F</sub> /pH <sub>FOX</sub>
BH03_5.5-5.95	17/11/2018	pH <sub>F</sub> /pH <sub>FOX</sub>
BH03_7.0-7.45	17/11/2018	pH <sub>F</sub> /pH <sub>FOX</sub>
BH03_8.5-8.95	17/11/2018	pH <sub>F</sub> /pH <sub>FOX</sub> /SCR/SPOCAS
BH03_10.0-10.45	17/11/2018	pH <sub>F</sub> /pH <sub>FOX</sub> /SCR/SPOCAS
BH03_11.5-11.95	17/11/2018	pH <sub>F</sub> /pH <sub>FOX</sub>
BH03_13.0-13.45	17/11/2018	pH <sub>F</sub> /pH <sub>FOX</sub>
BH04_0.4	10/11/2018	TRH/BTEXN/PAH/Metals 8
BH04_0.5-0.95	10/11/2018	pH <sub>F</sub> /pH <sub>FOX</sub> /SCR/SPOCAS
BH04_2.0-2.45	10/11/2018	pH <sub>F</sub> /pH <sub>FOX</sub> /SCR/SPOCAS
BH04_3.0-3.45	10/11/2018	pH <sub>F</sub> /pH <sub>FOX</sub>
BH05_0.2-0.5	10/11/2018	TRH/VOC/PAH/Metals (8)
BH05_1.5-1.95	10/11/2018	pH <sub>F</sub> /pH <sub>FOX</sub> /SCR/SPOCAS
BH05_3.0-3.45	10/11/2018	pH <sub>F</sub> /pH <sub>FOX</sub>
BH05_4.5-4.95	10/11/2018	pH <sub>F</sub> /pH <sub>FOX</sub>

Groundwater		
MW01	23/11/2018	TRH/VOC/PAH/Metals (8)/28 PFAS including PFOA/PFOS
MW02	23/11/2018	TRH/VOC/PAH/Metals (8)/ 28 PFAS including PFOA/PFOS
MW03	23/11/2018	TRH/VOC/PAH/Metals (8)/ 28 PFAS including PFOA/PFOS
QA100	23/11/2018	TRH/VOC/PAH/Metals (8)/ 28 PFAS including PFOA/PFOS
QA200	23/11/2018	TRH/VOC/PAH/Metals (8)/ 28 PFAS including PFOA/PFOS

## 5.2 Field Observations

Subsurface conditions observed during the soil sampling program are summarised in **Table 5-4** below. Surface coverings primarily consist of grass, and asphalt in footpaths and hardstand areas. Depth profiles were generally consistent across the Site with some variation in fill depth and profile. Detailed soil descriptions are provided in the borehole logs (**Appendix E**).

Table 5-4 Typical Soil Profile

Subsurface Horizon	Typical Depth Range (mBGL)	Description
Topsoil	0.0 – 0.2	Fine to medium grained Sands and Silty Sands
Fill	0.2 – 0.5	Fine to medium grained Sands, Silty Sands and Gravelly Sands. Sporadic areas of deeper fill observed in TP03 (1.2 mBGL).
Residual Soil	0.5 – >17.0	Fine to medium grained Sands and Silty Sands. Areas of Silty and Sandy Clay observed in deeper boreholes; BH01 (7.38 mBGL), BH02 (8.5 mBGL) and BH03 (8.2 mBGL)
Rock	-	Not encountered during investigation
Groundwater	≈ 3.8 (mBTC)	Pale Yellow, Low Turbidity

Additional observations for Kyeemagh Infants School include:

- > Asbestos Containing Material (ACM) in the form of fibre cement debris in fair condition was observed at the soil surface in two locations abutting the pre-school boundary fence in the east of the Site (ASB1 and ASB2 in **Figure 3, Appendix A**).
- > ACM in the form of fibre cement debris in fair condition was observed in two test pits. Debris was observed at TP03 at the soil surface beneath turf, and at TP04 within fill material.

## 5.3 Laboratory Soil Results

The results of laboratory analysis have been compared against the adopted assessment criteria. Summarised analytical results are presented in **Appendix D**. An interpretation of this data is summarised as follows:

- > Field Screen (PID):
  - PID readings ranged from 0.0 ppm to a maximum of 8.3 ppm at TP02\_0.4. Values observed were generally low between 0.5 and 5 ppm.
- > Benzene, Toluene, Ethylbenzene, and Xylene (BTEX):
  - Concentrations were not detected above the laboratory limits of reporting (LOR) or adopted criteria within the analysed samples.
- > Total Recoverable Hydrocarbons (TRH):
  - TRH fractions C<sub>6</sub> to C<sub>10</sub> and >C<sub>10</sub>-C<sub>16</sub> were not detected above the laboratory LOR or adopted criteria in any analysed sample.
  - TRH fractions >C<sub>16</sub> to C<sub>34</sub> were generally reported below the laboratory LOR and adopted criteria with the exception of the following:



- Concentrations of  $>C_{16}$  to  $C_{34}$  were detected above the adopted NEPM ESL (300 mg/kg) within samples BH04\_0.4 and TP06\_0.1. The maximum concentration detected was 1200 mg/kg at BH04\_0.4.
- A 95% Upper Confidence Limit (95% UCL) was undertaken for samples less than 2.5 times the ESL (excluding BH04\_0.4). The 95% UCL was calculated to be 123.8 mg/kg and a Standard Deviation of 53.5, below the adopted ESL.
- Concentrations of TRH fractions  $C_{34}$  to  $C_{40}$  were detected at concentrations above the laboratory LOR but below adopted criteria.
- > Metals:
  - Concentrations were generally reported above the laboratory LORs but below adopted criteria with the exception of the following:
    - Concentrations of nickel were detected above the Site Specific EIL (8 mg/kg) in samples TP01\_0.2, TP02\_0.1, TP02\_0.4, TP06\_0.1, TP06\_0.3 and TP13\_0.1. The maximum concentration detected was 130 mg/kg at TP06\_0.1;
    - A 95% UCL was calculated for sample concentrations less than 2.5 times the EIL (excluding samples TP06\_0.1 and TP13\_0.1), with a reported result of 6.93 and a Standard Deviation of 3.7, below the adopted EIL.
- > Polycyclic Aromatic Hydrocarbons (PAHs):
  - Concentrations were detected above the laboratory limits of reporting (LOR) but did not exceed adopted screening criteria.
- > Organophosphorus / Organochlorine Pesticides (OCPs/OPPs)
  - Concentrations of OCPs were detected above the laboratory LORs but below adopted criteria;
  - Concentrations of OPPs were not detected above the laboratory LOR or adopted criteria in any analysed sample.
- > Polychlorinated Biphenyls (PCBs):
  - Concentrations of PCBs were not detected above the laboratory LOR or adopted criteria in any analysed sample.
- > Asbestos:
  - Asbestos was generally not detected within analysed samples within the exception of the following:
    - Chrysotile asbestos was detected in fibre cement fragments above the adopted NEPM HSL (0.05% w/w) within sample TP04\_0.4 with an estimated concentration of 0.19% w/w;
    - Chrysotile asbestos was detected within fibre cement samples TP03\_ASB1 collected beneath turf, and ASB2 collected at the soil surface.
- > Acid Sulfate Soils:
  - Field pH ( $pH_F$ ) results ranged from 4.9 (acidic) to 9.6 (highly alkaline), indicating Actual ASS (AASS) are unlikely to be present;
  - Field pH Peroxide ( $pH_{FOX}$ ) results ranged from 2.3 (highly acidic) to 7.9 (slightly alkaline);
  - The results of subsequent SPOCAS and  $S_{CR}$  testing revealed Potential Acid Sulfate Soils (PASS) were not likely to be present with the exception of the following:
    - Oxidisable Sulfur (as Chromium Reducible Sulfur) exceeded the adopted action criteria (0.03% S) in samples BH01\_8.5-8.95, BH01\_1.0-10.45, BH01\_16.0-16.45, BH02\_7.0-7.45, BH02\_11.5-11.95, BH03\_8.5-8.95, and BH03\_10.0-10.45;
    - In some cases, Acid Neutralising Capacity (ANC) in excess of the acid generation potential was observed, however samples BH01\_16.0-16.45 and BH03\_10.0-10.45 returned Net Acidity results above the action criteria of 0.3%S indicating the potential need for treatment if exposed.

- An indicative liming rate of up to 8.8 kg/tonne is likely to be required to neutralise any acid generating capacity within the soils.

Table 5-5 Summary of Soil Exceedances

Analyte	Sample I.D.	Reported Concentration	Adopted Criteria
TRH C <sub>16</sub> -C <sub>34</sub>	BH04_0.4	1,200 mg/kg	NEPM ESL: 300 mg/kg
Nickel	TP06_0.1 TP13_0.1	130 mg/kg 30 mg/kg	Site Specific EIL: 8 mg/kg
Asbestos (in soil)	TP04_0.4	0.19% w/w	NEPM HSL: 0.01% w/w
Asbestos (soil surface)	TP03_ASB1 ASB2	Chrysotile asbestos detected within fibre cement fragments	NEPM: Soil surface to be free of asbestos
Potential Acid Sulfate Soils	BH01_8.5-8.95 BH01_10.0-10.45 BH01_16.0-16.45 BH02_7.0-7.45 BH02_11.5-11.95 BH03_8.5-8.95 BH03_10.0-10.45	0.34%S 0.16%S 0.05%S 0.13%S 0.082%S 0.29%S 0.35%S	Oxidisable Sulphur (S <sub>CR</sub> ) / Net Acidity – 0.03% S

## 5.4 Laboratory Groundwater Results

The results of laboratory analysis have been compared against the adopted assessment criteria and presented in **Appendix D**. An interpretation of this data is summarised as follows:

- > TRH:
  - Concentrations were not detected above laboratory LOR or the adopted assessment criteria in any analysed sample.
- > BTEX:
  - Concentrations were not detected above laboratory LOR or the adopted assessment criteria in any analysed sample.
- > PAHs:
  - Concentrations were not detected above laboratory LOR or the adopted assessment criteria in any analysed sample.
- > VOCs:
  - Concentrations were not detected above laboratory LOR or the adopted assessment criteria in any analysed sample.
- > Metals:
  - Concentrations were reported above the laboratory LOR but below adopted criteria with the exception of the following:
    - Concentrations of copper were detected marginally above the NEPM Marine 95% GILs (0.0013 mg/L) in sample MW02 (0.002 mg/L).
- > PFAS:
  - Concentrations were detected above the laboratory LOR but below the adopted assessment criteria.

Table 5-6 Summary of Groundwater Results Exceeding the Adopted Assessment Criteria

Analyte	Sample ID	Reported Concentration (mg/L)	Reported Concentration (mg/L)
Copper	MW02	0.002 mg/L	NEPM GILs (Marine 95%): 0.0013 mg/L

## 5.5 Site Hydrology

Table 5-7 Site Hydrology

Component	Description
Depth to Groundwater	SWL was recorded at between 3.8 and 3.9 mBTC.
LNAPL	None observed
Inferred Flow Direction	East-south east towards Cooks River and Botany Bay with localized gradients in varying directions and potential tidal variation.
Inferred Aquifer Conductivity	High
Water Bearing Unit	Shallow sand aquifer
Potential Groundwater Discharge Zones	The Cooks River (240 m east-north east), Botany Bay (240 m south east)

Table 5-8 Monitoring Well Construction

Monitoring Well ID	Installation Date	Total Depth (mbgl)	Screening Interval (mbgl)	Depth to water (bBTC)
MW01 (BH05)	10/11/2018	4.72	2.0-5.0	3.87
MW02 (BH02)	17/11/2018	17.32	2.0-5.0	3.98
MW03 (BH01)	10/11/2018	14.47	2.0-5.0	3.85

Table 5-9 Groundwater Purging Parameters

Monitoring Well ID	Dissolved Oxygen (DO) (mg/L)	Electrical conductivity (EC) (µS/cm)	pH	Redox potential (Eh) (mV)	Temp (°C)	Purge volume (L)	Water colour
MW01	0.98	270	7.0	75.3	19.9	8	Light Yellow
MW02*	0.7	331	6.9	-41.2	19.2	10	Light Yellow
MW03	0.56	214	6.5	-127.4	18.9	10	Light Yellow

\*Purging parameters are indicative only due to equipment malfunction during purging.

## 6 Quality Assurance / Quality Control

### 6.1 Field QA/QC Evaluation

The QA/QC samples collected for the sampling program are summarised in **Table 5-6**. The calculated Relative Percentile Differences between primary and duplicate / triplicate samples, trip blank, spike and rinsate results are presented in **Appendix D**.

Table 6-1 Summary of Field QA/QC Samples

Sample Type	Matrix	Primary Sample	Duplicate I.D.	Triplicate I.D.
Field Duplicate / Triplicate	Soil	TP12_0.2	QA100	QA200
		TP16_0.1	QA300	QA400
Field Duplicate / Triplicate	Water	MW02	QA100	QA200
Trip Blank / Trip Spike	Soil	TB / TS	-	-
Rinsate Sample	Water	KYE_RIN	-	-
Drilling fluid emulsion sample	Water	KYE_GUM	-	-

### 6.2 Laboratory QA/QC

In accordance with Cardno's Quality Assurance and Quality Control (QA/QC) procedures and AS4482.1 (2005), samples were stored in insulated transport containers containing ice and delivered to the designated laboratories under Chain of Custody documentation following sample collection. Chain of Custody records are included in **Appendix F**. Eurofins MGT and ALS Environmental, the chosen analytical laboratories, undertook internal QA/QC procedures which include the analysis of method blanks, internal duplicate samples, laboratory control samples, matrix spikes and surrogate recovery. Additionally, laboratory QA/QC procedures include sample receipt, logging, storage, preservation and analysis within the method specified holding time.

A review of the laboratory analytical data indicated that:

- > Laboratory analysis of samples was undertaken by a NATA accredited laboratory
- > The laboratory limits of reporting (LOR) were below the adopted criteria
- > Samples were extracted and analysed within holding times
- > Analyte percentage recoveries in surrogate samples were within acceptance limits
- > Analyte concentrations in laboratory method blanks were generally within acceptance limits
- > Relative Percent Differences (RPD) between the laboratory parent samples and duplicate samples were generally within acceptance limits, some outliers exist for results for TRH C<sub>15</sub>-C<sub>28</sub>, TRH C<sub>29</sub>-C<sub>36</sub>, and C<sub>16</sub>-C<sub>34</sub>. These outliers are qualified as being within Eurofins and Cardno's overall acceptance requirements.
- > Analyte percentage recoveries in laboratory control samples were within acceptance limits
- > Analyte percentage recoveries in laboratory spikes were within acceptance limits.

### 6.3 Data Useability

The data validation procedure employed in the assessment of the field and laboratory QA/QC data indicated that the reported analytical results are representative of the conditions at the sample locations and that the analytical data can be relied upon for the purpose of these investigative works. It is concluded that overall the quality of the analytical data produced is reliable for the purposes of making decisions regarding site contamination.

## 7 Indicative Waste Classification

The soils sampled during the investigation were compared to the NSW EPA's *Waste Classification Guidelines* (2014). Analytical summary tables are presented within **Appendix D**. The findings of the indicative waste classification are as follows.

### 7.1 Area Excluding TP03 and TP04

Fill material and soils encountered from depths of 0.0 mBGL to a maximum depth of 1.0 mBGL, excluding the area surrounding TP03 and TP04 generally meet the requirements for classification as General Solid Waste (non-putrescible). The following should be noted:

- > One sample (BH4\_0.4) exceeded the Contaminant Threshold 1 (CT1) criteria for benzo(a)pyrene (0.8 mg/kg) with a reported concentration of 0.9 mg/kg. However, a 95% Upper Confidence Limit calculated for the fill unit indicates an overall concentration of 0.53 mg/kg with a Standard Deviation of 0.07, below the CT1 criteria.
- > One sample (BH06\_0.1) exceeded the CT1 criteria for nickel (40 mg/kg) and chromium (100 mg/kg) with concentrations of 130 mg/kg. A 95% UCL was calculated for the fill unit, with a reported chromium result of 22.9 mg/kg with a Standard Deviation of 19.9, and nickel result of 29.7 mg/kg with a Standard Deviation of 23.1, both below the CT1 criteria.

The UCL calculations are provided in **Appendix D**. During construction, it is recommended that Toxicity Characteristic Leaching Procedure (TCLP) testing is undertaken for nickel and chromium as part of the waste classification exercise to determine the final classification of the material.

### 7.2 Area Characterised by TP03 and TP04

Fill material encountered from depths of 0.0 mBGL to a maximum depth of 1.2 mBGL surrounding TP03 and TP04 and extending to BH02 generally meet the requirements for classification as Special Waste – Asbestos (mixed with General Solid Waste) due to the presence of asbestos at TP03, TP04 and at the soil surface.

### 7.3 Natural Soils

Natural soils at depths of 7 mBGL and greater are considered to be classified as PASS, and require management if they are to be disturbed. The soils will require treatment to neutralise any acid generating potential. Following treatment, validation sampling by a suitably qualified Environmental Consultant to confirm the neutralisation process and chemical concentrations will be required to produce a Waste Classification Certificate for the material.

For natural soils above the water table, sampling in accordance with the NSW EPA *Excavated Natural Material Order* (2014) can be considered following removal of identified impacted fill material to determine whether the soils meet the criteria for resource recovery under the NSW EPA *Excavated Natural Material Exemption* (2014).

### 7.4 Potential for On-Site Re-Use

The soils sampled during the investigation generally meet the requirements for re-use within the Site with specific exceptions and stipulations as described in the following section. General conditions for the re-use of within the Site include:

- > The soils should meet aesthetic guidelines for use near surface and not exhibit waste or deleterious inclusions, discolouration or generate odour;
- > A management plan should be developed addressing any health and safety issues associated with disturbing soils containing COPCs such as asbestos;
- > The soils must meet the geotechnical requirements for the particular use, as stipulated and verified by a qualified Geotechnical Engineer;
- > Use of the soils at shallow depths within the root zones of plants is subject to their acceptability as a growth medium; and
- > During development, a soil validation sampling program should be undertaken of excavated soils for re-use at sampling densities in keeping with NEPM guidance.



Subject to the above, the following should be considered for re-use of material on-site:

- > Soils exceeding Tier I HSLs for asbestos surrounding TP03 and TP04 may require management. This may include placement of the material beneath hardstand or a capping layer which physically separates the material from sensitive receptors. If the material is to be retained on-site, a Long Term Environmental Management Plan (LTEMP) may be required.
- > Soils exceeding Tier I EILs / ESLs for nickel and TRH C<sub>16</sub>-C<sub>34</sub> may require management if to be re-used on site. This may include placement of the material beneath hardstand or a capping layer which physically separates the material from sensitive receptors. If the material is to be retained on-site, a Long Term Environmental Management Plan (LTEMP) may be required.
- > Soils found to be PASS will require treatment to neutralise any acid generating potential, followed by validation sampling by a suitably qualified Environmental Consultant to confirm the neutralisation process and chemical concentrations in order for the material to be considered suitable for re-use on-site.

## 8 Conceptual Site Model

### 8.1 Conceptual Site Model

Generally, a conceptual site model (CSM) provides an assessment of the fate and transport of COPCs relative to site specific, subsurface conditions with regard to their potential risk to human health and the environment. The CSM takes into account site specific factors including:

- > Source(s) of contamination
- > Identification of COPCs associated with past (and present) source(s)
- > Vertical, lateral and temporal distribution of COPCs
- > Site specific lithological information including soil type(s), depth to groundwater, effective porosity, and groundwater flow velocity and
- > Actual or potential receptors considering both current and future land use both for the site and adjacent properties, and any sensitive ecological receptors.

Based on the information sourced in this report, a CSM has been developed and is outlined in **Table 8-1**, below. Additional details are included in the sections that follow as necessary.

Table 8-1 Conceptual Site Model (CSM)

Conceptual Site Model Element	Description
Contamination Sources	Based on the results of investigation undertaken, the sources of subsurface contamination include: <ul style="list-style-type: none"> <li>▪ Contamination as a consequence of uncontrolled fill material</li> <li>▪ Contamination as a consequence of demolition of buildings containing hazardous building materials and soil impacts as a consequence of residual demolition waste</li> <li>▪ Presence of soil contamination as a consequence of historical spills and leaks</li> </ul>
Site Current and Future Use	Current site use is as an infant's school. Future site is as a primary school.
Site Geology	Medium to fine grain marine sand with podsols.
Site Hydrogeology	The Botany Sand Aquifer is present beneath the site. The SWL of groundwater at the Site measured from installed bores is 3.8 to 3.9 mBGL.
COPCs - Soil	The following COPCs have been identified above adopted Tier I screening criteria at the Site: <ul style="list-style-type: none"> <li>▪ Concentrations of asbestos have been detected within soils above the adopted NEPM HSL, and fragments have been identified at the soil surface;</li> <li>▪ Concentrations of nickel have been detected above the adopted Site Specific EIL;</li> <li>▪ Concentrations of hydrocarbons (TRH C<sub>16</sub>-C<sub>34</sub>) have been identified above the adopted NEPM ESL.</li> </ul>
Extent of Impacts - Soil	Concentrations of TRH C <sub>16</sub> -C <sub>34</sub> were detected above the adopted ESL in shallow soils at BH04. The vertical extent of impact is considered to be the depth of fill material, being 0.5 mBGL. The lateral extent has conservatively been estimated as the distance to the nearest clean location, with an indicative area of 1,500 m <sup>2</sup> .  Concentrations of nickel were detected in surface soils above the adopted EIL in shallow surface soils. The vertical extent of impact is considered to be the depth of fill, being 0.3 to 0.4 mBGL. The lateral extent has conservatively been estimated as the distance to the nearest clean location, with an indicative area of 1,300 m <sup>2</sup> .  Concentrations of asbestos in soil exceeding the adopted HSL were detected at TP04 within shallow fill, and at the soil surface at TP03 and south east of BH02. The vertical extent of impact is considered to be the depth of fill, which varies between 0.3 mBGL at BH01 and 1.2 mBGL at TP03. The lateral extent

	of impact has been conservatively estimated as the distance to the nearest clean location, with an indicative area of 2,200 m <sup>2</sup> .
COPCs – Groundwater	Copper was detected slightly above the NEPM GILs for marine waters in MW02 (0.002 mg/L).
Extent of Impacts - Groundwater	Given concentrations of copper within Site soils were within acceptable criteria, and the urbanized nature of the site and surrounds, the concentrations are likely to be a function of regional groundwater quality rather than a result of site contamination. Given the distance to the nearest receiving body, and the low levels detected, the potential risks from groundwater at the Site are considered low and acceptable.
Potential Human Receptors	Current and future users of the site, including students, staff, construction and maintenance workers.
Potential Environmental Receptors	On-site vegetation communities, and off-site receptors including aquatic communities in the Cooks River and Botany Bay.

## 8.2 Conceptual Site Model Summary and Risk Assessment

The following sections summarise the Conceptual Site Model and an evaluation of potential risks to human and environmental receptors. Consideration should be given to any data gaps or uncertainties described in **Section 8.3** below.

### 8.2.1 Asbestos in Soils

ACM in the form of fibre cement debris was identified at the soil surface in two locations, beneath turf at TP03, and within shallow fill material at TP04. The potential area of impact is located in the eastern section of the Site, adjacent to the pre-school boundary fence. The fill material encountered within the area consists of sand and silty sand, with variable depths of between 0.3 and 1.2 mBGL.

Concentrations of asbestos in soil exceeded the adopted human health screening criteria, indicating a potential human health risk via inhalation pathways and will require some level of remediation, management or risk assessment in order to render the site suitable for the proposed land use.

Under the current site use, potential receptors include students, staff and maintenance workers. Given that the material encountered consisted of fibre cement debris, and that no further surface debris was observed other than material sampled, the current risk to receptors is considered to be low. In addition, control air monitoring undertaken during disturbance of the area indicated airborne concentrations were below the exposure standard.

During the proposed development, disturbance of the soils poses a potential low inhalation risk to construction and maintenance workers, site users, and off-site receptors. An Asbestos Management Plan (AMP) should be developed to manage potential risks during construction.

Under the proposed site use, the soils will require remediation, management or risk assessment in order to render the site suitable. Options for remediation or management include consolidation of the material on-site beneath a suitable capping layer or hardstand, or removal from site and disposal at a suitably licenced landfill. If retention of the material on site is preferred, a Long Term Environmental Management Plan (LTEMP) may be required. Given that the area of impact is generally located within the footprint of the proposed future school building, it is likely that some excavation and disposal of soils will be required.

It is Cardno's opinion that the identified impacts can be managed and remedied during development in order to render the site suitable.

### 8.2.2 Nickel and TRH C<sub>16</sub>-C<sub>34</sub>

Concentrations of nickel were detected above the Tier I Site Specific EIL in shallow soils at two locations (TP06\_0.1 and TP13\_0.1), in addition, hydrocarbon fractions C<sub>16</sub>-C<sub>34</sub> were detected at concentrations above the adopted ESL in BH04\_0.4 for continued use as a primary school. Potential ecological receptors include on-site vegetation, and off-site receptors such as the Cooks River and Botany Bay.

The risk to groundwater and off-site receptors is considered low and acceptable due to the relatively immobile nature of the contaminants identified, and that concentrations within groundwater sampled at the Site were below the adopted screening criteria.

During development the area characterised by TP06 and TP13 is proposed to be beneath the school building, expanded carpark, or landscaped. The landscaping of the area is indicated to involve removal of surface soils

and import of topsoil. The proposed works are likely to remove the nickel containing soils, or mitigate their contact with on-site vegetation. As such, the potential risk posed by the soils to sensitive receptors is considered low.

During development, the area characterised by BH04 is intended to remain as a hardstand area, with installation of subsurface water tanks and concrete slabs. The presence of hardstand is considered to effectively mitigate any potential exposure of ecological receptors to the soils containing TRH above the adopted screening criteria. As such, the potential risk posed by the soils is considered low.

If the proposed development plans change and the areas above are intended to be vegetated, consideration should be given to; placing the soils beneath hardstand, at a depth of 2 mBGL or greater, or removal from site.

It is Cardno's opinion that under the proposed development the identified impacts do not pose an unacceptable risk to environmental receptors, and any receptor pathways are likely to be mitigated during the planned redevelopment.

### 8.2.3 Potential Acid Sulfate Soils

Potential Acid Sulfate Soils (PASS) have been identified at depths of 7 mBGL and greater, associated with natural sands and clays. If these soils are to be disturbed and allowed to oxidise, the potential acid generation poses an environmental risk to ecological receptors such as on-site vegetation and off-site receptors via groundwater. The acid generated also has the potential to degrade structures installed. An Acid Sulfate Soils Management Plan (ASSMP) should be developed to manage the disturbance of these soils by activities such as excavation and piling, or by lowering of the water table.

## 8.3 Data Gaps and Uncertainties

The results of the soil sampling program conducted at the Site showed that that measurable COPCs are generally absent from the shallow soils except for the areas identified above. Should previously unidentified areas of soil impacts be discovered during future phases of work at the Site, or sensitive receptors identified, additional investigation may be required.

Given the presence of fill on the site, there is likely to be some variability in the quality and type of the fill. Due to the discrete nature of ACM in soil, there is potential for ACM to be present in other areas. An Unexpected Finds Protocol should be employed to manage any previously unidentified areas of potential contamination.

Due to the Site being a functioning school, investigation was not able to undertaken within the building footprint of structures. As such there is some uncertainty as to subsurface conditions beneath buildings. During further phases of work if these soils are to be disturbed, a data gap investigation should be undertaken to ensure any potential risks are characterised.

These data gaps are not considered significant when making overall conclusions about the potential risks at the Site and can be remedied / managed under future phases of the proposed development.

## 9 Conclusions and Recommendations

### 9.1 Conclusions

Cardno has completed a Detailed Site Investigation (DSI) and Acid Sulfate Soils Investigation for Kyeemagh Infants School, corner of Jacobson Avenue and Beehag Street, Kyeemagh NSW. The purpose of the DSI was to assess soil and groundwater at the Site with regards to potential contamination and ASS in accordance with Item 12 of the Secretaries Environmental Assessment Requirements for Application Number SSD 9391.

The objective of the DSI was to investigate the potential for soil and groundwater contamination at the site which may pose a risk to human health or the environment under the proposed redevelopment as a primary school.

#### 9.1.1 Summary of Contamination Potential

Based on the site history and results of the intrusive investigation, the potential sources of impacts at the Site included:

- > Contamination as a consequence of uncontrolled fill material;
- > Contamination as a consequence of demolition of buildings containing hazardous building materials and soil impacts as a consequence of residual demolition waste
- > Presence of soil contamination as a consequence of historical spills and leaks

#### 9.1.2 Summary of Results, CSM and Risk Assessment

##### 9.1.2.1 Groundwater

Cardno installed and sampled three monitoring wells across the Site as part of the intrusive investigation. Concentrations of COPCs within groundwater were generally below the adopted assessment criteria with the exception of copper within MW02. Given that concentrations of copper within site soils were within acceptable criteria, and the urbanized nature of the site and surrounds, the concentrations are likely to be a function of regional groundwater quality rather than a site specific source. The potential risks from groundwater at the Site are considered low and acceptable.

##### 9.1.2.2 Asbestos in Soils

ACM in the form of fibre cement debris was identified at the soil surface in two locations, beneath turf at TP03, and within shallow fill material at TP04, exceeding the adopted HSLs for continued use as a primary school. The potential area of impact is located in the eastern section of the Site, adjacent to the pre-school boundary fence. The fill material encountered within the area consists of sand and silty sand, with variable depths of between 0.3 and 1.2 mBGL.

Under the current site use, the risk posed to receptors by the soils is considered low. This is due to:

- > The material encountered being bonded fibre cement material in fair condition;
- > That no further material was encountered at the soil surface; and
- > That control air monitoring during disturbance of the soils indicate airborne concentrations were below the exposure standard.

During the proposed development, disturbance of the soils poses a potential low inhalation risk to construction and maintenance workers, site users, and off-site receptors. An Asbestos Management Plan should be developed to manage potential risks during construction.

Under the proposed site use, the soils will require remediation, management or risk assessment in order to render the site suitable. Options for remediation or management include consolidation of the material on-site beneath a suitable capping layer or hardstand, or removal from site and disposal at a suitably licenced landfill. If retention of the material on site is preferred, a Long Term Environmental Management Plan (LTEMP) may be required.

It is Cardno's opinion that the identified impacts can be managed and remedied during development in order to render the site suitable.



### 9.1.2.3 Nickel and TRH C<sub>16</sub>-C<sub>34</sub>

Concentrations of nickel were detected above the Tier I Site Specific EIL in shallow soils at two locations (TP06\_0.1 and TP13\_0.1), in addition, hydrocarbon fractions C<sub>16</sub>-C<sub>34</sub> were detected at concentrations above the adopted ESL in BH04\_0.4 for continued use as a primary school.

During development the area characterised by TP06 and TP13 is proposed to be beneath the school building, expanded carpark, or landscaped. The landscaping of the area is indicated to involve removal of surface soils and import of topsoil. The proposed works are likely to remove the nickel containing soils, or mitigate their contact with on-site vegetation. As such, the potential risk posed by the soils to sensitive receptors is considered low.

During development, the area characterised by BH04 is intended to remain as a hardstand area, with installation of subsurface water tanks and concrete slabs. The presence of hardstand is considered to effectively mitigate any potential exposure of ecological receptors to the soils containing TRH above the adopted screening criteria. As such, the potential risk posed by the soils is considered low.

It is Cardno's opinion that under the proposed development the identified impacts do not pose an unacceptable risk to environmental receptors, and any receptor pathways are likely to be mitigated during the planned redevelopment.

### 9.1.3 Potential Acid Sulfate Soils

Potential Acid Sulfate Soils (PASS) have been identified at depths of 7 mBGL and greater, associated with natural sands and clays. If these soils are to be disturbed and allowed to oxidise, the potential acid generation poses an environmental risk to ecological receptors such as on-site vegetation and off-site receptors via groundwater. The acid generated also has the potential to degrade structures installed. An Acid Sulfate Soils Management Plan (ASSMP) should be developed to manage the disturbance of these soils by activities such as excavation and piling, or by lowering of the water table.

## 9.2 Recommendations

To manage the potential risks at the Site and validate the suitability of the Site for the continued land use, some remediation, management or risk assessment of the site will be required. Based on the information above, Cardno provides the following recommendations:

- > Develop a Remediation Action Plan (RAP) to evaluate the potential management, remediation and / or risk assessment options, detail additional soil sampling rates for data gap investigation, waste classification / re-use requirements and validation criteria to guide and inform the development works. Potential applicable remedial strategies that should be considered include but are not limited to:
  - Site specific human health and ecological risk assessment;
  - Excavation and off-site disposal of impacted soil;
  - Capping with material suitable for the development and future areas of vegetation (potentially 500 mm of clean soil or a suitable depth of hardstand);
- > The RAP should also include:
  - An Unexpected Finds Protocol to manage any risks of unidentified impacts such as hazardous materials or waste in fill material;
  - Sampling requirements to classify soil if off-site disposal of soils is required. A suitably qualified Environmental Consultant should be engaged to undertake sampling at densities in accordance with the NSW EPA *Sampling Design Guidelines* (1995) and/or the NSW EPA *Excavated Natural Material Order* (2014) in order to issue a Waste Classification for the material;
  - If re-use of excavated soils on-site is proposed, validation sampling at a rate consistent with NEPM and / or ENM Order guidance should be undertaken to ensure the soils are suitable for the proposed land-use. The sampling density would be included in the RAP.
- > If not incorporated into the RAP, additional management plans should be developed including:
  - An Acid Sulfate Soils Management Plan (ASSMP) detailing the procedure for disturbance of PASS material, and the process for treatment and validation of neutralisation;
  - An Asbestos Management Plan (AMP) detailing the procedure for disturbance of ACM containing soils including control measures and WHS requirements.

## 10 References

---

ASSMAC (1998) *Acid Sulfate Soils Assessment Guidelines*, Acid Sulfate Soils Management Advisory Committee, August 1998;

Cardno (2018) *Kyeemagh Public School – Flooding Advice*, letter dated 31 October 2018.

CCME (2010), *Canadian soil quality guidelines: carcinogenic and other polycyclic aromatic hydrocarbons (PAHs) (environmental and human health effects)*, Scientific criteria document (revised), Canadian Council of Ministers for the Environment, 2010

CRC Care (2011) *Technical Report No. 10 Health Screening Levels for Petroleum Hydrocarbons in Soil and Groundwater Part 1: Technical Development Document*, September 2011;

Hamilton-Irvine, Gary. "Kyeemagh Infants School Turns 75". *St George and Sutherland Shire Leader* 14 August. 2017. Web. 21 Jan 2019.

HEPA (2018) *PFAS National Environmental Management Plan*, January 2018;

NEPC (2013) *National Environment Protection (Assessment of Site Contamination) Measure (NEPM)*. National Environment Protection Council (NEPC) 1999, Amendment 2013;

NEPC (2013) *Schedule B(2) Guideline on Site Characterisation*, NEPM 1999, Amendment 2013;

NSW Department of Urban Affairs and Planning (1998) *Managing Land Contamination: Planning Guidelines: SEPP 55 Remediation of Land*, 1998;

NSW EPA (1995) *Contaminated Sites Sampling Design Guidelines*. New South Wales Environment Protection Authority (EPA), September 1995;

NSW OEH (2011) *Guidelines for Consultants Reporting on Contaminated Sites*. New South Wales Office of Environment & Heritage (OEH), November 1997, Reprinted September 2000, Reprinted August 2011;

Parsons Brinckerhoff (PB, 2014a) *Asbestos Remediation Clearance Certificate*. Prepared 9 July 2014.

Parsons Brinckerhoff (PB, 2014b) *Asbestos in Grounds, Asbestos Management Plan*, Kyeemagh Infants School, Kyeemagh, NSW. Prepared July 2014.

Standards Australia (2005) *Australian Standard AS 4482.1-2005 – Guide to the investigation and sampling of sites with potentially contaminated soil. Part 1: Non-volatile and semi-volatile compounds*. Standards Australia, Homebush, NSW; and

Standards Australia (1999) *Australian Standard AS 4482.2-1999 - Guide to the sampling and investigation of potentially contaminated soil. Part 2: Volatile substances*. Standards Australia, Homebush, NSW.

## 11 Limitations

This assessment has been undertaken in general accordance with the current “industry standards” for a DSI for the purpose and objectives and scope identified in this report. These standards are set out in:

- > National Environment Protection [Assessment of Site Contamination] Measure (NEPM), December 1999, National Environment Protection Council (NEPC).
- > National Environment Protection (Assessment of Site Contamination) Measure (NEPM) 1999 (NEPC, 1999) as varied May 2013 (the ‘NEPM’).
- > AS4482.1- 2005: Guide to the sampling and investigation of potentially contaminated soil Part 1: Nonvolatile and semi-volatile compounds. Standards Australia (2005).

The agreed scope of this assessment has been limited for the current purposes of the Client. The assessment may not identify contamination occurring in all areas of the site, or occurring after sampling was conducted. Subsurface conditions may vary considerably away from the sample locations where information has been obtained.

This Document has been provided by Cardno subject to the following limitations:

- > This Document has been prepared for the particular purpose outlined in Cardno’s proposal and no responsibility is accepted for the use of this Document, in whole or in part, in other contexts or for any other purpose.
- > The scope and the period of Cardno’s services are as described in Cardno’s proposal, and are subject to restrictions and limitations. Cardno did not perform a complete assessment of all possible conditions or circumstances that may exist at the site referenced in the Document. If a service is not expressly indicated, do not assume it has been provided. If a matter is not addressed, do not assume that any determination has been made by Cardno in regards to it.
- > Conditions may exist which were undetectable given the limited nature of the enquiry Cardno was retained to undertake with respect to the site. Variations in conditions may occur between investigatory locations, and there may be special conditions pertaining to the site which have not been revealed by the investigation and which have not therefore been taken into account in the Document. Accordingly, additional studies and actions may be required.
- > In addition, it is recognised that the passage of time affects the information and assessment provided in this Document. Cardno’s opinions are based upon information that existed at the time of the production of the Document. It is understood that the services provided allowed Cardno to form no more than an opinion of the actual conditions of the site at the time this Document was prepared and cannot be used to assess the effect of any subsequent changes in the quality of the site, or its surroundings, or any laws or regulations.
- > Any assessments made in this Document are based on the conditions indicated from published sources and the investigation described. No warranty is included, either express or implied, that the actual conditions will conform exactly to the assessments contained in this Document.
- > Where data supplied by the client or other external sources, including previous site investigation data, have been used, it has been assumed that the information is correct unless otherwise stated. No responsibility is accepted by Cardno for incomplete or inaccurate data supplied by others.
- > Cardno may have retained sub consultants affiliated with Cardno to provide services for the benefit of Cardno. To the maximum extent allowed by law, the Client acknowledges and agrees it will not have any direct legal recourse to, and waives any claim, demand, or cause of action against, Cardno’s affiliated companies, and their employees, officers and directors.

This assessment report is not any of the following:

- > A Site Audit Report or Site Audit Statement as defined under the Contaminated Land Management Act, 1997.
- > A geotechnical report and the bore logs or test pit logs may not be sufficient as the basis for geotechnical advice.
- > A detailed hydrogeological assessment in conformance with NSW DEC (2007) Contaminated Sites: Guidelines for the Assessment and Management of Groundwater Contamination.

APPENDIX


A

FIGURES





LOCATION DIAGRAM NOT TO SCALE



# Kyeemagh Infants School

## Detailed Site Investigation

REGION & VICINITY

### Legend

 Site Boundary

FIGURE 1

1:20,000 Scale at A3





Map Produced by NSW/ACT (WNE)  
Date: 2018-12-11 | Project: 80818157  
Coordinate System: GDA 1994 MGA Zone 56  
Map: 80818157-GS-001-Location.mxd 01  
Imagery supplied by nearmap 2018



# Kyeemagh Infants School

## Detailed Site Investigation

SITE PLAN &  
INTRUSIVE LOCATIONS

### Legend





-  Site Boundary
-  Borehole / Test Pit Locations
-  Excluded Area



FIGURE 2

1:800 Scale at A3



 **Cardno**

Map Produced by NSW/ACT (WNE)  
Date: 2018-12-11 | Project: 80818157  
Coordinate System: GDA 1994 MGA Zone 56  
Map: 80818157-GS-002-SitePlan.mxd 01  
Imagery supplied by nearmap October, 2018









Architect/ Designer  
dwp  
www.dwp.com

Project  
KYEEMAGH PUBLIC SCHOOL

Location  
JACOBSON AVE, KYEEMAGH NSW 2216

Project Number  
**AUSYD-17-0774**

# GROUND FLOOR

Scale (A1)	Date Printed
As indicated	22-Jan-19 6:22:32 PM
Drawing Number	Issue

CS002 Q

**dwp**

Q



APPENDIX

# B

SITE PHOTOGRAPHS



**Photograph 1:** Site view, facing west from Jacobson avenue boundary, showing grassed open playing area and school infrastructure.



**Photograph 2:** Site view of school infrastructure, hardstand and BH04 location, facing east.





**Photograph 3:** Site view towards BH02 location showing the north site boundary abutting residential properties, the pre-school area, and access gate to Tancred Avenue.



**Photograph 4:** Clad buildings adjacent to Jacobson Avenue with potential ACM wall linings.





**Photograph 5:** TP12 location showing shallow fill and topsoil profile over sands within the open grassed area.



**Photograph 6:** TP10 location showing shallow topsoil profile over sands adjacent Jacobson Avenue.





**Photograph 7:** ABS2 location adjacent TP19 showing representative fibre cement fragments containing chrysotile asbestos at the soil surface.

APPENDIX

C

SUPPORTING DOCUMENTS

# Asbestos in Grounds, Asbestos Management Plan, Kyeemagh Infants School, Kyeemagh, NSW

July 2014

---

NSW Public Works

---

**PARSONS  
BRINCKERHOFF**

*Parsons Brinckerhoff Australia Pty Limited  
ABN 80 078 004 798*

*Level 27, Ernst & Young Centre  
680 George Street  
Sydney NSW 2000  
GPO Box 5394  
Sydney NSW 2001  
Australia*

*Telephone +61 2 9272 5100*

*Facsimile +61 2 9272 5101*

*Email [sydney@pb.com.au](mailto:sydney@pb.com.au)*

*Certified to ISO 9001, ISO 14001, AS/NZS 4801  
A GRI Rating: Sustainability Report 2011*




DRAFT

© Parsons Brinckerhoff Australia Pty Limited (PB) [2014].

Copyright in the drawings, information and data recorded in this document (the information) is the property of PB. This document and the information are solely for the use of the authorised recipient and this document may not be used, copied or reproduced in whole or part for any purpose other than that for which it was supplied by PB. PB makes no representation, undertakes no duty and accepts no responsibility to any third party who may use or rely upon this document or the information.

Author: ..... Lamice Ali

Signed: .....  


Reviewer: ..... Warren Lal

Signed: .....  


Approved by: ..... Jason North

Signed: .....  


## Contents

	Page Number
<b>1. Introduction.....</b>	<b>1</b>
1.1 Document Review	1
1.2 Background	1
1.3 Asbestos removal/clean-up works	1
<b>2. Asbestos materials.....</b>	<b>3</b>
2.1 Asbestos zone locations	3
2.2 Risk management	3
<b>3. Asbestos register (Grounds).....</b>	<b>5</b>
<b>4. Asbestos zone routine management .....</b>	<b>7</b>
4.1 Inspections by local staff	7
4.2 Maintenance	7
4.3 Checklist	8
<b>5. Asbestos zone maintenance works management.....</b>	<b>9</b>
5.1 General	9
5.2 Sub-soil areas within school grounds	9
<b>6. Permit for work.....</b>	<b>11</b>
<b>7. Legislative requirements .....</b>	<b>13</b>
<b>8. Safe work procedures for asbestos work.....</b>	<b>15</b>

## List of Tables

Table 3-1 Asbestos Register – Asbestos zones only for Kyeemagh Infants School

## List of Figures

Site layout plans

## Appendices

Appendix A Grounds management checklist

# **1. Introduction**

## **1.1 Document Review**

No Activity and/or no Re-occurrence of ACM in grounds on this site since July 2014, as such the following is recommended:

This document is to be reviewed and updated

- when works occur on site
- when works occur on site which may cause grounds disturbance
- when any ACM in grounds is reported
- every second year, if no activity.
- until ten years of inactivity, when document review and update will occur every five years

## **1.2 Background**

In July 2014, asbestos cement fragments were identified in the eastern section of the grassy field to the day care building, at Kyeemagh Infants School, located on the corner of Jacobson Avenue & Beehag St, Kyeemagh NSW 2216.

In order to manage the risk of exposure to asbestos, any fibrous cement fragments are to be removed from the ground surfaces (Refer to Section 1.3). The areas where fibrous cement fragments have been identified within the fill material (and further in-situ asbestos fragments may be present) have been designated as “asbestos zones”.

This report outlines the plan for management of the identified asbestos impacted areas (zones), and should be read in conjunction with the existing Department of Education and Communities (DEC) Asbestos Management Plan for all other identified asbestos materials within the school.

## **1.3 Asbestos removal/clean-up works**

The asbestos removal/ clean up works completed in 2014 comprised:

- the removal, clean-up and disposal of the visible fragments of fibrous cement on the ground surface. Removal was limited to the accessible surface areas only.

The remediated areas are shown in Figure 1.

DRAFT



## **2. Asbestos materials**

### **2.1 Asbestos zone locations**

Asbestos cement fragments may be present as a component of buried fill within the asbestos zone areas. Refer to Figure 1 site plan.

Based on guidelines provided by WorkCover NSW 'Managing Asbestos in and on Soil 2014', as well as DEC's 'Asbestos Management Plan for Schools and Colleges 2014', a licenced asbestos assessor should be engaged to determine whether the asbestos within the Asbestos Zones is considered non-friable or friable.

### **2.2 Risk management**

The in-situ asbestos within the asbestos zones can be classified as low risk provided that the following measures are undertaken:

- The control measures installed are fully maintained.
- The in-situ asbestos remains undisturbed.
- An asbestos management plan remains in effect.
- Any works undertaken on or near the asbestos zones are to be under the control of a permit to work where the contractor has acknowledged the presence of asbestos and has prepared a safe work method statement(s) to ensure that asbestos is not disturbed and therefore airborne asbestos fibres are not generated.

DRAFT

### 3. Asbestos register (Grounds)

Table 3-1 outlines the findings of the inspection of the grounds indicating the areas requiring management.

**Table 3-1 Asbestos Register – Asbestos zones only for Kyeemagh Infants School**

Event	Location	Description of Material	Extent	Condition	Risk Status	Control Priority	Control Recommendation/Comments
<b>School Grounds*</b>							
A	Grassy field to day care building, extending from school boundary fence to Jacobson Ave, to large tree to building G.	Possible buried asbestos cement fragments	Throughout – below ground surface	Unknown	Low	Low	<p>The area should be regularly monitored for any fragments and a record kept of how many are found and at what frequency. Fragments should be collected and disposed of as asbestos waste.</p> <p>Consideration should be given to the repair of surface coverage using turf, fake turf, hardstand, or a thick mulch layer as appropriate cover which will prevent heavy foot traffic damage and reduce erosion caused by water runoff.</p>

\*Refer to Figure 1 for detail of area locations

#### Risk assessment factors

Low risk: Asbestos materials that pose a low health risk to personnel, employees and the general public provided they remain undisturbed.

Medium risk: Asbestos materials that pose a moderate risk to people in the area – there is a medium potential for the material to release asbestos fibres, if disturbed.

High risk: Asbestos materials that pose a high health risk to personnel or the public in the area of the material – there is a high potential for the material to release asbestos fibres, if disturbed.

DRAFT



## **4. Asbestos zone routine management**

### **4.1 Inspections by local staff**

In order to monitor the effectiveness of the on-site asbestos zone management, it is essential that the affected areas are regularly inspected. Visual inspections of the asbestos remedial measures should be carried out to ensure that they are maintained adequately. Such inspections should occur on the following occasions:

- at three monthly intervals (e.g. a walkover of remediated areas to ensure that applications of mulch and turf, etc. have been maintained)
- after a period of prolonged heavy rain (e.g. a walkover of remediated areas to ensure that applications of mulch and turf, etc. have not been disturbed by heavy rain)
- whenever damage or disturbance has been reported (e.g. a walkover of remediated areas to ensure that applications of mulch and turf, etc. have not been disturbed by events such as vehicle movements).
- whenever works are about to commence that may cause grounds disturbance

Should areas be identified where encapsulating measures appear to be damaged or are no longer effective, these areas should be re-covered immediately. Some remedial measures such as the installation of layers of mulch and top soil will require ongoing maintenance to ensure that a sufficient barrier layer is in place.

### **4.2 Maintenance**

All remediation measures carried out in the affected areas must be maintained as per their original application. In particular:

- All surface cover/treatments within the asbestos zones must be fully maintained at all times. For example, mulch levels should remain as per their original application, turf should be maintained to ensure full coverage and any other measures should be maintained in a good condition.
- All hard standing surfaces must be maintained and re-instated should any works that disturb them be carried out.
- If any portion of an affected area is found to be damaged (i.e. the surface cover has been damaged so that it has resulted or may result in the soil becoming exposed), the DEC local Asset Management Unit (AMU) should be contacted immediately.

### 4.3 Checklist

A checklist of site management requirements is presented in Appendix A of this document. This checklist should be used whenever walkover inspections are carried out and where maintenance issues have been raised. The checklist is specific to the requirements of the grounds at the Kyeemagh Infants School and sets out the frequency of inspections required. It is recommended that a hard copy of the checklist retained by the school and field copies are taken on-site when required.

DRAFT

## **5. Asbestos zone maintenance works management**

### **5.1 General**

An Asbestos Management Plan (AMP) has been implemented for all NSW state schools and educational facilities. The plan includes procedures for managing friable asbestos and working on asbestos. A generic permit to work template will also be included in the management plan which will be able to be used where any work is required that may disturb asbestos materials within an asbestos zone.

### **5.2 Sub-soil areas within school grounds**

- Any contractor, maintenance person; all Department of Commerce, Department of Education & Communities personnel or other authorised persons must acknowledge the presence of buried asbestos cement materials within these areas. A copy of the asbestos register must be made available to any such person prior to commencing work.
- Any contractor, maintenance person; all Department of Commerce, Department of Education & Communities or other authorised person who may potentially disturb the soil surface must complete a permit to work or similar form that ensures that any work will not disturb the buried asbestos.
- If work is to be carried out in grounds that will disturb or potentially disturb the buried asbestos, the contractor, maintenance person; all Department of Commerce, Department of Education & Communities personnel or other authorised person must engage a licensed asbestos removal contractor with a friable asbestos licence to undertake the work. The licensed contractor should prepare a safe work method statement detailing procedures that ensure that personnel working in the asbestos zones and any other persons within the school will not be exposed to asbestos fibres. The work area must be completely enclosed and work undertaken out of school hours.
- Work in progress asbestos air monitoring should be carried out during any work that disturbs or could potentially disturb the buried asbestos and/or the soil surface. Air-monitoring should be in accordance with the National Occupational Health & Safety Commission's Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres 2nd Edition [NOHSC: 3003 (2005)] and be conducted by National Association of testing Authorities (NATA) accredited personnel operating from a NATA registered laboratory.
- All asbestos management measures originally installed must be re-instated at the completion of work and prior to the removal of the work area enclosure.

DRAFT



## 6. Permit for work

Any contractor who proposes to work in any of the asbestos zones where asbestos may be disturbed or the ground surface may be broken must complete a permit to work form.

Before a permit to work is issued, individuals will be required to read and understand the AMP, as well as copies of the relevant asbestos registers. Individuals must be aware of their legal obligations in relation to health and safety as specified in the Work Health and Safety Act 2011 and the Work Health and Safety Regulation 2011.

Permits to work are designed to ensure appropriate work practices are employed in the vicinity of asbestos-containing materials/products. The permit to work will document what asbestos is to be removed, encapsulated or otherwise protected, prior to the contracted maintenance or building works proceeding. The permit to work will also indicate whether other requirements, such as the use of personal protective equipment (PPE), the installation of barricading and/or airborne fibre monitoring, are necessary.

When the work is completed, or the permit to work expires (whichever occurs first), the permit shall be signed and returned to the DEC Facility Manager for cancellation after that Manager has checked a safe situation exists.

The DEC local AMU shall be advised immediately of any incidents of non-compliance with the AMP.

Based on guidelines provided by WorkCover NSW 'Managing Asbestos in and on Soil 2014', as well as DEC's 'Asbestos Management Plan for Schools and Colleges 2014', a licenced asbestos assessor should be engaged to determine whether the buried asbestos is considered *non-friable* or *friable*. Therefore, any fibrous cement materials or other suspected asbestos-containing materials excavated should be inspected by a licenced asbestos assessor to determine if it's friable. This means that any such asbestos should be worked on only by contractors with an appropriate asbestos licence and a project specific permit issued by WorkCover NSW (in addition to the permit to work, mentioned above).

DRAFT

## 7. Legislative requirements

The following legislative requirements will apply to asbestos zone maintenance works:

- All asbestos removal and disposal work shall be carried out in accordance with the requirements of the WorkCover NSW Guidelines for Licensed Asbestos Removal Contractors
- The asbestos contractor shall notify WorkCover NSW of the proposed work at least 5 days prior to the commencement of any work in accordance with NSW Occupational Health and Safety Regulation 2011. However this time period may be waived in the case for DEC properties
- All work shall be carried out in strict accordance with the NSW Work Health and Safety Act 2011, the NSW Work Health and Safety Regulation 2011, How to Safely Remove Asbestos – Code of Practice 2011, and the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC 3003 (2005)].

DRAFT



## **8. Safe work procedures for asbestos work**

The following safe work procedures will apply for asbestos work:

- The removal contractor must develop a site-specific asbestos removal plan before commencing the asbestos work. Such a plan must be prepared in accordance with Section 3 of the Work Safe Australia- How to safely remove asbestos: Code of Practice 2011.
- Only personnel who have been trained in work procedures for the safe removal of asbestos shall work on asbestos.
- A trained, experienced operator must remain on duty outside the removal area and/or enclosure (if installed) at all times that asbestos removal is in progress. Curricula vitae for all persons undertaking asbestos removal works must be submitted to the Principal prior to the commencement of work on the sites.
- Removal of asbestos must generally be carried out by wet removal techniques. That is, as the asbestos material becomes accessible during the removal process, it shall be thoroughly wetted down. Care must be exercised to prevent excessive use of water. The contractor will be held responsible for any water damage.
- Decontamination facilities and procedures shall be undertaken to the complete satisfaction of a hygienist.
- Any signage existing prior to removal must be re-affixed to any new or existing assembly.
- The contractor must ensure that persons in the work area(s) are not exposed to fibre levels greater than those stated in the National Exposure Standard for the type of asbestos being removed.


## Figures

---

Site layout plans

# 51 41 — Kyeemagh Infants School

Site Plan (11730)



## **Appendix A**

---

Grounds management checklist



## Kyeemagh Infants School grounds asbestos management checklist – Routine three monthly inspections

Table 1 Routine monthly inspection checklist

		Three monthly inspections	Initial inspection		Subsequent three-monthly inspections		
Area	Location description		Date:	Date:	Date:	Date:	Date:
A	Grassy field to day care building, extending from school boundary fence to Jacobson Ave, to large tree to building G	Surface cover adequate (Y/N)  Suspected asbestos materials visible (Y/N)					

## Kyeemagh Infants School grounds asbestos management checklist – Incident inspections (e.g. after heavy rain or disturbance)

Table 2 Incident inspection checklist

		Three monthly inspections	Initial inspection	Subsequent three-monthly inspections		
Area	Location description		Date:	Date:	Date:	Date:
A	Grassy field to day care building, extending from school boundary fence to Jacobson Ave, to large tree to building G	Surface cover adequate (Y/N)				
		Suspected asbestos materials visible (Y/N)				

## Asbestos Remediation Clearance Certificate

Compliant with Part 3.10 of Safe Work Australia Code of Practice: How to Safely Remove Asbestos, Code of Practice 2011

### Project Information

Client: The Trades Team  
Contact: Michael Soliman  
Unit 29/105A Vanessa Street  
Kingsgrove NSW 2208  
Project number: 2259070A

### Site Details

Site: 5141 – Kyeemagh Infants School – Corner Jacobson Ave and Beehag St, Kyeemagh NSW 2216  
Specific work area(s)/room(s): Grassy area, at the corner of the school play field and the day care building, to Jacobson Ave.

### Description of ACM removal works

Removal contractor: Australasian Technical Services Pty Ltd  
Friable/Non-Friable: Non-Friable  
Date of removal: 9<sup>th</sup> July 2014  
Scope of work: ATS Pty Ltd was engaged to remove asbestos cement debris from ground surfaces within a section of the school's grassy play area. This encompassed the corner between the school and the adjoining day care building, and extended from the school's boundary fence to Jacobson Ave, to the large tree towards the back of the day care building (see photos).

### Clearance Inspection following ACM Removal

Inspector: Lamice Ali  
Visible materials from areas noted above have been removed as far as reasonably practicable.  
No inspection was carried out to areas that were not included in the above scope.  
Date and time of inspection: 8<sup>th</sup> July 2014  
Areas not accessed: All areas below ground surfaces  
All areas below dense leaf litter and thick vegetation  
Evidence of PVA/sealant application: N/A  
Visual inspection satisfactory: Yes  
Comments: Parsons Brinckerhoff inspected the area and visually determined that the asbestos containing materials have been removed as far as reasonably practicable. This inspection certificate is valid for areas which were visually accessible at the time of inspection. The areas can now be returned to normal use.

### WIP Airborne Fibre Monitoring

WIP air monitoring conducted: Yes  
Results of air monitoring satisfactory: Yes  
Comments: All Work In Progress monitoring was found to be below the detection limit of <0.01fibres/mL

### Conclusion

Based on the above findings the work area/site is considered safe for reoccupation.

Issued by: Lamice Ali

Signature: 

Date issued: 09/07/2014

## Standard Limitations of a Clearance Certificate

A visual inspection was undertaken to assess whether visible asbestos material was removed. Inspections are only carried out to the areas detailed to be removed and are conducted where access is available. Specifically no inspection has been carried out to areas that may require further remediation to verify the presence of asbestos. It should be noted that no inspection can be regarded as absolute and that additional asbestos may be encountered or uncovered upon further inspection, building works, or excavation. The inspection was carried out at the time of the completion of the remediation works and was dependent upon site conditions at that time. Parsons Brinckerhoff accepts no responsibility or liability for the completeness of the removal. Comments above regarding the aspects of the inspection also form limitations. The contractor's responsibilities included:

- Ensuring that work methods and procedures comply with the relevant legislation, codes of practice and industry standards, and undertake work in accordance with technical specifications.
- Employing suitably trained, skilled and competent staff.
- Ensuring that contractors are inducted in safe work procedures for asbestos materials/products.
- Obtaining the necessary approvals from regulatory authorities prior to starting any asbestos removal or maintenance activities.
- Ensuring that all work is conducted in a safe and competent manner.





**Photograph 1:** work area facing tree, towards the back end of the day care building.



**Photograph 2:** work area to Jacobson Ave.



# Asbestos Clearance Inspection Report

Prepared for:

**Cardno NSW/ACT**

Address:

**Kyeemagh Public School, Beehag St, Kyeemagh NSW**



---

## Main Office

Suite 4.03, 5 Celebration Drive,  
Bella Vista NSW 2153

## Contact Details

Phone No.: 1300 599 996  
Website: [www.EnviroXconsulting.com.au](http://www.EnviroXconsulting.com.au)  
Email: [info@EnviroXconsulting.com.au](mailto:info@EnviroXconsulting.com.au)

## ABN

83611405942





## Asbestos Clearance Inspection Report

EnviroX Consulting Report – 2233 / Version 1 final

Report Details	
Job Number	2233
Client	Cardno NSW/ACT
Address	Kyeemagh Public School, Beehag St, Kyeemagh NSW
Date of Inspection	10.11.2018
Date of Air Monitoring	10.11.2018
Date of Report	11.11.2018
Asbestos removalist	Australasian Technical Services
Subject area	Kyeemagh Public School, playground area, area immediately south east of preschool, 2x test pits, top of soil following test pitting  (Refer to Appendix A – Photographs)

### Introduction

As per Cardno NSW/ACT's request, EnviroX Consulting has conducted an asbestos clearance inspection following the test pitting works within the subject area on the 10<sup>th</sup> of November 2018. The details of the inspection are contained within the following pages of this report.

The scope of works for EnviroX consulting is to complete;

- Completion of SWMS prior to works commencing;
- Visual inspection of the subject area following the test pitting works;
- Asbestos air monitoring during the test pitting works; and
- Preparation of an Asbestos Clearance Inspection Report outlining the details and findings of the site inspection.

---

#### Main Office

Suite 4.03, 5 Celebration Drive,  
Bella Vista NSW 2153

#### Contact Details

Phone No.: 1300 599 996  
Website: [www.EnviroXconsulting.com.au](http://www.EnviroXconsulting.com.au)  
Email: [info@EnviroXconsulting.com.au](mailto:info@EnviroXconsulting.com.au)

#### ABN

83611405942

The survey works and production of this report have been undertaken in accordance with the requirements of:

- WHS Regulation 2017.
- WHS Act 2011.
- NSW Code of Practice: How to Manage and Control Asbestos in the Workplace (2016).
- NSW Code of Practice: How to Safely Remove Asbestos (2016).

### **Site Inspection Details**

Visual inspection of the subject area at the time of inspection revealed no asbestos containing materials on the soil surface following the test pitting works.

Asbestos air monitoring undertaken during the test pitting works revealed that the concentrations of airborne fibres were below 0.01 fibre/mL (Refer to Appendix B – Laboratory reports).

All areas outside the specified subject area are not included within this report and may contain asbestos containing materials.

### **Restrictions and limitations upon clearance Certificate**

This asbestos clearance inspection report is restricted to the subject area detailed above. The details within this report are of the site during the inspection only. Areas adjacent to and below the subject area are outside the scope of this report and may contain asbestos materials. This report is based on findings at the time of the inspection, erosion events such as but not limited to wind and traffic (pedestrian or vehicle), may/will expose asbestos containing material beneath the surface which is not included within this report.

If asbestos is found or presumed within this site, EnviroX should be contacted to conduct an inspection and assess the risks associated with the material found.

This report does not provide a complete evaluation of the condition of the site; it is limited to the scope defined as above. Should information become available regarding site conditions including previously unknown sources of contamination, EnviroX reserves the right to review the report in relation to the additional information.

---

#### **Main Office**

Suite 4.03, 5 Celebration Drive,  
Bella Vista NSW 2153

#### **Contact Details**

Phone No.: 1300 599 996  
Website: [www.EnviroXconsulting.com.au](http://www.EnviroXconsulting.com.au)  
Email: [info@EnviroXconsulting.com.au](mailto:info@EnviroXconsulting.com.au)

#### **ABN**

83611405942



## Conclusions

Based on the information presented in this report, it is in the opinion of EnviroX Consulting that;

- Visual inspection of the subject area at the time of inspection revealed there was no asbestos containing materials on the soil surface;
- EnviroX Consulting deems the subject area **safe** for reoccupation;
- Asbestos air monitoring undertaken during the works revealed that the concentration of airborne fibres was below 0.01 fibres/mL;
- This report should be taken as giving an overall idea of the site inspection. Each section must be read in conjunction with the whole of this report, including attachments, no one section should be taken out of this report and read separately; and
- Remain diligent and adhere to the limitation and restrictions stated within this report.

## Written and Assessed by:

Zeyn Ismail

Licensed Asbestos Assessor LA001123

M. Sc. Env. Sc



---

### Main Office

Suite 4.03, 5 Celebration Drive,  
Bella Vista NSW 2153

### Contact Details

Phone No.: 1300 599 996  
Website: [www.EnviroXconsulting.com.au](http://www.EnviroXconsulting.com.au)  
Email: [info@EnviroXconsulting.com.au](mailto:info@EnviroXconsulting.com.au)

### ABN

83611405942

## Appendix A – Photographs

---

**Main Office**

Suite 4.03, 5 Celebration Drive,  
Bella Vista NSW 2153

**Contact Details**

Phone No.: 1300 599 996  
Website: [www.EnviroXconsulting.com.au](http://www.EnviroXconsulting.com.au)  
Email: [info@EnviroXconsulting.com.au](mailto:info@EnviroXconsulting.com.au)

**ABN**

83611405942





**Photograph 1.** Subject area – top of soil to former 2x test pits, no visible asbestos containing materials in area adjacent to test pits



**Photograph 2.** Subject area –test pit

#### Main Office

Suite 4.03, 5 Celebration Drive,  
Bella Vista NSW 2153

#### Contact Details

Phone No.: 1300 599 996  
Website: [www.EnviroXconsulting.com.au](http://www.EnviroXconsulting.com.au)  
Email: [info@EnviroXconsulting.com.au](mailto:info@EnviroXconsulting.com.au)

#### ABN

83611405942





**Photograph 3.** Subject area – test pit

---

**Main Office**

Suite 4.03, 5 Celebration Drive,  
Bella Vista NSW 2153

**Contact Details**

Phone No.: 1300 599 996  
Website: [www.EnviroXconsulting.com.au](http://www.EnviroXconsulting.com.au)  
Email: [info@EnviroXconsulting.com.au](mailto:info@EnviroXconsulting.com.au)

**ABN**

83611405942



## Appendix B – Laboratory Results

---

**Main Office**

Suite 4.03, 5 Celebration Drive,  
Bella Vista NSW 2153

**Contact Details**

Phone No.: 1300 599 996  
Website: [www.EnviroXconsulting.com.au](http://www.EnviroXconsulting.com.au)  
Email: [info@EnviroXconsulting.com.au](mailto:info@EnviroXconsulting.com.au)

**ABN**

83611405942



### Asbestos Air Monitoring – 2233-AAM1

<b>Job Number</b>	2233
<b>Client</b>	Cardno NSW/ACT
<b>Address</b>	Kyeemagh Public School, Beehag St, Kyeemagh NSW
<b>Date of Monitoring</b>	10.11.2018

Date	Sample ref	Monitor location	Air Flow	Time on	Time off	Total Min	Volume (L)	Fields	Fibre Count	Conc fibre/mL
10.11.2018	2233-A19	1	2L/min	07:51	11:58	233	471.5	100	1.0	<0.01
10.11.2018	2233-A88	2	2L/min	07:52	11:59	233	471.5	100	1.5	<0.01
10.11.2018	2233-A321	3	2L/min	07:53	11:59	234	473.5	100	0.0	<0.01

#### Monitor locations:

- 1 North eastern boundary fence of playground, 5m north of kindergarten building, attached to metal fence
- 2 North eastern boundary fence of playground, 5m south of kindergarten building, attached to metal fence
- 3 Southern boundary fence of playground, 15m west of north eastern boundary fence, attached to metal fence

**Flowmeter – EXC3** – Calibration factor 1.0118 on 2L/min

#### Contact us

EnviroX Consulting Pty Ltd  
ABN – 83611405942  
Suite 4.03, 5 Celebration Drive, Bella Vista NSW  
[www.EnviroXconsulting.com.au](http://www.EnviroXconsulting.com.au)

Zeyn Ismail  
Project Manager / Lead Occupational Hygienist  
0401163516  
[Zeyn@enviroxconsulting.com.au](mailto:Zeyn@enviroxconsulting.com.au)

---

#### Main Office

Suite 4.03, 5 Celebration Drive,  
Bella Vista NSW 2153

#### Contact Details

Phone No.: 1300 599 996  
Website: [www.enviroxconsulting.com.au](http://www.enviroxconsulting.com.au)  
Email: [info@EnviroXconsulting.com.au](mailto:info@EnviroXconsulting.com.au)

#### ABN

83611405942



# AUSTRALIAN SAFER ENVIRONMENT & TECHNOLOGY PTY LTD

ABN 36 088 095 112

Our ref: ASET69235 / 72415 / 1 - 3  
Your ref: 2233 – AAM1 - Kyeemagh  
**NATA Accreditation No: 14484.**

10 November 2018

EnviroX Consulting  
4.03, 5 Celebration Drive  
Bella Vista NSW 2153

**Attn: Mr Zeyn Ismail**

## Air Monitoring for Airborne Asbestos

### 1. Introduction:

This report presents the results of three control air monitoring samples carried out\* on 10 November 2018 by Envirox Consulting for analysis for airborne asbestos. Three air monitoring samples were forwarded for analysis by Envirox Consulting on 10 November 2018.

### 2. Methods:

In accordance with the Work-safe Australia Guidance Notes on Membrane Filter Method on estimating air borne asbestos fibres – Second Edition – NOHSC – 3003 (2005) and **Safer Environment Method 2** as supplementary work instructions.

### 3. Results:

<u>Location</u>	<u>Fibers / 100 Fields</u>	<u>Fibers/mL</u>
<b>10/11/2018</b>		
<b>1- ASET69235 / 72415 / 1 – A19</b>	<b>1.0 / 100</b>	<b>&lt; 0.01</b>
<b>2- ASET69235 / 72415 / 2 – A88</b>	<b>1.5 / 100</b>	<b>&lt; 0.01</b>
<b>3- ASET69235 / 72415 / 3 – A321</b>	<b>0.0 / 100</b>	<b>&lt; 0.01</b>

Reported by,

**Mahen De Silva. BSc, MSc, Grad Dip (Occ Hyg)**  
**Occupational Hygienist / Approved Counter**  
**Approved Signatory**



Accredited for compliance with ISO/IEC 17025.

\*Air monitoring was carried out by Envirox Consulting's trained staff and ASET do not take responsibility for that part.

SUITE 710 / 90, GEORGE STREET, HORNSBY NSW 2077 – P.O. BOX 1644 HORNSBY WESTFIELD NSW 1635  
PHONE: (02) 99872183 EMAIL: [info@ausset.com.au](mailto:info@ausset.com.au) WEBSITE: [www.ausset.com.au](http://www.ausset.com.au)



**SafeWork NSW**

Locked Bag 2906, Lisarow NSW 2252

Customer Experience 13 10 50

ABN 81 913 830 179 | [www.safework.nsw.gov.au](http://www.safework.nsw.gov.au)

Our Ref: D18/225067

19 November 2018

Ben Withnall  
Cardno NSW/ACT Pty Ltd  
Level 9, 203 Pacific Highway  
St Leonards NSW 2065

Dear Mr Withnall

**RE SITE: Lot 1 DP120095 & Lot 1 DP335734**

I refer to your site search request received by SafeWork NSW on 13 November 2018 requesting information on Storage of Hazardous Chemicals for the above site.

A search of the records held by SafeWork NSW has not located any records pertaining to the above-mentioned premises.

For further information or if you have any questions, please call us on 13 10 50 or email [licensing@safework.nsw.gov.au](mailto:licensing@safework.nsw.gov.au)

Yours sincerely

Customer Service Officer  
Customer Experience - Operations  
SafeWork NSW





# LOTSEARCH

LOTSEARCH ENVIRO PROFESSIONAL

**Date: 01 Nov 2018 16:29:43**

**Reference: LS004515 EP**

**Address: Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216**

**Disclaimer:**

The purpose of this report is to provide an overview of some of the site history, environmental risk and planning information available, affecting an individual address or geographical area in which the property is located. It is not a substitute for an on-site inspection or review of other available reports and records. It is not intended to be, and should not be taken to be, a rating or assessment of the desirability or market value of the property or its features. You should obtain independent advice before you make any decision based on the information within the report. The detailed terms applicable to use of this report are set out at the end of this report.

## Table of Contents

Location Confidences.....	2
Dataset Listings.....	3
Site Location Aerial .....	6
Contaminated Land & Waste Management Facilities.....	7
EPA PFAS Investigation Program .....	10
EPA Other Sites with Contamination Issues .....	12
EPA Current Licensed Activities.....	13
EPA Delicensed & Former Licensed Activities .....	14
UPSS Sensitive Zones.....	16
Historical Business Activities.....	17
Historical Aerial Imagery & Maps .....	32
Topographic Features .....	49
Elevation Contours.....	54
Hydrogeology & Groundwater .....	55
Geology.....	89
Naturally Occurring Asbestos Potential.....	91
Soils .....	92
Acid Sulfate Soils .....	96
Dryland Salinity .....	100
Mining Subsidence Districts .....	101
State Environmental Planning .....	102
Local Environmental Planning.....	103
Heritage .....	107
Natural Hazards .....	109
Ecological Constraints.....	110
Terms & Conditions.....	119

## Location Confidences

Where Lotsearch has had to georeference features from supplied addresses, a location confidence has been assigned to the data record. This indicates a confidence to the positional accuracy of the feature. Where applicable, a confidence is given under the field heading "LocConf" or "Location Confidence".

LC Code	Location Confidence
Premise match	Georeferenced to the site location / premise or part of site
General area or suburb match	Georeferenced with the confidence of the general/approximate area
Road match	Georeferenced to the road or rail
Road intersection	Georeferenced to the road intersection
Feature is a buffered point	Feature is a buffered point
Land adjacent to geocoded site	Land adjacent to Georeferenced Site

## Dataset Listing

Datasets contained within this report, detailing their source and data currency:

Dataset Name	Custodian	Supply Date	Currency Date	Update Frequency	Dataset Buffer (m)	No. Features Onsite	No. Features within 100m	No. Features within Buffer
Cadastre Boundaries	Dept. Finance, Services & Innovation	01/11/2018	01/11/2018	Daily	-	-	-	-
Topographic Data	Dept. Finance, Services & Innovation	17/07/2018	17/07/2018	As required	-	-	-	-
List of NSW contaminated sites notified to EPA	Environment Protection Authority	17/10/2018	17/10/2018	Monthly	1000	0	0	2
Contaminated Land Records of Notice	Environment Protection Authority	10/10/2018	10/10/2018	Monthly	1000	0	0	2
Former Gasworks	Environment Protection Authority	04/10/2018	11/10/2017	Monthly	1000	0	0	0
National Waste Management Facilities Database	Geoscience Australia	07/08/2018	07/03/2017	Quarterly	1000	0	0	0
EPA PFAS Investigation Program	Environment Protection Authority	05/10/2018	05/10/2018	Monthly	2000	0	0	1
EPA Other Sites with Contamination Issues	Environment Protection Authority	11/01/2018	11/01/2018	As required	1000	0	0	0
Licensed Activities under the POEO Act 1997	Environment Protection Authority	01/11/2018	01/11/2018	Monthly	1000	0	0	0
Delicensed POEO Activities still Regulated by the EPA	Environment Protection Authority	01/11/2018	01/11/2018	Monthly	1000	0	0	2
Former POEO Licensed Activities now revoked or surrendered	Environment Protection Authority	01/11/2018	01/11/2018	Monthly	1000	1	1	6
UPSS Environmentally Sensitive Zones	Environment Protection Authority	14/04/2015	12/01/2010	As required	1000	1	1	1
UBD Business to Business Directory 1991 (Premise & Intersection Matches)	Hardie Grant			Not required	150	0	0	0
UBD Business to Business Directory 1991 (Road & Area Matches)	Hardie Grant			Not required	150	-	0	0
UBD Business to Business Directory 1986 (Premise & Intersection Matches)	Hardie Grant			Not required	150	0	0	0
UBD Business to Business Directory 1986 (Road & Area Matches)	Hardie Grant			Not required	150	-	0	0
UBD Business Directory 1982 (Premise & Intersection Matches)	Hardie Grant			Not required	150	0	0	0
UBD Business Directory 1982 (Road & Area Matches)	Hardie Grant			Not required	150	-	0	0
UBD Business Directory 1978 (Premise & Intersection Matches)	Hardie Grant			Not required	150	0	0	0
UBD Business Directory 1978 (Road & Area Matches)	Hardie Grant			Not required	150	-	0	0
UBD Business Directory 1975 (Premise & Intersection Matches)	Hardie Grant			Not required	150	0	0	0
UBD Business Directory 1975 (Road & Area Matches)	Hardie Grant			Not required	150	-	0	0
UBD Business Directory 1970 (Premise & Intersection Matches)	Hardie Grant			Not required	150	0	2	2
UBD Business Directory 1970 (Road & Area Matches)	Hardie Grant			Not required	150	-	0	1
UBD Business Directory 1965 (Premise & Intersection Matches)	Hardie Grant			Not required	150	0	2	2
UBD Business Directory 1965 (Road & Area Matches)	Hardie Grant			Not required	150	-	0	3
UBD Business Directory 1961 (Premise & Intersection Matches)	Hardie Grant			Not required	150	0	2	3
UBD Business Directory 1961 (Road & Area Matches)	Hardie Grant			Not required	150	-	0	3
UBD Business Directory 1950 (Premise & Intersection Matches)	Hardie Grant			Not required	150	0	1	1
UBD Business Directory 1950 (Road & Area Matches)	Hardie Grant			Not required	150	-	0	0


Dataset Name	Custodian	Supply Date	Currency Date	Update Frequency	Dataset Buffer (m)	No. Features Onsite	No. Features within 100m	No. Features within Buffer
UBD Business Directory Drycleaners & Motor Garages/Service Stations (Premise & Intersection Matches)	Hardie Grant			Not required	500	0	0	0
UBD Business Directory Drycleaners & Motor Garages/Service Stations (Road & Area Matches)	Hardie Grant			Not required	500	-	0	6
Points of Interest	Dept. Finance, Services & Innovation	12/10/2018	12/10/2018	Quarterly	1000	2	2	38
Tanks (Areas)	Dept. Finance, Services & Innovation	15/10/2018	15/10/2018	Quarterly	1000	0	0	0
Tanks (Points)	Dept. Finance, Services & Innovation	15/10/2018	15/10/2018	Quarterly	1000	0	0	0
Major Easements	Dept. Finance, Services & Innovation	12/10/2018	12/10/2018	Quarterly	1000	0	0	4
State Forest	Dept. Finance, Services & Innovation	18/01/2018	18/01/2018	As required	1000	0	0	0
NSW National Parks and Wildlife Service Reserves	NSW Office of Environment & Heritage	18/01/2018	30/09/2017	Annually	1000	0	0	0
Hydrogeology Map of Australia	Commonwealth of Australia (Geoscience Australia)	08/10/2014	17/03/2000	As required	1000	1	1	2
Botany Groundwater Management Zones	NSW Department of Primary Industries	15/03/2018	01/10/2005	As required	1000	0	0	0
Groundwater Boreholes	NSW Dept. of Primary Industries - Water NSW; Commonwealth of Australia (Bureau of Meteorology)	24/07/2018	23/07/2018	Annually	2000	2	23	368
Geological Units 1:100,000	NSW Dept. of Industry, Resources & Energy	20/08/2014		None planned	1000	1	-	7
Geological Structures 1:100,000	NSW Dept. of Industry, Resources & Energy	20/08/2014		None planned	1000	0	-	0
Naturally Occurring Asbestos Potential	NSW Dept. of Industry, Resources & Energy	04/12/2015	24/09/2015	Unknown	1000	0	0	0
Soil Landscapes	NSW Office of Environment & Heritage	12/08/2014		None planned	1000	1	-	6
Atlas of Australian Soils	CSIRO	19/05/2017	17/02/2011	As required	1000	1	1	1
Environmental Planning Instrument - Acid Sulfate Soils	NSW Department of Planning and Environment	23/10/2018	12/10/2018	As required	500	1	-	-
Atlas of Australian Acid Sulfate Soils	CSIRO	19/01/2017	21/02/2013	As required	1000	1	2	3
Dryland Salinity - National Assessment	National Land and Water Resources Audit	18/07/2014	12/05/2013	None planned	1000	0	0	0
Dryland Salinity Potential of Western Sydney	NSW Office of Environment & Heritage	12/05/2017	01/01/2002	None planned	1000	-	-	-
Mining Subsidence Districts	Dept. Finance, Services & Innovation	13/07/2017	01/07/2017	As required	1000	0	0	0
SEPP 14 - Coastal Wetlands	NSW Planning and Environment	17/12/2015	24/10/2008	Annually	1000	0	0	0
SEPP 26 - Littoral Rainforest	NSW Planning and Environment	17/12/2015	05/02/1988	Annually	1000	0	0	0
SEPP 71 - Coastal Protection	NSW Planning and Environment	17/12/2015	01/08/2003	Annually	1000	0	0	0
SEPP Major Developments 2005	NSW Planning and Environment	09/03/2013	25/05/2005	Under Review	1000	0	0	0
SEPP Strategic Land Use Areas	NSW Planning and Environment	01/08/2017	28/01/2014	Annually	1000	0	0	0
EPI - Land Zoning	NSW Planning and Environment	23/10/2018	12/10/2018	Quarterly	1000	2	4	32
EPI - Minimum Lot Size	NSW Planning and Environment	23/10/2018	12/10/2018	Quarterly	0	1	-	-
EPI - Height of Buildings	NSW Planning and Environment	23/10/2018	12/10/2018	Quarterly	0	1	-	-
EPI - Floor Space Ratio	NSW Planning and Environment	23/10/2018	12/10/2018	Quarterly	0	1	-	-
EPI - Land Application	NSW Planning and Environment	23/10/2018	12/10/2018	Quarterly	0	1	-	-
EPI - Land Reservation Acquisition	NSW Planning and Environment	23/10/2018	12/10/2018	Quarterly	0	1	-	-
State Heritage Register - Curtilages	NSW Office of Environment & Heritage	18/10/2018	19/01/2018	Quarterly	1000	0	0	3



Dataset Name	Custodian	Supply Date	Currency Date	Update Frequency	Dataset Buffer (m)	No. Features Onsite	No. Features within 100m	No. Features within Buffer
Environmental Planning Instrument - Heritage	NSW Department of Planning and Environment	10/09/2018	27/07/2018	Quarterly	1000	0	0	6
Bush Fire Prone Land	NSW Rural Fire Service	08/08/2018	31/07/2018	Quarterly	1000	0	0	0
Native Vegetation of the Sydney Metropolitan Area	NSW Office of Environment & Heritage	01/03/2017	16/12/2016	As required	1000	1	1	11
RAMSAR Wetlands	Commonwealth of Australia Department of the Environment	08/10/2014	24/06/2011	As required	1000	0	0	0
Groundwater Dependent Ecosystems	Bureau of Meteorology	14/08/2017	15/05/2017	Unknown	1000	0	0	0
Inflow Dependent Ecosystems Likelihood	Bureau of Meteorology	14/08/2017	15/05/2017	Unknown	1000	0	0	0
NSW BioNet Species Sightings	NSW Office of Environment & Heritage	29/10/2018	29/10/2018	Daily	10000	-	-	-

Aerial Imagery 2017


Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216





# Contaminated Land & Waste Management Facilities

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216



# Contaminated Land & Waste Management Facilities

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216

## List of NSW contaminated sites notified to EPA

Records from the NSW EPA Contaminated Land list within the dataset buffer:

Map Id	Site	Address	Suburb	Activity	Management Class	Status	Location Confidence	Dist (m)	Direction
177	Shell Service Station Brighton Le Sands & adjacent land	2 General Holmes Drive	Brighton-Le-Sands	Service Station	Contamination formerly regulated under the CLM Act	Current EPA List	Premise Match	960m	South West
176	Cook Park	General Holmes Drive	Brighton-Le-Sands	Service Station	Contamination formerly regulated under the CLM Act	Current EPA List	Premise Match	966m	South

The values within the EPA site management class in the table above, are given more detailed explanations in the table below:

EPA site management class	Explanation
Contamination being managed via the planning process (EP&A Act)	The EPA has completed an assessment of the contamination and decided that the contamination is significant enough to warrant regulation. The contamination of this site is managed by the consent authority under the Environmental Planning and Assessment Act 1979 (EP&A Act) planning approval process, with EPA involvement as necessary to ensure significant contamination is adequately addressed. The consent authority is typically a local council or the Department of Planning and Environment.
Contamination currently regulated under CLM Act	The EPA has completed an assessment of the contamination and decided that the contamination is significant enough to warrant regulation under the Contaminated Land Management Act 1997 (CLM Act). Management of the contamination is regulated by the EPA under the CLM Act. Regulatory notices are available on the EPA's Contaminated Land Public Record of Notices.
Contamination currently regulated under POEO Act	The EPA has completed an assessment of the contamination and decided that the contamination is significant enough to warrant regulation. Management of the contamination is regulated under the Protection of the Environment Operations Act 1997 (POEO Act). The EPA's regulatory actions under the POEO Act are available on the POEO public register.
Contamination formerly regulated under the CLM Act	The EPA has determined that the contamination is no longer significant enough to warrant regulation under the Contaminated Land Management Act 1997 (CLM Act). The contamination was addressed under the CLM Act.
Contamination formerly regulated under the POEO Act	The EPA has determined that the contamination is no longer significant enough to warrant regulation. The contamination was addressed under the Protection of the Environment Operations Act 1997 (POEO Act).
Contamination was addressed via the planning process (EP&A Act)	The EPA has determined that the contamination is no longer significant enough to warrant regulation. The contamination was addressed by the appropriate consent authority via the planning process under the Environmental Planning and Assessment Act 1979 (EP&A Act).
Ongoing maintenance required to manage residual contamination (CLM Act)	The EPA has determined that ongoing maintenance, under the Contaminated Land Management Act 1997 (CLM Act), is required to manage the residual contamination. Regulatory notices under the CLM Act are available on the EPA's Contaminated Land Public Record of Notices.
Regulation being finalised	The EPA has completed an assessment of the contamination and decided that the contamination is significant enough to warrant regulation under the Contaminated Land Management Act 1997. A regulatory approach is being finalised.
Regulation under the CLM Act not required	The EPA has completed an assessment of the contamination and decided that regulation under the Contaminated Land Management Act 1997 is not required.
Under assessment	The contamination is being assessed by the EPA to determine whether regulation is required. The EPA may require further information to complete the assessment. For example, the completion of management actions regulated under the planning process or Protection of the Environment Operations Act 1997. Alternatively, the EPA may require information via a notice issued under s77 of the Contaminated Land Management Act 1997 or issue a Preliminary Investigation Order.

NSW EPA Contaminated Land List Data Source: Environment Protection Authority  
© State of New South Wales through the Environment Protection Authority



## Contaminated Land & Waste Management Facilities

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216

### Contaminated Land: Records of Notice

Record of Notices within the dataset buffer:

Map Id	Name	Address	Suburb	Notices	Area No	Location Confidence	Distance	Direction
43	Shell Service Station Brighton Le Sands & adjacent land	2 General Holmes Drive	Brighton-le-sands	4 former	3174	Premise Match	960m	South West
42	Cook Park	General Holmes Drive	Brighton-le-sands	6 former	3285	Premise Match	966m	South

Contaminated Land Records of Notice Data Source: Environment Protection Authority

© State of New South Wales through the Environment Protection Authority

Terms of use and disclaimer for Contaminated Land: Record of Notices, please visit

<http://www.epa.nsw.gov.au/clm/clmdisclaimer.htm>

### Former Gasworks

Former Gasworks within the dataset buffer:

Map Id	Location	Council	Further Info	Location Confidence	Distance	Direction
N/A	No records in buffer					

Former Gasworks Data Source: Environment Protection Authority

© State of New South Wales through the Environment Protection Authority

### National Waste Management Site Database

Sites on the National Waste Management Site Database within the dataset buffer:

Site Id	Owner	Name	Address	Suburb	Class	Landfill	Reprocess	Transfer	Comments	Loc Conf	Dist (m)	Direction
N/A	No records in buffer											

Waste Management Facilities Data Source: Geoscience Australia

Creative Commons 3.0 © Commonwealth of Australia <http://creativecommons.org/licenses/by/3.0/au/deed.en>



## EPA PFAS Investigation Program

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216

## EPA PFAS Investigation Program

Sites that are part of the EPA PFAS investigation program, within the dataset buffer:

Id	Site	Address	Location Confidence	Distance	Direction
16	Botany Bay area & Georges River	Botany Bay area & Georges River	General Area/ Suburb Match	243m	South

EPA PFAS Investigation Program: Environment Protection Authority  
© State of New South Wales through the Environment Protection Authority

## EPA Other Sites with Contamination Issues

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216

### EPA Other Sites with Contamination Issues

This dataset contains other sites identified on the EPA website as having contamination issues. This dataset currently includes:

- James Hardie asbestos manufacturing and waste disposal sites
- Radiological investigation sites in Hunter's Hill

Sites within the dataset buffer:

Site Id	Site Name	Site Address	Dataset	Comments	Location Confidence	Distance	Direction
N/A	No records in buffer						

EPA Other Sites with Contamination Issues: Environment Protection Authority  
© State of New South Wales through the Environment Protection Authority



## EPA Activities

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216

## Licensed Activities under the POEO Act 1997

Licensed activities under the Protection of the Environment Operations Act 1997, within the dataset buffer:


EPL	Organisation	Name	Address	Suburb	Activity	Loc Conf	Distance	Direction
N/A	No records in buffer							

POEO Licence Data Source: Environment Protection Authority

© State of New South Wales through the Environment Protection Authority

# Delicensed & Former Licensed EPA Activities

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216



## EPA Activities

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216

### Delicensed Activities still regulated by the EPA

Delicensed activities still regulated by the EPA, within the dataset buffer:

Licence No	Organisation	Name	Address	Suburb	Activity	Loc Conf	Distance	Direction
7288	SYDNEY AIRPORT CORPORATION LIMITED	SYDNEY AIRPORT	241 O'Riordan Street	MASCOT	Hazardous, Industrial or Group A Waste Generation or Storage	Premise Match	361m	North East
12152	QANTAS AIRWAYS LIMITED	Qantas Jet Base	Sydney Airport	MASCOT	Hazardous, Industrial or Group A Waste Generation or Storage	Premise Match	361m	North East

Delicensed Activities Data Source: Environment Protection Authority  
© State of New South Wales through the Environment Protection Authority

### Former Licensed Activities under the POEO Act 1997, now revoked or surrendered

Former Licensed activities under the Protection of the Environment Operations Act 1997, now revoked or surrendered, within the dataset buffer:

Licence No	Organisation	Location	Status	Issued Date	Activity	Loc Conf	Distance	Direction
12858	MCCONNELL DOWELL CONSTRUCTOR S (AUST) PTY LTD	Various streets from Kurnell to Erskineville, including the pipeline route across Botany Bay, KURNELL, NSW 2231	Surrendered	01/05/2008	Water-based extractive activity, Miscellaneous licensed discharge to waters (at any time)	Network of Features	0m	Onsite
4653	LUHRMANN ENVIRONMENT MANAGEMENT PTY LTD	WATERWAYS THROUGHOUT NSW	Surrendered		Other Activities / Non Scheduled Activity - Application of Herbicides	Network of Features	205m	-
4838	Robert Orchard	Various Waterways throughout New South Wales - SYDNEY NSW 2000	Surrendered		Other Activities / Non Scheduled Activity - Application of Herbicides	Network of Features	205m	-
6630	SYDNEY WEED & PEST MANAGEMENT PTY LTD	WATERWAYS THROUGHOUT NSW - PROSPECT, NSW, 2148	Surrendered		Other Activities / Non Scheduled Activity - Application of Herbicides	Network of Features	205m	-
12139	WARD CIVIL & ENVIRONMENTAL ENGINEERING PTY LTD	Lady Robinson Beach Restoration, Taylor Bar and Kyeemagh Bar Borrow Pits, DOLLS POINT, NSW 2219	Surrendered	19/05/2004	Water-based extractive activity	Network of Features	210m	South
10668	BILFINGER BERGER PROJECT INVESTMENTS PTY LTD	M5 EAST BETWEEN KINGS GEORGES RD, BEVERLY HILLS & GENERAL HOLMES DRIVE, KYEEMAGH, EARLWOOD, NSW 2206	Surrendered	05/06/2001	Road construction	Road Match	349m	North

Former Licensed Activities Data Source: Environment Protection Authority  
© State of New South Wales through the Environment Protection Authority

UPSS Sensitive Zones

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216





## Historical Business Directories

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216

### 1991 Business to Business Directory Records Premise or Road Intersection Matches

Records from the 1991 UBD Business to Business Directory, mapped to a premise or road intersection, within the dataset buffer:

Business Activity	Premise	Ref No.	Location Confidence	Distance to Feature Point	Direction
N/A	No records in buffer				

Business Directory Content Derived from Universal Business Directories (UBD) - Licensed from Hardie Grant

### 1991 Business to Business Directory Records Road or Area Matches

Records from the 1991 UBD Business to Business Directory, mapped to a road or an area, within the dataset buffer. Records are mapped to the road when a building number is not supplied, cannot be found, or the road has been renumbered since the directory was published:

Business Activity	Premise	Ref No.	Location Confidence	Distance to Road Corridor or Area
N/A	No records in buffer			

Business Directory Content Derived from Universal Business Directories (UBD) - Licensed from Hardie Grant

## Historical Business Directories

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216

### 1986 Business to Business Directory Records Premise or Road Intersection Matches

Records from the 1986 UBD Business to Business Directory, mapped to a premise or road intersection, within the dataset buffer:

Business Activity	Premise	Ref No.	Location Confidence	Distance to Feature Point	Direction
N/A	No records in buffer				

Business Directory Content Derived from Universal Business Directories (UBD) - Licensed from Hardie Grant

### 1986 Business to Business Directory Records Road or Area Matches

Records from the 1986 UBD Business to Business Directory, mapped to a road or an area, within the dataset buffer. Records are mapped to the road when a building number is not supplied, cannot be found, or the road has been renumbered since the directory was published:

Business Activity	Premise	Ref No.	Location Confidence	Distance to Road Corridor or Area
N/A	No records in buffer			

Business Directory Content Derived from Universal Business Directories (UBD) - Licensed from Hardie Grant

## Historical Business Directories

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216

### 1982 Business Directory Records Premise or Road Intersection Matches

Records from the 1982 UBD Business Directory, mapped to a premise or road intersection, within the dataset buffer:

Business Activity	Premise	Ref No.	Location Confidence	Distance to Feature Point	Direction
N/A	No records in buffer				

Business Directory Content Derived from Universal Business Directories (UBD) - Licensed from Hardie Grant

### 1982 Business Directory Records Road or Area Matches

Records from the 1982 UBD Business Directory, mapped to a road or an area, within the dataset buffer. Records are mapped to the road when a building number is not supplied, cannot be found, or the road has been renumbered since the directory was published:

Business Activity	Premise	Ref No.	Location Confidence	Distance to Road Corridor or Area
N/A	No records in buffer			

Business Directory Content Derived from Universal Business Directories (UBD) - Licensed from Hardie Grant

## Historical Business Directories

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216

### 1978 Business Directory Records Premise or Road Intersection Matches

Records from the 1978 UBD Business Directory, mapped to a premise or road intersection, within the dataset buffer:

Business Activity	Premise	Ref No.	Location Confidence	Distance to Feature Point	Direction
N/A	No records in buffer				

Business Directory Content Derived from Universal Business Directories (UBD) - Licensed from Hardie Grant

### 1978 Business Directory Records Road or Area Matches

Records from the 1978 UBD Business Directory, mapped to a road or an area, within the dataset buffer. Records are mapped to the road when a building number is not supplied, cannot be found, or the road has been renumbered since the directory was published:

Business Activity	Premise	Ref No.	Location Confidence	Distance to Road Corridor or Area
N/A	No records in buffer			

Business Directory Content Derived from Universal Business Directories (UBD) - Licensed from Hardie Grant



## Historical Business Directories

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216

### 1975 Business Directory Records Premise or Road Intersection Matches

Records from the 1975 UBD Business Directory, mapped to a premise or road intersection, within the dataset buffer:

Business Activity	Premise	Ref No.	Location Confidence	Distance to Feature Point	Direction
N/A	No records in buffer				

Business Directory Content Derived from Universal Business Directories (UBD) - Licensed from Hardie Grant

### 1975 Business Directory Records Road or Area Matches


Records from the 1975 UBD Business Directory, mapped to a road or an area, within the dataset buffer. Records are mapped to the road when a building number is not supplied, cannot be found, or the road has been renumbered since the directory was published:

Business Activity	Premise	Ref No.	Location Confidence	Distance to Road Corridor or Area
N/A	No records in buffer			

Business Directory Content Derived from Universal Business Directories (UBD) - Licensed from Hardie Grant

# 1970 Historical Business Directory Records

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216



## Historical Business Directories

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216

### 1970 Business Directory Records Premise or Road Intersection Matches

Records from the 1970 UBD Business Directory, mapped to a premise or road intersection, within the dataset buffer:

Business Activity	Premise	Ref No.	Location Confidence	Distance to Feature Point	Direction
CLUBS & SPORTING BODIES (C487)	N.S.W. Leagues Club Bowling Club, 2 Beehag St., Kyeemagh	284470	Premise Match	43m	West
DIVERS (D415)	Gray,J.W.& Gray M.J.W., 27 Caroma Ave., North Brighton-le- Sands	289962	Premise Match	93m	South West

Business Directory Content Derived from Universal Business Directories (UBD) - Licensed from Hardie Grant

### 1970 Business Directory Records Road or Area Matches


Records from the 1970 UBD Business Directory, mapped to a road or an area, within the dataset buffer. Records are mapped to the road when a building number is not supplied, cannot be found, or the road has been renumbered since the directory was published:

Business Activity	Premise	Ref No.	Location Confidence	Distance to Road Corridor or Area
FRUITERERS/GREENGROCERS (F640)	Arena's Fruit Market, 159 General Holmes Drv., Kyeemagh	306597	Road Match	106m

Business Directory Content Derived from Universal Business Directories (UBD) - Licensed from Hardie Grant

# 1965 Historical Business Directory Records

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216





## Historical Business Directories

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216

### 1965 Business Directory Records Premise or Road Intersection Matches

Records from the 1965 UBD Business Directory, mapped to a premise or road intersection, within the dataset buffer:

Business Activity	Premise	Ref No.	Location Confidence	Distance to Feature Point	Direction
Clubs & Sporting Bodies	N.S.W. Leagues Club Bowling Club, 2 Beehag St., Kyeemagh	69142	Premise Match	43m	West
Divers	Gray, J. W. & Gray M. J. W., 27 Caroma Ave., North Brighton-le-Sands	74609	Premise Match	93m	South West

Business Directory Content Derived from Universal Business Directories (UBD) - Licensed from Hardie Grant

### 1965 Business Directory Records Road or Area Matches


Records from the 1965 UBD Business Directory, mapped to a road or an area, within the dataset buffer. Records are mapped to the road when a building number is not supplied, cannot be found, or the road has been renumbered since the directory was published:

Business Activity	Premise	Ref No.	Location Confidence	Distance to Road Corridor or Area
Boat, Launch & Yacht Builder & Repairers	Riley Bros., General Holmes Drv., Kyeemagh	52117	Road Match	106m
Boats, Launches & Yachts - For Hire	Riley Bros., General Holmes Drv., Kyeemagh	52221	Road Match	106m
Milk, Fruit Juice Bars/Confectioners	Smith, N. M., 158 General Holmes Drv., Kyeemagh	115609	Road Match	106m

Business Directory Content Derived from Universal Business Directories (UBD) - Licensed from Hardie Grant

# 1961 Historical Business Directory Records

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216



## Historical Business Directories

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216

### 1961 Business Directory Records Premise or Road Intersection Matches

Records from the 1961 UBD Business Directory, mapped to a premise or road intersection, within the dataset buffer:

Business Activity	Premise	Ref No.	Location Confidence	Distance to Feature Point	Direction
DIVERS	Gray, J. W. & Gray M. J. W., 27 Caroma Ave., North Brighton-le-Sands	297340	Premise Match	93m	South West
DIVERS	Gray, J. W., 27 Caroma Ave., Kyeemagh	297341	Premise Match	93m	South West
ACCOUNTANTS & AUDITORS	Howlson, L. J., 72 Mutch Ave., Kyeemagh	265179	Premise Match	118m	North West

Business Directory Content Derived from Universal Business Directories (UBD) - Licensed from Hardie Grant

### 1961 Business Directory Records Road or Area Matches


Records from the 1961 UBD Business Directory, mapped to a road or an area, within the dataset buffer. Records are mapped to the road when a building number is not supplied, cannot be found, or the road has been renumbered since the directory was published:

Business Activity	Premise	Ref No.	Location Confidence	Distance to Road Corridor or Area
ARCHITECTURAL DRAFTSMEN	Riley Bros., General Holmes Drive, Kyeemagh	268630	Road Match	106m
ARMATURE WINDERS	Riley Bros., General Holmes Drive, Kyeemagh	268672	Road Match	106m
MILK, FRUIT JUICE BARS/CONFECTIONERS	Smith, N. M., 158 General Holmes Drv., Kyeemagh	339629	Road Match	106m

Business Directory Content Derived from Universal Business Directories (UBD) - Licensed from Hardie Grant

# 1950 Historical Business Directory Records

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216





## Historical Business Directories

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216

### 1950 Business Directory Records Premise or Road Intersection Matches

Records from the 1950 UBD Business Directory, mapped to a premise or road intersection, within the dataset buffer:

Business Activity	Premise	Ref No.	Location Confidence	Distance to Feature Point	Direction
ELECTRICAL CONTRACTORS &/OR ELECTRICIANS	Wright Bros., 31 Jacobson Ave., Brighton-le-Sands	37983	Premise Match	43m	South

Business Directory Content Derived from Universal Business Directories (UBD) - Licensed from Hardie Grant

### 1950 Business Directory Records Road or Area Matches

Records from the 1950 UBD Business Directory, mapped to a road or an area, within the dataset buffer. Records are mapped to the road when a building number is not supplied, cannot be found, or the road has been renumbered since the directory was published:

Business Activity	Premise	Ref No.	Location Confidence	Distance to Road Corridor or Area
N/A	No records in buffer			

Business Directory Content Derived from Universal Business Directories (UBD) - Licensed from Hardie Grant

## Historical Business Directories

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216

### Dry Cleaners, Motor Garages & Service Stations Premise or Road Intersection Matches

Dry Cleaners, Motor Garages & Service Stations from UBD Business Directories, mapped to a premise or road intersection, within the dataset buffer:

Business Activity	Premise	Ref No.	Year	Location Confidence	Distance to Feature Point	Direction
N/A	No records in buffer					

Business Directory Content Derived from Universal Business Directories (UBD) - Licensed from Hardie Grant

## Historical Business Directories

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216

### Dry Cleaners, Motor Garages & Service Stations Road or Area Matches

Dry Cleaners, Motor Garages & Service Stations from UBD Business Directories, mapped to a road or an area, within the dataset buffer. Records are mapped to the road when a building number is not supplied, cannot be found, or the road has been renumbered since the directory was published:

Business Activity	Premise	Ref No.	Year	Location Confidence	Distance to Road Corridor or Area
MOTOR GARAGES & ENGINEERS	Metro Motors, 97 Grand Pde. BRIGHTON-LE-SANDS	347712	1961	Road Match	249m
MOTOR GARAGES & SERVICE STATIONS.	Sydney Airport Service Station, General Holmes Rd., Mascot.	65544	1986	Road Match	282m
MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Sydney Airport Service Station, General Holmes Rd., Mascot.	50918	1978	Road Match	282m
MOTOR SERVICE STATIONS - PETROL, OIL	Sydney Airport Service Station, General Holmes Rd., Mascot.	61976	1975	Road Match	282m
MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS. (M6860)	Sydney Airport Service Station, General Holmes Rd., Mascot. 2020.	57665	1982	Road Match	282m
MOTOR SERVICE STATIONS- PETROL,OIL,Etc. (M716)	Sydney Airport Service Station,General Holmes Drv.MASCOT	341525	1970	Road Match	282m

Business Directory Content Derived from Universal Business Directories (UBD) - Licensed from Hardie Grant



Aerial Imagery 2016


Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216





# Aerial Imagery 2011

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216





Aerial Imagery 2009

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216





Aerial Imagery 2000

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216



<p>Scale:</p> <p>0 25 50 100 Meters</p>	<p>Data Source Aerial Imagery: © 2018 Google Inc, used with permission. Google and the Google logo are registered trademarks of Google Inc.</p>	<p>Coordinate System: GDA 1994 MGA Zone 56</p>	<p>Date: 01 November 2018</p>
---	---	--	-------------------------------



Aerial Imagery 1991

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216





Aerial Imagery 1982

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216





Aerial Imagery 1970

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216



Data Sources: Aerial Imagery © Department of Finance, Services & Innovation

Coordinate System: GDA 1994 MGA Zone 56



Aerial Imagery 1965

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216



<p>Scale:</p> <p>0 25 50 100</p> <p>Meters</p>	<p>Data Source Aerial Imagery:</p> <p>© NSW Department of Finance, Services &amp; Innovation</p>	<p>Coordinate System:</p> <p>GDA 1994 MGA Zone 56</p>	<p>Date: 01 November 2018</p>
--	--	---	-------------------------------



## Aerial Imagery 1961

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216



### Legend

-  Site Boundary
-  Buffer 150m

Scale:

0 25 50 100  
Meters

Data Source Aerial Imagery:  
© NSW Department of Finance, Services & Innovation

Coordinate System:  
GDA 1994 MGA Zone 56

Date: 01 November 2018



Aerial Imagery 1955


Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216





Aerial Imagery 1951

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216



Legend

Site Boundary

Buffer 150m

Scale: 0 25 50 100 Meters	Data Source Aerial Imagery: © NSW Department of Finance, Services & Innovation	Coordinate System: GDA 1994 MGA Zone 56	Date: 01 November 2018
---------------------------------	---	--	------------------------



Aerial Imagery 1943


Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216





Aerial Imagery 1930

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216





# Topographic Map 2015

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216





Historical Map 1975


Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216





Historical Map 1936


Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216





Historical Map 1917


Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216





# Topographic Features

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216



## Topographic Features

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216

### Points of Interest

What Points of Interest exist within the dataset buffer?

Map Id	Feature Type	Label	Distance	Direction
650230	Primary School	KYEEMAGH INFANTS SCHOOL	0m	Onsite
650302	Child Care Centre	NORTH BRIGHTON PRE-SCHOOL	0m	Onsite
650301	Suburb	KYEEMAGH	177m	South West
650298	Park	COOK PARK	178m	East
650300	Park	MUTCH AVENUE RESERVE	193m	South West
650280	Park	KYEEMAGH RESERVE	223m	North
650293	Club	KYEEMAGH RSL AND COMMUNITY CLUB	224m	North West
650299	Wharf	Wharf	257m	North
650259	Boat Ramp	Boat Ramp	260m	North
650241	Wharf	Wharf	272m	North
650296	Sports Field	HOCKEY FIELD	274m	North West
650240	Picnic Area	Picnic Area	285m	North
650396	Community Facility	ST GEORGE RANDWICK HOCKEY CLUB	306m	North West
650199	Park	MUDDY CREEK RESERVE	389m	West
650295	Wharf	Wharf	601m	West
650289	Park	LANCE STUDDERT RESERVE	608m	West
650249	Wharf	Wharf	611m	West
650258	Boat Ramp	Boat Ramp	619m	West
650250	Wharf	Wharf	620m	West
650257	Slipway	Slipway	622m	West
650254	Wharf	Wharf	625m	West
650256	Slipway	Slipway	627m	West
650255	Slipway	Slipway	632m	West
650189	Sports Centre	ST GEORGE SOCCER STADIUM	641m	West
650252	Wharf	Wharf	644m	West
650253	Wharf	Wharf	646m	West
650251	Wharf	Wharf	650m	West
650304	Wharf	Wharf	691m	West
650305	Wharf	Wharf	693m	West
650303	Wharf	Wharf	696m	West

Map Id	Feature Type	Label	Distance	Direction
650281	Park	FRANK SEARLE GARDENS	723m	West
650210	Park	BARTON PARK	759m	West
650294	Sports Field	AP AUSTIN FIELD	773m	North West
650297	Community Home	JENNY-LYN NURSING HOME	804m	South West
650208	Park	RIVERINE PARK	851m	North West
650221	Sports Field	BASEBALL FIELD	888m	North West
650200	Park	WHITEOAK RESERVE	902m	South West
650190	Golf Course	BARTON PARK GOLF RANGE	940m	North West

Topographic Data Source: © Land and Property Information (2015)

Creative Commons 3.0 © Commonwealth of Australia <http://creativecommons.org/licenses/by/3.0/au/deed.en>

## Topographic Features

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216

### Tanks (Areas)

What are the Tank Areas located within the dataset buffer?

Note. The large majority of tank features provided by LPI are derived from aerial imagery & are therefore primarily above ground tanks.

Map Id	Tank Type	Status	Name	Feature Currency	Distance	Direction
	No records in buffer					

### Tanks (Points)

What are the Tank Points located within the dataset buffer?

Note. The large majority of tank features provided by LPI are derived from aerial imagery & are therefore primarily above ground tanks.

Map Id	Tank Type	Status	Name	Feature Currency	Distance	Direction
	No records in buffer					

Tanks Data Source: © Land and Property Information (2015)

Creative Commons 3.0 © Commonwealth of Australia <http://creativecommons.org/licenses/by/3.0/au/deed.en>

## Major Easements

What Major Easements exist within the dataset buffer?

Note. Easements provided by LPI are not at the detail of local governments. They are limited to major easements such as Right of Carriageway, Electrical Lines (66kVa etc.), Easement to drain water & Significant subterranean pipelines (gas, water etc.).

Map Id	Easement Class	Easement Type	Easement Width	Distance	Direction
120112200	Primary	Undefined		444m	North East
120116094	Primary	Undefined		444m	North
120110460	Primary	Undefined		636m	South West
120112434	Primary	Undefined		812m	West

Easements Data Source: © Land and Property Information (2015)

Creative Commons 3.0 © Commonwealth of Australia <http://creativecommons.org/licenses/by/3.0/au/deed.en>



## Topographic Features

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216

### State Forest

What State Forest exist within the dataset buffer?

State Forest Number	State Forest Name	Distance	Direction
N/A	No records in buffer		

State Forest Data Source: © Land and Property Information (2015)

Creative Commons 3.0 © Commonwealth of Australia <http://creativecommons.org/licenses/by/3.0/au/deed.en>


### National Parks and Wildlife Service Reserves

What NPWS Reserves exist within the dataset buffer?

Reserve Number	Reserve Type	Reserve Name	Gazetted Date	Distance	Direction
N/A	No records in buffer				

NPWS Data Source: © Land and Property Information (2015)

Creative Commons 3.0 © Commonwealth of Australia <http://creativecommons.org/licenses/by/3.0/au/deed.en>



## Hydrogeology & Groundwater

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216

### Hydrogeology

Description of aquifers on-site:

Description
Porous, extensive highly productive aquifers

Description of aquifers within the dataset buffer:

Description
Porous, extensive aquifers of low to moderate productivity
Porous, extensive highly productive aquifers

Hydrogeology Map of Australia : Commonwealth of Australia (Geoscience Australia)

Creative Commons 3.0 © Commonwealth of Australia <http://creativecommons.org/licenses/by/3.0/au/deed.en>


### Botany Groundwater Management Zones

Groundwater management zones relating to the Botany Sand Beds aquifer within the dataset buffer:

Management Zone No.	Restriction	Distance	Direction
N/A	No records in buffer		

Botany Groundwater Management Zones Data Source : NSW Department of Primary Industries

**Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216**





# Hydrogeology & Groundwater

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216

## Groundwater Boreholes

Boreholes within the dataset buffer:

GW No.	Licence No	Work Type	Owner Type	Authorised Purpose	Intended Purpose	Name	Complete Date	Final Depth (m)	Drilled Depth (m)	Salinity (mg/L)	SWL (m)	Yield (L/s)	Elev (AHD)	Dist	Dir
GW023 455	10BL016 606, 10WA11 2828	Spear	Private	Domestic	General Use		01/12/1965	4.80	4.90	Good				0m	Onsite
GW109 028	10BL161 062, 10BL603 289, 10WA11 4576	Bore	School	Domestic, Recreation - High Security	Domestic		02/12/2002	8.00	8.00	Good	6.00	0.500		0m	Onsite
GW109 111	10BL602 325, 10WA11 4488	Spear	Private	Domestic	Domestic		24/07/2008	5.00		Good	2.44	1.000		40m	East
GW101 797	10BL157 238, 10WA11 3130	Bore		Domestic	Domestic		24/10/1995	5.80	5.80	Good	2.75	1.000		41m	East
GW107 210	10BL164 823, 10WA11 3865	Spear	Private	Domestic	Domestic		05/07/2005	6.00	6.00		4.00	0.500		42m	West
GW105 991	10BL162 716, 10WA11 3476	Spear	Private	Domestic	Domestic		23/03/2004	6.00	6.00	Good	3.00	0.500		48m	North
GW109 155	10BL162 412, 10WA11 3424	Spear	Private	Domestic	Domestic		05/08/2008	8.85		Good	5.49	1.000		56m	South West
GW108 702	10BL601 658, 10WA11 4400	Spear	Private	Domestic	Domestic		19/04/2007	6.00	6.00	Good	4.00	0.500		62m	North West
GW111 939	10BL603 158, 10WA11 4572	Spear	Private	Domestic	Domestic		23/01/2010	6.00	6.00		3.00			64m	North West
GW102 799	10BL159 561, 10WA11 3292	Bore		Domestic	Domestic		07/02/2000	7.63	7.63	Good				65m	West
GW101 163	10BL157 034, 10WA11 3102	Spear	Private	Domestic	Domestic		06/09/1995	5.79	5.79	Good	3.66	0.800		66m	East
GW109 654	10BL602 631, 10WA11 4526	Spear	Private	Domestic	Domestic		23/09/2008	8.23	8.24		4.88	1.000		69m	West
GW102 218	10BL159 069, 10WA11 3271	Spear	Private	Domestic	Domestic		02/03/1999	6.71	6.71	Good	3.96	1.000		71m	North West
GW102 693	10BL159 440, 10WA11 3290	Bore		Domestic	Domestic		29/09/1999	7.63	7.63	Good	4.27			71m	North West

GW No.	Licence No	Work Type	Owner Type	Authorised Purpose	Intended Purpose	Name	Complete Date	Final Depth (m)	Drilled Depth (m)	Salinity (mg/L)	SWL (m)	Yield (L/s)	Elev (AHD)	Dist	Dir
GW101022	10BL156997, 10WA113096	Bore	Private	Domestic	Domestic		30/08/1995	6.10	6.10	Good	3.97	1.000		72m	East
GW107052	10BL164906, 10WA113882	Spear	Private	Domestic	Domestic		07/04/2005	5.80	5.80	Good	2.44	1.000		73m	North East
GW108571	10BL601351, 10WA114326	Spear	Private	Domestic	Domestic		20/02/2007	8.85	8.85	Good	5.49	1.000		74m	South
GW108239	10BL600633, 10WA114184	Spear	Private	Domestic	Domestic		01/11/2006	7.63	7.63		4.25	1.000		85m	South West
GW109673	10BL165462, 10WA113981	Bore	Private	Domestic	Domestic		18/12/2008	7.00						90m	West
GW100685	10BL156955, 10WA113089	Bore	Private	Domestic	Domestic		25/08/1995	6.10	6.10	Good	3.66	1.000		90m	North East
GW105774	10BL162646, 10WA113464	Spear	Private	Domestic	Domestic		07/01/2004	7.32	7.32		4.58	1.000		95m	West
GW108582	10BL600591, 10WA114173	Spear	Private	Domestic	Domestic		28/01/2007	8.54	8.54	Good	4.27	1.000		98m	South West
GW024202	10BL018635, 10WA112964	Spear	Private	Domestic	General Use		01/01/1966	6.70	6.70	Good				100m	South West
GW108179	10BL165949, 10WA114065	Spear	Private	Domestic	Domestic		29/07/2006	9.76	9.76		5.49	1.000		101m	South
GW106869	10BL164561, 10WA113810	Bore		Domestic			08/03/2006							101m	East
GW105674	10BL162727, 10WA113477	Spear	Private	Domestic	Domestic		02/02/2004	7.02	7.02					107m	West
GW106557	10BL163595, 10WA113624	Spear	Private	Domestic	Domestic		31/07/2004	6.10	6.10	Good	3.50	1.000		110m	North East
GW109280	10BL602494, 10WA114520	Spear	Private	Domestic	Domestic		01/01/2003	7.00	7.00	Good	5.49	1.000		111m	South
GW106014	10BL162673, 10WA113470	Spear	Private	Domestic	Domestic		27/06/2004	7.32	7.32		4.27	1.000		129m	North West
GW106940	10BL162264, 10WA113383	Spear	Private	Domestic	Domestic		16/03/2005	6.00	6.00	Good	3.00	0.500		133m	North East
GW112983	10BL602359, 10WA114496	Spear	Private	Domestic	Domestic		25/02/2008	7.00	7.00		5.00	0.410		142m	West
GW110276	10BL165642, 10WA114007	Spear	Private	Domestic	Domestic		01/01/1999	9.00			2.00	2.500		144m	North East
GW024203	10BL018627, 10WA112960	Spear	Private	Domestic	General Use		01/08/1966	5.40	5.50	Good				151m	West

GW No.	Licence No	Work Type	Owner Type	Authorised Purpose	Intended Purpose	Name	Complete Date	Final Depth (m)	Drilled Depth (m)	Salinity (mg/L)	SWL (m)	Yield (L/s)	Elev (AHD)	Dist	Dir
GW108 965	10BL602 253, 10WA11 4474	Spear	Private	Domestic	Domestic		26/06/2008	6.00						152m	North
GW026 514	10BL019 296, 10WA11 2984	Spear	Private	Domestic	General Use		01/01/1966	7.90		Good				159m	South West
GW113 040	10BL602 343, 10WA11 4492	Spear	Private	Domestic	Domestic		26/05/2009	6.00	6.00					165m	West
GW106 991	10BL159 771, 10CA11 4725	Bore		Irrigation	Irrigation		01/01/1950	5.00			1.00	7.000		167m	North West
GW110 670	10BL603 425, 10WA11 4581	Spear	Private	Domestic	Domestic		24/11/2009	5.80	5.80	Good	2.13	1.000		170m	North East
GW108 795	10BL601 787, 10WA11 4414	Spear	Private	Domestic	Domestic		12/06/2007	6.10	6.10	Good	2.44	1.000		170m	North East
GW106 799	10BL163 588, 10WA11 3621	Spear	Private	Domestic	Domestic		07/01/2005	6.00	6.00					176m	West
GW106 712	10BL162 377, 10WA11 3419	Spear	Private	Domestic	Domestic		10/01/2005	7.00	7.00	Good	5.00	0.500		183m	West
GW023 208		Spear	Private		General Use		01/02/1966	5.40	5.50	Fair				196m	West
GW072 785		Spear	Private		Domestic		11/01/1995	7.60	7.60	Good				203m	South West
GW104 867	10BL161 076, 10WA11 3325	Bore	Private	Domestic	Domestic		02/12/2002	8.85	8.85		5.80	1.000		203m	South West
GW111 540	10BL602 643, 10WA11 4527	Spear	Private	Domestic	Domestic		16/08/2008	8.54	8.54	good	1.49	1.000		208m	East
GW106 271	10BL163 488, 10WA11 3593	Spear	Private	Domestic	Domestic		02/08/2004	6.10	6.10	Good	3.05	1.000		215m	West
GW023 276	10BL017 088	Bore	Private	Recreation (groundwater)	Recreation (groundwater)			8.80	8.80	Good		1.890		224m	North West
GW023 524	10BL016 652	Spear	Private	Domestic	General Use		01/12/1965	6.00	6.10	Good				225m	West
GW106 990	10BL159 684, 10CA11 4729	Bore		Irrigation	Irrigation		01/01/1960	5.00			2.00	7.000		236m	West
GW110 133	10BL602 919, 10WA11 4558	Spear	Private	Domestic	Domestic		07/03/2009	8.54	8.54	Good	5.80			243m	East
GW107 977	10BL164 914, 10WA11 3886	Spear	Private	Domestic	Domestic		09/05/2005	5.80	5.80		2.75	1.000		246m	West
GW024 379	10BL018 579, 10WA11 2959	Spear	Private	Domestic	General Use		01/01/1966	8.20	8.20	Good				268m	South East
GW111 598	10BL602 766, 10WA11 4534	Spear	Private	Domestic	Domestic		01/01/1977	9.00	9.00		4.00	0.500		268m	South
GW013 505	10BL008 612	Spear	Private	Irrigation	General Use		01/01/1950	9.10	9.10	Good				276m	South

GW No.	Licence No	Work Type	Owner Type	Authorised Purpose	Intended Purpose	Name	Complete Date	Final Depth (m)	Drilled Depth (m)	Salinity (mg/L)	SWL (m)	Yield (L/s)	Elev (AHD)	Dist	Dir
GW110 846	10BL600 611, 10WA11 4176	Spear	Private	Domestic	Domestic		01/01/2007	8.00			2.00	2.500		278m	South West
GW026 881	10BL019 636, 10WA11 2988	(Unknown)	Private	Domestic	General Use		01/12/1966	6.70						284m	South West
GW072 283		Spear	Private		Domestic		18/12/1994	7.30	7.30	Good				289m	West
GW023 684	10BL017 820, 10WA11 2934	Spear	Private	Domestic	General Use		01/04/1966	7.90	7.90	Good				297m	South
GW100 740	10BL157 744, 10WA11 3174	Bore	Private	Domestic	Domestic		24/09/1996	8.23	8.24	Good	5.33	1.000		301m	South West
GW111 895	10BL165 967, 10WA11 4070	Spear	Private	Domestic	Domestic		16/01/2006	7.32	7.32		3.96	1.000		311m	West
GW110 098	10BL600 065, 10WA11 4090	Spear	Private	Domestic	Domestic		23/02/2006	8.23	8.24	Good	4.58	1.000		317m	South West
GW103 152	10BL159 732, 10WA11 3295	Bore		Domestic	Domestic		30/07/2000	8.24	8.24	Good				320m	South West
GW106 992	10BL159 738, 10CA11 4727	Bore		Irrigation	Irrigation		01/01/1950	5.00			1.30	7.000		322m	West
GW111 121	10BL603 637, 10WA11 4593	Spear	Private	Domestic	Domestic		28/08/2010	10.68	10.68		6.71	1.000		326m	South
GW105 565	10BL162 106, 10WA11 3349	Bore		Domestic	Domestic		07/10/2003	7.63	7.63		4.58			332m	West
GW111 139	10BL601 682, 10WA11 4405	Spear	Private	Domestic	Domestic		26/04/2007	10.98	10.98	good	7.32	1.000		339m	South
GW107 101	10BL163 493, 10WA11 3595	Spear	Private	Domestic	Domestic		08/06/2005	9.00	9.00					356m	South
GW109 674	10BL165 312, 10WA11 3958	Spear	Private	Domestic	Domestic		26/04/2005	6.00						362m	South West
GW106 720	10BL164 139, 10WA11 3734	Spear	Private	Domestic	Domestic		07/01/2005	6.00	6.00					362m	South West
GW106 993	10BL159 738, 10CA11 4727	Bore		Irrigation	Irrigation		01/01/1950	5.00			1.30	7.000		363m	West
GW025 713	10BL016 457, 10BL165 860, 10WA11 4049	Spear	Private	Domestic, Not Known	Domestic		01/12/1965	7.00	7.00	Good				368m	South West
GW107 605	10BL165 686, 10WA11 4020	Spear	Private	Domestic	Domestic		03/10/2005	8.54	8.54	Good	5.49	1.000		370m	South West
GW110 441	10BL603 268, 10WA11 4575	Spear	Private	Domestic	Domestic		08/09/2009	8.54	8.54	Good	5.49	1.000		377m	South West



GW No.	Licence No	Work Type	Owner Type	Authorised Purpose	Intended Purpose	Name	Complete Date	Final Depth (m)	Drilled Depth (m)	Salinity (mg/L)	SWL (m)	Yield (L/s)	Elev (AHD)	Dist	Dir
GW109 932	10BL602 834, 10WA11 4543	Spear	Private	Domestic	Domestic		28/01/2009	7.32	7.32	Good	4.27	1.000		401m	South West
GW111 885	10BL601 058, 10WA11 4276	Spear	Private	Domestic	Domestic		24/01/2007	6.00	6.00		3.00	1.000		429m	South West
GW108 744	10BL601 462, 10WA11 4357	Spear	Private	Domestic	Domestic		25/02/2007	9.15	9.15	Good		1.000		433m	South West
GW106 948	10BL164 789, 10WA11 3859	Bore		Domestic			31/03/2006							435m	South West
GW108 713	10BL601 625, 10WA11 4392	Spear	Private	Domestic	Domestic		10/04/2007	9.15	9.15	Good	6.10	1.000		447m	South West
GW106 989	10BL159 683, 10CA11 4731	Bore		Irrigation	Irrigation		01/01/1960	5.00			1.50	13.000		447m	West
GW108 547	10BL601 149, 10WA11 4291	Spear	Private	Domestic	Domestic		06/02/2007	7.01	7.02	Good	3.90	1.000		449m	South West
GW107 516	10BL163 905, 10WA11 3703	Spear	Private	Domestic	Domestic		01/10/2005	8.00	8.00					461m	South West
GW023 291	10BL017 194, 10WA11 2872	Spear	Private	Domestic	General Use		01/11/1965	7.60	7.60					462m	South West
GW109 093	10BL602 339, 10WA11 4491	Spear	Private	Domestic	Domestic		22/07/2008	7.00						469m	South West
GW024 064	10BL017 310, 10WA11 2886	Spear	Private	Domestic	General Use		01/01/1966	9.10	9.10	Good				473m	South
GW110 445	10BL602 871, 10WA11 4549	Spear	Private	Domestic	Domestic		26/05/2009	6.00	6.00					477m	South West
GW108 721	10BL601 579, 10WA11 4381	Spear	Private	Domestic	Domestic		16/04/2009	8.54	8.54	Good	4.58	1.000		486m	South West
GW107 356	10BL164 565, 10WA11 3812	Spear	Private	Domestic	Domestic		11/08/2005	6.00	6.00	Good	4.00	0.500		488m	South West
GW105 768	10BL162 582, 10WA11 3453	Spear	Private	Domestic	Domestic		15/12/2003	7.01	7.02			1.000		492m	South West
GW106 659	10BL164 037, 10WA11 3720	Spear	Private	Domestic	Domestic		23/11/2004	7.63	7.63		4.58	1.000		498m	South West
GW108 970	10BL602 144, 10WA11 4449	Spear	Private	Domestic	Domestic		26/06/2008	8.23		Good	4.58	1.000		499m	South West
GW107 333	10BL165 282, 10WA11 3946	Spear	Private	Domestic	Domestic		21/06/2005	10.37	10.37	Good	7.01	1.000		511m	South
GW105 855	10BL163 249, 10WA11 3545	Bore		Domestic			04/05/2005							515m	South West

GW No.	Licence No	Work Type	Owner Type	Authorised Purpose	Intended Purpose	Name	Complete Date	Final Depth (m)	Drilled Depth (m)	Salinity (mg/L)	SWL (m)	Yield (L/s)	Elev (AHD)	Dist	Dir
GW109 926	10BL602 790, 10WA11 4538	Spear	Private	Domestic	Domestic		02/02/2009	9.00	9.00	Good	6.00	0.500		542m	South West
GW111 311	10BL601 516, 10WA11 4366	Spear	Private	Domestic	Domestic		15/04/2007	9.15	9.15	good	5.80	1.000		544m	South West
GW072 405	10BL156 076, 10WA11 3017	Spear	Private	Domestic	Domestic		14/04/1997	8.00	8.00	Good				546m	South
GW113 041	10BL602 369, 10WA11 4498	Spear	Private	Domestic	Domestic		01/02/2008	7.00	7.00					549m	South West
GW110 554	10BL603 346, 10WA11 4578	Spear	Private	Domestic	Domestic		17/11/2009	9.00	9.00	Good	7.00	0.500		550m	South
GW106 631	10BL163 920, 10WA11 3706	Spear	Private	Domestic	Domestic		08/11/2004	8.85	8.85		5.18	1.000		551m	South West
GW107 507	10BL163 599, 10WA11 3626	Spear	Private	Domestic	Domestic		07/10/2005	9.00	9.00	Good	7.00	0.500		573m	South
GW031 364	10BL024 145, 10WA11 2999	Spear	Private	Domestic	Domestic		01/04/1969	5.40	5.40		3.30	0.150		580m	South West
GW107 626	10BL163 598, 10WA11 3625	Spear	Private	Domestic	Domestic		07/10/2005	9.00	9.00		7.00	0.500		586m	South
GW105 995	10BL162 386, 10WA11 3420	Spear	Private	Domestic	Domestic		22/04/2004	4.58	4.58		1.52	1.000		597m	West
GW108 539	10BL601 039, 10WA11 4269	Spear	Private	Domestic	Domestic		22/01/2007	7.00	7.00	Good	5.00	0.500		600m	South West
GW024 585	10BL018 849, 10WA11 2972	Spear	Private	Domestic	General Use		01/01/1966	7.00	7.00	Good				603m	South West
GW106 067	10BL163 237, 10WA11 3541	Spear	Private	Domestic	Domestic		06/07/2004	10.06	10.07		7.01	1.000		604m	South
GW110 844	10BL164 089, 10WA11 3726	Spear	Private	Domestic	Domestic		24/11/2004	5.49	5.49	Good	1.83	1.000		613m	South West
GW111 231	10BL164 178, 10WA11 3748	Spear	Private	Domestic	Domestic		01/01/2007	5.50	5.50					614m	South
GW107 346	10BL164 916, 10WA11 3888	Spear	Private	Domestic	Domestic		17/09/2005	9.76	9.76	Good	6.41	1.000		624m	South West
GW106 425	10BL163 593, 10WA11 3622	Spear	Private	Domestic	Domestic		03/08/2007	7.00	7.00					625m	South West
GW109 166	10BL602 412, 10WA11 4508	Spear	Private	Domestic	Domestic		06/08/2008	8.23		Good	4.88	1.000		628m	South West
GW108 252	10BL600 656, 10WA11 4190	Spear	Private	Domestic	Domestic		31/10/2006	9.15	9.15		5.18	1.000		638m	South West

GW No.	Licence No	Work Type	Owner Type	Authorised Purpose	Intended Purpose	Name	Complete Date	Final Depth (m)	Drilled Depth (m)	Salinity (mg/L)	SWL (m)	Yield (L/s)	Elev (AHD)	Dist	Dir
GW108 171	10BL600 470, 10WA11 4154	Spear	Private	Domestic	Domestic		23/08/2006	9.00	9.00					655m	South
GW100 965	10BL156 934, 10WA11 3085	Spear	Private	Domestic	Domestic		23/08/1995	8.23	8.23	Good	5.18	1.000		656m	South West
GW110 917	10BL601 419, 10WA11 4343	Spear	Private	Domestic	Domestic		16/06/2007	8.54	8.54	good	5.49	1.000		661m	South West
GW107 302	10BL165 309, 10WA11 3957	Spear	Private	Domestic	Domestic		15/08/2005	6.00	6.00					667m	South West
GW107 318	10BL164 830, 10WA11 3866	Spear	Private	Domestic	Domestic		25/04/2005	7.63	7.63	Good	4.58	1.000		669m	South West
GW101 032	10BL158 261, 10WA11 3215	Spear	Private	Domestic	Domestic		21/11/1997	7.32	7.32	Good		1.000		671m	South West
GW111 224	10BL604 178, 10WA11 4606	Spear	Private	Domestic	Domestic		22/08/2010	6.00	6.00	good	2.00	0.500		679m	West
GW107 306	10BL164 707, 10WA11 3839	Spear	Private	Domestic	Domestic		06/09/2005	6.00	6.00					679m	South West
GW105 725	10BL162 465, 10WA11 3431	Spear	Private	Domestic	Domestic		28/01/2004	8.85	8.85		5.80	1.000		681m	South West
GW106 274	10BL163 290, 10WA11 3552	Spear	Private	Domestic	Domestic		07/06/2004	8.23	8.24	Good	4.88	1.000		694m	South West
GW108 434	10BL600 980, 10WA11 4256	Spear	Private	Domestic	Domestic		16/01/2007	8.54	8.54	Good		1.000		697m	South West
GW107 121	10BL164 816, 10WA11 3864	Spear	Private	Domestic	Domestic		06/04/2005	5.00	5.00					698m	South West
GW107 541	10BL165 731, 10WA11 4035	Spear	Private	Domestic	Domestic		30/10/2005	6.00	6.00					715m	South West
GW108 814	10BL601 413, 10WA11 4341	Spear	Private	Domestic	Domestic		24/04/2008	8.23						717m	South West
GW110 897	10BL603 865, 10WA11 4599	Spear	Private	Domestic	Domestic		25/05/2010	8.54	8.54	good	5.18	1.000		719m	South West
GW106 982	10BL164 880, 10WA11 4733	Bore		Recreation (groundwater)	Recreation (groundwater)		07/02/2005	5.00	5.00					722m	West
GW102 991	10BL155 245, 10WA11 3016	Bore		Domestic			20/07/2000		5.00					727m	South West
GW107 636	10BL165 590, 10WA11 3999	Bore	Private	Domestic	Domestic		27/11/1993	6.00	6.00					727m	South
GW108 599	10BL601 378, 10WA11 4332	Spear	Private	Domestic	Domestic		04/03/2007	12.00	12.00					744m	South West

GW No.	Licence No	Work Type	Owner Type	Authorised Purpose	Intended Purpose	Name	Complete Date	Final Depth (m)	Drilled Depth (m)	Salinity (mg/L)	SWL (m)	Yield (L/s)	Elev (AHD)	Dist	Dir
GW108 096	10BL162 751, 10WA11 3482	Spear	Private	Domestic	Domestic		20/04/2004	7.32	7.32		4.20	1.000		747m	South West
GW101 765	10BL157 361, 10WA11 3151	Bore		Domestic	Domestic		01/09/1995	8.00	8.00					747m	South West
GW107 972	10BL600 190, 10WA11 4119	Spear	Private	Domestic	Domestic		10/04/2006	7.00	7.00					756m	South West
GW104 901	10BL157 110, 10WA11 3114	Bore	Private	Domestic	Domestic		27/09/1995	7.63	7.63	Good	5.18	1.000		758m	South
GW108 578	10BL601 445, 10WA11 4351	Spear	Private	Domestic	Domestic		20/03/2007	6.00	6.00					761m	South West
GW100 444	10BL157 807, 10WA11 3179	Spear	Private	Domestic	Domestic		22/11/1996	5.49	5.49	Good	1.83	1.000		772m	West
GW107 511	10BL165 586, 10WA11 3998	Spear	Private	Domestic	Domestic		15/10/2005	8.23	8.24	Good	5.18	1.000		780m	South West
GW105 550	10BL162 376, 10WA11 3418	Bore		Domestic	Domestic		01/12/2003	8.85	8.85		5.79	1.000		781m	South West
GW108 454	10BL601 082, 10WA11 4283	Spear	Private	Domestic	Domestic		30/01/2007	9.46	9.46	Good	6.41	1.000		788m	South West
GW108 717	10BL601 596, 10WA11 4385	Spear	Private	Domestic	Domestic		06/04/2007	5.18	5.19	Good	1.52	1.000		798m	West
GW017 475	10BL008 275, 10WA11 2790	Spear	Private	Domestic	General Use		01/01/1958	7.60	7.60					798m	South West
GW108 625	10BL600 075, 10WA11 4092	Spear	Private	Domestic	Domestic		22/11/2007	9.46	9.46	Good	5.49	1.000		803m	South West
GW107 442	10BL165 472, 10WA11 3985	Spear	Private	Domestic	Domestic		08/08/2005	9.15	9.15	Good	6.10	1.000		807m	South West
GW109 697	10BL165 067, 10WA11 3916	Bore	Private	Domestic	Domestic		07/05/2008	6.10	6.10	Good	2.13	1.000		809m	South West
GW101 818	10BL157 353, 10WA11 3146	Bore		Domestic	Domestic		30/05/1995	5.50	5.50					812m	South West
GW107 425	10BL165 249, 10WA11 3938	Spear	Private	Domestic	Domestic		08/08/2005	9.00	9.00	Good	7.00	0.500		814m	South West
GW026 375	10BL017 634, 10WA11 2918	Bore	Private	Domestic	Not Known		01/09/1966	7.00	7.00	Good				816m	South
GW101 222	10BL158 318, 10WA11 3220	Spear	Private	Domestic	Domestic		15/12/1997	7.78	7.78	Good	5.80	1.000		829m	South West
GW108 488	10BL600 561, 10WA11 4166	Spear	Private	Domestic	Domestic		15/11/2006	9.76	9.76	Good	6.71	1.000		832m	South West



GW No.	Licence No	Work Type	Owner Type	Authorised Purpose	Intended Purpose	Name	Complete Date	Final Depth (m)	Drilled Depth (m)	Salinity (mg/L)	SWL (m)	Yield (L/s)	Elev (AHD)	Dist	Dir
GW109 258	10BL164 850, 10WA11 3870	Spear	Private	Domestic	Domestic		22/08/2008	7.93		Good		1.000		833m	South West
GW108 411	10BL600 725, 10WA11 4205	Spear	Private	Domestic	Domestic		19/01/2007	8.54	8.54	Good	5.18	1.000		837m	South West
GW111 296	10BL601 515, 10WA11 4365	Spear	Private	Domestic	Domestic		20/04/2010	5.49	5.49	6000	1.52	1.000		838m	South West
GW110 440	10BL602 908, 10WA11 4557	Spear	Private	Domestic	Domestic		26/02/2009	9.00	9.00	Good	7.00	0.500		847m	South West
GW110 220	10BL600 361, 10WA11 4141	Spear	Private	Domestic	Domestic		07/09/2006	6.00	6.00					856m	South West
GW111 741	10WA11 7312	Bore	Private	Domestic	Domestic		27/02/2012	11.59	11.59	good	6.41	1.000		862m	South West
GW110 953	10BL601 610, 10WA11 4388	Spear	Private	Domestic	Domestic		17/06/2010	8.00	8.00		2.00	2.500		865m	South West
GW107 746	10BL164 632, 10WA11 3824	Spear	Private	Domestic	Domestic		10/01/2006	8.00	8.00					865m	South West
GW107 852	10BL163 741, 10WA11 3669	Spear	Private	Domestic	Domestic		01/01/2003	6.00	6.00					865m	South West
GW101 756	10BL159 004, 10WA11 3269	Bore		Domestic	Domestic		18/01/1999	6.10	6.10	Good	3.36	1.000		866m	South West
GW111 498	10BL602 489, 10WA11 4516	Spear	Private	Domestic	Domestic		08/05/2008	11.59	11.59	good	6.41	1.000		873m	South West
GW107 985	10BL600 160, 10WA11 4114	Spear	Private	Domestic	Domestic		21/03/2006	5.49	5.49		2.13	1.000		874m	South West
GW110 656	10BL601 154, 10WA11 4292	Spear	Private	Domestic	Domestic		24/02/2007	7.93	7.93	Good	4.88	1.000		880m	South West
GW107 367	10BL165 564, 10WA11 3993	Spear	Private	Domestic	Domestic		20/09/2005	7.00	7.00					882m	South West
GW101 433	10BL158 419, 10WA11 3235	Spear	Private	Domestic	Domestic		15/01/1998	5.49	5.49	Good	2.75	1.000		889m	South West
GW109 246	10BL602 491, 10WA11 4518	Spear	Private	Domestic	Domestic		20/08/2008	11.59		Good	6.41	1.000		892m	South
GW110 528	10BL603 384, 10WA11 4580	Spear	Private	Domestic	Domestic		19/10/2009	6.71	6.71	Good	3.66	1.000		906m	South West
GW106 233	10BL163 568, 10WA11 3613	Spear	Private	Domestic	Domestic		28/05/2005	5.00	5.00					910m	South West
GW107 870	10BL600 133, 10WA11 4107	Spear	Private	Domestic	Domestic		13/03/2004	4.27	4.27		1.52	1.000		914m	South West

GW No.	Licence No	Work Type	Owner Type	Authorised Purpose	Intended Purpose	Name	Complete Date	Final Depth (m)	Drilled Depth (m)	Salinity (mg/L)	SWL (m)	Yield (L/s)	Elev (AHD)	Dist	Dir
GW111 743	10BL604 393, 10WA11 4612	Spear	Private	Domestic	Domestic		28/03/2011	3.96	3.97	good	1.52	1.000		922m	South West
GW108 832	10BL601 316, 10WA11 4318	Spear	Private	Domestic	Domestic		24/04/2008	6.10			3.36	1.000		927m	South West
GW110 654	10BL600 671, 10WA11 4192	Spear	Private	Domestic	Domestic		28/11/2006	7.93	7.93	Good	3.96	1.000		930m	South West
GW111 682	10BL163 782, 10WA11 3678	Spear	Private	Domestic	Domestic		01/06/2006	9.00	9.00			0.660		931m	South West
GW106 309	10BL163 680, 10WA11 3649	Spear	Private	Domestic	Domestic		02/09/2004	8.85	8.85		5.80	1.000		932m	South West
GW109 004	10BL601 346, 10WA11 4323	Bore	Private	Domestic	Domestic		09/07/2008	6.00		Good	4.00	0.500		936m	South West
GW111 710	10BL603 004, 10WA11 4565	Spear	Private	Domestic	Domestic		28/11/2010	7.00	7.00	good	5.00	0.500		939m	South West
GW110 659	10BL163 882, 10WA11 3701	Spear	Private	Domestic	Domestic		01/01/2004	9.00			4.00	0.500		940m	South West
GW112 396	10WA11 8589	Spear	Private	Domestic	Domestic		11/03/2013	7.00	7.00		4.00	0.500		941m	South West
GW023 285	10BL016 680, 10WA11 2834	Bore	Private	Domestic	General Use		01/11/1965	5.70	5.80					946m	South West
GW107 053	10BL162 715, 10WA11 3475	Spear	Private	Domestic	Domestic		02/04/2005	9.00	9.00					950m	South West
GW109 455	10BL164 582, 10WA11 3814	Spear	Private	Domestic	Domestic		19/02/2005	9.15		Good	6.10	1.000		951m	South West
GW111 316	10BL602 906, 10BL604 791, 10CA11 7813	Bore	Private	Irrigation, Recreation (groundwater), Test Bore	Irrigation, Recreation (groundwater)		01/03/2010	162.00	162.00	1400	4.00	2.000		952m	North West
GW024 319	10BL018 628, 10WA11 2961	Spear	Private	Domestic	General Use		01/08/1966	4.50	4.60					952m	South West
GW106 450	10BL164 013	Spear	Private	Domestic	Domestic		08/10/2004	2.00	2.00					955m	West
GW106 778	10BL163 788, 10WA11 3682	Spear	Private	Domestic	Domestic		29/08/2004	7.63	7.63	Good	4.58	1.000		957m	South West
GW101 827	10BL157 441, 10WA11 3156	Bore		Domestic	Domestic		03/03/1999	7.93	7.93	Good	2.44	0.800		957m	South West
GW111 117	10BL604 102, 10WA11 4602	Spear	Private	Domestic	Domestic		25/08/2010	8.54	8.54	good	4.88	1.000		960m	South West
GW108 441	10BL600 981, 10WA11 4257	Spear	Private	Domestic	Domestic		17/01/2007	8.54	8.54	Good		1.000		964m	South West

GW No.	Licence No	Work Type	Owner Type	Authorised Purpose	Intended Purpose	Name	Complete Date	Final Depth (m)	Drilled Depth (m)	Salinity (mg/L)	SWL (m)	Yield (L/s)	Elev (AHD)	Dist	Dir
GW108 534	10BL600 971, 10WA11 4254	Spear	Private	Domestic	Domestic		30/01/2007	7.00	7.00	Good	5.00	0.500		966m	South West
GW104 656	10BL161 282	Bore	Private	Monitoring Bore	Monitoring Bore		10/07/2002	8.00	8.00	300	7.00			973m	South West
GW106 897	10BL164 361, 10WA11 3781	Spear	Private	Domestic	Domestic		11/01/2005	6.00	6.00	Good	4.00	0.500		980m	South West
GW104 655	10BL161 282	Bore	Private	Monitoring Bore	Monitoring Bore		10/07/2002	8.00	8.00	300	7.00			987m	South West
GW109 581	10BL165 433, 10WA11 3976	Spear	Private	Domestic	Domestic		17/08/2005	7.32	7.32	Good	4.27	1.000		987m	South West
GW107 317	10BL165 370, 10WA11 3968	Spear	Private	Domestic	Domestic		18/08/2005	7.32	7.32	Good	3.90	1.000		992m	South West
GW104 654	10BL161 282	Bore	Private	Monitoring Bore	Monitoring Bore		10/07/2002	8.00	8.00	300	7.00			995m	South West
GW100 297	10BL154 886, 10WA11 3014	Spear	Private	Domestic	Domestic		10/08/1995	5.00	5.00					995m	South West
GW104 653	10BL161 282	Bore	Private	Monitoring Bore	Monitoring Bore		10/07/2002	8.00	8.00	334	7.00			998m	South West
GW108 573	10BL601 408, 10WA11 4340	Bore	Private	Domestic	Domestic		06/03/2007	7.93	7.93	Good	3.96	1.000		999m	South West
GW106 277	10BL163 520, 10WA11 3598	Spear		Domestic	Domestic		09/09/2004	6.50	6.50					1000m	South West
GW104 652	10BL161 282	Bore	Private	Monitoring Bore	Monitoring Bore		10/07/2002	8.00	8.00	300	6.50			1002m	South
GW104 657	10BL161 282	Bore	Private	Monitoring Bore	Monitoring Bore		10/07/2002	8.00	8.00	300	6.00			1004m	South
GW106 507	10BL164 258, 10WA11 3766	Spear	Private	Domestic	Domestic		15/10/2004	7.00	7.00	Good	4.00	0.500		1009m	South West
GW112 389	10WA11 7556	Spear	Private	Domestic	Domestic		08/03/2013	9.00	9.00		5.00	0.500		1020m	South West
GW016 114	10BL008 398, 10WA11 4695	Bore	Private	Recreation (groundwater)	Recreation (groundwater)		01/11/1957	13.70	13.70					1022m	South West
GW107 370	10BL165 546, 10WA11 3989	Bore	Private	Domestic	Domestic		25/10/2005	7.00	7.00					1026m	South West
GW107 313	10BL165 085, 10WA11 3921	Spear	Private	Domestic	Domestic		18/04/2005	9.15	9.15		6.49	1.000		1035m	South West
GW107 628	10BL163 906, 10WA11 3704	Spear	Private	Domestic	Domestic		30/05/2005	7.00	7.00					1037m	South West
GW108 870	10BL164 936, 10CA11 4737	Excavation	Private	Irrigation	Irrigation		12/05/2008	5.00						1041m	West
GW023 135	10BL016 657	Spear	Private	Irrigation	General Use		01/12/1965	7.00	7.00					1051m	South West
GW106 826	10BL162 520, 10WA11 3438	Spear	Private	Domestic	Domestic		11/03/2005	6.00	6.00	Good	3.00	0.500		1068m	South West

GW No.	Licence No	Work Type	Owner Type	Authorised Purpose	Intended Purpose	Name	Complete Date	Final Depth (m)	Drilled Depth (m)	Salinity (mg/L)	SWL (m)	Yield (L/s)	Elev (AHD)	Dist	Dir
GW105 982	10BL162 506, 10WA11 3437	Spear	Private	Domestic	Domestic		09/07/2004	7.00	7.00	Good	5.00	0.500		1071m	South West
GW110 558	10BL603 050, 10WA11 4567	Spear	Private	Domestic	Domestic		10/11/2009	7.00	7.00	Good	5.00	0.500		1080m	South West
GW072 968		Spear	Private		Domestic		21/02/1995	8.50	8.50	Good				1082m	South West
GW108 597	10BL601 369, 10WA11 4328	Spear	Private	Domestic	Domestic		27/02/2007	8.54	8.54	Good	5.49	1.000		1086m	South West
GW114 560	10WA11 8862	Spear	Private	Domestic	Domestic		23/01/2014	8.85	8.85	Good	5.49	1.000		1089m	South West
GW107 720	10BL164 767, 10WA11 3855	Spear	Private	Domestic			04/01/2007							1091m	South West
GW108 277	10BL165 952, 10WA11 4066	Bore		Domestic	Domestic		01/01/1993	6.00				21.00 0		1101m	South West
GW106 352	10BL163 539, 10WA11 3605	Spear	Private	Domestic	Domestic		27/09/2004	9.15	9.15		6.41	1.000		1112m	South West
GW107 689	10BL164 315, 10WA11 3775	Spear	Private	Domestic	Domestic		20/11/2005	7.00	7.00					1112m	South West
GW111 091	10BL601 670, 10WA11 4404	Spear	Private	Domestic	Monitoring Bore		24/08/2007	7.00	7.00					1117m	South West
GW109 092	10BL600 227, 10BL602 308, 10WA11 4745	Bore	Private	Recreation (groundwater), Test Bore	Recreation (groundwater)		22/07/2008	4.00	4.00	Good	2.00	0.500		1118m	South West
GW107 780	10BL165 900, 10WA11 4057	Spear	Private	Domestic	Domestic		08/02/2006	8.54	8.54	Good	5.49	1.000		1118m	South West
GW106 891	10BL164 384, 10WA11 3787	Spear	Private	Domestic	Domestic		28/12/2004	6.00	6.00					1137m	South West
GW106 899	10BL163 996, 10WA11 3717	Spear	Private	Domestic	Domestic		22/11/2005	9.46	9.46	Good	6.10	1.000		1138m	South West
GW107 350	10BL165 077, 10WA11 3918	Spear	Private	Domestic	Domestic		24/09/2005	9.46	9.46		5.80	1.000		1143m	South West
GW111 888	10BL601 024, 10WA11 4266	Spear	Private	Domestic	Domestic		17/12/2006	8.80	8.80					1147m	South West
GW108 432	10BL600 966, 10WA11 4252	Spear	Private	Domestic	Domestic		17/01/2007	7.93	7.93	Good	4.88	1.000		1175m	South West
GW108 631	10BL165 236, 10WA11 3937	Spear	Private	Domestic	Domestic		16/08/2005	7.00	7.00					1187m	South West
GW023 191	10BL016 920, 10WA11 2851	Spear	Private	Domestic	General Use			3.60	3.70					1190m	North West



GW No.	Licence No	Work Type	Owner Type	Authorised Purpose	Intended Purpose	Name	Complete Date	Final Depth (m)	Drilled Depth (m)	Salinity (mg/L)	SWL (m)	Yield (L/s)	Elev (AHD)	Dist	Dir
GW107 153	10BL164 915, 10WA11 3887	Spear	Private	Domestic	Domestic		30/05/2005	8.23	8.24		4.88	1.000		1207m	South West
GW110 781	10BL601 330, 10WA11 4320	Spear	Private	Domestic	Domestic		17/02/2007	8.54	8.54	Good	5.49	1.000		1218m	South West
GW106 873	10BL164 550, 10WA11 3809	Spear	Private	Domestic	Domestic		29/11/2004	7.63	7.63	Good	4.58	1.000		1221m	South West
GW111 308	10BL600 134, 10WA11 4108	Spear	Private	Domestic	Domestic		19/03/2008	8.00	8.00					1223m	South West
GW114 839	10WA11 9177	Spear	Private	Domestic	Domestic		11/04/2015	5.00	5.00		15.00	0.500		1226m	South West
GW100 209	10BL152 038	Bore	Private	Domestic, Stock	Domestic, Stock		16/04/1993	108.00	108.00	8000		0.790		1226m	North
GW111 482	10WA10 2323	Spear	Private	Domestic	Domestic		23/05/2011	7.63	7.63	good	4.27	1.000		1242m	South West
GW109 223	10BL164 465, 10WA11 3797	Spear	Private	Domestic	Domestic		18/08/2008	6.00						1249m	South West
GW023 194	10BL016 604, 10WA10 8122	Spear	Private	Domestic, General Use	General Use		01/11/1965	4.80	4.90	Good				1262m	North West
GW064 827		Bore	Private		Domestic		01/11/1991	7.80						1286m	South West
GW110 735	10BL600 691, 10WA11 4197	Bore	Private	Domestic	Domestic		01/01/2006	8.00			2.00	2.500		1286m	North West
GW108 295	10BL600 614, 10WA11 4178	Spear	Private	Domestic	Domestic		01/11/2006	8.00	8.00					1286m	West
GW105 517	10BL162 103, 10WA11 3348	Bore		Domestic	Domestic		03/11/2003	3.97	3.97		1.22	1.000		1291m	South West
GW107 269	10BL163 982, 10WA11 3713	Spear	Private	Domestic	Domestic		16/12/2004	7.50	7.50		2.00	0.500		1293m	South West
GW111 790	10BL600 843, 10WA11 4236	Spear	Private	Domestic	Domestic		01/01/2007	6.00	6.00					1304m	North West
GW108 439	10BL600 888, 10WA11 4237	Spear	Private	Domestic	Domestic		05/01/2007	8.00	8.00					1304m	West
GW105 629	10BL162 294, 10WA11 3397	Spear	Private	Domestic	Domestic		19/11/2003	7.93	7.93		4.27	1.500		1314m	South West
GW111 149	10BL601 733, 10WA11 4410	Spear	Private	Domestic	Domestic		31/05/2007	7.00	7.00					1324m	South West
GW108 298	10BL600 632, 10WA11 4183	Spear	Private	Domestic	Domestic		20/10/2006	6.00						1325m	South West
GW023 451	10BL017 145, 10WA11 2866	Spear	Private	Domestic	General Use			2.80						1345m	South West

GW No.	Licence No	Work Type	Owner Type	Authorised Purpose	Intended Purpose	Name	Complete Date	Final Depth (m)	Drilled Depth (m)	Salinity (mg/L)	SWL (m)	Yield (L/s)	Elev (AHD)	Dist	Dir
GW108 993	10BL602 085, 10WA11 4439	Spear	Private	Domestic	Domestic		08/07/2008	7.93		Good	3.96	1.000		1348m	South West
GW107 207	10BL164 644, 10WA11 3826	Spear	Private	Domestic	Domestic		24/05/2005	4.00	4.00			0.500		1349m	South West
GW026 464	10BL019 292, 10WA11 2982	Spear	Private	Domestic	General Use			5.10						1362m	South West
GW023 423	10BL017 148, 10BL162 266, 10WA11 3384	Spear	Private	Domestic, Public/municipal	Domestic		01/02/1966	4.50	4.60	Good				1367m	South West
GW107 650	10BL165 687, 10WA11 4021	Spear	Private	Domestic	Domestic		15/11/2005	4.00	4.00	Good	2.00	0.500		1376m	South West
GW106 167	10BL163 780, 10WA11 3676	Spear	Private	Domestic	Domestic		28/05/2004	6.00	6.00					1388m	South West
GW108 623	10BL600 077, 10WA11 4093	Spear	Private	Domestic	Domestic		07/04/2006	6.00	6.00	Good	2.00	0.500		1408m	South West
GW107 744	10BL165 926, 10WA11 4059	Spear	Private	Domestic	Domestic		06/01/2006	4.00	4.00	Good	2.00	0.500		1415m	South West
GW110 274	10BL165 739, 10WA11 4036	Bore	Private	Domestic	Domestic		01/01/2006	3.00			1.70			1418m	South West
GW023 477	10BL017 654, 10WA11 2925	Spear	Private	Domestic	General Use		01/02/1966	6.40	6.40	Good				1422m	South West
GW105 588	10BL162 243, 10WA11 3376	Spear	Private	Domestic	Domestic		01/11/2003	4.00	4.00	Good	2.10	0.500		1426m	South West
GW107 857	10BL600 084, 10WA11 4095	Spear	Private	Domestic	Domestic		10/03/2006	7.00	7.00		5.00	0.500		1434m	South West
GW108 006	10BL165 059, 10WA11 3910	Spear	Private	Domestic	Domestic		22/08/2005	3.96	3.97		1.22	1.000		1446m	South West
GW111 558	10BL600 777, 10WA11 4216	Spear	Private	Domestic	Domestic		31/01/2007	6.00	6.00					1448m	South West
GW106 975	10BL163 580, 10WA11 3617	Spear	Private	Domestic	Domestic		02/02/2005	4.00	4.00	Good	2.00	0.500		1451m	South West
GW107 540	10BL164 093, 10WA11 3727	Spear	Private	Domestic	Domestic		30/10/2005	7.00	7.00					1452m	South West
GW109 045	10BL601 662, 10WA11 4402	Spear	Private	Domestic	Domestic		15/07/2008	7.93		Good	4.27	1.000		1456m	South West
GW107 166	10BL165 186, 10WA11 3933	Spear	Private	Domestic	Domestic		14/06/2005	4.00	4.00	Good	2.00	0.500		1457m	South West

GW No.	Licence No	Work Type	Owner Type	Authorised Purpose	Intended Purpose	Name	Complete Date	Final Depth (m)	Drilled Depth (m)	Salinity (mg/L)	SWL (m)	Yield (L/s)	Elev (AHD)	Dist	Dir
GW109 121	10BL602 117, 10WA11 4443	Spear	Private	Domestic	Domestic		25/07/2008	5.80		Good	1.52	1.000		1460m	South West
GW110 272	10BL165 705, 10WA11 4026	Spear	Private	Domestic	Domestic		30/10/2005	7.02	7.02	Good	3.96	1.000		1462m	South West
GW110 845	10BL601 174, 10WA11 4294	Spear	Private	Domestic	Domestic		06/11/2006	8.54	8.54	Good	5.49	1.000		1465m	South West
GW100 025	10BL156 607, 10BL165 340, 10WA11 3963	Spear	Private	Domestic, Industrial	Domestic		01/08/1995	6.00	6.00					1471m	South West
GW024 062	10BL017 515, 10WA11 2909	Spear	Private	Domestic	General Use			3.60	3.70					1472m	West
GW109 015	10BL600 717, 10WA10 9111	Spear	Private	Domestic	Domestic		10/07/2008	6.10		Good	4.97	0.500		1482m	West
GW106 587	10BL163 532, 10WA11 3602	Spear	Private	Domestic	Domestic		11/10/2004	4.00	4.00	Good	2.00	0.500		1487m	South West
GW101 638	10BL157 837, 10WA11 3182	Bore		Domestic	Domestic		19/12/1996	7.63	7.63	Good				1487m	South West
GW072 161	10BL153 838	Bore	Private	Recreation (groundwater )	Recreation (groundwater )		24/02/1994	90.50	90.50	1600	14.00	7.700		1494m	North
GW108 404	10BL600 697, 10WA11 4199	Spear	Private	Domestic	Domestic		01/12/2006	7.63	7.63	Good	1.52	1.000		1499m	South West
GW110 868	10BL603 653, 10WA11 4594	Spear	Private	Domestic	Domestic		14/04/2010	6.00	6.00	Good	2.00	0.500		1502m	South West
GW107 890	10BL165 994, 10WA11 4075	Spear	Private	Domestic	Domestic		11/02/2006	5.00	5.00		2.00	0.500		1503m	South West
GW109 934	10BL602 846, 10WA11 4545	Bore	Private	Domestic	Domestic		18/12/2008	6.00	6.00	Good	3.00	0.500		1513m	South West
GW103 950	10BL156 624	Bore		Test Bore	Test Bore		19/04/1995	21.00	21.00	10800				1517m	East
GW103 946	10BL156 624	Bore		Test Bore	Test Bore		19/04/1995	17.00	17.00	1400				1517m	East
GW103 949	10BL156 624	Bore		Test Bore	Test Bore		19/04/1995	21.00	21.00	12900				1517m	East
GW103 951	10BL156 624	Bore		Test Bore	Test Bore		21/06/1995	149.00	149.00	560				1517m	East
GW103 944	10BL156 624	Bore		Test Bore	Test Bore		19/04/1995	18.00	18.00	7600				1517m	East
GW103 945	10BL156 624	Bore		Test Bore	Test Bore		19/04/1995	21.00	21.00	7700				1517m	East
GW103 941	10BL156 624	Bore		Test Bore	Test Bore		18/04/1995	21.00	21.00	200				1517m	East
GW103 948	10BL156 624	Bore		Test Bore	Test Bore		19/04/1995	18.00	18.00	8300				1517m	East
GW027 664	10BL020 771	Bore	Private	Recreation (groundwater )	Irrigation		01/06/1966	6.00	6.10					1517m	North West

GW No.	Licence No	Work Type	Owner Type	Authorised Purpose	Intended Purpose	Name	Complete Date	Final Depth (m)	Drilled Depth (m)	Salinity (mg/L)	SWL (m)	Yield (L/s)	Elev (AHD)	Dist	Dir
GW103 942	10BL156 624	Bore		Test Bore	Test Bore		19/04/1995	12.00	12.00	5300				1517m	East
GW103 943	10BL156 624	Bore		Test Bore	Test Bore		18/04/1995	14.00	14.00	8000				1517m	East
GW103 947	10BL156 624	Bore		Test Bore	Test Bore		19/05/1995	18.00	18.00	9500				1517m	East
GW109 645	10BL602 446, 10WA11 4513	Spear	Private	Domestic	Domestic		12/05/2008	8.54	8.54	Good	5.18	1.000		1524m	South West
GW023 304	10BL016 695, 10WA11 2837	Spear	Private	Domestic	General Use		01/11/1965	4.20	4.30	Good				1531m	South West
GW016 108	10BL008 343, 10WA11 2792	Spear	Private	Domestic	General Use			7.60	7.60					1531m	South West
GW109 963	10BL601 004, 10WA11 4261	Spear	Private	Domestic	Domestic		28/11/2006	8.00	8.00					1548m	North West
GW108 406	10BL600 707, 10WA11 4202	Spear	Private	Domestic	Domestic		28/11/2006	8.00	8.00					1562m	North West
GW109 964	10BL601 003, 10WA11 4260	Spear	Private	Domestic	Domestic		28/11/2006	8.00	8.00					1569m	North West
GW108 588	10BL601 050, 10WA11 4273	Spear	Private	Domestic	Domestic		03/02/2007	8.00	8.00					1571m	North West
GW023 583	10BL017 517, 10WA11 2911	Spear	Private	Domestic	General Use			8.20	8.20	Potable				1571m	South West
GW106 206	10BL163 318, 10WA11 3559	Spear	Private	Domestic	Domestic		11/08/2004	5.18	5.19		2.13	1.000		1571m	South West
GW109 965	10BL601 646, 10WA11 4397	Bore	Private	Domestic	Domestic		28/11/2006	8.00	8.00					1582m	North West
GW108 495	10BL600 787, 10WA11 4220	Spear	Private	Domestic	Domestic		15/02/2007	9.46	9.46	Good	5.49	1.000		1602m	South West
GW101 328	10BL158 406, 10WA11 3228	Spear	Private	Domestic	Domestic		02/02/1998	7.62	7.62	Good	5.18	1.000		1603m	South West
GW107 531	10BL163 207, 10WA11 4719	Bore		Industrial	Industrial		19/10/2005	14.00	14.00	Good	2.00	2.000		1620m	South West
GW107 236	10BL165 210, 10WA11 3936	Bore		Domestic	Domestic		13/08/1995	8.00			5.00	60.000		1628m	South West
GW109 966	10BL601 239, 10WA11 4306	Spear	Private	Domestic	Domestic		17/03/2009	3.00	3.00					1635m	North West
GW107 148	10BL164 995, 10WA11 3902	Spear	Private	Domestic	Domestic		25/05/2005	5.80	5.80		1.52	1.000		1646m	South West
GW114 745	10BL605 632	Bore	Private	Monitoring Bore	Monitoring Bore	BRANO PTY LTD	17/10/2014	13.95	13.95					1648m	North West
GW114 744	10BL605 632	Bore	Private	Monitoring Bore	Monitoring Bore	BRANO PTY LTD	17/10/2014	17.00	17.00					1653m	North West



GW No.	Licence No	Work Type	Owner Type	Authorised Purpose	Intended Purpose	Name	Complete Date	Final Depth (m)	Drilled Depth (m)	Salinity (mg/L)	SWL (m)	Yield (L/s)	Elev (AHD)	Dist	Dir
GW107 344	10BL165 389, 10WA11 3970	Spear	Private	Domestic	Domestic		08/08/2005	4.00	4.00	Good	2.00	0.500		1661m	South West
GW105 153	10BL157 074, 10WA11 3109	Bore	Private	Domestic	Domestic		13/09/1995	5.49	5.49	Good	5.49	1.000		1662m	South West
GW105 880	10BL162 677, 10WA11 3471	Bore		Domestic			09/05/2005							1663m	South
GW024 109	10BL017 755, 10WA11 2930	Spear	Private	Domestic	General Use		01/03/1966	2.10	2.10					1672m	North West
GW023 310	10BL016 882, 10WA11 2850	Bore	Private	Domestic	General Use		01/01/1966	3.60	3.70					1677m	South West
GW101 137	10BL158 207, 10WA11 3204	Spear	Private	Domestic	Domestic		02/01/1998	6.70	6.71	Good	3.96	0.750		1681m	South West
GW106 889	10BL164 401, 10WA11 3788	Spear	Private	Domestic	Domestic		29/12/2005	7.93	7.93	Good	1.88	1.000		1685m	South West
GW108 590	10BL601 169, 10WA10 9155	Spear	Private	Domestic	Domestic		13/03/2007	3.96	3.97	Good	2.13	5.000		1692m	South West
GW105 158	10BL162 173, 10BL163 150	Bore	Private	Domestic, Industrial, Test Bore	Domestic, Industrial		21/10/2003	4.58	4.58		1.83	1.000		1697m	South West
GW109 419	10BL602 238, 10WA11 4469	Spear	Private	Domestic	Domestic		14/10/2008	7.93		Good	4.27	1.000		1708m	South West
GW013 657	10BL009 135, 10WA11 2801	Spear	Private	Domestic	General Use			7.60	7.60					1718m	South West
GW107 552	10BL164 240, 10WA11 3762	Spear	Private	Domestic	Domestic		27/10/2004	9.15	9.15	Good	5.80	1.000		1721m	South West
GW106 360	10BL164 059, 10WA11 3721	Bore		Domestic			22/08/2005							1729m	South West
GW111 782	10BL600 979, 10WA11 4255	Spear	Private	Domestic	Domestic		01/01/2006	8.00	8.00		2.50	1.000		1742m	South West
GW111 769	10BL165 079, 10WA11 3919	Spear	Private	Domestic	Domestic		01/08/2005	7.60	7.60	good	4.58	1.000		1745m	South West
GW107 349	10BL165 064, 10WA11 3913	Spear	Private	Domestic	Domestic		02/09/2005	7.32	7.32	Good	3.96	1.000		1748m	South West
GW108 300	10BL600 645, 10WA11 4188	Spear	Private	Domestic	Domestic		30/10/2006	7.32	7.32		3.96	1.000		1754m	South West
GW106 986	10BL163 124, 10WA11 3528	Spear	Private	Domestic	Domestic		04/06/2004	7.01	7.02	Good	3.96	1.000		1768m	South West
GW109 666	10BL602 665, 10WA11 4530	Spear	Private	Domestic	Domestic		09/09/2008	10.68	10.68	Good	6.10	1.000		1783m	South

GW No.	Licence No	Work Type	Owner Type	Authorised Purpose	Intended Purpose	Name	Complete Date	Final Depth (m)	Drilled Depth (m)	Salinity (mg/L)	SWL (m)	Yield (L/s)	Elev (AHD)	Dist	Dir
GW111 590	10BL600 750, 10WA11 4212	Spear	Private	Domestic	Domestic		01/01/2006	7.00	7.00					1786m	South West
GW106 128	10BL162 245, 10WA11 3377	Spear	Private	Domestic	Domestic		22/03/2004	7.00	7.00	Good	5.00	0.500		1790m	South West
GW105 975	10BL163 247, 10WA11 3543	Spear	Private	Domestic	Domestic		08/06/2004	8.23	8.24		5.18	1.000		1794m	South West
GW112 342	10BL165 795, 10WA11 4043	Spear	Private	Domestic	Domestic		29/11/2005	9.15	9.15		5.19	1.000		1796m	South West
GW100 473	10BL157 884, 10WA11 3184	Spear	Private	Domestic	Domestic		25/03/1997	6.71	6.71	Good		1.000		1797m	South West
GW107 662	10BL165 792, 10WA11 4041	Spear	Private	Domestic	Domestic		08/12/2005	6.00	6.00	Good	4.00	0.500		1813m	South West
GW111 713	10BL603 088, 10WA11 4568	Spear	Private	Domestic	Domestic		28/05/2009	7.93	7.93	good	4.27	1.000		1816m	South West
GW108 584	10BL600 833, 10WA11 4233	Spear	Private	Domestic	Domestic		23/01/2007	5.80	5.80	Good	2.44	1.000		1830m	South West
GW106 851	10BL164 416, 10WA11 3790	Spear	Private	Domestic	Domestic		01/12/2004	3.50	3.50					1831m	South
GW111 227	10BL604 151, 10WA11 4604	Spear	Private	Domestic	Domestic		30/08/2010	8.54	8.54	good	4.80	1.000		1831m	South West
GW027 569	10BL021 053, 10BL603 143, 10WA11 4571	Spear	School	Domestic, Recreation (groundwater )	Domestic		08/12/2006	8.24	8.24	Good	3.60	1.000		1837m	South West
GW102 226	10BL159 118, 10WA11 3277	Spear	Private	Domestic	Domestic		27/03/1999	7.63	7.63	Good	4.88	1.000		1839m	South West
GW025 565	10BL016 297, 10WA11 2805	(Unkn own)	Private	Domestic	General Use		01/11/1965	5.40	5.50					1843m	South West
GW110 908	10BL603 567	Well	Private	Monitoring Bore	Monitoring Bore		19/01/2010	6.00	6.00		4.00			1848m	East
GW111 666	10WA11 7351	Spear	Private	Domestic	Domestic		16/01/2012	7.63	7.63	good	4.58	1.000		1850m	South West
GW106 474	10BL164 120, 10WA11 3730	Spear	Private	Domestic	Domestic		18/10/2004	7.63	7.63	Good	4.57	1.000		1851m	South West
GW107 105	10BL163 404, 10WA11 3576	Spear	Private	Domestic	Domestic		21/06/2004	7.26	7.26	Good	3.96	1.000		1871m	South West
GW107 973	10BL600 198, 10WA11 4123	Spear	Private	Domestic	Domestic		20/04/2007	7.00	7.00					1880m	South West
GW107 542	10BL165 724, 10WA11 4032	Spear	Private	Domestic	Domestic		11/11/2005	7.32	7.32	Good	4.37	1.000		1888m	South West

GW No.	Licence No	Work Type	Owner Type	Authorised Purpose	Intended Purpose	Name	Complete Date	Final Depth (m)	Drilled Depth (m)	Salinity (mg/L)	SWL (m)	Yield (L/s)	Elev (AHD)	Dist	Dir
GW023 837	10BL017 311, 10WA11 2887	Spear	Private	Domestic	General Use		01/01/1966	5.10	5.20	Good				1889m	South West
GW110 907	10BL603 567	Well	Private	Monitoring Bore	Monitoring Bore		19/01/2010	5.80	5.80		3.80			1889m	East
GW110 906	10BL603 567	Well	Private	Monitoring Bore	Monitoring Bore		19/01/2010	5.80	5.80		3.50			1899m	East
GW108 937	10BL601 875, 10WA11 4419	Spear	Private	Domestic	Domestic		19/06/2008	7.32		Good	3.96	1.000		1900m	South West
GW108 796	10BL601 758, 10WA11 4412	Spear	Private	Domestic	Domestic		04/06/2007	7.63	7.63	Good	4.27	1.000		1903m	South West
GW113 045	10BL602 385, 10WA11 4502	Spear	Private	Domestic	Domestic		01/01/2008	8.00	8.00	Salty	7.00	0.500		1913m	South West
GW110 898	10BL603 948, 10WA11 4600	Spear	Private	Domestic	Domestic		22/05/2010	8.45	8.45	good	5.49	1.000		1918m	South West
GW109 268	10BL164 861, 10WA11 3875	Spear	Private	Domestic	Domestic		26/08/2008	6.50						1921m	South West
GW111 037	10BL601 593, 10WA11 4383	Spear	Private	Domestic	Domestic		30/05/2009	6.00	6.00					1928m	South West
GW106 946	10BL164 802, 10WA11 3862	Spear	Private	Domestic	Domestic		06/04/2005	6.00	6.00					1928m	South West
GW111 172	10BL165 178, 10WA11 3931	Bore	Private	Domestic	Domestic		01/01/2005	10.00	10.00					1930m	South West
GW110 097	10BL163 711, 10WA11 3658	Spear	Private	Domestic	Domestic		18/09/2004	6.71	6.71	Good	3.05	1.000		1937m	South West
GW111 443	10BL600 798, 10WA11 4225	Spear	Private	Domestic	Domestic		12/02/2007	9.15	9.15	good	9.15	1.000		1938m	South West
GW108 982	10BL602 092, 10WA11 4440	Spear	Private	Domestic	Domestic		30/06/2008	6.00		Good	4.00	0.500		1946m	South West
GW107 883	10BL165 979, 10WA11 4073	Spear	Private	Domestic	Domestic		06/02/2006	7.00	7.00		4.00	0.500		1952m	South West
GW023 257	10BL016 739	Spear	Private	Irrigation	Irrigation		01/11/1965	5.40	5.50	Good				1955m	South West
GW106 563	10BL164 243, 10WA11 3763	Spear	Private	Domestic	Domestic		15/11/2004	6.71	6.71		3.66	1.000		1968m	South West
GW107 026	10BL163 215, 10WA11 3540	Spear	Private	Domestic	Domestic		01/03/2005	9.76	9.76	Good	6.10	1.000		1976m	South
GW027 570	10BL021 054, 10WA11 4767	(Unknown)	Private	Recreation (groundwater)	Irrigation		01/07/1967	15.20	15.20					1980m	South West
GW110 911	10BL603 566	Well	Private	Monitoring Bore	Monitoring Bore		19/01/2010	6.00	6.00		3.20			1982m	East

GW No.	Licence No	Work Type	Owner Type	Authorised Purpose	Intended Purpose	Name	Complete Date	Final Depth (m)	Drilled Depth (m)	Salinity (mg/L)	SWL (m)	Yield (L/s)	Elev (AHD)	Dist	Dir
GW109314	10BL602492, 10WA114519	Spear	Private	Domestic	Domestic		09/09/2008	9.15		Good	5.80	1.000		1983m	South West

Borehole Data Source : NSW Department of Primary Industries - Office of Water / Water Administration Ministerial Corporation for all bores prefixed with GW. All other bores © Commonwealth of Australia (Bureau of Meteorology) 2015. Creative Commons 3.0 © Commonwealth of Australia <http://creativecommons.org/licenses/by/3.0/au/deed.en>



# Hydrogeology & Groundwater

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216

## Driller's Logs

Drill log data relevant to the boreholes within the dataset buffer:

Groundwater No	Drillers Log	Distance	Direction
GW023455	0.00m-0.91m Sand 0.91m-4.87m Sand White Water Supply	0m	Onsite
GW109028	0.00m-0.30m TOPSOIL 0.30m-6.50m YELLOW SAND 6.50m-8.00m GREY SAND	0m	Onsite
GW101797	0.00m-5.79m UNCONSOLIDATED SAND	41m	East
GW107210	0.00m-0.30m topsoil 0.30m-4.50m sand, yellow 4.50m-6.00m sand, white and shells	42m	West
GW105991	0.00m-0.30m topsoil 0.30m-3.20m sand, yellow 3.20m-6.00m sand, grey with some shells	48m	North
GW108702	0.00m-0.30m topsoil 0.30m-3.30m sand, yellow 3.30m-6.00m sand, grey and shells	62m	North West
GW111939	0.00m-6.00m SAND	64m	North West
GW102799	0.00m-7.63m UNCONSOLIDATED ALL SANDS	65m	West
GW101163	0.00m-5.79m UNCONSOLIDATED. ALL CLEAN SAND WITH SMALL SEA SHELLS.	66m	East
GW109654	0.00m-8.23m UNCONSOLIDATED ALL SANDS	69m	West
GW102218	0.00m-6.71m Unconsolidated Sands, some sea shells	71m	North West
GW102693	0.00m-7.63m SANDS UNCONSOLIDATED	71m	North West
GW101022	0.00m-6.10m UNCONSOLIDATED ALL SANDS	72m	East
GW107052	0.00m-5.79m Sand, unconsolidated	73m	North East
GW108571	0.00m-8.85m Sand, unconsolidated	74m	South
GW108239	0.00m-7.63m sand, decomposed	85m	South West
GW100685	0.00m-6.10m SAND	90m	North East
GW105774	0.00m-7.32m sand, unconsolidated with small sea shells	95m	West
GW108582	0.00m-8.54m Sand, unconsolidated	98m	South West
GW024202	0.00m-0.91m Sand Grey 0.91m-6.70m Sand White Water Supply	100m	South West
GW108179	0.00m-9.76m sand	101m	South
GW105674	0.00m-7.02m sand, unconsolidated with shell	107m	West
GW106557	0.00m-6.10m sand, unconsolidated	110m	North East
GW106014	0.00m-7.32m sand, with small sea shells	129m	North West

Groundwater No	Drillers Log	Distance	Direction
GW106940	0.00m-0.30m Topsoil 0.30m-3.50m Sand, brown 3.50m-6.00m Sand, grey	133m	North East
GW024203	0.00m-2.13m Sand Grey 2.13m-5.48m Sand Light Grey Water Supply	151m	West
GW108795	0.00m-6.10m sand	170m	North East
GW110670	0.00m-5.79m UNCONSOLIDATED ALL SANDS	170m	North East
GW106799	0.00m-6.00m sand	176m	West
GW106712	0.00m-0.30m topsoil 0.30m-4.00m sand, yellow 4.00m-7.00m sand, grey with shells	183m	West
GW023208	0.00m-3.04m Sand Black 3.04m-5.48m Mud Black Water Supply	196m	West
GW072785	0.00m-7.60m Unconsolidated Sand With Small Sea Shells	203m	South West
GW104867	0.00m-8.85m UNCONSOLIDATED ALL SAND	203m	South West
GW111540	0.00m-8.54m UNCONSOLIDATED ALL SAND	208m	East
GW106271	0.00m-6.10m sand	215m	West
GW023276	0.00m-0.30m Made Ground 0.30m-4.57m Sand Dirty 4.57m-6.09m Wood Decomposed Sand 6.09m-7.62m Sand Dirty 7.62m-8.83m Mud Marine Fossils:shell Fragments Water Supply	224m	North West
GW023524	0.00m-6.09m Sand Water Supply	225m	West
GW110133	0.00m-8.54m UNCONSOLIDATED ALL SANDS	243m	East
GW107977	0.00m-5.79m SAND	246m	West
GW024379	0.00m-8.22m Sand White Water Supply	268m	South East
GW013505	0.00m-9.14m Sand Water Supply	276m	South
GW072283	0.00m-7.32m Unconsolidated Sand	289m	West
GW023684	0.00m-7.92m Sand White Water Supply	297m	South
GW100740	0.00m-8.23m UNCONSOLIDATED WITH SMALL SEA SHELLS	301m	South West
GW110098	0.00m-8.23m UNCONSOLIDATED ALL SANDS	317m	South West
GW103152	0.00m-8.23m UNCONSOLIDATED ALL SANDS	320m	South West
GW111121	0.00m-10.68m UNCONSOLIDATED ALL SANDS	326m	South
GW105565	0.00m-7.63m UNCONSOLIDATED ALL SANDS	332m	West
GW111139	0.00m-10.98m UNCONSOLIDATED ALL SANDS	339m	South
GW106720	0.00m-6.00m sand	362m	South West
GW107605	0.00m-8.54m Sand, unconsolidated	370m	South West
GW110441	0.00m-8.54m UNCONSOLIDATED ALL SANDS	377m	South West
GW109932	0.00m-7.32m UNCONSOLIDATED ALL SANDS	401m	South West
GW108744	0.00m-9.15m sand	433m	South West
GW108713	0.00m-9.15m sand	447m	South West

Groundwater No	Drillers Log	Distance	Direction
GW108547	0.00m-7.01m Sand, unconsolidated	449m	South West
GW107516	0.00m-8.00m sand	461m	South West
GW023291	0.00m-3.35m Sand 3.35m-5.18m Sand Pete Water Supply 5.18m-7.62m Sand Water Supply	462m	South West
GW024064	0.00m-9.14m Sand White Water Supply	473m	South
GW110445	0.00m-6.00m ALL SAND	477m	South West
GW108721	0.00m-8.54m sand	486m	South West
GW107356	0.00m-0.30m topsoil 0.30m-4.50m sand, yellow 4.50m-6.00m sand, grey	488m	South West
GW105768	0.00m-7.01m sand, unconsolidated	492m	South West
GW106659	0.00m-7.63m sand, unconsolidated	498m	South West
GW107333	0.00m-10.37m Sand, unconsolidated	511m	South
GW109926	0.00m-0.30m TOPSOIL 0.30m-6.00m YELLOW SAND 6.00m-9.00m GREY SAND AND SHELLS	542m	South West
GW111311	0.00m-9.15m UNCONSOLIDATED ALL SAND	544m	South West
GW072405	0.00m-0.30m GARDEN LOAM 0.30m-8.00m SAND	546m	South
GW110554	0.00m-0.30m TOPSOIL 0.30m-6.30m SAND YELLOW 6.30m-9.00m SAND, GREY, SMALL SHALES	550m	South
GW106631	0.00m-8.85m sand, unconsolidated	551m	South West
GW107507	0.00m-0.30m topsoil 0.30m-6.30m sand, yellow 6.30m-9.00m sand, white	573m	South
GW107626	0.00m-0.30m topsoil 0.30m-6.30m sand, yellow 6.30m-9.00m sand, white	586m	South
GW105995	0.00m-1.52m clay, land fill 1.53m-4.58m sand, unconsolidated	597m	West
GW108539	0.00m-0.30m Topsoil 0.30m-4.50m Sand, yellow 4.50m-7.00m Sand, grey	600m	South West
GW024585	0.00m-0.91m Sand Grey 0.91m-7.01m Sand White Water Supply	603m	South West
GW106067	0.00m-10.06m sand, unconsolidated	604m	South
GW110844	0.00m-5.49m UNCONSOLIDATED ALL SAND	613m	South West
GW107346	0.00m-9.76m Sand, unconsolidated	624m	South West
GW106425	0.00m-7.00m sand	625m	South West
GW108252	0.00m-9.15m sand, unconsolidated	638m	South West
GW108171	0.00m-9.00m sand	655m	South
GW100965	0.00m-8.23m UNCONSOLIDATED ALL SANDS	656m	South West
GW110917	0.00m-8.54m UNCONSOLIDATED ALL SAND.	661m	South West
GW107302	0.00m-6.00m sand	667m	South West

Groundwater No	Drillers Log	Distance	Direction
GW107318	0.00m-7.63m Sand, unconsolidated	669m	South West
GW101032	0.00m-7.32m UNCONSOLIDATED. ALL SAND WITH SMALL SEA SHELLS.	671m	South West
GW107306	0.00m-6.00m sand	679m	South West
GW111224	0.00m-0.30m TOPSOIL 0.30m-4.30m YELLOW SAND 4.30m-6.00m GREY SAND	679m	West
GW105725	0.00m-8.85m sand, unconsolidated with small sea shells	681m	South West
GW106274	0.00m-8.23m sand	694m	South West
GW108434	0.00m-8.54m Sand, unconsolidated	697m	South West
GW107121	0.00m-5.00m Sand	698m	South West
GW107541	0.00m-6.00m sand	715m	South West
GW110897	0.00m-8.54m UNCONSOLIDATE ALL SAND	719m	South West
GW106982	0.00m-5.00m ALL SAND	722m	West
GW108599	0.00m-12.00m sand	744m	South West
GW101765	0.00m-8.00m Sand	747m	South West
GW108096	0.00m-7.32m sand	747m	South West
GW107972	0.00m-7.00m sand	756m	South West
GW104901	0.00m-7.63m UNCONSOLIDATED ALL SANDS	758m	South
GW108578	0.00m-6.00m Sand	761m	South West
GW100444	0.00m-5.49m UNCONSOLIDATED, ALL SAND	772m	West
GW107511	0.00m-8.23m Sand, unconsolidated	780m	South West
GW105550	0.00m-8.85m UNCONSOLIDATED ALL SANDS/SHELLS	781m	South West
GW108454	0.00m-9.46m Sand, unconsolidated	788m	South West
GW017475	0.00m-7.62m Sand Water Supply	798m	South West
GW108717	0.00m-5.18m sand	798m	West
GW108625	0.00m-9.46m sand	803m	South West
GW107442	0.00m-9.15m Sand, unconsolidated	807m	South West
GW109697	0.00m-6.10m UNCONSOLIDATED ALL SANDS	809m	South West
GW101818	0.00m-5.50m SAND	812m	South West
GW107425	0.00m-0.30m topsoil 0.30m-4.20m sand, yellow 4.20m-9.00m sand, white	814m	South West
GW026375	0.00m-7.01m Sand	816m	South
GW101222	0.00m-7.78m Unconsolidated - all sand with sea shells	829m	South West
GW108488	0.00m-9.26m Sand, unconsolidated	832m	South West
GW108411	0.00m-8.54m Sand, unconsolidated	837m	South West
GW111296	0.00m-5.49m UNCONSOLIDATED ALL SAND	838m	South West



Groundwater No	Drillers Log	Distance	Direction
GW110440	0.00m-0.30m TOPSOIL 0.30m-7.00m SAND WHITE 7.00m-9.00m SAND GREY WITH SHELLS	847m	South West
GW110220	0.00m-6.00m ALL SAND	856m	South West
GW111741	0.00m-11.59m UNCONSOLIDATE ALL SAND	862m	South West
GW107746	0.00m-8.00m sand	865m	South West
GW101756	0.00m-6.10m Unconsolidated Sand	866m	South West
GW111498	0.00m-11.59m UNCONSOLIDATED ALL SAND	873m	South West
GW107985	0.00m-5.49m sand	874m	South West
GW110656	0.00m-7.93m UNCONSOLIDATE ALL SANDS	880m	South West
GW101433	0.00m-5.49m SAND, UNCONSOLIDATED, WITH SEA SHELLS	889m	South West
GW110528	0.00m-6.71m UNCONSOLIDATED ALL SANDS	906m	South West
GW106233	0.00m-5.00m sand	910m	South West
GW107870	0.00m-4.27m sand	914m	South West
GW111743	0.00m-3.96m UNCONSOLIDATED ALL SAND	922m	South West
GW110654	0.00m-7.93m UNCONSOLIDATED ALL SANDS	930m	South West
GW106309	0.00m-8.85m sand	932m	South West
GW111710	0.00m-0.30m TOPSOIL 0.30m-7.00m SAND YELLOW	939m	South West
GW112396	0.00m-0.20m TOPSOIL 0.20m-3.00m SAND YELLOW 3.00m-7.00m SAND WHITE	941m	South West
GW023285	0.00m-5.79m Sand Water Supply	946m	South West
GW107053	0.00m-9.00m sand	950m	South West
GW024319	0.00m-3.04m Sand 3.04m-4.57m Loam	952m	South West
GW111316	0.00m-37.00m SAND 37.00m-45.00m SANDSTONE FRACTURED 45.00m-162.00m SANDSTONE	952m	North West
GW106450	0.00m-0.30m topsoil 0.30m-1.20m clay, brown & sandstone fill 1.20m-2.00m sandstone, fill	955m	West
GW101827	0.00m-7.93m UNCONSOLIDATED SAND WITH SMALL SEA SHELLS	957m	South West
GW106778	0.00m-7.63m sand, unconsolidated	957m	South West
GW111117	0.00m-8.54m UNCONSOLIDATED ALL SANDS	960m	South West
GW108441	0.00m-8.54m Sand, unconsolidated	964m	South West
GW108534	0.00m-0.30m Topsoil 0.30m-5.40m Sand, yellow 5.40m-7.00m Sand, white	966m	South West
GW104656	0.00m-8.00m LT BROWN SAND MED. FINE GRAINED	973m	South West
GW106897	0.00m-0.30m Topsoil 0.30m-4.00m Sand, yellow 4.00m-6.00m Sand, yellow, with small shells	980m	South West

Groundwater No	Drillers Log	Distance	Direction
GW104655	0.00m-8.00m LT. BROWN SAND,MED. FINE GRAINED	987m	South West
GW109581	0.00m-7.32m UNCONSOLIDATED ALL SANDS	987m	South West
GW107317	0.00m-7.32m Sand, unconsolidated	992m	South West
GW100297	0.00m-5.00m SAND	995m	South West
GW104654	0.00m-8.00m LIGHT BROWN SAND,MEDIUM FINE GRAINED	995m	South West
GW104653	0.00m-8.00m LIGHT BROWN FINE MEDIUM GRAINED SAND	998m	South West
GW108573	0.00m-7.93m sand	999m	South West
GW106277	0.00m-6.50m sand	1000m	South West
GW104652	0.00m-8.00m LIGHT BROWN,SAND, MED FINE GRAINED	1002m	South
GW104657	0.00m-8.00m SAND LT BROWN MEDIUM GRAINED	1004m	South
GW106507	0.00m-0.30m topsoil 0.30m-2.50m sand, yellow 2.50m-3.90m sand, brown 3.90m-7.00m sand, white	1009m	South West
GW112389	0.00m-0.30m TOPSOIL 0.30m-3.30m SAND LIGHT BROWN 3.30m-7.00m SAND YELLOW 7.00m-9.00m SAND WHITE	1020m	South West
GW016114	0.00m-0.60m Made Ground Sand 0.60m-1.82m Sand Humus 1.82m-3.65m Sand Peaty 3.65m-6.09m Sand Muddy Fossils:shell Fragments 6.09m-7.31m Sand Fossils:shell Fragments 7.31m-9.44m Sand 9.44m-10.97m Clay Grey 10.97m-12.19m Sand White 12.19m-12.80m Sand Clay 12.80m-13.71m Clay Puggy	1022m	South West
GW107370	0.00m-7.00m sand	1026m	South West
GW107313	0.00m-9.15m Sand, unconsolidated	1035m	South West
GW107628	0.00m-7.00m sand	1037m	South West
GW023135	0.00m-7.01m Sand Water Supply	1051m	South West
GW106826	0.00m-0.30m topsoil 0.30m-4.00m sand, yellow 4.00m-6.00m sand, yellow and shells	1068m	South West
GW105982	0.00m-0.30m topsoil 0.30m-4.00m sand, yellow 4.00m-7.00m sand, light brown	1071m	South West
GW110558	0.00m-0.50m TOPSOIL 0.50m-5.50m YELLOW SAND 5.50m-7.00m SAND GREY	1080m	South West
GW072968	0.00m-8.54m Unconsolidated Sand	1082m	South West
GW108597	0.00m-8.54m sand,	1086m	South West
GW114560	0.00m-8.85m UNCONSOLIDATED ALL SANDS.	1089m	South West
GW106352	0.00m-9.15m sand	1112m	South West
GW107689	0.00m-7.00m sand	1112m	South West
GW111091	0.00m-7.00m ALL SAND	1117m	South West
GW107780	0.00m-8.54m Sand, unconsolidated	1118m	South West

Groundwater No	Drillers Log	Distance	Direction
GW109092	0.00m-0.30m TOPSOIL 0.30m-2.50m YELLOW SAND 2.50m-4.00m BROWN SAND	1118m	South West
GW106891	0.00m-6.00m Sand	1137m	South West
GW106899	0.00m-9.46m Sand, unconsolidated	1138m	South West
GW107350	0.00m-9.46m Sand, unconsolidated	1143m	South West
GW108432	0.00m-7.93m Sand, unconsolidated	1175m	South West
GW108631	0.00m-7.00m sand	1187m	South West
GW023191	0.00m-3.65m Sand Water Supply	1190m	North West
GW107153	0.00m-8.23m sand	1207m	South West
GW110781	0.00m-8.54m UNCONSOLIDATED ALL SANDS	1218m	South West
GW106873	0.00m-7.63m Sand, unconsolidated	1221m	South West
GW100209	0.00m-31.00m FINE WHITE SANDTONE 31.00m-38.00m GREY SHALE 38.00m-45.00m GREY SHALE & COARSE GREY SANDSTONE 45.00m-73.00m COARSE GREY SANDSTONE 73.00m-82.00m COARSE GREY SANDSTONE & GREY SHALE 82.00m-93.00m FINE GREY SANDSTONE 93.00m-102.00m MED GRAIN SANDSTONE 102.00m-104.00m COARSE GREY SANDSTONE 104.00m-108.00m FINE GREY SANDSTONE	1226m	North
GW114839	0.00m-2.00m SAND BROWN 2.00m-5.00m SAND GREY	1226m	South West
GW111482	0.00m-7.63m UNCONSOLIDATED ALL SAND	1242m	South West
GW023194	0.00m-0.91m Sand 0.91m-4.87m Sand White Water Supply	1262m	North West
GW108295	0.00m-8.00m sand	1286m	West
GW105517	0.00m-3.96m UNCONSOLIDATED ALL SANDS	1291m	South West
GW107269	0.00m-1.40m fill, rocks bricks 1.40m-4.00m sand, brown 4.00m-6.00m sand, grey silty 6.00m-7.50m clay, grey	1293m	South West
GW108439	0.00m-8.00m Sand	1304m	West
GW111790	0.00m-6.00m SAND	1304m	North West
GW105629	0.00m-7.93m sand, unconsolidated with sea shells	1314m	South West
GW111149	0.00m-7.00m ALL SAND	1324m	South West
GW107207	0.00m-0.30m topsoil 0.30m-2.50m sand, brown 2.50m-4.00m sand, grey	1349m	South West
GW023423	0.00m-0.91m Made Ground 0.91m-2.13m Sand Red 2.13m-4.57m Sand White Water Supply	1367m	South West
GW107650	0.00m-0.30m topsoil 0.30m-2.50m sand, yellow 2.50m-4.00m sand, grey	1376m	South West
GW106167	0.00m-6.00m sand	1388m	South West
GW108623	0.00m-0.30m topsoil 0.30m-2.60m sand, yellow 2.60m-3.40m sand, silty grey 3.40m-6.00m sand, yellow	1408m	South West

Groundwater No	Drillers Log	Distance	Direction
GW107744	0.00m-0.30m topsoil 0.30m-1.80m sand, dark brown 1.80m-4.00m sand, light brown	1415m	South West
GW023477	0.00m-1.82m Sand Grey 1.82m-6.40m Sand White Water Supply	1422m	South West
GW105588	0.00m-0.30m topsoil 0.30m-3.20m sand, yellow 3.20m-4.00m sand, yellow with shells	1426m	South West
GW107857	0.00m-0.30m topsoil 0.30m-7.00m sand, yellow	1434m	South West
GW108006	0.00m-3.96m sand	1446m	South West
GW111558	0.00m-6.00m ALL SAND	1448m	South West
GW106975	0.00m-0.30m Topsoil 0.30m-2.40m Sand, brown, Silty 2.40m-4.00m Sand, yellow	1451m	South West
GW107540	0.00m-7.00m sand	1452m	South West
GW107166	0.00m-0.30m topsoil 0.30m-3.00m sand, brown 3.00m-4.00m sand, grey	1457m	South West
GW110272	0.00m-7.01m UNCONSOLIDATE ALL SAND	1462m	South West
GW110845	0.00m-8.54m UNCONSOLIDATED ALL SAND	1465m	South West
GW100025	0.00m-6.00m SAND	1471m	South West
GW024062	0.00m-1.82m Sand Wet Nominal 0.00m-1.82m Clay Wet Nominal Heavy Nominal 1.82m-3.65m Clay Very Sandy Water Supply	1472m	West
GW101638	0.00m-7.63m Unconsolidated Sand	1487m	South West
GW106587	0.00m-0.30m topsoil 0.30m-2.50m sand, light brown 2.50m-4.00m sand, grey	1487m	South West
GW072161	0.00m-16.00m SANDY, MARINE CLAYS 16.00m-18.00m SANDSTONE (WEATHERED) 18.00m-20.50m SANDY CLAY BAND 20.50m-28.50m SANDSTONE, SILT BANDS 28.50m-31.00m WHITE SANDSTONE 31.00m-32.50m MEDIUM / LARGE SANDSTONE 32.50m-35.50m SANDSTONE, CLAY BANDS 35.50m-68.00m FINE / MEDIUM WHITE SANDSTONE 68.00m-71.00m SHALE BANDS 71.00m-72.00m MEDIUM / LARGE BANDS CLAY SANDSTONE 72.00m-89.00m WHITE SANDSTONE 89.00m-90.50m SHALE BANDS & GREY SANDSTONE	1494m	North
GW108404	0.00m-7.63m Sand, unconsolidated	1499m	South West
GW110868	0.00m-0.30m TOPSOIL 0.30m-5.00m SAND YELLOW 5.00m-6.00m SAND GREY	1502m	South West
GW107890	0.00m-0.30m topsoil 0.30m-3.50m sand, yellow 3.50m-5.00m sand, grey	1503m	South West
GW109934	0.00m-0.30m TOPSOIL 0.30m-4.50m YELLOW SAND 4.50m-6.00m SAND GREY	1513m	South West
GW027664	0.00m-0.30m Loam Sand 0.30m-2.43m Sand Clean 2.43m-2.74m Peat Wood Bands 2.74m-3.04m Sand 3.04m-6.09m Sand White Water Supply 6.09m-6.11m Rock	1517m	North West



Groundwater No	Drillers Log	Distance	Direction
GW103941	0.00m-1.00m FILL 1.00m-4.00m WHITE/ORANGE SAND 4.00m-5.00m SAND 5.00m-9.00m WHITE SAND 9.00m-10.00m SAND LIGHT BROWN 10.00m-13.00m SAND LIGHT BROWN WITH PEAT 13.00m-19.00m CLAY GREY 19.00m-21.00m SANDSTONE YELLOW RED	1517m	East
GW103942	0.00m-7.00m SAND GREY 7.00m-9.00m SAND BROWN GREY 9.00m-12.00m SANDSTONE BROWN	1517m	East
GW103943	0.00m-1.00m WHITE SAND WITH SEA SHELLS 1.00m-3.00m WHITE SAND 3.00m-8.00m WHITE AND BROWN SAND 8.00m-10.00m BROWN SAND 10.00m-13.00m BROWN SANDSTONE 13.00m-14.00m GREY SANDSTONE	1517m	East
GW103944	0.00m-7.00m SAND GREY 7.00m-14.00m SAND,STONE,PEAT 14.00m-15.00m CLAY RED BROWN 15.00m-17.00m CLAY 17.00m-18.00m SANDSTONE BROWN AND GREY	1517m	East
GW103945	0.00m-1.00m FILL 1.00m-5.00m LIGHT BROWN SAND 5.00m-6.00m GREY SAND SEA SHELLS 6.00m-8.00m WHITE SAND 8.00m-15.00m GREY SAND WITH PEAT 15.00m-18.00m BROWN CLAY 18.00m-21.00m BROWN SANDSTONE	1517m	East
GW103946	0.00m-6.00m SAND WHITE BROWN 6.00m-7.00m SAND DARK GREY 7.00m-8.00m SAND WHITE 8.00m-9.00m SAND DARK GREY WHITE 9.00m-10.00m SAND DARK GREY W.B. 10.00m-11.00m SAND DARK GREY WHITE 11.00m-12.00m SAND WHITE 12.00m-13.00m SAND BROWN 13.00m-15.00m SANDSTONE WHITE 15.00m-17.00m SANDSTONE LIGHT BROWN	1517m	East
GW103947	0.00m-2.00m WHITE BROWN SAND 2.00m-3.00m WHITE SAND BROWN CLAY 3.00m-8.00m WHITE DARK BROWN SAND 8.00m-11.00m WHITE GREY SAND 11.00m-13.00m YELLOW BROWN SAND 13.00m-15.00m BROWN RED WHITE CLAY 15.00m-16.00m RED BROWN WHITE CLAY 16.00m-18.00m BROWN SANDSTONE	1517m	East
GW103948	0.00m-5.00m FILL 5.00m-10.00m GREY SAND WITH PEAT 10.00m-11.00m WHITE SAND WITH PEAT 11.00m-14.00m WHITE SAND WITH PEAT 14.00m-15.00m WHITE SAND WITH PEAT 15.00m-16.00m RED SANDSTONE WHITE CLAY 16.00m-18.00m RED SANDSTONE WHITE GREY CLAY	1517m	East
GW103949	0.00m-8.00m FILL 8.00m-9.00m WHITE SAND/SEA SHELLS 9.00m-13.00m GREY WHITE SAND 13.00m-14.00m GREY WHITE SAND AND PEAT 14.00m-15.00m WHITE AND BROWN SAND 15.00m-16.00m DARK GREY WHITE SAND 16.00m-17.00m RED WHITE CLAY 17.00m-18.00m WHITE YELLOW CLAY 18.00m-19.00m WHITE BROWN CLAY 19.00m-20.00m WHITE YELLOW GREY CLAY 20.00m-21.00m GREY SANDSTONE AND GREY CLAY	1517m	East
GW103950	0.00m-6.00m FILL 6.00m-7.00m DARK GREY SAND 7.00m-15.00m DARK GREY SAND AND PEAT 15.00m-16.00m DARK GREY SAND AND GREY CLAY 16.00m-17.00m YELLOW RED BROWN CLAY 17.00m-18.00m YELLOW RED BROWN CLAY 18.00m-20.00m GREY SANDY CLAY 20.00m-21.00m GREY SANDSTONE	1517m	East


Groundwater No	Drillers Log	Distance	Direction
GW103951	0.00m-1.30m FILL 1.30m-13.90m LAYED SANDS 13.90m-15.40m PEAT 15.40m-18.60m LAYED SANDS 18.60m-24.80m GREY CLAY 24.80m-38.20m GREY SANDSTONE 38.20m-47.30m MOIST WHITE SANDSTONE 47.30m-51.70m YELLOW SANDSTONE AND CLAY 51.70m-54.40m FRACTURED WHITE SANDSTONE 54.40m-62.30m GREY LITTLE SANDSTONE 62.30m-63.70m SHALE 63.70m-66.80m SHALE/QUARTZ/SANDSTONE 66.80m-85.70m GREY SANDSTONE 85.70m-93.20m WHITE SANDSTONE 93.20m-96.50m SILTSTONE 96.50m-101.80m WHITE SANDSTONE M.G 101.80m-117.20m DARK GREY SHALE 117.20m-130.10m WHITE M.G. SANDSTONE 130.10m-135.00m WHITE M.G. SANDSTONE 135.00m-136.30m SHALE 136.30m-139.50m WHITE M.G. SANDSTONE 139.50m-142.00m FRACTURED GREY SANDSTONE 142.00m-149.00m GREY SANDSTONE M.G.	1517m	East
GW109645	0.00m-8.54m UNCONSOLIDATED ALL SANDS.	1524m	South West
GW016108	0.00m-7.62m Sand	1531m	South West
GW023304	0.00m-0.91m Sand Black 0.91m-4.26m Sand White Water Supply	1531m	South West
GW109963	0.00m-8.00m SAND	1548m	North West
GW108406	0.00m-8.00m sand	1562m	North West
GW109964	0.00m-8.00m SAND	1569m	North West
GW023583	0.00m-8.22m Sand Water Supply	1571m	South West
GW106206	0.00m-5.18m sand, unconsolidated	1571m	South West
GW108588	0.00m-8.00m Sand	1571m	North West
GW109965	0.00m-8.00m SAND	1582m	North West
GW108495	0.00m-9.46m Sand, unconsolidated	1602m	South West
GW101328	0.00m-7.62m Unconsolidated, all sand, small seashells	1603m	South West
GW107531	0.00m-0.30m TOPSOIL 0.30m-7.20m YELLOW SAND 7.20m-14.00m GREY SAND	1620m	South West
GW109966	0.00m-3.00m CLAY	1635m	North West
GW107148	0.00m-5.79m sand	1646m	South West
GW114745	0.00m-0.12m CONCRETE PAVEMENT 0.12m-0.15m SANDSTONE 0.15m-13.95m SANDSTONE	1648m	North West
GW114744	0.00m-0.05m SAND CLAYEY,SANDY CLAY (FILL) 0.05m-17.00m SANDSTONE	1653m	North West
GW107344	0.00m-0.30m topsoil 0.30m-2.50m sand, grey 2.50m-4.00m sand, yellow	1661m	South West
GW105153	0.00m-5.49m UNCONSOLIDATED ALL SANDS	1662m	South West
GW024109	0.00m-2.13m Sand Water Supply	1672m	North West
GW023310	0.00m-3.65m Sand Water Supply	1677m	South West
GW101137	0.00m-6.71m Unconsolidated - all sand	1681m	South West

Groundwater No	Drillers Log	Distance	Direction
GW106889	0.00m-7.93m Sand, unconsolidated	1685m	South West
GW108590	0.00m-3.96m Sand, unconsolidated then Clay	1692m	South West
GW105158	0.00m-4.58m UNCONSOLIDATED ALL SANDS	1697m	South West
GW013657	0.00m-7.62m Sand Water Supply	1718m	South West
GW107552	0.00m-9.15m Sand, unconsolidated	1721m	South West
GW107349	0.00m-7.32m Sand, unconsolidated	1748m	South West
GW108300	0.00m-7.32m sand	1754m	South West
GW106986	0.00m-7.01m Sand, unconsolidated	1768m	South West
GW109666	0.00m-10.68m UNCONSOLIDATED ALL SAND	1783m	South
GW106128	0.00m-0.30m topsoil 0.30m-1.50m sand, brown 1.50m-5.00m sand, yellow 5.00m-7.00m sand, yellow with some shells	1790m	South West
GW105975	0.00m-8.23m sand, unconsolidated	1794m	South West
GW112342	0.00m-9.15m UNCONSOLIDATED ALL SAND.	1796m	South West
GW100473	0.00m-67.10m UNCONSOLIDATED. ALL SAND WITH SMALL SEA SHELLS	1797m	South West
GW107662	0.00m-0.30m topsoil 0.30m-4.50m sand, yellow 4.50m-6.00m sand, yellow and shells	1813m	South West
GW111713	0.00m-7.93m UNCONSOLIDATED ALL SANDS.	1816m	South West
GW108584	0.00m-5.79m Sand, unconsolidated	1830m	South West
GW106851	0.00m-2.00m sand, dry 2.00m-2.50m sand, wet 2.50m-3.00m peat, wet 3.00m-3.50m sand, wet	1831m	South
GW111227	0.00m-8.54m UNCONSOLIDATED ALL SAND.	1831m	South West
GW027569	0.00m-8.23m UNCONSOLIDATED ALL SANDS	1837m	South West
GW102226	0.00m-7.63m SAND, UNCONSOLIDATED	1839m	South West
GW025565	0.00m-5.48m Sand Water Supply	1843m	South West
GW110908	0.00m-0.30m ROAD BASE GREY 0.30m-1.00m SAND WITH GRAVEL GREY 1.00m-4.00m SAND DARK GREY 4.00m-6.00m SAND LIGHT GREY,BROWN	1848m	East
GW111666	0.00m-7.63m UNCONSOLIDATED ALL SANDS	1850m	South West
GW106474	0.00m-7.63m sand	1851m	South West
GW107105	0.00m-7.26m sand, unconsolidated	1871m	South West
GW107973	0.00m-7.00m sand	1880m	South West
GW107542	0.00m-7.32m Sand, unconsolidated	1888m	South West
GW023837	0.00m-1.82m Sand Grey 1.82m-5.18m Sand White Water Supply	1889m	South West
GW110907	0.00m-0.30m ROADBASE GREY 0.30m-0.90m SILTY SAND 0.90m-1.20m SAND,SILTY GREY BROWN 1.20m-3.50m SAND DARK GREY 3.50m-5.80m SAND LIGHT GREY	1889m	East

Groundwater No	Drillers Log	Distance	Direction
GW110906	0.00m-1.00m ROADBASE GREY 1.00m-2.80m SAND GREY 2.80m-5.80m SAND BROWN	1899m	East
GW108796	0.00m-7.63m sand	1903m	South West
GW110898	0.00m-8.45m UNCONSOLIDATED ALL SAND	1918m	South West
GW106946	0.00m-6.00m sand	1928m	South West
GW111037	0.00m-6.00m ALL SAND	1928m	South West
GW110097	0.00m-6.71m UNCONSOLIDATED ALL SANDS	1937m	South West
GW111443	0.00m-9.15m UNCONSOLIDATED ALL SAND	1938m	South West
GW107883	0.00m-0.30m topsoil 0.30m-4.20m sand, brown 4.20m-5.20m sand, yellow 5.20m-7.00m sand, grey	1952m	South West
GW023257	0.00m-0.30m Sand Grey 0.30m-5.48m Sand White Water Supply	1955m	South West
GW106563	0.00m-6.71m sand, unconsolidated	1968m	South West
GW107026	0.00m-9.76m Sand, unconsolidated	1976m	South
GW027570	0.00m-0.30m Topsoil Sandy 0.30m-3.50m Sand White Moist 3.50m-5.33m Sand Light Brown Wet 5.33m-6.85m Peat Black Moist Sandy 6.85m-10.66m Sand White Wet Fine 6.85m-10.66m Peat Interlayere 10.66m-12.80m Sand Black Moist Peaty 12.80m-15.24m Sand White Wet Coarse 12.80m-15.24m Clay Seams	1980m	South West
GW110911	0.00m-0.30m ROADBASE GREY 0.30m-2.20m SAND SILTY WITH GRAVEL GREY 2.20m-3.50m SAND WITH SHELLS GREY 3.50m-6.00m SAND WITH SHELLS DARK GREY/BLACK	1982m	East

Drill Log Data Source: NSW Department of Primary Industries - Office of Water / Water Administration Ministerial Corp  
Creative Commons 3.0 © Commonwealth of Australia <http://creativecommons.org/licenses/by/3.0/au/deed.en>





## Geology

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216

### Geological Units

What are the Geological Units onsite?

Symbol	Description	Unit Name	Group	Sub Group	Age	Dom Lith	Map Sheet	Dataset
Qhbr	Quartz sand, minor shell content, interdune (swale) silt and fine sand				Quaternary		Sydney	1:100,000

What are the Geological Units within the dataset buffer?

Symbol	Description	Unit Name	Group	Sub Group	Age	Dom Lith	Map Sheet	Dataset
mf	Man-made fill. Dredged estuarine sand and mud, demolition rubble, industrial and household waste.				Quaternary		Sydney	1:100,000
mf/Qhs							Sydney	1:100,000
Qhb	Coarse quartz sand, varying amounts of shell fragment				Quaternary		Sydney	1:100,000
Qhbr	Quartz sand, minor shell content, interdune (swale) silt and fine sand				Quaternary		Sydney	1:100,000
Qhs	Peat, sandy peat, and mud.				Quaternary		Sydney	1:100,000
Rh	Medium to coarse grained quartz sandstone, very minor shale and laminate lenses				Triassic		Sydney	1:100,000
water							Sydney	1:100,000

### Geological Structures

What are the Geological Structures onsite?

Feature	Name	Description	Map Sheet	Dataset
No features				1:100,000

What are the Geological Structures within the dataset buffer?

Feature	Name	Description	Map Sheet	Dataset
No features				1:100,000

Geological Data Source : NSW Department of Industry, Resources & Energy

© State of New South Wales through the NSW Department of Industry, Resources & Energy

## Naturally Occurring Asbestos Potential

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216

## Naturally Occurring Asbestos Potential


Naturally Occurring Asbestos Potential within the dataset buffer:

Potential	Sym	Strat Name	Group	Formation	Scale	Min Age	Max Age	Rock Type	Dom Lith	Description	Dist	Dir
No records in buffer												

Mining Subsidence District Data Source: © State of New South Wales through NSW Department of Industry, Resources & Energy

Soil Landscapes

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216





## Soils

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216

### Soil Landscapes

What are the onsite Soil Landscapes?


Soil Code	Name	Group	Process	Map Sheet	Scale
AEtg	TUGGERAH		AEOLIAN	Sydney	1:100,000

What are the Soil Landscapes within the dataset buffer?

Soil Code	Name	Group	Process	Map Sheet	Scale
AEtg	TUGGERAH		AEOLIAN	Sydney	1:100,000
BEEna	NARRABEEN		BEACH	Sydney	1:100,000
DTxx	DISTURBED TERRAIN		DISTURBED TERRAIN	Sydney	1:100,000
ERla	LAMBERT		EROSIONAL	Sydney	1:100,000
SWwa	WARRIEWOOD		SWAMP	Sydney	1:100,000
WATER	WATER		WATER	Sydney	1:100,000

Soils Landscapes Data Source : NSW Office of Environment and Heritage

Creative Commons 3.0 © Commonwealth of Australia <http://creativecommons.org/licenses/by/3.0/au/deed.en>



**Legend**

Site Boundary

Report Buffer

Property Boundary

**Australian Soil Classification Orders**

Anthrosol	Dermosol	Kandosol	Podosol	Tenosol	No Data
Calcarosol	Ferrosol	Kurosol	Rudosol	Vertosol	
Chromosol	Hydrosol	Organosol	Sodosol	Lake	

Scale: 0 100 200 400 600 Meters

Data Sources: Property Boundaries & Topographic Data:  
© Department Finance, Services & Innovation 2018

Coordinate System:  
GDA 1994 MGA Zone 56

Date: 01 November 2018

## Soils

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216

### Atlas of Australian Soils

Soil mapping units and Australian Soil Classification orders within the dataset buffer:


Map Unit Code	Soil Order	Map Unit Description	Distance
Cb27	Podosol	Coastal sand plains and dunes, lagoons, and swampy areas: chief soils are leached sands (Uc2.3 and Uc2.2). Associated are dunes of siliceous sands (Uc1.2) and/or calcareous sands (Uc1.1) fringing the coastline; and swampy areas of (Uf6) soils and (Uc1.2) soils with peaty surfaces. Unit Cb27 has similarities with units Cb28 and Ca6.	0m

Atlas of Australian Soils Data Source: CSIRO

Creative Commons 4.0 © Commonwealth of Australia <http://creativecommons.org/licenses/by/4.0/au/deed.en>

Acid Sulfate Soils

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216





## Acid Sulfate Soils

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216

### Environmental Planning Instrument - Acid Sulfate Soils

What is the on-site Acid Sulfate Soil Plan Class that presents the largest environmental risk?

Soil Class	Description	EPI
4	Works more than 2 metres below natural ground surface present an environmental risk; Works by which the watertable is likely to be lowered more than 2 metres below natural ground surface, present an environmental risk	Rockdale Local Environmental Plan 2011


If the on-site Soil Class is 5, what other soil classes exist within 500m?

Soil Class	Description	EPI	Distance	Direction
N/A				

Acid Sulfate Data Source Accessed 23/10/2018: NSW Crown Copyright - Planning and Environment  
Creative Commons 4.0 © Commonwealth of Australia <https://creativecommons.org/licenses/by/4.0/>

# Atlas of Australian Acid Sulfate Soils

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216



## Legend

Site Boundary

Report Buffer

Property Boundary

## Probability of occurrence of Acid Sulfate Soils

A. High (>70%)

B. Low (6-70%)

C. Extremely Low (1-5%)

D. No Chance (0%)

No Data

Scale:

0 100 200 400 600  
Meters

Data Sources: Property Boundaries & Topographic Data:  
© Department Finance, Services & Innovation 2018

Coordinate System:  
GDA 1994 MGA Zone 56

Date: 01 November 2018

## Acid Sulfate Soils

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216

### Atlas of Australian Acid Sulfate Soils

Atlas of Australian Acid Sulfate Soil categories within the dataset buffer:

Class	Description	Distance
B	Low Probability of occurrence. 6-70% chance of occurrence.	0m
A	High Probability of occurrence. >70% chance of occurrence.	14m
C	Extremely low probability of occurrence. 1-5% chance of occurrence with occurrences in small localised areas.	231m

Atlas of Australian Acid Sulfate Soils Data Source: CSIRO

Creative Commons 3.0 © Commonwealth of Australia <http://creativecommons.org/licenses/by/3.0/au/deed.en>

## Dryland Salinity

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216

### Dryland Salinity - National Assessment

Is there Dryland Salinity - National Assessment data onsite?

No

Is there Dryland Salinity - National Assessment data within the dataset buffer?

No

What Dryland Salinity assessments are given?

Assessment 2000	Assessment 2020	Assessment 2050	Distance	Direction
N/A	N/A	N/A	N/A	N/A

Dryland Salinity Data Source : National Land and Water Resources Audit

The Commonwealth and all suppliers of source data used to derive the maps of "Australia, Forecast Areas Containing Land of High Hazard or Risk of Dryland Salinity from 2000 to 2050" do not warrant the accuracy or completeness of information in this product. Any person using or relying upon such information does so on the basis that the Commonwealth and data suppliers shall bear no responsibility or liability whatsoever for any errors, faults, defects or omissions in the information. Any persons using this information do so at their own risk.

In many cases where a high risk is indicated, less than 100% of the area will have a high hazard or risk.

### Dryland Salinity Potential of Western Sydney

Dryland Salinity Potential of Western Sydney within the dataset buffer?

Feature Id	Classification	Description	Distance	Direction
N/A	Outside Data Coverage			

Dryland Salinity Potential of Western Sydney Data Source : NSW Office of Environment and Heritage

Creative Commons 3.0 © Commonwealth of Australia <http://creativecommons.org/licenses/by/3.0/au/deed.en>



## Mining Subsidence Districts

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216

## Mining Subsidence Districts

Mining Subsidence Districts within the dataset buffer:

District	Distance	Direction
There are no Mining Subsidence Districts within the report buffer		

Mining Subsidence District Data Source: © Land and Property Information (2016)  
Creative Commons 3.0 © Commonwealth of Australia <http://creativecommons.org/licenses/by/3.0/au/deed.en>

## Environmental Zoning

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216

### State Environmental Planning Policy Protected Areas

Are there any State Environmental Planning Policy Protected Areas onsite or within the dataset buffer?

Dataset	Onsite	Within Site Buffer	Distance
SEPP14 - Coastal Wetlands	No	No	N/A
SEPP26 - Littoral Rainforests	No	No	N/A
SEPP71 - Coastal Protection Zone	No	No	N/A

SEPP Protected Areas Data Source: NSW Department of Planning & Environment  
Creative Commons 3.0 © Commonwealth of Australia <http://creativecommons.org/licenses/by/3.0/au/deed.en>

### State Environmental Planning Policy Major Developments (2005)

State Environmental Planning Policy Major Developments within the dataset buffer:

Map Id	Feature	Effective Date	Distance	Direction
N/A	No records within buffer			

SEPP Major Development Data Source: NSW Department of Planning & Environment  
Creative Commons 3.0 © Commonwealth of Australia <http://creativecommons.org/licenses/by/3.0/au/deed.en>

### State Environmental Planning Policy Strategic Land Use Areas


State Environmental Planning Policy Strategic Land Use Areas onsite or within the dataset buffer:

Strategic Land Use	SEPPNo	Effective Date	Amendment	Amendment Year	Distance	Direction
No records within buffer						

SEPP Strategic Land Use Data Source: NSW Department of Planning & Environment  
Creative Commons 3.0 © Commonwealth of Australia <http://creativecommons.org/licenses/by/3.0/au/deed.en>

# EPI Planning Zones

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216



## Environmental Planning Instrument

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216

## Land Zoning

What Environmental Planning Instrument Land Zones exist within the dataset buffer?

Zone	Description	Purpose	LEP or SEPP	Published Date	Commenced Date	Currency Date	Amendment	Distance	Direction
R2	Low Density Residential		Rockdale Local Environmental Plan 2011	05/12/2011	05/12/2011	12/10/2018		0m	Onsite
SP2	Infrastructure	Classified Road	Rockdale Local Environmental Plan 2011	05/12/2011	05/12/2011	12/10/2018		0m	Onsite
RE1	Public Recreation		Rockdale Local Environmental Plan 2011	05/12/2011	05/12/2011	12/10/2018		0m	North
R2	Low Density Residential		Rockdale Local Environmental Plan 2011	05/12/2011	05/12/2011	12/10/2018		20m	North East
SP2	Infrastructure	Classified Road	Rockdale Local Environmental Plan 2011	05/12/2011	05/12/2011	12/10/2018		106m	South West
RU4	Primary Production Small Lots		Rockdale Local Environmental Plan 2011	05/12/2011	05/12/2011	12/10/2018		123m	West
RE1	Public Recreation		Rockdale Local Environmental Plan 2011	05/12/2011	05/12/2011	12/10/2018		136m	West
RE1	Public Recreation		Rockdale Local Environmental Plan 2011	05/12/2011	05/12/2011	12/10/2018		137m	South
RE1	Public Recreation		Rockdale Local Environmental Plan 2011	05/12/2011	05/12/2011	12/10/2018		141m	North
SP2	Infrastructure	Drainage	Rockdale Local Environmental Plan 2011	05/12/2011	05/12/2011	12/10/2018		163m	North
RE1	Public Recreation		Rockdale Local Environmental Plan 2011	05/12/2011	05/12/2011	12/10/2018		190m	West
B1	Neighbourhood Centre		Rockdale Local Environmental Plan 2011	05/12/2011	05/12/2011	12/10/2018		196m	South West
UL	Unzoned Land		Rockdale Local Environmental Plan 2011	11/07/2014	11/07/2014	12/10/2018	Amendment No 1	207m	North
R2	Low Density Residential		Rockdale Local Environmental Plan 2011	05/12/2011	05/12/2011	12/10/2018		209m	South
R3	Medium Density Residential		Rockdale Local Environmental Plan 2011	05/12/2011	05/12/2011	12/10/2018		234m	South West
RE1	Public Recreation		Rockdale Local Environmental Plan 2011	05/12/2011	05/12/2011	12/10/2018		296m	West
UL	Unzoned Land		Rockdale Local Environmental Plan 2011	11/07/2014	11/07/2014	12/10/2018	Amendment No 1	313m	East
UL	Unzoned Land		Rockdale Local Environmental Plan 2011	11/07/2014	11/07/2014	12/10/2018	Amendment No 1	333m	West
SP2	Infrastructure	Airport	Rockdale Local Environmental Plan 2011	05/12/2011	05/12/2011	12/10/2018		356m	North East
SP2	Infrastructure	Airport	Rockdale Local Environmental Plan 2011	11/07/2014	11/07/2014	12/10/2018	Amendment No 1	421m	North East
UL	Unzoned Land		Rockdale Local Environmental Plan 2011	11/07/2014	11/07/2014	12/10/2018	Amendment No 1	429m	East
SP2	Infrastructure	Airport	Rockdale Local Environmental Plan 2011	05/12/2011	05/12/2011	12/10/2018		438m	East
UL	Unzoned Land		Rockdale Local Environmental Plan 2011	11/07/2014	11/07/2014	12/10/2018	Amendment No 1	570m	North East
RE1	Public Recreation		Rockdale Local Environmental Plan 2011	05/12/2011	05/12/2011	12/10/2018		756m	South West
SP2	Infrastructure	Drainage	Rockdale Local Environmental Plan 2011	05/12/2011	05/12/2011	12/10/2018		766m	West
RE1	Public Recreation		Rockdale Local Environmental Plan 2011	05/12/2011	05/12/2011	12/10/2018		800m	West
SP2	Infrastructure	Classified Road	Rockdale Local Environmental Plan 2011	05/12/2011	05/12/2011	12/10/2018		890m	South West
R2	Low Density Residential		Rockdale Local Environmental Plan 2011	05/12/2011	05/12/2011	12/10/2018		896m	West



Zone	Description	Purpose	LEP or SEPP	Published Date	Commenced Date	Currency Date	Amendment	Distance	Direction
R4	High Density Residential		Rockdale Local Environmental Plan 2011	05/12/2011	05/12/2011	12/10/2018		913m	South West
SP2	Infrastructure	Airport	Botany Bay Local Environmental Plan 2013	21/06/2013	21/06/2013	19/02/2016		939m	North East
SP2	Infrastructure	School	Rockdale Local Environmental Plan 2011	30/08/2013	30/08/2013	12/10/2018	Amendment No 4	944m	South West
RE1	Public Recreation		Rockdale Local Environmental Plan 2011	05/12/2011	05/12/2011	12/10/2018		963m	West

Environmental Planning Instrument Data Source: NSW Crown Copyright - Planning & Environment  
Creative Commons 4.0 © Commonwealth of Australia <https://creativecommons.org/licenses/by/4.0/>

## Environmental Planning Instrument

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216

### Minimum Lot Size

What are the onsite Environmental Planning Instrument Minimum Lot Sizes?

Symbol	Minimum Lot Size	LEP or SEPP	Published Date	Commenced Date	Currency Date	Amendment	Percentage of Site Area
G	450 m <sup>2</sup>	Rockdale Local Environmental Plan 2011	05/12/2011	05/12/2011	04/05/2018		97.36

### Maximum Height of Buildings

What are the onsite Environmental Planning Instrument Maximum Height of Buildings?

Symbol	Maximum Height of Building	LEP or SEPP	Published Date	Commenced Date	Currency Date	Amendment	Percentage of Site Area
9	8.50 m	Rockdale Local Environmental Plan 2011	05/12/2011	05/12/2011	12/10/2018		95.1

### Floor Space Ratio

What are the onsite Environmental Planning Instrument Floor Space Ratios?

Symbol	Floor Space Ratio	LEP or SEPP	Published Date	Commenced Date	Currency Date	Amendment	Percentage of Site Area
4	0.50	LEP	05/12/2011	05/12/2011	12/10/2018		95.1

### Land Application

What are the onsite Environmental Planning Instrument Land Applications?

Application Type	LEP or SEPP	Published Date	Commenced Date	Currency Date	Amendment	Percentage of Site Area
Included	Rockdale Local Environmental Plan 2011	05/12/2011	05/12/2011	05/12/2011		100

### Land Reservation Acquisition

What are the onsite Environmental Planning Instrument Land Reservation Acquisitions?

Reservation	LEP or SEPP	Published Date	Commenced Date	Currency Date	Amendment	Comments	Percentage of Site Area
Infrastructure	Rockdale Local Environmental Plan 2011	05/12/2011	05/12/2011	12/10/2018			4.9

Environmental Planning Instrument Data Source: NSW Crown Copyright - Planning & Environment  
Creative Commons 4.0 © Commonwealth of Australia <https://creativecommons.org/licenses/by/4.0/>

# Heritage Items

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216



## Heritage

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216

### State Heritage Register - Curtilages

What are the State Heritage Register Items located within the dataset buffer?

Map Id	Name	Address	LGA	Listing Date	Listing No	Plan No	Distance	Direction
5045758	Kyeemagh Market Gardens	Occupation Road, Rockdale	Rockdale	02/04/1999	01393	2260	123m	West
5053886	Western Outfall Main Sewer (Rockdale to Homesbush)	Valda Avenue (off south side of Kogarah Golf Course) Arncliffe	Rockdale	15/11/2002	01647	2060	793m	North West
5045744	Arncliffe Market Gardens	212 West Botany Street Banksia	Rockdale	02/04/1999	01395	2258	868m	West

Heritage Data Source: NSW Crown Copyright - Office of Environment & Heritage  
Creative Commons 4.0 © Commonwealth of Australia <https://creativecommons.org/licenses/by/4.0/>

### Environmental Planning Instrument - Heritage

What are the EPI Heritage Items located within the dataset buffer?

Map Id	Name	Classification	Significance	EPI	Published Date	Commenced Date	Currency Date	Distance	Direction
I201	Market Gardens	Item - General	State	Rockdale Local Environmental Plan 2011	05/12/2011	05/12/2011	21/10/2016	123m	West
I168	Cook Park	Item - General	Local	Rockdale Local Environmental Plan 2011	05/12/2011	05/12/2011	21/10/2016	137m	South
I238	Southern and Western Suburbs Ocean Outfall Sewer (SWSOOS), pipeline, aqueduct and bridge	Item - General	Local	Rockdale Local Environmental Plan 2011	05/12/2011	05/12/2011	21/10/2016	389m	North East
I93	Market Gardens	Item - General	State	Rockdale Local Environmental Plan 2011	05/12/2011	05/12/2011	21/10/2016	868m	West
I3,I168,I170	Commonwealth Water Pumping Station and Sewerage Pumping Station	Item - General	State	Botany Bay Local Environmental Plan 2013	21/06/2013	21/06/2013	09/10/2015	939m	North East
I166	Houses - Brighton Parade precinct	Item - General	Local	Rockdale Local Environmental Plan 2011	05/12/2011	05/12/2011	21/10/2016	948m	South West

Heritage Data Source: NSW Crown Copyright - Planning & Environment  
Creative Commons 4.0 © Commonwealth of Australia <https://creativecommons.org/licenses/by/4.0/>



## Natural Hazards

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216

### Bush Fire Prone Land

What are the nearest Bush Fire Prone Land Categories that exist within the dataset buffer?

Bush Fire Prone Land Category	Distance	Direction
No records within buffer		

NSW Bush Fire Prone Land - © NSW Rural Fire Service under Creative Commons 4.0 International Licence



## Ecological Constraints

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216

## Native Vegetation

What native vegetation exists within the dataset buffer?

Map ID	Map Unit Name	Threatened Ecological Community NSW	Threatened Ecological Community EPBC Act	Understorey	Disturbance	Disturbance Index	Dominant Species	Dist	Direction
Urban_E/N	Urban_E/N: Urban Exotic/Native			00: Not assessed	00: Not assessed	0: Not assessed	Urban Exotic/Native	0m	Onsite
S_HL05	S_HL05: Coastal Foreddune Wattle Scrub			19: Dense heath	20: Previously cleared 1943	3: High	A.longifolia_sophora/L.laevigatum	171m	East
S_GL01	S_GL01: Beach Spinfex Grassland			00: Not assessed	00: Not assessed	0: Not assessed	S.sericea/C.glaucescens	210m	South East
S_SW01	S_SW01: Estuarine Mangrove Forest			00: Not assessed	20: Previously cleared 1943	3: High	Mangroves	324m	West
Weed_Ex	Weed_Ex: Weeds and Exotics			00: Not assessed	00: Not assessed	0: Not assessed	Exotic Species >90%cover	594m	East
Plant_n	Plant_n: Plantation (native and/or exotic)			00: Not assessed	00: Not assessed	0: Not assessed	Native or Exotic Plantations	630m	North West
S_FrW06	S_FrW06: Estuarine Reedland	Swamp Oak Floodplain Forest		00: Not assessed	00: Not assessed	0: Not assessed	P.australis/B.juncosa	642m	North West
S_FoW08	S_FoW08: Estuarine Swamp Oak Forest	Swamp Oak Floodplain Forest		31: Saltmarsh	15: Regrowth	2: Moderate	C.glaucosa	715m	North West
S_FoW03	S_FoW03: Coastal Freshwater Swamp Forest			15: Grassy natives and exotics	23: Plantings	4: Very high	C.glaucosa	745m	North West
S_SW02	S_SW02: Estuarine Saltmarsh	Coastal Saltmarsh	Subtropical and Temperate Coastal Saltmarsh (possible)	00: Not assessed	00: Not assessed	0: Not assessed	S.repens/S.quinqueflora/S.virginicus/J.kraussii	761m	West
Water	Water			00: Not assessed	00: Not assessed	0: Not assessed	Water	771m	North West

Native Vegetation of the Sydney Metropolitan Area : NSW Office of Environment and Heritage

Creative Commons 3.0 © Commonwealth of Australia <http://creativecommons.org/licenses/by/3.0/au/deed.en>

## RAMSAR Wetlands

What RAMSAR Wetland areas exist within the dataset buffer?

Map Id	RAMSAR Name	Wetland Name	Designation Date	Source	Distance	Direction
N/A	No records in buffer					

RAMSAR Wetlands Data Source: © Commonwealth of Australia - Department of Environment

## Ecological Constraints

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216

### Groundwater Dependent Ecosystems Atlas

Type	GDE Potential	Geomorphology	Ecosystem Type	Aquifer Geology	Distance
N/A	No records within buffer				

Groundwater Dependent Ecosystems Atlas Data Source: The Bureau of Meteorology  
Creative Commons 3.0 © Commonwealth of Australia <http://creativecommons.org/licenses/by/3.0/au/deed.en>



## Ecological Constraints

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216

### Inflow Dependent Ecosystems Likelihood

Type	IDE Likelihood	Geomorphology	Ecosystem Type	Aquifer Geology	Distance
N/A	No records within buffer				

Inflow Dependent Ecosystems Likelihood Data Source: The Bureau of Meteorology  
Creative Commons 3.0 © Commonwealth of Australia <http://creativecommons.org/licenses/by/3.0/au/deed.en>

## Ecological Constraints

Jacobson Avenue & Beehag Street, Kyeemagh, NSW 2216

### NSW BioNet Atlas

Species on the NSW BioNet Atlas that have a NSW or federal conservation status, a NSW sensitivity status, or are listed under a migratory species agreement, and are within 10km of the site?

Kingdom	Class	Scientific	Common	NSW Conservation Status	NSW Sensitivity Class	Federal Conservation Status	Migratory Species Agreements
Animalia	Amphibia	Crinia tinnula	Wallum Froglet	Vulnerable	Not Sensitive	Not Listed	
Animalia	Amphibia	Litoria aurea	Green and Golden Bell Frog	Endangered	Not Sensitive	Vulnerable	
Animalia	Aves	Actitis hypoleucos	Common Sandpiper	Not Listed	Not Sensitive	Not Listed	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Anseranas semipalmata	Magpie Goose	Vulnerable	Not Sensitive	Not Listed	
Animalia	Aves	Anthochaera phrygia	Regent Honeyeater	Critically Endangered	Not Sensitive	Critically Endangered	
Animalia	Aves	Apus pacificus	Fork-tailed Swift	Not Listed	Not Sensitive	Not Listed	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Ardea ibis	Cattle Egret	Not Listed	Not Sensitive	Not Listed	CAMBA;JAMBA
Animalia	Aves	Ardenna carneipes	Flesh-footed Shearwater	Vulnerable	Not Sensitive	Not Listed	ROKAMBA;JAMBA
Animalia	Aves	Ardenna grisea	Sooty Shearwater	Not Listed	Not Sensitive	Not Listed	CAMBA;JAMBA
Animalia	Aves	Ardenna pacificus	Wedge-tailed Shearwater	Not Listed	Not Sensitive	Not Listed	JAMBA
Animalia	Aves	Ardenna tenuirostris	Short-tailed Shearwater	Not Listed	Not Sensitive	Not Listed	ROKAMBA;JAMBA
Animalia	Aves	Arenaria interpres	Ruddy Turnstone	Not Listed	Not Sensitive	Not Listed	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Artamus cyanopterus	Dusky Woodswallow	Vulnerable	Not Sensitive	Not Listed	
Animalia	Aves	Botaurus poiciloptilus	Australasian Bittern	Endangered	Not Sensitive	Endangered	
Animalia	Aves	Burhinus grallarius	Bush Stone-curlew	Endangered	Not Sensitive	Not Listed	
Animalia	Aves	Calamanthus fuliginosus	Striated Fieldwren	Endangered	Not Sensitive	Not Listed	
Animalia	Aves	Calidris acuminata	Sharp-tailed Sandpiper	Not Listed	Not Sensitive	Not Listed	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Calidris alba	Sanderling	Vulnerable	Not Sensitive	Not Listed	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Calidris bairdii	Baird's Sandpiper	Not Listed	Not Sensitive	Not Listed	ROKAMBA;JAMBA
Animalia	Aves	Calidris canutus	Red Knot	Not Listed	Not Sensitive	Endangered	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Calidris ferruginea	Curler Sandpiper	Endangered	Not Sensitive	Critically Endangered	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Calidris melanotos	Pectoral Sandpiper	Not Listed	Not Sensitive	Not Listed	ROKAMBA;JAMBA
Animalia	Aves	Calidris ruficollis	Red-necked Stint	Not Listed	Not Sensitive	Not Listed	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Calidris subminuta	Long-toed Stint	Not Listed	Not Sensitive	Not Listed	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Calidris tenuirostris	Great Knot	Vulnerable	Not Sensitive	Critically Endangered	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Callocephalon fimbriatum	Gang-gang Cockatoo	Vulnerable	Category 3	Not Listed	
Animalia	Aves	Calyptrorhynchus lathamii	Glossy Black-Cockatoo	Vulnerable	Category 2	Not Listed	

Kingdom	Class	Scientific	Common	NSW Conservation Status	NSW Sensitivity Class	Federal Conservation Status	Migratory Species Agreements
Animalia	Aves	Charadrius leschenaultii	Greater Sand-plover	Vulnerable	Not Sensitive	Vulnerable	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Charadrius mongolus	Lesser Sand-plover	Vulnerable	Not Sensitive	Endangered	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Charadrius veredus	Oriental Plover	Not Listed	Not Sensitive	Not Listed	ROKAMBA;JAMBA
Animalia	Aves	Chlidonias leucopterus	White-winged Black Tern	Not Listed	Not Sensitive	Not Listed	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Circus assimilis	Spotted Harrier	Vulnerable	Not Sensitive	Not Listed	
Animalia	Aves	Daphoenositta chrysoptera	Varied Sittella	Vulnerable	Not Sensitive	Not Listed	
Animalia	Aves	Dasyornis brachypterus	Eastern Bristlebird	Endangered	Category 2	Endangered	
Animalia	Aves	Diomedea exulans	Wandering Albatross	Endangered	Not Sensitive	Endangered	JAMBA
Animalia	Aves	Diomedea gibsoni	Gibson's Albatross	Vulnerable	Not Sensitive	Vulnerable	
Animalia	Aves	Egretta sacra	Eastern Reef Egret	Not Listed	Not Sensitive	Not Listed	CAMBA
Animalia	Aves	Ephianura albifrons	White-fronted Chat	Endangered Population, Vulnerable	Not Sensitive	Not Listed	
Animalia	Aves	Erythrorhynchus radiatus	Red Goshawk	Critically Endangered	Category 2	Vulnerable	
Animalia	Aves	Esacus magnirostris	Beach Stone-curlew	Critically Endangered	Not Sensitive	Not Listed	
Animalia	Aves	Falco subniger	Black Falcon	Vulnerable	Not Sensitive	Not Listed	
Animalia	Aves	Fregata ariel	Lesser Frigatebird	Not Listed	Not Sensitive	Not Listed	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Gallinago hardwickii	Latham's Snipe	Not Listed	Not Sensitive	Not Listed	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Gelochelidon nilotica	Gull-billed Tern	Not Listed	Not Sensitive	Not Listed	CAMBA
Animalia	Aves	Gygis alba	White Tern	Vulnerable	Not Sensitive	Not Listed	
Animalia	Aves	Haematopus fuliginosus	Sooty Oystercatcher	Vulnerable	Not Sensitive	Not Listed	
Animalia	Aves	Haematopus longirostris	Pied Oystercatcher	Endangered	Not Sensitive	Not Listed	
Animalia	Aves	Haliaeetus leucogaster	White-bellied Sea-Eagle	Vulnerable	Not Sensitive	Not Listed	CAMBA
Animalia	Aves	Hieraaetus morphnoides	Little Eagle	Vulnerable	Not Sensitive	Not Listed	
Animalia	Aves	Hirundapus caudacutus	White-throated Needletail	Not Listed	Not Sensitive	Not Listed	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Hydroprogne caspia	Caspian Tern	Not Listed	Not Sensitive	Not Listed	CAMBA;JAMBA
Animalia	Aves	Ixobrychus flavicollis	Black Bittern	Vulnerable	Not Sensitive	Not Listed	
Animalia	Aves	Lathamus discolor	Swift Parrot	Endangered	Category 3	Critically Endangered	
Animalia	Aves	Limicola falcinellus	Broad-billed Sandpiper	Vulnerable	Not Sensitive	Not Listed	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Limosa lapponica	Bar-tailed Godwit	Not Listed	Not Sensitive	Not Listed	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Limosa limosa	Black-tailed Godwit	Vulnerable	Not Sensitive	Not Listed	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Lophochroa leadbeateri	Major Mitchell's Cockatoo	Vulnerable	Category 2	Not Listed	
Animalia	Aves	Lophoictinia isura	Square-tailed Kite	Vulnerable	Category 3	Not Listed	
Animalia	Aves	Macronectes giganteus	Southern Giant Petrel	Endangered	Not Sensitive	Endangered	
Animalia	Aves	Macronectes halli	Northern Giant-Petrel	Vulnerable	Not Sensitive	Vulnerable	
Animalia	Aves	Merops ornatus	Rainbow Bee-eater	Not Listed	Not Sensitive	Not Listed	JAMBA

Kingdom	Class	Scientific	Common	NSW Conservation Status	NSW Sensitivity Class	Federal Conservation Status	Migratory Species Agreements
Animalia	Aves	Motacilla citreola	Citrine Wagtail	Not Listed	Not Sensitive	Not Listed	CAMBA
Animalia	Aves	Neochmia ruficauda	Star Finch	Presumed Extinct	Not Sensitive	Endangered	
Animalia	Aves	Neophema chrysogaster	Orange-bellied Parrot	Critically Endangered	Category 3	Critically Endangered	
Animalia	Aves	Neophema pulchella	Turquoise Parrot	Vulnerable	Category 3	Not Listed	
Animalia	Aves	Ninox strenua	Powerful Owl	Vulnerable	Category 3	Not Listed	
Animalia	Aves	Numenius madagascariensis	Eastern Curlew	Not Listed	Not Sensitive	Critically Endangered	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Numenius minutus	Little Curlew	Not Listed	Not Sensitive	Not Listed	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Numenius phaeopus	Whimbrel	Not Listed	Not Sensitive	Not Listed	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Onychoprion fuscata	Sooty Tern	Vulnerable	Not Sensitive	Not Listed	
Animalia	Aves	Oxyura australis	Blue-billed Duck	Vulnerable	Not Sensitive	Not Listed	
Animalia	Aves	Pandion cristatus	Eastern Osprey	Vulnerable	Category 3	Not Listed	
Animalia	Aves	Petroica boodang	Scarlet Robin	Vulnerable	Not Sensitive	Not Listed	
Animalia	Aves	Petroica phoenicea	Flame Robin	Vulnerable	Not Sensitive	Not Listed	
Animalia	Aves	Pezoporus wallicus	Eastern Ground Parrot	Vulnerable	Category 3	Not Listed	
Animalia	Aves	Philomachus pugnax	Ruff	Not Listed	Not Sensitive	Not Listed	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Plegadis falcinellus	Glossy Ibis	Not Listed	Not Sensitive	Not Listed	CAMBA
Animalia	Aves	Pluvialis fulva	Pacific Golden Plover	Not Listed	Not Sensitive	Not Listed	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Pluvialis squatarola	Grey Plover	Not Listed	Not Sensitive	Not Listed	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Polytelis swainsonii	Superb Parrot	Vulnerable	Category 3	Vulnerable	
Animalia	Aves	Procelsterna cerulea	Grey Ternlet	Vulnerable	Not Sensitive	Not Listed	
Animalia	Aves	Pterodroma neglecta neglecta	Kermadec Petrel (west Pacific subspecies)	Vulnerable	Not Sensitive	Vulnerable	
Animalia	Aves	Ptilinopus regina	Rose-crowned Fruit-Dove	Vulnerable	Not Sensitive	Not Listed	
Animalia	Aves	Ptilinopus superbus	Superb Fruit-Dove	Vulnerable	Not Sensitive	Not Listed	
Animalia	Aves	Rostratula australis	Australian Painted Snipe	Endangered	Not Sensitive	Endangered	
Animalia	Aves	Stagonopleura guttata	Diamond Firetail	Vulnerable	Not Sensitive	Not Listed	
Animalia	Aves	Stercorarius parasiticus	Arctic Jaeger	Not Listed	Not Sensitive	Not Listed	ROKAMBA;JAMBA
Animalia	Aves	Sterna hirundo	Common Tern	Not Listed	Not Sensitive	Not Listed	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Sternula albifrons	Little Tern	Endangered	Not Sensitive	Not Listed	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Stictonetta naevosa	Freckled Duck	Vulnerable	Not Sensitive	Not Listed	
Animalia	Aves	Sula leucogaster	Brown Booby	Not Listed	Not Sensitive	Not Listed	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Thalassarche cauta	Shy Albatross	Vulnerable	Not Sensitive	Vulnerable	
Animalia	Aves	Thalassarche melanophris	Black-browed Albatross	Vulnerable	Not Sensitive	Vulnerable	
Animalia	Aves	Tringa brevipes	Grey-tailed Tattler	Not Listed	Not Sensitive	Not Listed	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Tringa glareola	Wood Sandpiper	Not Listed	Not Sensitive	Not Listed	ROKAMBA;CAMBA; JAMBA



Kingdom	Class	Scientific	Common	NSW Conservation Status	NSW Sensitivity Class	Federal Conservation Status	Migratory Species Agreements
Animalia	Aves	<i>Tringa incana</i>	Wandering Tattler	Not Listed	Not Sensitive	Not Listed	JAMBA
Animalia	Aves	<i>Tringa nebularia</i>	Common Greenshank	Not Listed	Not Sensitive	Not Listed	ROKAMBA; CAMBA; JAMBA
Animalia	Aves	<i>Tringa stagnatilis</i>	Marsh Sandpiper	Not Listed	Not Sensitive	Not Listed	ROKAMBA; CAMBA; JAMBA
Animalia	Aves	<i>Tryngites subruficollis</i>	Buff-breasted Sandpiper	Not Listed	Not Sensitive	Not Listed	ROKAMBA; JAMBA
Animalia	Aves	<i>Tyto novaehollandiae</i>	Masked Owl	Vulnerable	Category 3	Not Listed	
Animalia	Aves	<i>Xenus cinereus</i>	Terek Sandpiper	Vulnerable	Not Sensitive	Not Listed	ROKAMBA; CAMBA; JAMBA
Animalia	Mammalia	<i>Arctocephalus forsteri</i>	New Zealand Fur-seal	Vulnerable	Not Sensitive	Not Listed	
Animalia	Mammalia	<i>Arctocephalus pusillus doriferus</i>	Australian Fur-seal	Vulnerable	Not Sensitive	Not Listed	
Animalia	Mammalia	<i>Dasyurus viverrinus</i>	Eastern Quoll	Endangered	Not Sensitive	Endangered	
Animalia	Mammalia	<i>Dugong dugon</i>	Dugong	Endangered	Not Sensitive	Not Listed	
Animalia	Mammalia	<i>Eubalaena australis</i>	Southern Right Whale	Endangered	Not Sensitive	Endangered	
Animalia	Mammalia	<i>Megaptera novaeangliae</i>	Humpback Whale	Vulnerable	Not Sensitive	Vulnerable	
Animalia	Mammalia	<i>Miniopterus australis</i>	Little Bentwing-bat	Vulnerable	Not Sensitive	Not Listed	
Animalia	Mammalia	<i>Miniopterus schreibersii oceanensis</i>	Eastern Bentwing-bat	Vulnerable	Not Sensitive	Not Listed	
Animalia	Mammalia	<i>Myotis macropus</i>	Southern Myotis	Vulnerable	Not Sensitive	Not Listed	
Animalia	Mammalia	<i>Perameles nasuta</i>	Long-nosed Bandicoot	Endangered Population	Not Sensitive	Not Listed	
Animalia	Mammalia	<i>Phascogale cinereus</i>	Koala	Vulnerable	Not Sensitive	Vulnerable	
Animalia	Mammalia	<i>Pteropus poliocephalus</i>	Grey-headed Flying-fox	Vulnerable	Not Sensitive	Vulnerable	
Animalia	Mammalia	<i>Saccolaimus flaviventris</i>	Yellow-bellied Sheath-tail-bat	Vulnerable	Not Sensitive	Not Listed	
Animalia	Mammalia	<i>Scoteanax rueppellii</i>	Greater Broad-nosed Bat	Vulnerable	Not Sensitive	Not Listed	
Animalia	Reptilia	<i>Caretta caretta</i>	Loggerhead Turtle	Endangered	Not Sensitive	Endangered	
Animalia	Reptilia	<i>Chelonia mydas</i>	Green Turtle	Vulnerable	Not Sensitive	Vulnerable	
Animalia	Reptilia	<i>Eretmochelys imbricata</i>	Hawksbill Turtle	Not Listed	Not Sensitive	Vulnerable	
Plantae	Flora	<i>Acacia bynoeana</i>	Bynoe's Wattle	Endangered	Not Sensitive	Vulnerable	
Plantae	Flora	<i>Acacia gordonii</i>		Endangered	Not Sensitive	Endangered	
Plantae	Flora	<i>Acacia prominens</i>	Gosford Wattle	Endangered Population	Not Sensitive	Not Listed	
Plantae	Flora	<i>Acacia pubescens</i>	Downy Wattle	Vulnerable	Not Sensitive	Vulnerable	
Plantae	Flora	<i>Acacia terminalis</i> subsp. <i>terminalis</i>	Sunshine Wattle	Endangered	Not Sensitive	Endangered	
Plantae	Flora	<i>Caladenia tessellata</i>	Thick Lip Spider Orchid	Endangered	Category 2	Vulnerable	
Plantae	Flora	<i>Callistemon linearifolius</i>	Netted Bottle Brush	Vulnerable	Category 3	Not Listed	
Plantae	Flora	<i>Dichanthium setosum</i>	Bluegrass	Vulnerable	Not Sensitive	Vulnerable	
Plantae	Flora	<i>Eucalyptus frax</i>	Broken Back Ironbark	Vulnerable	Not Sensitive	Not Listed	
Plantae	Flora	<i>Eucalyptus leucoxylon</i> subsp. <i>pruinosa</i>	Yellow Gum	Vulnerable	Not Sensitive	Not Listed	
Plantae	Flora	<i>Eucalyptus nicholii</i>	Narrow-leaved Black Peppermint	Vulnerable	Not Sensitive	Vulnerable	

Kingdom	Class	Scientific	Common	NSW Conservation Status	NSW Sensitivity Class	Federal Conservation Status	Migratory Species Agreements
Plantae	Flora	<i>Eucalyptus pulverulenta</i>	Silver-leafed Gum	Vulnerable	Not Sensitive	Vulnerable	
Plantae	Flora	<i>Eucalyptus scoparia</i>	Wallangarra White Gum	Endangered	Not Sensitive	Vulnerable	
Plantae	Flora	<i>Hibbertia puberula</i>		Endangered	Not Sensitive	Not Listed	
Plantae	Flora	<i>Macadamia integrifolia</i>	Macadamia Nut	Not Listed	Not Sensitive	Vulnerable	
Plantae	Flora	<i>Macadamia tetraphylla</i>	Rough-shelled Bush Nut	Vulnerable	Not Sensitive	Vulnerable	
Plantae	Flora	<i>Maundia triglochoides</i>		Vulnerable	Not Sensitive	Not Listed	
Plantae	Flora	<i>Melaleuca deanei</i>	Deane's Paperbark	Vulnerable	Not Sensitive	Vulnerable	
Plantae	Flora	<i>Persoonia hirsuta</i>	Hairy Geebung	Endangered	Category 3	Endangered	
Plantae	Flora	<i>Pomaderris prunifolia</i>	Plum-leaf Pomaderris	Endangered Population	Not Sensitive	Not Listed	
Plantae	Flora	<i>Prostanthera marifolia</i>	Seaforth Mintbush	Critically Endangered	Category 3	Critically Endangered	
Plantae	Flora	<i>Senecio spathulatus</i>	Coast Groundsel	Endangered	Not Sensitive	Not Listed	
Plantae	Flora	<i>Senna acclinis</i>	Rainforest Cassia	Endangered	Not Sensitive	Not Listed	
Plantae	Flora	<i>Syzygium paniculatum</i>	Magenta Lilly Pilly	Endangered	Not Sensitive	Vulnerable	
Plantae	Flora	<i>Tetratheca juncea</i>	Black-eyed Susan	Vulnerable	Not Sensitive	Vulnerable	
Plantae	Flora	<i>Thesium australe</i>	Austral Toadflax	Vulnerable	Not Sensitive	Vulnerable	
Plantae	Flora	<i>Tinospora tinosporoides</i>	Arrow-head Vine	Vulnerable	Not Sensitive	Not Listed	
Plantae	Flora	<i>Wilsonia backhousei</i>	Narrow-leafed Wilsonia	Vulnerable	Not Sensitive	Not Listed	

Data does not include NSW category 1 sensitive species.

NSW BioNet: © State of NSW and Office of Environment and Heritage

Data obtained 01/11/2018

## USE OF REPORT - APPLICABLE TERMS

The following terms apply to any person (End User) who is given the Report by the person who purchased the Report from Lotsearch Pty Ltd (ABN: 89 600 168 018) (Lotsearch) or who otherwise has access to the Report (Terms). The contract terms that apply between Lotsearch and the purchaser of the Report are specified in the order form pursuant to which the Report was ordered and the terms set out below are of no effect as between Lotsearch and the purchaser of the Report.

1. End User acknowledges and agrees that:
  - (a) the Report is compiled from or using content (**Third Party Content**) which is comprised of:
    - (i) content provided to Lotsearch by third party content suppliers with whom Lotsearch has contractual arrangements or content which is freely available or methodologies licensed to Lotsearch by third parties with whom Lotsearch has contractual arrangements (**Third Party Content Suppliers**); and
    - (ii) content which is derived from content described in paragraph (i);
  - (b) Neither Lotsearch nor Third Party Content Suppliers takes any responsibility for or give any warranty in relation to the accuracy or completeness of any Third Party Content included in the Report including any contaminated land assessment or other assessment included as part of a Report;
  - (c) the Third Party Content Suppliers do not constitute an exhaustive set of all repositories or sources of information available in relation to the property which is the subject of the Report (**Property**) and accordingly neither Lotsearch nor Third Party Content Suppliers gives any warranty in relation to the accuracy or completeness of the Third Party Content incorporated into the report including any contaminated land assessment or other assessment included as part of a Report;
  - (d) Reports are generated at a point in time (as specified by the date/time stamp appearing on the Report) and accordingly the Report is based on the information available at that point in time and Lotsearch is not obliged to undertake any additional reporting to take into consideration any information that may become available between the point in time specified by the date/time stamp and the date on which the Report was provided by Lotsearch to the purchaser of the Report;
  - (e) Reports must be used or reproduced in their entirety and End User must not reproduce or make available to other persons only parts of the Report;
  - (f) Lotsearch has not undertaken any physical inspection of the property;
  - (g) neither Lotsearch nor Third Party Content Suppliers warrants that all land uses or features whether past or current are identified in the Report;
  - (h) the Report does not include any information relating to the actual state or condition of the Property;
  - (i) the Report should not be used or taken to indicate or exclude actual fitness or unfitness of Land or Property for any particular purpose
  - (j) the Report should not be relied upon for determining saleability or value or making any other decisions in relation to the Property and in particular should not be taken to be a rating or assessment of the desirability or market value of the property or its features; and
  - (k) the End User should undertake its own inspections of the Land or Property to satisfy itself that there are no defects or failures
2. The End User may not make the Report or any copies or extracts of the report or any part of it available to any other person. If End User wishes to provide the Report to any other person or make extracts or copies of the Report, it must contact the purchaser of the Report before doing so to ensure the proposed use is consistent with the contract terms between Lotsearch and the purchaser.
3. Neither Lotsearch (nor any of its officers, employees or agents) nor any of its Third Party Content Suppliers will have any liability to End User or any person to whom End User provides the Report and End User must not represent that Lotsearch or any of its Third Party Content Suppliers accepts liability to any such person or make any other representation to any such person on behalf of Lotsearch or any Third Party Content Supplier.
4. The End User hereby to the maximum extent permitted by law:
  - (a) acknowledges that the Lotsearch (nor any of its officers, employees or agents), nor any of its Third Party Content Supplier have any liability to it under or in connection with the

- Report or these Terms;
- (b) waives any right it may have to claim against Third Party Content Supplier in connection with the Report, or the negotiation of, entry into, performance of, or termination of these Terms; and
  - (c) releases each Third Party Content Supplier from any claim it may have otherwise had in connection with the Report, or the negotiation of, entry into, performance of, or termination of these Terms.
5. The End User acknowledges that any Third Party Supplier shall be entitled to plead the benefits conferred on it under clause 4, despite not being a party to these terms.
  6. End User must not remove any copyright notices, trade marks, digital rights management information, other embedded information, disclaimers or limitations from the Report or authorise any person to do so.
  7. End User acknowledges and agrees that Lotsearch and Third Party Content Suppliers retain ownership of all copyright, patent, design right (registered or unregistered), trade marks (registered or unregistered), database right or other data right, moral right or know how or any other intellectual property right in any Report or any other item, information or data included in or provided as part of a Report.
  8. To the extent permitted by law and subject to paragraph 9, all implied terms, representations and warranties whether statutory or otherwise relating to the subject matter of these Terms other than as expressly set out in these Terms are excluded.
  9. Subject to paragraph 6, Lotsearch excludes liability to End User for loss or damage of any kind, however caused, due to Lotsearch's negligence, breach of contract, breach of any law, in equity, under indemnities or otherwise, arising out of all acts, omissions and events whenever occurring.
  10. Lotsearch acknowledges that if, under applicable State, Territory or Commonwealth law, End User is a consumer certain rights may be conferred on End User which cannot be excluded, restricted or modified. If so, and if that law applies to Lotsearch, then, Lotsearch's liability is limited to the greater of an amount equal to the cost of resupplying the Report and the maximum extent permitted under applicable laws.
  11. Subject to paragraph 9, neither Lotsearch nor the End User is liable to the other for:
    - (a) any indirect, incidental, consequential, special or exemplary damages arising out of or in relation to the Report or these Terms; or
    - (b) any loss of profit, loss of revenue, loss of interest, loss of data, loss of goodwill or loss of business opportunities, business interruption arising directly or indirectly out of or in relation to the Report or these Terms,irrespective of how that liability arises including in contract or tort, liability under indemnity or for any other common law, equitable or statutory cause of action or otherwise.
  12. These Terms are subject to New South Wales law.



APPENDIX

# D

ANALYTICAL SUMMARY TABLES

	BTEX							TRH				
	Benzene	Toluene	Ethylbenzene	Xylene (m & p)	Xylene (o)	Xylene Total	Total BTEX	C6 - C9	C10 - C14	C15 - C28	C29-C36	+C10 - C36 (Sum of total)
	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
LOR	0.1	0.1	0.1	0.2	0.1	0.3	0.2	20	20	50	50	50
NEPM 2013 EIL UR/POS, low pH, CEC, clay content - aged 0-2m												
NEPM 2013 ESL UR/POS, Coarse Soil 0-2m / CCME 2010 SQGs	50	85	70			105			120			
CRCCARE 2011 Soil HSL for Direct Contact, Intrusive Maintenance Worker 0-1m	1100	120,000	85,000			130,000						
NEPM 2013 Schedule B1 Table 7 Asbestos HSLs												
NEPM 2013 HIL, Residential A												
NEPM 2013 Soil HSL Residential A&B, for Vapour Intrusion, Sand												
0-1m	0.5	160	55			40						
1-2m	0.5	220	NL			60						
2-4m	0.5	310	NL			95						
>4m	0.5	540	NL			170						

Site	Location	Field ID	Sample Date												
Kyeemagh Infants School		TP01_0.2	10/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	62	62
		TP01_0.9		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		TP02_0.1		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	63	110	173
		TP02_0.4		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		TP03_0.2		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		TP03_1.2		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		TP04_0.1		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		TP05_0.1		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		TP05_0.9		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		TP06_0.1		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	100	480	580
		TP06_0.3		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		TP07_0.1		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		TP07_0.4		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		TP07_0.6		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		TP08_0.4		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		TP09_0.3		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		TP10_0.1		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	91	91
		TP11_0.2		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		TP11_1.2		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	72	92	164
		TP12_0.2		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		TP13_0.1	17/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	70	290	360
		TP13_0.4		-	-	-	-	-	-	-	-	-	-	-	-
		TP14_0.1		-	-	-	-	-	-	-	-	-	-	-	-
		TP14_0.7		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		TP15_0.1		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		TP15_0.6		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		TP16_0.1		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		TP16_0.8		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		TP17_0.1		-	-	-	-	-	-	-	-	-	-	-	-
		TP17_0.5		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		TP18_0.1	10/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		TP18_0.4		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		TP19_0.1		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		TP19_0.3		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		TP20_0.1		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		BH02_0.5		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		BH2_1.0		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		BH03_0.5		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		BH4_0.4		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	370	1600	1970
		BH05_0.2-0.5		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		TP03_AS81	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-
		TP04_0.4		-	-	-	-	-	-	-	-	-	-	-	-
		AS82		-	-	-	-	-	-	-	-	-	-	-	-
		TP12_0.2		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		TP12_0.2	10/11/2018	<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.2	<10	<50	<100	<100	<50
		TP16_0.1		<0.1	<0.1	<0.1	<0.2	<0.1	<0.3	-	<20	<20	<50	<50	<50
		TP16_0.1		<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.2	<10	<50	<100	<100	<50

Statistical Summary															
Maximum Concentration				<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.2	<20	<50	370	1600
Average Concentration				0.052	0.06	0.06	0.11	0.06	0.15	<0.2	<20	<50	40	88	104
Standard Deviation				0.011	0.044	0.044	0.033	0.044	0.022		1	3	55	256	316

	CRC Care TRH Fractions							MAH										
	C6-C10	C10-C16	C16-C34	C34-C40	C10 - C40 (Sum of total)	F1: C6-C10 less BTEX	F2: >C10-C16 less Naphthalene	Total MAH	1,2,4-trimethylbenzene	1,3,5-trimethylbenzene	Isopropylbenzene	n-butylbenzene	n-propylbenzene	p-isopropyltoluene	sec-butylbenzene	Styrene	tert-butylbenzene	
	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
LOR	20	50	100	100	100	20	50	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
NEPM 2013 EIL UR/POS, low pH, CEC, clay content - aged 0-2m																		
NEPM 2013 ESL UR/POS, Coarse Soil 0-2m / CCME 2010 SQGs		120	300	2800		180												
CRCCARE 2011 Soil HSL for Direct Contact, Intrusive Maintenance Worker 0-1m	82,000	62,000	85,000	120,000														
NEPM 2013 Schedule B1 Table 7 Asbestos HSLs																		
NEPM 2013 HIL, Residential A																		
NEPM 2013 Soil HSL Residential A&B, for Vapour Intrusion, Sand																		
0-1m						45	110											
1-2m						70	240											
2-4m						110	440											
>4m						200	NL											

Site	Location	Field ID	Sample Date																
Kyeemagh Infants School		TP01_0.2	10/11/2018	<20	<50	<100	<100	<100	<20	<50	-	-	-	-	-	-	-	-	-
		TP01_0.9		<20	<50	<100	<100	<100	<20	<50	-	-	-	-	-	-	-	-	-
		TP02_0.1		<20	<50	130	<100	130	<20	<50	-	-	-	-	-	-	-	-	-
		TP02_0.4		<20	<50	<100	<100	<100	<20	<50	-	-	-	-	-	-	-	-	-
		TP03_0.2		<20	<50	<100	<100	<100	<20	<50	-	-	-	-	-	-	-	-	-
		TP03_1.2		<20	<50	<100	<100	<100	<20	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	<0.5	-
		TP04_0.1		<20	<50	<100	<100	<100	<20	<50	-	-	-	-	-	-	-	-	-
		TP05_0.1		<20	<50	<100	<100	<100	<20	<50	-	-	-	-	-	-	-	-	-
		TP05_0.9		<20	<50	<100	<100	<100	<20	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	<0.5	-
		TP06_0.1		<20	<50	350	520	870	<20	<50	-	-	-	-	-	-	-	-	-
		TP06_0.3		<20	<50	<100	<100	<100	<20	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	<0.5	-
		TP07_0.1		<20	<50	<100	<100	<100	<20	<50	-	-	-	-	-	-	-	-	-
		TP07_0.4		<20	<50	<100	<100	<100	<20	<50	-	-	-	-	-	-	-	-	-
		TP07_0.6		<20	<50	<100	<100	<100	<20	<50	-	-	-	-	-	-	-	-	-
		TP08_0.4		<20	<50	<100	<100	<100	<20	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	<0.5	-
		TP09_0.3		<20	<50	<100	<100	<100	<20	<50	-	-	-	-	-	-	-	-	-
		TP10_0.1		<20	<50	<100	150	150	<20	<50	-	-	-	-	-	-	-	-	-
		TP11_0.2		<20	<50	<100	<100	<100	<20	<50	-	-	-	-	-	-	-	-	-
		TP11_1.2		<20	<50	<100	<100	<100	<20	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	<0.5	-
		TP12_0.2		<20	<50	<100	<100	<100	<20	<50	-	-	-	-	-	-	-	-	-
		TP13_0.1	17/11/2018	<20	<50	270	240	510	<20	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	<0.5	-
		TP13_0.4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP14_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP14_0.7		<20	<50	<100	<100	<100	<20	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	<0.5	-
		TP15_0.1		<20	<50	<100	<100	<100	<20	<50	-	-	-	-	-	-	-	-	-
		TP15_0.6		<20	<50	<100	<100	<100	<20	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	<0.5	-
		TP16_0.1		<20	<50	<100	<100	<100	<20	<50	-	-	-	-	-	-	-	-	-
		TP16_0.8		<20	<50	<100	<100	<100	<20	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	<0.5	-
		TP17_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP17_0.5		<20	<50	<100	<100	<100	<20	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	<0.5	-
		TP18_0.1		<20	<50	<100	<100	<100	<20	<50	-	-	-	-	-	-	-	-	-
		TP18_0.4		<20	<50	<100	<100	<100	<20	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	<0.5	-
		TP19_0.1	10/11/2018	<20	<50	<100	<100	<100	<20	<50	-	-	-	-	-	-	-	-	-
		TP19_0.3		<20	<50	<100	<100	<100	<20	<50	-	-	-	-	-	-	-	-	-
		TP20_0.1	17/11/2018	<20	<50	<100	<100	<100	<20	<50	-	-	-	-	-	-	-	-	-
		BH02_0.5		<20	<50	<100	<100	<100	<20	<50	-	-	-	-	-	-	-	-	-
		BH2_1.0		<20	<50	<100	<100	<100	<20	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	<0.5	-
		BH03_0.5		<20	<50	<100	<100	<100	<20	<50	-	-	-	-	-	-	-	-	-
		BH4_0.4	10/11/2018	<20	<50	1200	940	2140	<20	<50	-	-	-	-	-	-	-	-	-
		BH05_0.2-0.5		<20	<50	<100	<100	<100	<20	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	<0.5	-
		TP03_AS81		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP04_0.4	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		ASB2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP12_0.2		<20	<50	<100	<100	<100	<20	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	<0.5	-
		TP12_0.2		<10	<50	<100	<100	<50	<10	<50	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP16_0.1		<20	<50	<100	<100	<100	<20	<50	-	-	-	-	-	-	-	-	-
		TP16_0.1	17/11/2018	<10	<50	<100	<100	<50	<10	<50	-	-	-	-	-	-	-	-	-

Statistical Summary																			
Maximum Concentration				<20	<50	1200	940	2140	<20	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Average Concentration				<20	<50	93	90	135	<20	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Standard Deviation				1	0	187	158	353	1	0	0	0	0	0			0		

	PAH																			
	Benzo(a)pyrene TEQ (half LOR)	Benzo(a)pyrene TEQ (upper bound) *	Benzo(b+f)fluoranthene	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a)anthracene	BaP TEQ (zero)	Benzo(a)pyrene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Chrysene	Dibenz(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-c,d)pyrene	Naphthalene	PAHs (Sum of total)	Phenanthrene	Pyrene
LOR	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
NEPM 2013 EIL UR/POS, low pH, CEC, clay content - aged 0-2m																	170			
NEPM 2013 ESL UR/POS, Coarse Soil 0-2m / CCME 2010 SQGs									20											
CRCCARE 2011 Soil HSL for Direct Contact, Intrusive Maintenance Worker 0-1m																	29,000			
NEPM 2013 Schedule B1 Table 7 Asbestos HSLs																				
NEPM 2013 HIL, Residential A	3																	300		
NEPM 2013 Soil HSL Residential A&B, for Vapour Intrusion, Sand																				
0-1m																	3			
1-2m																	NL			
2-4m																	NL			
>4m																	NL			

Site	Location	Field ID	Sample Date																		
Kyeemagh Infants School		TP01_0.2	10/11/2018	0.6	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP01_0.9		0.6	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP02_0.1		0.6	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP02_0.4		0.6	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP03_0.2		0.6	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP03_1.2		0.6	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP04_0.1		0.6	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP05_0.1		0.6	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP05_0.9		0.6	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP06_0.1		0.6	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP06_0.3		0.6	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP07_0.1		0.6	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP07_0.4		0.6	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP07_0.6		0.6	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP08_0.4		0.6	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP09_0.3		0.6	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP10_0.1		0.6	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP11_0.2		0.6	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP11_1.2		0.6	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP12_0.2		0.6	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP13_0.1	17/11/2018	0.6	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP13_0.4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP14_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP14_0.7		0.6	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP15_0.1		1.2	1.5	<0.5	<0.5	<0.5	<0.5	1.1	0.9	0.7	1	<0.5	1.3	<0.5	<0.5	<0.5	6.9	0.8	1.3
		TP15_0.6		0.6	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP16_0.1		0.6	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP16_0.8		0.6	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP17_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP17_0.5		0.6	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP18_0.1		0.6	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP18_0.4		0.6	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP19_0.1	10/11/2018	0.6	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP19_0.3		0.6	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP20_0.1		0.6	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		BH02_0.5		0.6	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		BH2_1.0	17/11/2018	0.6	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		BH03_0.5		0.6	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		BH4_0.4		1.3	1.7	0.6	<0.5	<0.5	<0.5	<0.5	1	0.9	<0.5	0.8	<0.5	<0.5	0.6	<0.5	<0.5	3.4	<0.5
		BH05_0.2-0.5		0.6	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP03_ASB1	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP04_0.4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		ASB2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP12_0.2		0.6	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP12_0.2	10/11/2018	0.6	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP16_0.1		0.6	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP16_0.1		0.6	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP16_0.1		0.6	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

Statistical Summary																					
Maximum Concentration	1.3	1.7	0.6	<0.5	<0.5	<0.5	1.1	1	0.9	<0.5	0.8	1	<0.5	1.3	<0.5	<0.5	<0.5	<0.5	6.9	0.8	1.3
Average Concentration	0.6	1.2	0.3	<0.5	<0.5	<0.5	0.3	0.3	0.3	<0.5	0.3	0.3	<0.5	0.3	<0.5	<0.5	<0.5	<0.5	0.5	0.3	0.3
Standard Deviation	0.1	0.1	0.1	0	0	0	0.1	0.2	0.1	0	0.1	0.1	0	0.2	0	0	0	1.1	0.1	0.2	



	Asbestos			Metals								
	Asbestos from ACM in Soil (Y/N)	Asbestos from FA & AF in Soil (Y/N)	Detected (Y) / Not Detected (N)	Arsenic	Cadmium	Chromium (III+VI)	Copper	Iron	Lead	Mercury	Nickel	Zinc
				mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
LOR	%w/w	%w/w	Comment	2	0.4	5	5	20	5	0.1	5	5
NEPM 2013 EIL UR/POS, low pH, CEC, clay content - aged 0-2m				100		160	60		1100		8	230
NEPM 2013 ESL UR/POS, Coarse Soil 0-2m / CCME 2010 SQGs												
CRCCARE 2011 Soil HSL for Direct Contact, Intrusive Maintenance Worker 0-1m												
NEPM 2013 Schedule B1 Table 7 Asbestos HSLs	0.01	0.001										
NEPM 2013 HIL, Residential A				100	20		6000		300	40	400	7400
NEPM 2013 Soil HSL Residential A&B, for Vapour Intrusion, Sand												
0-1m												
1-2m												
2-4m												
>4m												

Site	Location	Field ID	Sample Date												
Kyeemagh Infants School		TP01_0.2	10/11/2018	N	N	N	<2	<0.4	8.8	27	-	19	<0.1	15	44
		TP01_0.9		-	-	-	<2	<0.4	<5	<5	-	18	<0.1	<5	20
		TP02_0.1		N	N	N	<2	<0.4	18	9.4	-	35	0.7	15	72
		TP02_0.4		N	N	N	<2	<0.4	10	6.8	-	8.1	<0.1	9.6	27
		TP03_0.2		N	N	N	<2	<0.4	<5	6.6	-	19	<0.1	<5	35
		TP03_1.2		N	N	N	<2	<0.4	<5	<5	-	6.2	<0.1	<5	11
		TP04_0.1		N	N	N	<2	<0.4	<5	8.7	-	38	<0.1	<5	36
		TP05_0.1		N	N	N	<2	<0.4	<5	5.2	-	23	<0.1	<5	23
		TP05_0.9		-	-	-	<2	<0.4	<5	<5	360	<5	<0.1	<5	<5
		TP06_0.1		N	N	N	2.8	<0.4	130	37	-	8.1	<0.1	130	86
		TP06_0.3		-	-	-	<2	<0.4	13	16	-	11	<0.1	17	26
		TP07_0.1		N	N	N	2.5	<0.4	6.4	8.4	-	17	1.5	<5	46
		TP07_0.4		-	-	-	<2	<0.4	<5	<5	1500	11	0.2	<5	15
		TP07_0.6		-	-	-	<2	<0.4	<5	13	-	9	0.7	<5	20
		TP08_0.4		-	-	-	<2	<0.4	<5	<5	-	7.3	<0.1	<5	10
		TP09_0.3		N	N	N	<2	<0.4	<5	<5	-	10	<0.1	<5	14
		TP10_0.1		-	-	-	<2	<0.4	<5	<5	-	10	<0.1	<5	21
		TP11_0.2		N	N	N	<2	<0.4	<5	<5	-	<5	<0.1	<5	<5
		TP11_1.2		-	-	-	<2	<0.4	<5	<5	-	19	<0.1	<5	12
		TP12_0.2		N	N	N	<2	<0.4	<5	<5	630	13	<0.1	<5	17
		TP13_0.1	17/11/2018	N	N	N	<2	<0.4	32	12	-	11	<0.1	30	40
		TP13_0.4		N	N	N	-	-	-	-	-	-	-	-	-
		TP14_0.1		N	N	N	-	-	-	-	-	-	-	-	-
		TP14_0.7		-	-	-	<2	<0.4	<5	<5	-	<5	<0.1	<5	<5
		TP15_0.1		-	-	-	<2	<0.4	<5	16	-	65	0.1	<5	43
		TP15_0.6		-	-	-	<2	<0.4	<5	<5	-	<5	<0.1	<5	120
		TP16_0.1		-	-	-	<2	<0.4	<5	<5	-	17	<0.1	<5	18
		TP16_0.8		-	-	-	<2	<0.4	<5	<5	-	5.1	<0.1	<5	8.3
		TP17_0.1		N	N	N	-	-	-	-	-	-	-	-	-
		TP17_0.5		-	-	-	<2	<0.4	<5	<5	-	<5	<0.1	<5	<5
		TP18_0.1		N	N	N	<2	<0.4	<5	11	-	56	<0.1	<5	130
		TP18_0.4		-	-	-	<2	<0.4	<5	<5	-	<5	<0.1	<5	<5
		TP19_0.1	10/11/2018	N	N	N	<2	<0.4	<5	7.3	-	32	<0.1	<5	29
		TP19_0.3		N	N	N	<2	<0.4	<5	10	-	10	<0.1	<5	25
		TP20_0.1	17/11/2018	N	N	N	<2	<0.4	5.3	12	-	42	<0.1	<5	66
		BH02_0.5		N	N	N	<2	<0.4	<5	<5	-	9.8	<0.1	<5	17
		BH2_1.0		-	-	-	<2	<0.4	<5	5.6	-	12	<0.1	<5	24
		BH03_0.5		N	N	N	<2	<0.4	<5	<5	-	7	<0.1	<5	6.8
		BH4_0.4	10/11/2018	-	-	-	<2	<0.4	<5	11	-	13	<0.1	13	25
		BH05_0.2-0.5		-	-	-	<2	<0.4	<5	<5	-	<5	<0.1	<5	<5
		TP03_ASB1		N	N	Y	-	-	-	-	-	-	-	-	-
		TP04_0.4	17/11/2018	0.1908	N	Y	-	-	-	-	-	-	-	-	-
		ASB2		N	N	Y	-	-	-	-	-	-	-	-	-
	TP12_0.2	QA100	10/11/2018	-	-	-	<2	<0.4	<5	11	-	14	<0.1	<5	15
	TP12_0.2	QA200		-	-	-	<5	<1	<2	<5	-	8	<0.1	<2	10
	TP16_0.1	QA300	17/11/2018	-	-	-	<2	<0.4	<5	5.2	-	19	<0.1	<5	20
	TP16_0.1	QA400		-	-	-	<5	<1	<2	5	-	21	<0.1	<2	22

Statistical Summary												
Maximum Concentration	0.1908	0	0	<5	<1	130	37	1500	65	1.5	130	130
Average Concentration				<5	<1	7.4	7.2	830	16	0.1	7.6	29
Standard Deviation				0.5	0.1	20	7.1	596	14	0.3	20	29

	Inorganics								VOCs			Organic	SVOCs
	% Clay*	Iron (%)	Conductivity (1:5 aqueous extract)	CEC	pH (Lab)	pH (Field)	pH (Fox)	Reaction Ratings	cis-1,4-Dichloro-2-butene	Pentachloroethane	trans-1,4-Dichloro-2-butene	TOC	EPN
LOR	1	0.01	10	0.05	0.1	0.1	0.1		0.5	0.5	0.5	0.1	0.2
NEPM 2013 EIL UR/POS, low pH, CEC, clay content - aged 0-2m													
NEPM 2013 ESL UR/POS, Coarse Soil 0-2m / CCME 2010 SQGs													
CRCCARE 2011 Soil HSL for Direct Contact, Intrusive Maintenance Worker 0-1m													
NEPM 2013 Schedule B1 Table 7 Asbestos HSLs													
NEPM 2013 HIL, Residential A													
NEPM 2013 Soil HSL Residential A&B, for Vapour Intrusion, Sand													
0-1m													
1-2m													
2-4m													
>4m													

Site	Location	Field ID	Sample Date											
Kyeemagh Infants School		TP01_0.2	10/11/2018	-	-	-	-	-	-	-	-	-	-	-
		TP01_0.9		-	-	-	-	-	-	-	-	-	-	-
		TP02_0.1		-	-	-	-	-	-	-	-	-	<0.2	-
		TP02_0.4		-	-	-	-	-	-	-	-	-	-	-
		TP03_0.2		-	-	-	-	-	-	-	-	-	<0.2	-
		TP03_1.2		-	-	-	-	-	-	-	-	-	-	-
		TP04_0.1		-	-	-	-	-	-	-	-	-	<0.2	-
		TP05_0.1		-	-	-	-	-	-	-	-	-	-	-
		TP05_0.9		<1	0.04	12	0.76	5.9	-	-	-	-	0.1	-
		TP06_0.1		-	-	-	-	-	-	-	-	-	-	-
		TP06_0.3		-	-	-	-	-	-	-	-	-	-	-
		TP07_0.1		-	-	-	-	-	-	-	-	-	-	-
		TP07_0.4		<1	0.15	58	2.8	5.8	-	-	-	-	0.6	-
		TP07_0.6		-	-	-	-	-	-	-	-	-	-	-
		TP08_0.4		-	-	-	-	-	-	-	-	-	-	-
		TP09_0.3		-	-	-	-	-	-	-	-	-	-	-
		TP10_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-
		TP11_0.2		-	-	-	-	-	-	-	-	-	<0.2	-
		TP11_1.2		-	-	-	-	-	-	-	-	-	-	-
		TP12_0.2		<1	0.06	31	1.9	5.9	-	-	-	-	0.7	<0.2
		TP13_0.1		-	-	-	-	-	-	-	-	-	<0.2	-
		TP13_0.4		-	-	-	-	-	-	-	-	-	-	-
		TP14_0.1		-	-	-	-	-	-	-	-	-	-	-
		TP14_0.7		-	-	-	-	-	-	-	-	-	-	-
		TP15_0.1		-	-	-	-	-	-	-	-	-	-	-
		TP15_0.6		-	-	-	-	-	-	-	-	-	<0.2	-
		TP16_0.1		-	-	-	-	-	-	-	-	-	-	-
		TP16_0.8		-	-	-	-	-	-	-	-	-	-	-
		TP17_0.1		-	-	-	-	-	-	-	-	-	-	-
		TP17_0.5		-	-	-	-	-	-	-	-	-	-	-
		TP18_0.1		-	-	-	-	-	-	-	-	-	<0.2	-
		TP18_0.4		-	-	-	-	-	-	-	-	-	-	-
		TP19_0.1	10/11/2018	-	-	-	-	-	-	-	-	-	-	-
		TP19_0.3		-	-	-	-	-	-	-	-	-	-	-
		TP20_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	<0.2	-
		BH02_0.5		-	-	-	-	-	-	-	-	-	-	-
		BH2_1.0		-	-	-	-	-	-	-	-	-	-	-
		BH03_0.5		-	-	-	-	-	-	-	-	-	-	-
		BH4_0.4	10/11/2018	-	-	-	-	-	-	-	-	-	-	-
		BH05_0.2-0.5		-	-	-	-	-	-	-	-	-	-	-
		TP03_ASB1		-	-	-	-	-	-	-	-	-	-	-
		TP04_0.4		-	-	-	-	-	-	-	-	-	-	-
		ASB2	17/11/2018	-	-	-	-	-	-	-	-	-	-	-
		TP12_0.2	10/11/2018	-	-	-	-	-	-	-	-	-	<0.2	-
		TP12_0.2		-	-	-	-	-	-	<0.5	<0.5	<0.5	-	-
		TP16_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-
		TP16_0.1		-	-	-	-	-	-	-	-	-	-	-

Statistical Summary													
Maximum Concentration	<1	0.15	58	2.8	5.9	0	0	0	<0.5	<0.5	<0.5	0.7	<0.2
Average Concentration	<1	0.08	34	1.8	5.9				<0.5	<0.5	<0.5	0.5	<0.2
Standard Deviation	0	0.06	23	1	0.1							0.3	0



	Chlorinated Hydrocarbons																		
	2,2-dichloropropane	Bromochloromethane	Bromodichloromethane	Bromoform	Carbon tetrachloride	Chlorodibromomethane	Chloroethane	Chloroform	Chloromethane	cis-1,2-dichloroethene	cis-1,3-dichloropropene	Dibromomethane	Dichloromethane	Hexachlorobutadiene	Trichloroethene	Tetrachloroethene	trans-1,2-dichloroethene	trans-1,3-dichloropropene	Vinyl chloride
LOR	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
NEPM 2013 EIL UR/POS, low pH, CEC, clay content - aged 0-2m	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
NEPM 2013 ESL UR/POS, Coarse Soil 0-2m / CCME 2010 SQGs																			
CRCCARE 2011 Soil HSL for Direct Contact, Intrusive Maintenance Worker 0-1m																			
NEPM 2013 Schedule B1 Table 7 Asbestos HSLs																			
NEPM 2013 HIL, Residential A																			
NEPM 2013 Soil HSL Residential A&B, for Vapour Intrusion, Sand																			
0-1m																			
1-2m																			
2-4m																			
>4m																			

Site	Location	Field ID	Sample Date																
Kyeemagh Infants School		TP01_0.2	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP01_0.9		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP02_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP02_0.4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP03_0.2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP03_1.2		-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5
		TP04_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP05_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP05_0.9		-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5
		TP06_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP06_0.3		-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5
		TP07_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP07_0.4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP07_0.6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP08_0.4		-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5
		TP09_0.3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP10_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP11_0.2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP11_1.2		-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5
		TP12_0.2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP13_0.1	17/11/2018	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5
		TP13_0.4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP14_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP14_0.7		-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5
		TP15_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP15_0.6		-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5
		TP16_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP16_0.8		-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5
		TP17_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP17_0.5		-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5
		TP18_0.1	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP18_0.4		-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5
		TP19_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP19_0.3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP20_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		BH02_0.5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		BH2_1.0		-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5
		BH03_0.5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		BH4_0.4	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		BH05_0.2-0.5		-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5
		TP03_ASB1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP04_0.4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		ASB2	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP12_0.2	10/11/2018	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5
		TP12_0.2		<0.5	-	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5
		TP16_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP16_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Statistical Summary																			
Maximum Concentration				<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5
Average Concentration				<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5
Standard Deviation					0	0	0	0	0	1	0	1	0	0	0	0	0	0	1



	Halogenated Hydrocarbons													
	1,2,3-trichlorobenzene	1,2,4-trichlorobenzene	1,2-dibromoethane	1,2-dichlorobenzene	1,3-dichlorobenzene	1,4-dichlorobenzene	2-chlorotoluene	4-chlorotoluene	Bromobenzene	Bromomethane	Chlorobenzene	Dichlorodifluoromethane	Iodomethane	Trichlorofluoromethane
	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
LOR	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
NEPM 2013 EIL UR/POS, low pH, CEC, clay content - aged 0-2m														
NEPM 2013 ESL UR/POS, Coarse Soil 0-2m / CCME 2010 SQGs														
CRCCARE 2011 Soil HSL for Direct Contact, Intrusive Maintenance Worker 0-1m														
NEPM 2013 Schedule B1 Table 7 Asbestos HSLs														
NEPM 2013 HIL, Residential A														
NEPM 2013 Soil HSL Residential A&B, for Vapour Intrusion, Sand														
0-1m														
1-2m														
2-4m														
>4m														

Site	Location	Field ID	Sample Date													
Kyeemagh Infants School		TP01_0.2	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP01_0.9		-	-	-	-	-	-	-	-	-	-	-	-	-
		TP02_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-
		TP02_0.4		-	-	-	-	-	-	-	-	-	-	-	-	-
		TP03_0.2		-	-	-	-	-	-	-	-	-	-	-	-	-
		TP03_1.2		-	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP04_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-
		TP05_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-
		TP05_0.9		-	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP06_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-
		TP06_0.3		-	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP07_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-
		TP07_0.4		-	-	-	-	-	-	-	-	-	-	-	-	-
		TP07_0.6		-	-	-	-	-	-	-	-	-	-	-	-	-
		TP08_0.4		-	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP09_0.3		-	-	-	-	-	-	-	-	-	-	-	-	-
		TP10_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-
		TP11_0.2		-	-	-	-	-	-	-	-	-	-	-	-	-
		TP11_1.2		-	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP12_0.2		-	-	-	-	-	-	-	-	-	-	-	-	-
		TP13_0.1	17/11/2018	-	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP13_0.4		-	-	-	-	-	-	-	-	-	-	-	-	-
		TP14_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-
		TP14_0.7		-	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP15_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-
		TP15_0.6		-	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP16_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-
		TP16_0.8		-	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP17_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-
		TP17_0.5		-	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP18_0.1	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP18_0.4		-	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP19_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-
		TP19_0.3		-	-	-	-	-	-	-	-	-	-	-	-	-
		TP20_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-
		BH02_0.5	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-
		BH2_1.0		-	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		BH03_0.5		-	-	-	-	-	-	-	-	-	-	-	-	-
		BH4_0.4		-	-	-	-	-	-	-	-	-	-	-	-	-
		BH05_0.2-0.5	10/11/2018	-	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP03_AS01		-	-	-	-	-	-	-	-	-	-	-	-	-
		TP04_0.4		-	-	-	-	-	-	-	-	-	-	-	-	-
		AS02		-	-	-	-	-	-	-	-	-	-	-	-	-
		TP12_0.2	10/11/2018	QA100	-	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5
		TP12_0.2		QA200	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
		TP16_0.1	17/11/2018	QA300	-	-	-	-	-	-	-	-	-	-	-	-
		TP16_0.1		QA400	-	-	-	-	-	-	-	-	-	-	-	-

Statistical Summary																
Maximum Concentration					<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Average Concentration					<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Standard Deviation							0	0	0	0		0	0	1	0	1

Organochlorine Pesticides														
Vic EPA IWRG 621 OCP (Total)*	Vic EPA IWRG 621 Other OCP (Total)*	4,4-DDE	a-BHC	Aldrin	Aldrin + Dieldrin	b-BHC	Chlordane	Chlordane (cis)	Chlordane (trans)	d-BHC	DDD	DDT	DDT+DDE+DDD	
MG/KG	MG/KG	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
LOR	0.1	0.1	0.05	0.05	0.05	0.05	0.1	0.05	0.05	0.05	0.05	0.05	0.05	
NEPM 2013 EIL UR/POS, low pH, CEC, clay content - aged 0-2m												180		
NEPM 2013 ESL UR/POS, Coarse Soil 0-2m / CCME 2010 SQGs														
CRCCARE 2011 Soil HSL for Direct Contact, Intrusive Maintenance Worker 0-1m														
NEPM 2013 Schedule B1 Table 7 Asbestos HSLs														
NEPM 2013 HIL, Residential A					6		50						240	
NEPM 2013 Soil HSL Residential A&B, for Vapour Intrusion, Sand														
0-1m														
1-2m														
2-4m														
>4m														

Site	Location	Field ID	Sample Date	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kyeemagh Infants School		TP01_0.2	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP01_0.9		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP02_0.1		1.46	0.7	0.06	<0.05	<0.05	0.64	<0.05	0.7	-	-	<0.05	<0.05	0.06	0.12
		TP02_0.4		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP03_0.2		<0.1	<0.1	<0.05	<0.05	<0.05	<0.05	<0.1	-	-	<0.05	<0.05	<0.05	<0.05	<0.05
		TP03_1.2		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP04_0.1		<0.1	<0.1	<0.05	<0.05	<0.05	<0.05	<0.1	-	-	<0.05	<0.05	<0.05	<0.05	<0.05
		TP05_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP05_0.9		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP06_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP06_0.3		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP07_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP07_0.4		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP07_0.6		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP08_0.4		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP09_0.3		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP10_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP11_0.2		<0.1	<0.1	<0.05	<0.05	<0.05	<0.05	<0.1	-	-	<0.05	<0.05	<0.05	<0.05	<0.05
		TP11_1.2		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP12_0.2		<0.1	<0.1	<0.05	<0.05	<0.05	<0.05	<0.1	-	-	<0.05	<0.05	<0.05	<0.05	<0.05
		TP13_0.1	17/11/2018	<0.1	<0.1	<0.05	<0.05	<0.05	<0.05	<0.1	-	-	<0.05	<0.05	<0.05	<0.05	<0.05
		TP13_0.4		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP14_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP14_0.7		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP15_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP15_0.6		<0.1	<0.1	<0.05	<0.05	<0.05	<0.05	<0.1	-	-	<0.05	<0.05	<0.05	<0.05	<0.05
		TP16_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP16_0.8		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP17_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP17_0.5		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP18_0.1		<0.1	<0.1	<0.05	<0.05	<0.05	0.05	<0.05	<0.1	-	-	<0.05	<0.05	<0.05	<0.05
		TP18_0.4	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP19_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP19_0.3		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP20_0.1	17/11/2018	<0.1	<0.1	<0.05	<0.05	<0.05	<0.05	<0.1	-	-	<0.05	<0.05	<0.05	<0.05	<0.05
		BH02_0.5		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		BH2_1.0		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		BH03_0.5		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		BH4_0.4	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		BH05_0.2-0.5		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP03_ASB1		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP04_0.4		-	-	-	-	-	-	-	-	-	-	-	-	-	-
		ASB2	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP12_0.2	10/11/2018	<0.1	<0.1	<0.05	<0.05	<0.05	<0.05	<0.05	<0.1	-	-	<0.05	<0.05	<0.05	<0.05
		TP12_0.2		-	-	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.2	<0.03	<0.03
		TP16_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP16_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-

Statistical Summary																	
Maximum Concentration	1.5	0.7	0.06	<0.05	<0.05	0.64	<0.05	0.7	<0.05	<0.05	<0.05	<0.05	<0.05	<0.2	0.12		
Average Concentration	0.2	0.1	0.03	<0.05	<0.05	0.08	<0.05	0.1	<0.05	<0.05	<0.05	<0.05	<0.05	<0.2	0.03		
Standard Deviation	0.5	0.2	0.01	0	0	0.18	0	0.2			0	0	0	0	0.03		







	Organophosphorous Pesticides																
	Fenitrothion	Fensulfotthion	Fenthion	Malathion	Merphos	Methyl parathion	Mevinphos (Phosdrin)	Monocrotophos	Naled (Dibrom)	Omethoate	Phorate	Prothiofos	Pyrazophos	Ronnel	Terbufos	Trichloronate	Tetrachlorvinphos
	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
LOR	0.2	0.2	0.2	0.2	0.2	0.2	0.2	2	0.2	2	0.2	0.05	0.2	0.2	0.2	0.2	0.2
NEPM 2013 EIL UR/POS, low pH, CEC, clay content - aged 0-2m																	
NEPM 2013 ESL UR/POS, Coarse Soil 0-2m / CCME 2010 SQGs																	
CRCCARE 2011 Soil HSL for Direct Contact, Intrusive Maintenance Worker 0-1m																	
NEPM 2013 Schedule B1 Table 7 Asbestos HSLs																	
NEPM 2013 HIL, Residential A																	
NEPM 2013 Soil HSL Residential A&B, for Vapour Intrusion, Sand																	
0-1m																	
1-2m																	
2-4m																	
>4m																	

Site	Location	Field ID	Sample Date	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kyeemagh Infants School		TP01_0.2	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP01_0.9		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP02_0.1		<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<2	<0.2	<2	<0.2	-	<0.2	<0.2	<0.2	<0.2
		TP02_0.4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP03_0.2		<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<2	<0.2	<2	<0.2	-	<0.2	<0.2	<0.2	<0.2
		TP03_1.2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP04_0.1		<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<2	<0.2	<2	<0.2	-	<0.2	<0.2	<0.2	<0.2
		TP05_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP05_0.9		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP06_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP06_0.3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP07_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP07_0.4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP07_0.6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP08_0.4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP09_0.3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP10_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP11_0.2		<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<2	<0.2	<2	<0.2	-	<0.2	<0.2	<0.2	<0.2
		TP11_1.2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP12_0.2		<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<2	<0.2	<2	<0.2	-	<0.2	<0.2	<0.2	<0.2
		TP13_0.1	17/11/2018	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<2	<0.2	<2	<0.2	-	<0.2	<0.2	<0.2	<0.2
		TP13_0.4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP14_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP14_0.7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP15_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP15_0.6		<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<2	<0.2	<2	<0.2	-	<0.2	<0.2	<0.2	<0.2
		TP16_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP16_0.8		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP17_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP17_0.5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP18_0.1	10/11/2018	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<2	<0.2	<2	<0.2	-	<0.2	<0.2	<0.2	<0.2
		TP18_0.4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP19_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP19_0.3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP20_0.1	17/11/2018	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<2	<0.2	<2	<0.2	-	<0.2	<0.2	<0.2	<0.2
		BH02_0.5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		BH2_1.0		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		BH03_0.5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		BH4_0.4	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		BH05_0.2-0.5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP03_ASB1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP04_0.4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		ASB2	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP12_0.2	10/11/2018	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<2	<0.2	<2	<0.2	-	<0.2	<0.2	<0.2	<0.2
		TP12_0.2		-	-	<0.05	<0.05	-	<0.2	-	-	-	<0.05	-	-	-	-	-
		TP16_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP16_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Statistical Summary																		
Maximum Concentration				<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<2	<0.2	<2	<0.2	<0.05	<0.2	<0.2	<0.2	<0.2
Average Concentration				<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<2	<0.2	<2	<0.2	<0.05	<0.2	<0.2	<0.2	<0.2
Standard Deviation				0	0	0	0	0	0	0	0	0	0		0	0	0	0

	Solvents							Pesticides					Polychlorinated Biphenyls									
	Methyl Ethyl Ketone	2-hexanone (MBK)	4-Methyl-2-pentanone	Acetone	Allyl chloride	Carbon disulfide	Vinyl acetate	Demeton-S-methyl	Fenamiphos	Parathion	Pirimiphos-methyl	Pirimphos-ethyl	Arochlor 1016	Arochlor 1221	Arochlor 1232	Arochlor 1242	Arochlor 1248	Arochlor 1254	Arochlor 1260	PCBs (Sum of total)		
	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg		
LOR	0.5	5	0.5	0.5	0.5	0.5	5	0.05	0.05	0.2	0.2	0.05	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1		
NEPM 2013 EIL UR/POS, low pH, CEC, clay content - aged 0-2m																						
NEPM 2013 ESL UR/POS, Coarse Soil 0-2m / CCME 2010 SQGs																						
CRCCARE 2011 Soil HSL for Direct Contact, Intrusive Maintenance Worker 0-1m																						
NEPM 2013 Schedule B1 Table 7 Asbestos HSLs																						
NEPM 2013 HIL, Residential A																				1		
NEPM 2013 Soil HSL Residential A&B, for Vapour Intrusion, Sand																						
0-1m																						
1-2m																						
2-4m																						
>4m																						

Site	Location	Field ID	Sample Date	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kyeemagh Infants School		TP01_0.2	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP01_0.9		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP02_0.1		-	-	-	-	-	-	<0.2	<0.2	-	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
		TP02_0.4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP03_0.2		-	-	-	-	-	-	<0.2	<0.2	-	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
		TP03_1.2		<0.5	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-
		TP04_0.1		-	-	-	-	-	-	<0.2	<0.2	-	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
		TP05_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP05_0.9		<0.5	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-
		TP06_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP06_0.3		<0.5	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-
		TP07_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP07_0.4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP07_0.6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP08_0.4		<0.5	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-
		TP09_0.3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP10_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP11_0.2		-	-	-	-	-	-	<0.2	<0.2	-	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
		TP11_1.2		<0.5	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-
		TP12_0.2		-	-	-	-	-	-	<0.2	<0.2	-	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
		TP13_0.1	17/11/2018	<0.5	-	<0.5	<0.5	<0.5	<0.5	-	<0.2	<0.2	-	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
		TP13_0.4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP14_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP14_0.7		<0.5	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-
		TP15_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP15_0.6		<0.5	-	<0.5	<0.5	<0.5	<0.5	-	<0.2	<0.2	-	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
		TP16_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP16_0.8		<0.5	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-
		TP17_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP17_0.5		<0.5	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-
		TP18_0.1	10/11/2018	-	-	-	-	-	-	<0.2	<0.2	-	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
		TP18_0.4		<0.5	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-
		TP19_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP19_0.3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP20_0.1	17/11/2018	-	-	-	-	-	-	<0.2	<0.2	-	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
		BH02_0.5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		BH2_1.0		<0.5	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-
		BH03_0.5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		BH4_0.4	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		BH05_0.2-0.5		<0.5	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-
		TP03_ASB1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP04_0.4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		ASB2	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP12_0.2		<0.5	-	<0.5	<0.5	<0.5	<0.5	-	-	-	<0.2	<0.2	-	<0.1	<0.1	<0.1	<0.1	<0.1
		TP12_0.2	10/11/2018	<5	<5	<5	-	-	<0.5	<5	<0.05	<0.05	<0.2	-	<0.05	-	-	-	-	<0.1
		TP16_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP16_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TP16_0.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Statistical Summary																				
Maximum Concentration				<5	<5	<5	<0.5	<0.5	<0.5	<0.5	<5	<0.05	<0.05	<0.2	<0.2	<0.05	<0.1	<0.1	<0.1	<0.1
Average Concentration				<5	<5	<5	<0.5	<0.5	<0.5	<0.5	<5	<0.05	<0.05	<0.2	<0.2	<0.05	<0.1	<0.1	<0.1	<0.1
Standard Deviation				1		1	0	0	0					0	0		0	0	0	0



[illegible]





	BTEX							TPH					MAH									
							Xylene Total															
	Benzene	Toluene	Ethylbenzene	Xylene (m & p)	Xylene (o)	Total BTEX		C6 - C9	C10 - C14	C15 - C28	C29-C36	+C10 - C36 (Sum of total)	Total MAH	1,2,4-trimethylbenzene	1,3,5-trimethylbenzene	Isopropylbenzene	n-butylbenzene	n-propylbenzene	p-isopropyltoluene	sec-butylbenzene	Styrene	tert-butylbenzene
	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
EQL	0.1	0.1	0.1	0.2	0.1	0.2	0.3	10	20	50	50	50	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
NSW 2014 General Solid Waste CT1 (No Leaching)	10	288	600				1,000	650				10,000									60	
NSW 2014 Restricted Solid Waste CT2 (No Leaching)	40	1,152	2,400				4,000	2,600				40,000									240	
NSW 2014 General Solid Waste SCC1 (with leached)	18	518	1,080				1,800	6500				10,000									108	

Field ID	Date																					
ASB2	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BH02_0.5	17/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	-	-	-	-	-	-	-	-	-
BH2_1.0	17/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	<0.5	-
BH03_0.5	17/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	-	-	-	-	-	-	-	-	-
BH4_0.4	10/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	370	1,600	1,970	-	-	-	-	-	-	-	-	-
BH05_0.2-0.5	10/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	<0.5	-
TP01_0.2	10/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	62	62	-	-	-	-	-	-	-	-	-
TP01_0.9	10/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	-	-	-	-	-	-	-	-	-
TP02_0.1	10/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	63	110	173	-	-	-	-	-	-	-	-	-
TP02_0.4	10/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	-	-	-	-	-	-	-	-	-
TP03_0.2	10/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	-	-	-	-	-	-	-	-	-
TP03_1.2	10/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	<0.5	-
TP03_AS81	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP04_0.1	10/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	-	-	-	-	-	-	-	-	-
TP04_0.4	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP05_0.1	10/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	-	-	-	-	-	-	-	-	-
TP05_0.9	10/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	<0.5	-
TP06_0.1	10/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	100	480	580	-	-	-	-	-	-	-	-	-
TP06_0.3	10/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	<0.5	-
TP07_0.1	10/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	-	-	-	-	-	-	-	-	-
TP07_0.4	10/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	-	-	-	-	-	-	-	-	-
TP07_0.6	10/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	-	-	-	-	-	-	-	-	-
TP08_0.4	10/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	<0.5	-
TP09_0.3	10/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	-	-	-	-	-	-	-	-	-
TP10_0.1	10/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	91	91	-	-	-	-	-	-	-	-	-
TP11_0.2	10/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	-	-	-	-	-	-	-	-	-
TP11_1.2	10/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	72	92	164	<0.5	<0.5	<0.5	<0.5	-	-	-	<0.5	-
TP12_0.2	10/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	-	-	-	-	-	-	-	-	-
TP13_0.1	17/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	70	290	360	<0.5	<0.5	<0.5	<0.5	-	-	-	<0.5	-
TP13_0.4	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP14_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP14_0.7	17/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	<0.5	-
TP15_0.1	17/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	-	-	-	-	-	-	-	-	-
TP15_0.6	17/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	<0.5	-
TP16_0.1	17/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	-	-	-	-	-	-	-	-	-
TP16_0.8	17/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	<0.5	-
TP17_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP17_0.5	17/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	<0.5	-
TP18_0.1	17/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	-	-	-	-	-	-	-	-	-
TP18_0.4	17/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	<0.5	-
TP19_0.1	10/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	-	-	-	-	-	-	-	-	-
TP19_0.3	10/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	-	-	-	-	-	-	-	-	-
TP20_0.1	17/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	-	-	-	-	-	-	-	-	-
QA100	10/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	<0.5	-
QA200	10/11/2018	<0.2	<0.5	<0.5	<0.5	<0.5	<0.2	<0.5	<10	<50	<100	<100	<50	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
QA300	17/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	-	<0.3	<20	<20	<50	<50	<50	-	-	-	-	-	-	-	-	-
QA400	17/11/2018	<0.2	<0.5	<0.5	<0.5	<0.5	<0.2	<0.5	<10	<50	<100	<100	<50	-	-	-	-	-	-	-	-	-

Statistics																						
Number of Results	43	43	43	43	43	2	43	41	41	41	41	41	14	15	15	15	1	1	1	1	15	1
Minimum Concentration	<0.1	<0.1	<0.1	<0.2	<0.1	<0.2	<0.3	<10	<20	<50	<50	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Maximum Concentration	83	82	82	83	84	<0.2	84	<20	<50	370	1,600	1,970	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Average Concentration *	2	2	2	2	2	0.1	2.1	9.8	11	40	88	104	0.25	0.25	0.25	0.25					0.25	
Standard Deviation *	13	12	12	13	13	0	13	1.1	3.3	55	256	316	0	0	0	0					0	

\* A Non Detect Multiplier of 0.5 has been applied.

Statistics																							
Number of Results	41	41	39	41	41	41	41	41	41	41	41	41	41	41	41	41	83	41	41	41	25	25	25
Minimum Concentration	<0.5	0.6	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.5	0	0	1
Maximum Concentration	1	1.3	1.7	0.6	<0.5	<0.5	<0.5	1.1	0.9	<0.5	0.8	1	<0.5	1.3	<0.5	<0.5	<1	6.9	0.8	1.3	0.1908	0	1
Average Concentration *	0.28	0.63	1.2	0.26	0.25	0.25	0.25	0.27	0.28	0.25	0.27	0.27	0.25	0.28	0.25	0.25	0.26	0.49	0.26	0.28	0.0076	0	1
Standard Deviation *	0.15	0.14	0.092	0.055	0	0	0	0.13	0.12	0	0.11	0.12	0	0.17	0	0	0.032	1.1	0.086	0.17	0.038	0	0

\* A Non Detect Multiplier of 0.5 has been applied.

	Metals									VOCs			SVOCs												
	Arsenic	Cadmium	Chromium (III+VI)	Copper	Iron	Lead	Mercury	Nickel	Zinc	cis-1,4-Dichloro-2-butene	Pentachloroethane	trans-1,4-Dichloro-2-butene	EPN	1,1,1,2-tetrachloroethane	1,1,1-trichloroethane	1,1,2,2-tetrachloroethane	1,1,2-trichloroethane	1,1-dichloroethane	1,1-dichloroethene	1,1-dichloropropene	1,2,3-trichloropropane	1,2-dibromo-3-chloropropane	1,2-dichloroethane	1,2-dichloropropane	1,3-dichloropropane
EQL	2	0.4	2	5	20	5	0.1	2	5	0.5	0.5	0.5	0.2	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
NSW 2014 General Solid Waste CT1 (No Leaching)	100	20	100			100	4	40						200	600	26	24		14				10		
NSW 2014 Restricted Solid Waste CT2 (No Leaching)	400	80	400			400	16	160						800	2,400	104	96		56				40		
NSW 2014 General Solid Waste SCC1 (with leached)	500	100	1,900			1,500	50	1,050						360	1,080	46.8	43.2		0.7				0.5		

Field ID	Date																								
ASB2	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BH02_0.5	17/11/2018	<2	<0.4	<5	<5	-	9.8	<0.1	<5	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BH2_1.0	17/11/2018	<2	<0.4	<5	5.6	-	12	<0.1	<5	24	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<0.5	<0.5	<0.5
BH03_0.5	17/11/2018	<2	<0.4	<5	<5	-	7.0	<0.1	<5	6.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BH4_0.4	10/11/2018	<2	<0.4	<5	11	-	13	<0.1	13	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BH05_0.2-0.5	10/11/2018	<2	<0.4	<5	<5	-	<5	<0.1	<5	<5	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<0.5	<0.5	<0.5
TP01_0.2	10/11/2018	<2	<0.4	8.8	27	-	19	<0.1	15	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP01_0.9	10/11/2018	<2	<0.4	<5	<5	-	18	<0.1	<5	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP02_0.1	10/11/2018	<2	<0.4	18	9.4	-	35	0.7	15	72	-	-	<0.2	-	-	-	-	-	-	-	-	-	-	-	-
TP02_0.4	10/11/2018	<2	<0.4	10	6.8	-	8.1	<0.1	9.6	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP03_0.2	10/11/2018	<2	<0.4	<5	6.6	-	19	<0.1	<5	35	-	-	<0.2	-	-	-	-	-	-	-	-	-	-	-	-
TP03_1.2	10/11/2018	<2	<0.4	<5	<5	-	6.2	<0.1	<5	11	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<0.5	<0.5	<0.5
TP03_AS81	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP04_0.1	10/11/2018	<2	<0.4	<5	8.7	-	38	<0.1	<5	36	-	-	<0.2	-	-	-	-	-	-	-	-	-	-	-	-
TP04_0.4	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP05_0.1	10/11/2018	<2	<0.4	<5	5.2	-	23	<0.1	<5	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP05_0.9	10/11/2018	<2	<0.4	<5	<5	360	<5	<0.1	<5	<5	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<0.5	<0.5	<0.5
TP06_0.1	10/11/2018	2.8	<0.4	130	37	-	8.1	<0.1	130	86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP06_0.3	10/11/2018	<2	<0.4	13	16	-	11	<0.1	17	26	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<0.5	<0.5	<0.5
TP07_0.1	10/11/2018	2.5	<0.4	6.4	8.4	-	17	1.5	<5	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP07_0.4	10/11/2018	<2	<0.4	<5	<5	1,500	11	0.2	<5	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP07_0.6	10/11/2018	<2	<0.4	<5	13	-	9.0	0.7	<5	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP08_0.4	10/11/2018	<2	<0.4	<5	<5	-	7.3	<0.1	<5	10	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<0.5	<0.5	<0.5
TP09_0.3	10/11/2018	<2	<0.4	<5	<5	-	10	<0.1	<5	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP10_0.1	10/11/2018	<2	<0.4	<5	<5	-	10	<0.1	<5	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP11_0.2	10/11/2018	<2	<0.4	<5	<5	-	<5	<0.1	<5	<5	-	-	<0.2	-	-	-	-	-	-	-	-	-	-	-	-
TP11_1.2	10/11/2018	<2	<0.4	<5	<5	-	19	<0.1	<5	12	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<0.5	<0.5	<0.5
TP12_0.2	10/11/2018	<2	<0.4	<5	<5	630	13	<0.1	<5	17	-	-	<0.2	-	-	-	-	-	-	-	-	-	-	-	-
TP13_0.1	17/11/2018	<2	<0.4	32	12	-	11	<0.1	30	40	-	-	<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<0.5	<0.5	<0.5
TP13_0.4	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP14_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP14_0.7	17/11/2018	<2	<0.4	<5	<5	-	<5	<0.1	<5	<5	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<0.5	<0.5	<0.5
TP15_0.1	17/11/2018	<2	<0.4	<5	16	-	65	0.1	<5	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP15_0.6	17/11/2018	<2	<0.4	<5	<5	-	<5	<0.1	<5	120	-	-	<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<0.5	<0.5	<0.5
TP16_0.1	17/11/2018	<2	<0.4	<5	<5	-	17	<0.1	<5	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP16_0.8	17/11/2018	<2	<0.4	<5	<5	-	5.1	<0.1	<5	8.3	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<0.5	<0.5	<0.5
TP17_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP17_0.5	17/11/2018	<2	<0.4	<5	<5	-	<5	<0.1	<5	<5	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<0.5	<0.5	<0.5
TP18_0.1	17/11/2018	<2	<0.4	<5	11	-	56	<0.1	<5	130	-	-	<0.2	-	-	-	-	-	-	-	-	-	-	-	-
TP18_0.4	17/11/2018	<2	<0.4	<5	<5	-	<5	<0.1	<5	<5	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<0.5	<0.5	<0.5
TP19_0.1	10/11/2018	<2	<0.4	<5	7.3	-	32	<0.1	<5	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP19_0.3	10/11/2018	<2	<0.4	<5	10	-	10	<0.1	<5	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP20_0.1	17/11/2018	<2	<0.4	5.3	12	-	42	<0.1	<5	66	-	-	<0.2	-	-	-	-	-	-	-	-	-	-	-	-
QA100	10/11/2018	<2	<0.4	<5	11	-	14	<0.1	<5	15	-	-	<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<0.5	<0.5	<0.5
QA200	10/11/2018	<5	<1	<2	<5	-	8	<0.1	<2	10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
QA300	17/11/2018	<2	<0.4	<5	5.2	-	19	<0.1	<5	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA400	17/11/2018	<5	<1	<2	5	-	21	<0.1	<2	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Statistics																									
Number of Results	41	41	41	41	3	41	41	41	41	1	1	1	10	15	15	15	15	15	15	1	15	1	15	15	15
Minimum Concentration	<2	<0.4	<2	5	360	<5	0.1	<2	<5	<0.5	<0.5	<0.5	<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Maximum Concentration	<5	<1	130	37	1,500	65	1.5	130	130	<0.5	<0.5	<0.5	<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Average Concentration *	1.2	0.21	7.4	7.2	830	16	0.12	7.6	29				0.1	0.25	0.25	0.25	0.25	0.25	0.25		0.25		0.25	0.25	0.25
Standard Deviation *	0.47	0.065	20	7.1	596	14	0.26	20	29				0	0	0	0	0	0	0		0		0	0	0

\* A Non Detect Multiplier of 0.5 has been applied.

EQL	Chlorinated Hydrocarbons																		
	1,2-dichloropropane	Bromochloromethane	Bromodichloromethane	Bromoform	Carbon tetrachloride	Chlorodibromomethane	Chloroethane	Chloroform	Chloromethane	cis-1,2-dichloroethene	cis-1,3-dichloropropene	Dibromomethane	Dichloromethane	Hexachlorobutadiene	Trichloroethene	Tetrachloroethene	trans-1,2-dichloroethene	trans-1,3-dichloropropene	Vinyl chloride
	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
NSW 2014 General Solid Waste CT1 (No Leaching)	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
NSW 2014 Restricted Solid Waste CT2 (No Leaching)					10			120					172		10	14			4
NSW 2014 General Solid Waste SCC1 (with leached)					40			480					688		40	56			16
					18			126					8.6		18	25.2			7.2

Field ID	Date																		
ASB2	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BH02_0.5	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BH2_1.0	17/11/2018	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5
BH03_0.5	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BH4_0.4	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BH05_0.2-0.5	10/11/2018	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5
TP01_0.2	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP01_0.9	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP02_0.1	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP02_0.4	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP03_0.2	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP03_1.2	10/11/2018	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5
TP03_AS81	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP04_0.1	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP04_0.4	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP05_0.1	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP05_0.9	10/11/2018	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5
TP06_0.1	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP06_0.3	10/11/2018	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5
TP07_0.1	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP07_0.4	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP07_0.6	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP08_0.4	10/11/2018	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5
TP09_0.3	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP10_0.1	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP11_0.2	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP11_1.2	10/11/2018	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5
TP12_0.2	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP13_0.1	17/11/2018	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5
TP13_0.4	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP14_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP14_0.7	17/11/2018	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5
TP15_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP15_0.6	17/11/2018	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5
TP16_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP16_0.8	17/11/2018	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5
TP17_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP17_0.5	17/11/2018	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5
TP18_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP18_0.4	17/11/2018	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5
TP19_0.1	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP19_0.3	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP20_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA100	10/11/2018	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5
QA200	10/11/2018	<0.5	-	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5
QA300	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA400	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Statistics																			
Number of Results	1	14	15	15	15	15	15	15	15	15	15	15	15	14	1	15	15	15	15
Minimum Concentration	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Maximum Concentration	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5
Average Concentration *		0.25	0.25	0.25	0.25	0.25	0.4	0.25	0.4	0.25	0.25	0.25	0.25	0.25		0.25	0.25	0.25	0.4
Standard Deviation *		0	0	0	0	0	0.58	0	0.58	0	0	0	0	0		0	0	0	0.58

\* A Non Detect Multiplier of 0.5 has been applied.



	Halogenated Hydrocarbons																							
	1,2,3-trichlorobenzene	1,2,4-trichlorobenzene	1,2-dibromoethane	1,2-dichlorobenzene	1,3-dichlorobenzene	1,4-dichlorobenzene	2-chlorotoluene	4-chlorotoluene	Bromobenzene	Bromomethane	Chlorobenzene	Dichlorodifluoromethane	Iodomethane	Trichlorofluoromethane	4,4-DDE	a-BHC	Aldrin	Aldrin + Dieldrin	b-BHC	Chlordane	Chlordane (cis)	Chlordane (trans)	d-BHC	
	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	
EQL	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	
NSW 2014 General Solid Waste CT1 (No Leaching)				86		150						2,000												
NSW 2014 Restricted Solid Waste CT2 (No Leaching)				344		600						8,000												
NSW 2014 General Solid Waste SCC1 (with leached)				4.3		7.5						3,600												

Field ID	Date																						
ASB2	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BH02_0.5	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BH2_1.0	17/11/2018	-	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-
BH03_0.5	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BH4_0.4	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BH05_0.2-0.5	10/11/2018	-	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-
TP01_0.2	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP01_0.9	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP02_0.1	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	0.06	<0.05	<0.05	0.64	<0.05	0.7	-	-	<0.05
TP02_0.4	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP03_0.2	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	<0.05	<0.05	<0.05	<0.05	<0.05	<0.1	-	-	<0.05
TP03_1.2	10/11/2018	-	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-
TP03_AS81	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP04_0.1	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	<0.05	<0.05	<0.05	<0.05	<0.05	<0.1	-	-	<0.05
TP04_0.4	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP05_0.1	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP05_0.9	10/11/2018	-	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-
TP06_0.1	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP06_0.3	10/11/2018	-	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-
TP07_0.1	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP07_0.4	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP07_0.6	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP08_0.4	10/11/2018	-	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-
TP09_0.3	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP10_0.1	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP11_0.2	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	<0.05	<0.05	<0.05	<0.05	<0.05	<0.1	-	-	<0.05
TP11_1.2	10/11/2018	-	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-
TP12_0.2	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	<0.05	<0.05	<0.05	<0.05	<0.05	<0.1	-	-	<0.05
TP13_0.1	17/11/2018	-	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.05	<0.05	<0.05	<0.05	<0.05	<0.1	-	-	<0.05
TP13_0.4	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP14_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP14_0.7	17/11/2018	-	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-
TP15_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP15_0.6	17/11/2018	-	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.05	<0.05	<0.05	<0.05	<0.05	<0.1	-	-	<0.05
TP16_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP16_0.8	17/11/2018	-	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-
TP17_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP17_0.5	17/11/2018	-	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-
TP18_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	<0.05	<0.05	<0.05	0.05	<0.05	<0.1	-	-	<0.05
TP18_0.4	17/11/2018	-	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-
TP19_0.1	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP19_0.3	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP20_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	<0.05	<0.05	<0.05	<0.05	<0.05	<0.1	-	-	<0.05
QA100	10/11/2018	-	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.05	<0.05	<0.05	<0.05	<0.05	<0.1	-	-	<0.05
QA200	10/11/2018	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<5	<0.5	<5	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
QA300	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA400	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Statistics																							
Number of Results	1	1	15	15	15	15	1	15	15	15	15	15	15	15	11	11	11	11	11	11	1	1	11
Minimum Concentration	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.05	<0.05	<0.05	0.05	<0.05	<0.05	<0.05	<0.05	
Maximum Concentration	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<5	<0.5	<5	0.06	<0.05	<0.05	0.64	<0.05	0.7	<0.05	<0.05	<0.05
Average Concentration *			0.25	0.25	0.25	0.25		0.25	0.25	0.4	0.25	0.4	0.25	0.4	0.028	0.025	0.025	0.083	0.025	0.11			0.025
Standard Deviation *			0	0	0	0		0	0	0.58	0	0.58	0	0.58	0.011	0	0	0.18	0	0.2			0

\* A Non Detect Multiplier of 0.5 has been applied.

EQL	Organochlorine Pesticides																							
	DDD	DDT	DDT+DDE+DDD	Dieldrin	Endosulfan	Endosulfan I	Endosulfan II	Endosulfan sulphate	Endrin	Endrin aldehyde	Endrin ketone	γ-BHC (Lindane)	Heptachlor	Heptachlor epoxide	Hexachlorobenzene	Methoxychlor	Toxaphene	Azinophos methyl	Bolstar (Sulprofos)	Bromophos-ethyl	Carbophenathion	Chlorfenvinphos	Chlorpyrifos	Chlorpyrifos-methyl
	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
NSW 2014 General Solid Waste CT1 (No Leaching)	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	1	0.05	0.2	0.05	0.05	0.05	0.05	0.05
NSW 2014 Restricted Solid Waste CT2 (No Leaching)					60	60	60	60															4	
NSW 2014 General Solid Waste SCC1 (with leached)					240	240	240	240															16	
NSW 2014 General Solid Waste SCC1 (with leached)					3 108	108	108	108															7.5	

Field ID	Date																							
ASB2	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BH02_0.5	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BH2_1.0	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BH03_0.5	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BH4_0.4	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BH05_0.2-0.5	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP01_0.2	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP01_0.9	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP02_0.1	10/11/2018	<0.05	0.06	0.12	0.64	-	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<1	<0.2	<0.2	-	-	<0.2	<0.2	<0.2
TP02_0.4	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP03_0.2	10/11/2018	<0.05	<0.05	<0.05	<0.05	-	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<1	<0.2	<0.2	-	-	<0.2	<0.2	<0.2
TP03_1.2	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP03_AS81	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP04_0.1	10/11/2018	<0.05	<0.05	<0.05	<0.05	-	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<1	<0.2	<0.2	-	-	<0.2	<0.2	<0.2
TP04_0.4	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP05_0.1	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP05_0.9	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP06_0.1	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP06_0.3	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP07_0.1	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP07_0.4	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP07_0.6	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP08_0.4	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP09_0.3	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP10_0.1	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP11_0.2	10/11/2018	<0.05	<0.05	<0.05	<0.05	-	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<1	<0.2	<0.2	-	-	<0.2	<0.2	<0.2
TP11_1.2	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP12_0.2	10/11/2018	<0.05	<0.05	<0.05	<0.05	-	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<1	<0.2	<0.2	-	-	<0.2	<0.2	<0.2
TP13_0.1	17/11/2018	<0.05	<0.05	<0.05	<0.05	-	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<1	<0.2	<0.2	-	-	<0.2	<0.2	<0.2
TP13_0.4	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP14_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP14_0.7	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP15_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP15_0.6	17/11/2018	<0.05	<0.05	<0.05	<0.05	-	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<1	<0.2	<0.2	-	-	<0.2	<0.2	<0.2
TP16_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP16_0.8	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP17_0.1	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP17_0.5	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP18_0.1	17/11/2018	<0.05	<0.05	<0.05	0.05	-	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<1	<0.2	<0.2	-	-	<0.2	<0.2	<0.2
TP18_0.4	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP19_0.1	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP19_0.3	10/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TP20_0.1	17/11/2018	<0.05	<0.05	<0.05	<0.05	-	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<1	<0.2	<0.2	-	-	<0.2	<0.2	<0.2
QA100	10/11/2018	<0.05	<0.05	<0.05	<0.05	-	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<1	<0.2	<0.2	-	-	<0.2	<0.2	<0.2
QA200	10/11/2018	<0.05	<0.2	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.2	-	<0.05	-	<0.05	<0.05	<0.05	<0.05	<0.05
QA300	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA400	17/11/2018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Statistics																								
Number of Results	11	11	11	11	1	11	11	11	11	11	11	11	11	11	11	11	10	11	10	1	1	11	11	11
Minimum Concentration	<0.05	<0.05	<0.05	0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<1	<0.05	<0.2	<0.05	<0.05	<0.05	<0.05	<0.05
Maximum Concentration	<0.05	<0.2	0.12	0.64	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.2	<1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.2	<0.2
Average Concentration *	0.025	0.035	0.034	0.083		0.025	0.025	0.025	0.025	0.025	0.025	0.025	0.025	0.025	0.025	0.032	0.5	0.093	0.1			0.093	0.093	0.093
Standard Deviation *	0	0.024	0.029	0.18		0	0	0	0	0	0	0	0	0	0	0.023	0	0.023	0			0.023	0.023	0.023

\* A Non Detect Multiplier of 0.5 has been applied.

Statistics																									
Number of Results	10	10	10	11	11	11	10	11	10	10	10	11	11	10	11	10	11	10	10	10	1	10	10	10	10
Minimum Concentration	<2	<0.2	<0.2	<0.05	<0.05	<0.05	<0.2	<0.05	<0.2	<0.2	<0.2	<0.05	<0.05	<0.2	<0.2	<0.2	<0.2	<0.2	<2	<0.2	<0.05	<0.2	<0.2	<0.2	<0.2
Maximum Concentration	<2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<2	<0.2	<2	<0.2	<0.05	<0.2	<0.2	<0.2	<0.2
Average Concentration *	1	0.1	0.1	0.093	0.093	0.093	0.1	0.093	0.1	0.1	0.1	0.093	0.093	0.1	0.1	0.1	0.92	0.1	1	0.1		0.1	0.1	0.1	0.1
Standard Deviation *	0	0	0	0.023	0.023	0.023	0	0.023	0	0	0	0.023	0.023	0	0	0	0.27	0	0	0		0	0	0	0

\* A Non Detect Multiplier of 0.5 has been applied.

Statistics																						
Number of Results	10	15	1	15	14	14	15	1	10	1	1	11	10	1	10	10	10	10	10	10	11	
Minimum Concentration	<0.2	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	<0.2	<0.05	<0.05	<0.2	<0.2	<0.05	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
Maximum Concentration	<0.2	<5	<5	<5	<0.5	<0.5	<0.5	<5	<0.2	<0.05	<0.05	<0.2	<0.2	<0.05	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
Average Concentration *	0.1	0.4		0.4	0.25	0.25	0.25		0.1			0.1	0.1		0.05	0.05	0.05	0.05	0.05	0.05	0.05	
Standard Deviation *	0	0.58		0.58	0	0	0		0			0	0		0	0	0	0	0	0	0	

\* A Non Detect Multiplier of 0.5 has been applied.



		BTEX						TRH				
		Benzene	Toluene	Ethylbenzene	Xylene (m & p)	Xylene (o)	Xylene Total	C6 - C9	C10 - C14	C15 - C28	C29-C36	+C10 - C36 (Sum of total)
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
LOR		1	1	1	2	1	2	20	50	100	50	50
ANZECC 2000 Marine Water (90%)		900										
NEPM 2013 Table 1C GILs, Marine Waters		500										
NEPM 2013 GW HSL Residential A&B, for Vapour Intrusion, Sand												
2-4m		800										
4-8m		800										
>8m		900										
ANZECC 2000 Irrigation - Long-term trigger value												
PFAS NEMP 2018 Table 5 Interim marine 90%												

Field ID	Location	Sample Date											
MW01		23/11/2018	<1	<1	<1	<2	<1	<3	<20	<50	<100	<100	<100
MW02			<1	<1	<1	<2	<1	<3	<20	<50	<100	<100	<100
MW03			<1	<1	<1	<2	<1	<3	<20	<50	<100	<100	<100
QA100	MW02		<1	<1	<1	<2	<1	<3	<20	<50	<100	<100	<100
QA200	MW02		<1	<2	<2	<2	<2	<2	<20	<50	<100	<50	<50

#### Statistical Summary

Maximum Concentration	<1	<2	<2	<2	<2	<3	<20	<50	<100	<100	<100
Average Concentration *	<1	<2	<2	<2	<2	<3	<20	<50	<100	<100	<100
Standard Deviation *	0	0	0	0	0	0	0	0	0	11	11

\* A Non Detect Multiplier of 0.5 has been applied.

		CRC Care TRH Fractions							PAH				
		C6-C10	C10-C16	C16-C34	C34-C40	C10 - C40 (Sum of total)	F1: C6-C10 less BTEX	F2: >C10-C16 less Naphthalene	Benzo(b+j)fluoranthene	Acenaphthene	Acenaphthylene	Anthracene	Benz(a)anthracene
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
LOR		20	50	100	100	100	20	50	1	1	1	1	1
ANZECC 2000 Marine Water (90%)													
NEPM 2013 Table 1C GILs, Marine Waters													
NEPM 2013 GW HSL Residential A&B, for Vapour Intrusion, Sand													
2-4m							1,000	1,000					
4-8m							1,000	1,000					
>8m							1,000	1,000					
ANZECC 2000 Irrigation - Long-term trigger value													
PFAS NEMP 2018 Table 5 Interim marine 90%													

Field ID	Location	Sample Date											
MW01		23/11/2018	<20	<50	<100	<100	<100	<20	<50	<1	<1	<1	<1
MW02			<20	<50	<100	<100	<100	<20	<50	<1	<1	<1	<1
MW03			<20	<50	<100	<100	<100	<20	<50	<1	<1	<1	<1
QA100	MW02		<20	<50	<100	<100	<100	<20	<50	<1	<1	<1	<1
QA200	MW02		<20	<100	<100	<100	<100	<20	<100	<1.0	<1.0	<1.0	<1.0

Statistical Summary

Maximum Concentration	<20	<100	<100	<100	<100	<20	<100	<1	<1	<1	<1	<1
Average Concentration *	<20	<100	<100	<100	<100	<20	<100	<1	<1	<1	<1	<1
Standard Deviation *	0	11	0	0	0	0	11	0	0	0	0	0

\* A Non Detect Multiplier of 0.5 has been applied.

PAH												
BaP TEQ (zero)	Benzo(a)pyrene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Chrysene	Dibenz(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-c,d)pyrene	Naphthalene	PAHs (Sum of total)	Phenanthrene	Pyrene
µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
LOR	0.5	0.5	1	1	1	1	1	1	1	0.5	1	1
ANZECC 2000 Marine Water (90%)									90			
NEPM 2013 Table 1C GILs, Marine Waters									50			
NEPM 2013 GW HSL Residential A&B, for Vapour Intrusion, Sand												
2-4m												
4-8m												
>8m												
ANZECC 2000 Irrigation - Long-term trigger value												
PFAS NEMP 2018 Table 5 Interim marine 90%												

Field ID	Location	Sample Date												
MW01		23/11/2018		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
MW02				<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
MW03				<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
QA100	MW02			<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
QA200	MW02		<0.5	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0

Statistical Summary

Maximum Concentration	<0.5	<1	<1	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1
Average Concentration *	<0.6	<1	<1	<1	<1	<1	<1	<1	<1	<10	<1	<1	<1	<1
Standard Deviation *		0	0	0	0	0	0	0	0	0	0	0	0	0

\* A Non Detect Multiplier of 0.5 has been applied.

		Metals							
		Arsenic (filtered)	Cadmium (filtered)	Chromium (III+VI) (filtered)	Copper (filtered)	Lead (filtered)	Mercury (filtered)	Nickel (filtered)	Zinc (filtered)
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
LOR		0.001	0.0001	0.001	0.001	0.001	0.0001	0.001	0.005
ANZECC 2000 Marine Water (90%)			0.014		0.003	0.0066	0.0007	0.2	0.023
NEPM 2013 Table 1C GILs, Marine Waters			0.0007		0.0013	0.0044	0.0001	0.007	0.015
NEPM 2013 GW HSL Residential A&B, for Vapour Intrusion, Sand									
2-4m									
4-8m									
>8m									
ANZECC 2000 Irrigation - Long-term trigger value		0.1	0.01	0.1	0.2	2	0.002	0.2	2
PFAS NEMP 2018 Table 5 Interim marine 90%									

Field ID		Location	Sample Date								
MW01		MW02	23/11/2018	<0.001	<0.0002	0.002	0.002	<0.001	<0.0001	<0.001	<0.005
MW02				<0.001	<0.0002	<0.001	<0.001	<0.001	<0.0001	0.001	<0.005
MW03				<0.001	<0.0002	0.002	0.001	<0.001	<0.0001	0.004	0.006
QA100				<0.001	<0.0002	<0.001	<0.001	<0.001	<0.0001	0.002	<0.005
QA200				<0.001	<0.0001	<0.001	0.001	<0.001	<0.0001	0.001	<0.005

Statistical Summary									
Maximum Concentration				<0.001	<0.0002	0.002	0.002	<0.001	<0.0001
Average Concentration *				<0.001	<0.0002	0.001	0.001	<0.001	<0.0001
Standard Deviation *				0	0	0.001	0.001	0	0

\* A Non Detect Multiplier of 0.5 has been applied.



		Perfluorocarbons								
		2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	Perfluorobutane sulfonic acid (PFBS)	Perfluoropentane sulfonic acid (PFPeS)	Perfluorohexane sulfonic acid (PFHxS)	Perfluoroheptane sulfonic acid (PFHpS)	Perfluorooctane sulfonic acid (PFOS)	Perfluorodecanesulfonic acid (PFDS)	Perfluorobutanoic acid (PFBA)	Perfluoropentanoic acid (PFPeA)
		mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
LOR		5E-05	0.01	0.01	0.01	0.01	0.01	0.01	0.05	0.01
ANZECC 2000 Marine Water (90%)										
NEPM 2013 Table 1C GILs, Marine Waters										
NEPM 2013 GW HSL Residential A&B, for Vapour Intrusion, Sand										
2-4m										
4-8m										
>8m										
ANZECC 2000 Irrigation - Long-term trigger value										
PFAS NEMP 2018 Table 5 Interim marine 90%							2			

Field ID		Location	Sample Date									
MW01		MW02	23/11/2018	<0.00005	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.05	<0.01
MW02				<0.00005	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05	<0.01
MW03				<0.00005	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.05	<0.01
QA100				<0.00005	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05	<0.01
QA200				<0.00005	<0.02	<0.02	<0.02	<0.02	<0.01	<0.02	<0.1	<0.02

Statistical Summary

Maximum Concentration	<5E-05	<0.02	<0.02	0.02	<0.02	<0.01	<0.02	<0.1	<0.02
Average Concentration *	<5E-06	<0.02	<0.02	0.01	<0.02	<0.01	<0.02	<0.1	<0.02
Standard Deviation *	0	0	0	0.01	0	0	0	0	0

\* A Non Detect Multiplier of 0.5 has been applied.

		Perfluorocarbons										
		Perfluorohexanoic acid (PFHxA)	Perfluoroheptanoic acid (PFHpA)	Perfluorooctanoate (PFOA)	Perfluorononanoic acid (PFNA)	Perfluorodecanoic acid (PFDA)	Perfluoroundecanoic acid (PFUnDA)	Perfluorododecanoic acid (PFDoDA)	Perfluorotridecanoic acid (PFTrDA)	Perfluorotetradecanoic acid (PFTeDA)	Perfluorooctane sulfonamide (FOSA)	N-Methyl perfluorooctane sulfonamide (MeFOSA)
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
LOR		0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.05
ANZECC 2000 Marine Water (90%)												
NEPM 2013 Table 1C GILs, Marine Waters												
NEPM 2013 GW HSL Residential A&B, for Vapour Intrusion, Sand												
2-4m												
4-8m												
>8m												
ANZECC 2000 Irrigation - Long-term trigger value												
PFAS NEMP 2018 Table 5 Interim marine 90%				632								

Field ID	Location	Sample Date											
MW01		23/11/2018	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05	<0.05
MW02			<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05	<0.05
MW03			<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05	<0.05
QA100	MW02		<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05	<0.05
QA200	MW02		<0.02	<0.02	<0.01	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.05	<0.05

Statistical Summary

Maximum Concentration	<0.02	<0.02	<0.01	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.05	<0.05	<0.05
Average Concentration *	<0.02	<0.02	<0.01	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.05	<0.05	<0.05
Standard Deviation *	0	0	0	0	0	0	0	0	0	0	0	0

\* A Non Detect Multiplier of 0.5 has been applied.

		Perfluorocarbons										
		N-Ethyl perfluorooctane sulfonamide (EtFOSA)	N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	4:2 Fluorotelomer sulfonic acid (4:2 FTS)	6:2 Fluorotelomer Sulfonate (6:2 FtS)	8:2 Fluorotelomer sulfonate (8:2 FtS)	10:2 Fluorotelomer sulfonic acid (10:2 FTS)	Sum of PFAS	Sum of PFAS (WA DER List)	Sum of PFHxS and PFOS
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
LOR		0.05	0.05	0.02	0.02	0.01	0.05	0.01	0.01	0.01	0.01	0.01
ANZECC 2000 Marine Water (90%)												
NEPM 2013 Table 1C GILs, Marine Waters												
NEPM 2013 GW HSL Residential A&B, for Vapour Intrusion, Sand												
2-4m												
4-8m												
>8m												
ANZECC 2000 Irrigation - Long-term trigger value												
PFAS NEMP 2018 Table 5 Interim marine 90%												

Field ID	Location	Sample Date											
MW01		23/11/2018	<0.05	<0.05	<0.05	<0.05	<0.01	<0.05	<0.01	<0.01	<0.1	<0.05	0.02
MW02			<0.05	<0.05	<0.05	<0.05	<0.01	<0.05	<0.01	<0.01	<0.1	<0.05	<0.01
MW03			<0.05	<0.05	<0.05	<0.05	<0.01	<0.05	<0.01	<0.01	<0.1	<0.05	0.01
QA100	MW02		<0.05	<0.05	<0.05	<0.05	<0.01	<0.05	<0.01	<0.01	<0.1	<0.05	<0.01
QA200	MW02		<0.05	<0.05	<0.02	<0.02	<0.05	<0.05	<0.05	<0.05	<0.01	<0.01	<0.01

Statistical Summary

Maximum Concentration	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.1	<0.05	0.02
Average Concentration *	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.1	<0.05	1.02
Standard Deviation *	0	0	0	0	0	0	0	0	0	0	0	0

\* A Non Detect Multiplier of 0.5 has been applied.

BTEX													
Benzene		Toluene		Ethylbenzene		Xylene (m & p)		Xylene (o)		Xylene Total			
mg/kg	µg/L	mg/kg	µg/L	mg/kg	µg/L	mg/kg	µg/L	mg/kg	µg/L	mg/kg	µg/L	mg/kg	µg/L
LOR	0.1	1	0.1	1	0.1	1	0.2	2	0.1	1	0.3	3	

Field ID	Date												
KYE_GUM	17/11/2018												
KYE_RIN			<1		<1		<1		<2		<1		<3



TRH									
	C6 - C9	C10 - C14	C15 - C28	C29-C36	+C10 - C36 (Sum of total)	TPH C10-C14 Fraction after Silica Cleanup	TPH C15-C28 Fraction after Silica Cleanup	TPH C29-C36 Fraction after Silica Cleanup	C10 - C36 Fraction (sum) (SG)
	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
LOR	20	50	100	100	100	50	100	100	100

Field ID	Date								
KYE_GUM	17/11/2018	<20	<50	<100	<100	<100	<50	<100	<100
KYE_RIN		<20	<50	<100	<100	<100			

CRC Care TRH Fractions										
	C6-C10	C10-C16	C16-C34	C34-C40	C10 - C40 (Sum of total)	F1: C6-C10 less BTEX	F2: >C10-C16 less Naphthalene	>C10 - C16 Fraction (SG)	>C16 - C34 Fraction (SG)	>C34 - C40 Fraction (SG)
	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
LOR	20	50	100	100	100	20	50	50	100	100

Field ID	Date									
KYE_GUM	17/11/2018	<20	<50	<100	<100	<100	<20	<50	<50	<100
KYE_RIN		<20	<50	<100	<100	<100	<20	<50		

[illegible]

[illegible]



Metals								
	Arsenic	Cadmium	Chromium (III+VI)	Copper	Lead	Mercury	Nickel	Zinc
	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
LOR	0.001	0.0002	0.001	0.001	0.001	0.0001	0.001	0.005

Field ID	Date								
KYE_GUM	17/11/2018								
KYE_RIN		<0.001	<0.0002	<0.001	<0.001	<0.001	<0.0001	<0.001	<0.005

			BTEX					
			Benzene	Toluene	Ethylbenzene	Xylene (m & p)	Xylene (o)	Xylene Total
			mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
LOR			0.1	0.1	0.1	0.2	0.1	0.3
Site	Field ID	Sample Date						
Kyeemagh Infant School	TB	17/11/2018	<0.1	<0.1	<0.1	<0.2	<0.1	<0.3
	TS*		83	82	82	83	84	84

\*This sample is a Trip Spike and therefore all results are reported as a percentage

	Unit	Field ID	TP12_0.2	QA100	RPD	QA200	RPD	TP16_0.1	QA300	RPD	QA400	RPD
		Date	10/11/2018	10/11/2018		10/11/2018		17/11/2018	17/11/2018		17/11/2018	
		LOR										
<b>BTEX</b>												
Benzene	mg/kg	0.1	<0.1	<0.1	0	<0.2	0	<0.1	<0.1	0	<0.2	0
Toluene	mg/kg	0.1	<0.1	<0.1	0	<0.5	0	<0.1	<0.1	0	<0.5	0
Ethylbenzene	mg/kg	0.1	<0.1	<0.1	0	<0.5	0	<0.1	<0.1	0	<0.5	0
Xylene (m & p)	mg/kg	0.2	<0.2	<0.2	0	<0.5	0	<0.2	<0.2	0	<0.5	0
Xylene (o)	mg/kg	0.1	<0.1	<0.1	0	<0.5	0	<0.1	<0.1	0	<0.5	0
Xylene Total	mg/kg	0.3	<0.3	<0.3	0	<0.5	0	<0.3	<0.3	0	<0.5	0
Total BTEX	mg/kg	0.2				<0.2					<0.2	
<b>TRH</b>												
C6 - C9	mg/kg	10	<20	<20	0	<10	0	<20	<20	0	<10	0
C10 - C14	mg/kg	20	<20	<20	0	<50	0	<20	<20	0	<50	0
C15 - C28	mg/kg	50	<50	<50	0	<100	0	<50	<50	0	<100	0
C29-C36	mg/kg	50	<50	<50	0	<100	0	<50	<50	0	<100	0
+C10 - C36 (Sum of total)	mg/kg	50	<50	<50	0	<50	0	<50	<50	0	<50	0
<b>CRC Care TRH Fractions</b>												
C6-C10	mg/kg	10	<20	<20	0	<10	0	<20	<20	0	<10	0
C10-C16	mg/kg	50	<50	<50	0	<50	0	<50	<50	0	<50	0
C16-C34	mg/kg	100	<100	<100	0	<100	0	<100	<100	0	<100	0
C34-C40	mg/kg	100	<100	<100	0	<100	0	<100	<100	0	<100	0
C10 - C40 (Sum of total)	mg/kg	50	<100	<100	0	<50	0	<100	<100	0	<50	0
F1: C6-C10 less BTEX	mg/kg	10	<20	<20	0	<10	0	<20	<20	0	<10	0
F2: >C10-C16 less Naphthalene	mg/kg	50	<50	<50	0	<50	0	<50	<50	0	<50	0
<b>PAH</b>												
Benzo(a)pyrene TEQ (half LOR)_	mg/kg	0.5	0.6	0.6	0	0.6	0	0.6	0.6	0	0.6	0
Benzo(a)pyrene TEQ (upper bound) *	mg/kg	0.5	1.2	1.2	0	1.2	0	1.2	1.2	0	1.2	0
Benzo(b+j)fluoranthene	mg/kg	0.5	<0.5	<0.5	0	<0.5	0	<0.5	<0.5	0	<0.5	0
Acenaphthene	mg/kg	0.5	<0.5	<0.5	0	<0.5	0	<0.5	<0.5	0	<0.5	0
Acenaphthylene	mg/kg	0.5	<0.5	<0.5	0	<0.5	0	<0.5	<0.5	0	<0.5	0
Anthracene	mg/kg	0.5	<0.5	<0.5	0	<0.5	0	<0.5	<0.5	0	<0.5	0
Benz(a)anthracene	mg/kg	0.5	<0.5	<0.5	0	<0.5	0	<0.5	<0.5	0	<0.5	0
BaP TEQ (zero)	mg/kg	0.5	<0.5	<0.5	0	<0.5	0	<0.5	<0.5	0	<0.5	0
Benzo(a)pyrene	mg/kg	0.5	<0.5	<0.5	0	<0.5	0	<0.5	<0.5	0	<0.5	0
Benzo(g,h,i)perylene	mg/kg	0.5	<0.5	<0.5	0	<0.5	0	<0.5	<0.5	0	<0.5	0
Benzo(k)fluoranthene	mg/kg	0.5	<0.5	<0.5	0	<0.5	0	<0.5	<0.5	0	<0.5	0
Chrysene	mg/kg	0.5	<0.5	<0.5	0	<0.5	0	<0.5	<0.5	0	<0.5	0
Dibenz(a,h)anthracene	mg/kg	0.5	<0.5	<0.5	0	<0.5	0	<0.5	<0.5	0	<0.5	0
Fluoranthene	mg/kg	0.5	<0.5	<0.5	0	<0.5	0	<0.5	<0.5	0	<0.5	0
Fluorene	mg/kg	0.5	<0.5	<0.5	0	<0.5	0	<0.5	<0.5	0	<0.5	0
Indeno(1,2,3-c,d)pyrene	mg/kg	0.5	<0.5	<0.5	0	<0.5	0	<0.5	<0.5	0	<0.5	0
Naphthalene	mg/kg	0.5	<0.5	<0.5	0	<0.5	0	<0.5	<0.5	0	<0.5	0
PAHs (Sum of total)	mg/kg	0.5	<0.5	<0.5	0	<0.5	0	<0.5	<0.5	0	<0.5	0
Phenanthrene	mg/kg	0.5	<0.5	<0.5	0	<0.5	0	<0.5	<0.5	0	<0.5	0
Pyrene	mg/kg	0.5	<0.5	<0.5	0	<0.5	0	<0.5	<0.5	0	<0.5	0

	Unit	Field ID	TP12_0.2	QA100	RPD	QA200	RPD	TP16_0.1	QA300	RPD	QA400	RPD
		Date	10/11/2018	10/11/2018		10/11/2018		17/11/2018	17/11/2018		17/11/2018	
		LOR										
<b>Metals</b>												
Arsenic	mg/kg	2	<2	<2	0	<5	0	<2	<2	0	<5	0
Cadmium	mg/kg	0.4	<0.4	<0.4	0	<1	0	<0.4	<0.4	0	<1	0
Chromium (III+VI)	mg/kg	2	<5	<5	0	<2	0	<5	<5	0	<2	0
Copper	mg/kg	5	<5	11	75	<5	0	<5	5.2	4	5	0
Iron	mg/kg	20	630									
Lead	mg/kg	5	13	14	7	8	48	17	19	11	21	21
Mercury	mg/kg	0.1	<0.1	<0.1	0	<0.1	0	<0.1	<0.1	0	<0.1	0
Nickel	mg/kg	2	<5	<5	0	<2	0	<5	<5	0	<2	0
Zinc	mg/kg	5	17	15	12	10	52	18	20	11	22	20
<b>SVOCs</b>												
EPN	mg/kg	0.2	<0.2	<0.2	0							
<b>Organochlorine Pesticides</b>												
Vic EPA IWRG 621 OCP (Total)*	MG/KG	0.1	<0.1	<0.1	0							
Vic EPA IWRG 621 Other OCP (Total)*	MG/KG	0.1	<0.1	<0.1	0							
4,4-DDE	mg/kg	0.05	<0.05	<0.05	0	<0.05	0					
a-BHC	mg/kg	0.05	<0.05	<0.05	0	<0.05	0					
Aldrin	mg/kg	0.05	<0.05	<0.05	0	<0.05	0					
Aldrin + Dieldrin	mg/kg	0.05	<0.05	<0.05	0	<0.05	0					
b-BHC	mg/kg	0.05	<0.05	<0.05	0	<0.05	0					
Chlordane	mg/kg	0.05	<0.1	<0.1	0	<0.05	0					
Chlordane (cis)	mg/kg	0.05				<0.05						
Chlordane (trans)	mg/kg	0.05				<0.05						
d-BHC	mg/kg	0.05	<0.05	<0.05	0	<0.05	0					
DDD	mg/kg	0.05	<0.05	<0.05	0	<0.05	0					
DDT	mg/kg	0.05	<0.05	<0.05	0	<0.2	0					
DDT+DDE+DDD	mg/kg	0.05	<0.05	<0.05	0	<0.05	0					
Dieldrin	mg/kg	0.05	<0.05	<0.05	0	<0.05	0					
Endosulfan	mg/kg	0.05				<0.05						
Endosulfan I	mg/kg	0.05	<0.05	<0.05	0	<0.05	0					
Endosulfan II	mg/kg	0.05	<0.05	<0.05	0	<0.05	0					
Endosulfan sulphate	mg/kg	0.05	<0.05	<0.05	0	<0.05	0					
Endrin	mg/kg	0.05	<0.05	<0.05	0	<0.05	0					
Endrin aldehyde	mg/kg	0.05	<0.05	<0.05	0	<0.05	0					
Endrin ketone	mg/kg	0.05	<0.05	<0.05	0	<0.05	0					
g-BHC (Lindane)	mg/kg	0.05	<0.05	<0.05	0	<0.05	0					
Heptachlor	mg/kg	0.05	<0.05	<0.05	0	<0.05	0					
Heptachlor epoxide	mg/kg	0.05	<0.05	<0.05	0	<0.05	0					
Hexachlorobenzene	mg/kg	0.05	<0.05	<0.05	0	<0.05	0					
Methoxychlor	mg/kg	0.05	<0.05	<0.05	0	<0.2	0					
Toxaphene	mg/kg	1	<1	<1	0							



		Field ID	TP12_0.2	QA100	QA200	TP16_0.1	QA300	QA400				
		Date	10/11/2018	10/11/2018	10/11/2018	10/11/2018	17/11/2018	17/11/2018	17/11/2018	17/11/2018	17/11/2018	17/11/2018
		Unit	LOR									
<b>Organophosphorous Pesticides</b>												
Tokuthion	mg/kg	0.2	<0.2	<0.2	0							
Azinophos methyl	mg/kg	0.05	<0.2	<0.2	0	<0.05	0					
Bolstar (Sulprofos)	mg/kg	0.2	<0.2	<0.2	0							
Bromophos-ethyl	mg/kg	0.05				<0.05						
Carbophenothion	mg/kg	0.05				<0.05						
Chlorfenvinphos	mg/kg	0.05	<0.2	<0.2	0	<0.05	0					
Chlorpyrifos	mg/kg	0.05	<0.2	<0.2	0	<0.05	0					
Chlorpyrifos-methyl	mg/kg	0.05	<0.2	<0.2	0	<0.05	0					
Coumaphos	mg/kg	2	<2	<2	0							
Demeton-O	mg/kg	0.2	<0.2	<0.2	0							
Demeton-S	mg/kg	0.2	<0.2	<0.2	0							
Diazinon	mg/kg	0.05	<0.2	<0.2	0	<0.05	0					
Dichlorvos	mg/kg	0.05	<0.2	<0.2	0	<0.05	0					
Dimethoate	mg/kg	0.05	<0.2	<0.2	0	<0.05	0					
Disulfoton	mg/kg	0.2	<0.2	<0.2	0							
Ethion	mg/kg	0.05	<0.2	<0.2	0	<0.05	0					
Ethoprop	mg/kg	0.2	<0.2	<0.2	0							
Fenitrothion	mg/kg	0.2	<0.2	<0.2	0							
Fensulfothion	mg/kg	0.2	<0.2	<0.2	0							
Fenthion	mg/kg	0.05	<0.2	<0.2	0	<0.05	0					
Malathion	mg/kg	0.05	<0.2	<0.2	0	<0.05	0					
Merphos	mg/kg	0.2	<0.2	<0.2	0							
Methyl parathion	mg/kg	0.2	<0.2	<0.2	0	<0.2	0					
Mevinphos (Phosdrin)	mg/kg	0.2	<0.2	<0.2	0							
Monocrotophos	mg/kg	0.2	<2	<2	0	<0.2	0					
Naled (Dibrom)	mg/kg	0.2	<0.2	<0.2	0							
Omethoate	mg/kg	2	<2	<2	0							
Phorate	mg/kg	0.2	<0.2	<0.2	0							
Prothiofos	mg/kg	0.05				<0.05						
Pyrazophos	mg/kg	0.2	<0.2	<0.2	0							
Ronnel	mg/kg	0.2	<0.2	<0.2	0							
Terbufos	mg/kg	0.2	<0.2	<0.2	0							
Trichloronate	mg/kg	0.2	<0.2	<0.2	0							
Tetrachlorvinphos	mg/kg	0.2	<0.2	<0.2	0							
<b>Pesticides</b>												
Demeton-S-methyl	mg/kg	0.05				<0.05						
Fenamiphos	mg/kg	0.05				<0.05						
Parathion	mg/kg	0.2	<0.2	<0.2	0	<0.2	0					
Pirimiphos-methyl	mg/kg	0.2	<0.2	<0.2	0							
Pirimiphos-ethyl	mg/kg	0.05				<0.05						
<b>Polychlorinated Biphenyls</b>												
Arochlor 1016	mg/kg	0.1	<0.1	<0.1	0							
Arochlor 1221	mg/kg	0.1	<0.1	<0.1	0							
Arochlor 1232	mg/kg	0.1	<0.1	<0.1	0							
Arochlor 1242	mg/kg	0.1	<0.1	<0.1	0							
Arochlor 1248	mg/kg	0.1	<0.1	<0.1	0							
Arochlor 1254	mg/kg	0.1	<0.1	<0.1	0							
Arochlor 1260	mg/kg	0.1	<0.1	<0.1	0							
PCBs (Sum of total)	mg/kg	0.1	<0.1	<0.1	0	<0.1	0					

Lab Report Number	629653	629653		629653	ES1835239	
Field ID	MW02	QA100	RPD	MW02	QA200	RPD
Sampled Date/Time	23/11/2018	23/11/2018		23/11/2018	23/11/2018	

Chemistry Name	Units	LOR						
<b>BTEX</b>								
Benzene	µg/l	1	<1	<1	0	<1	<1	0
Toluene	µg/l	1 : 2 (Interlab)	<1	<1	0	<1	<2	0
Ethylbenzene	µg/l	1 : 2 (Interlab)	<1	<1	0	<1	<2	0
Xylene (m & p)	µg/l	2	<2	<2	0	<2	<2	0
Xylene (o)	µg/l	1 : 2 (Interlab)	<1	<1	0	<1	<2	0
Xylene Total	µg/l	3 : 2 (Interlab)	<3	<3	0	<3	<2	0
<b>TPH</b>								
C6 - C9	µg/l	20	<20	<20	0	<20	<20	0
C10 - C14	µg/l	50	<50	<50	0	<50	<50	0
C15 - C28	µg/l	100	<100	<100	0	<100	<100	0
C29-C36	µg/l	100 : 50 (Interlab)	<100	<100	0	<100	<50	0
+C10 - C36 (Sum of total)	µg/l	100 : 50 (Interlab)	<100	<100	0	<100	<50	0
<b>CRC Care TPH Fractions</b>								
C6-C10	µg/l	20	<20	<20	0	<20	<20	0
C10-C16	µg/l	50 : 100 (Interlab)	<50	<50	0	<50	<100	0
C16-C34	µg/l	100	<100	<100	0	<100	<100	0
C34-C40	µg/l	100	<100	<100	0	<100	<100	0
C10 - C40 (Sum of total)	µg/l	100	<100	<100	0	<100	<100	0
F1: C6-C10 less BTEX	µg/l	20	<20	<20	0	<20	<20	0
F2: >C10-C16 less Naphthalene	µg/l	50 : 100 (Interlab)	<50	<50	0	<50	<100	0
<b>MAH</b>								
Total MAH	mg/l	0.003	<0.003	<0.003	0	<0.003		
1,2,4-trimethylbenzene	µg/l	1 : 5 (Interlab)	<1	<1	0	<1	<5	0
1,3,5-trimethylbenzene	µg/l	1 : 5 (Interlab)	<1	<1	0	<1	<5	0
Isopropylbenzene	µg/l	1 : 5 (Interlab)	<1	<1	0	<1	<5	0
Styrene	µg/l	1 : 5 (Interlab)	<1	<1	0	<1	<5	0
<b>PAH</b>								
Benzo(b+j)fluoranthene	µg/l	1	<1	<1	0	<1	<1	0
Acenaphthene	µg/l	1	<1	<1	0	<1	<1	0
Acenaphthylene	µg/l	1	<1	<1	0	<1	<1	0
Anthracene	µg/l	1	<1	<1	0	<1	<1	0
Benz(a)anthracene	µg/l	1	<1	<1	0	<1	<1	0
Benzo(a)pyrene	µg/l	1 : 0.5 (Interlab)	<1	<1	0	<1	<0.5	0
Benzo(g,h,i)perylene	µg/l	1	<1	<1	0	<1	<1	0
Benzo(k)fluoranthene	µg/l	1	<1	<1	0	<1	<1	0
Chrysene	µg/l	1	<1	<1	0	<1	<1	0
Dibenz(a,h)anthracene	µg/l	1	<1	<1	0	<1	<1	0
Fluoranthene	µg/l	1	<1	<1	0	<1	<1	0
Fluorene	µg/l	1	<1	<1	0	<1	<1	0
Indeno(1,2,3-c,d)pyrene	µg/l	1	<1	<1	0	<1	<1	0
Naphthalene	µg/l	10 : 5 (Interlab)	<10	<10	0	<10	<1	0
Naphthalene	µg/l	1 : 5 (Interlab)	<1	<1	0	<1	<1	0
PAHs (Sum of total)	µg/l	1 : 0.5 (Interlab)	<1	<1	0	<1	<0.5	0
Phenanthrene	µg/l	1	<1	<1	0	<1	<1	0
Pyrene	µg/l	1	<1	<1	0	<1	<1	0

Lab Report Number	629653	629653		629653	ES1835239
Field ID	MW02	QA100	RPD	MW02	QA200
Sampled Date/Time	23/11/2018	23/11/2018		23/11/2018	23/11/2018

<b>Metals</b>								
Arsenic (Filtered)	mg/l	0.001	<0.001	<0.001	0	<0.001	<0.001	0
Cadmium (Filtered)	mg/l	0.0002 : 0.0001 (Interlab)	<0.0002	<0.0002	0	<0.0002	<0.0001	0
Chromium (III+VI) (Filtered)	mg/l	0.001	<0.001	<0.001	0	<0.001	<0.001	0
Copper (Filtered)	mg/l	0.001	<0.001	<0.001	0	<0.001	0.001	0
Lead (Filtered)	mg/l	0.001	<0.001	<0.001	0	<0.001	<0.001	0
Mercury (Filtered)	mg/l	0.0001	<0.0001	<0.0001	0	<0.0001	<0.0001	0
Nickel (Filtered)	mg/l	0.001	0.001	0.002	67	0.001	0.001	0
Zinc (Filtered)	mg/l	0.005	<0.005	<0.005	0	<0.005	<0.005	0
<b>Chlorinated Hydrocarbons</b>								
Vic EPA IWRG 621 CHC (Total)*	mg/kg	0.005	<0.005	<0.005	0	<0.005		
Vic EPA IWRG 621 Other CHC (Total)*	mg/kg	0.005	<0.005	<0.005	0	<0.005		
1,1,1,2-tetrachloroethane	µg/l	1 : 5 (Interlab)	<1	<1	0	<1	<5	0
1,1,1-trichloroethane	µg/l	1 : 5 (Interlab)	<1	<1	0	<1	<5	0
1,1,2,2-tetrachloroethane	µg/l	1 : 5 (Interlab)	<1	<1	0	<1	<5	0
1,1,2-trichloroethane	µg/l	1 : 5 (Interlab)	<1	<1	0	<1	<5	0
1,1-dichloroethane	µg/l	1 : 5 (Interlab)	<1	<1	0	<1	<5	0
1,1-dichloroethene	µg/l	1 : 5 (Interlab)	<1	<1	0	<1	<5	0
1,2,3-trichloropropane	µg/l	1 : 5 (Interlab)	<1	<1	0	<1	<5	0
1,2-dichloroethane	µg/l	1 : 5 (Interlab)	<1	<1	0	<1	<5	0
1,2-dichloropropane	µg/l	1 : 5 (Interlab)	<1	<1	0	<1	<5	0
1,3-dichloropropane	µg/l	1 : 5 (Interlab)	<1	<1	0	<1	<5	0
Bromochloromethane	µg/l	1	<1	<1	0	<1		
Bromodichloromethane	µg/l	1 : 5 (Interlab)	<1	<1	0	<1	<5	0
Bromoform	µg/l	1 : 5 (Interlab)	<1	<1	0	<1	<5	0
Carbon tetrachloride	µg/l	1 : 5 (Interlab)	<1	<1	0	<1	<5	0
Chlorodibromomethane	µg/l	1 : 5 (Interlab)	<1	<1	0	<1	<5	0
Chloroethane	µg/l	1 : 50 (Interlab)	<1	<1	0	<1	<50	0
Chloroform	µg/l	5	<5	<5	0	<5	<5	0
Chloromethane	µg/l	1 : 50 (Interlab)	<1	<1	0	<1	<50	0
cis-1,2-dichloroethene	µg/l	1 : 5 (Interlab)	<1	<1	0	<1	<5	0
cis-1,3-dichloropropene	µg/l	1 : 5 (Interlab)	<1	<1	0	<1	<5	0
Dibromomethane	µg/l	1 : 5 (Interlab)	<1	<1	0	<1	<5	0
Dichloromethane	µg/l	1	<1	<1	0	<1		
Trichloroethene	µg/l	1 : 5 (Interlab)	<1	<1	0	<1	<5	0
Tetrachloroethene	µg/l	1 : 5 (Interlab)	<1	<1	0	<1	<5	0
trans-1,2-dichloroethene	µg/l	1 : 5 (Interlab)	<1	<1	0	<1	<5	0
trans-1,3-dichloropropene	µg/l	1 : 5 (Interlab)	<1	<1	0	<1	<5	0
Vinyl chloride	µg/l	1 : 50 (Interlab)	<1	<1	0	<1	<50	0
<b>Halogenated Hydrocarbons</b>								
1,2-dibromoethane	µg/l	1 : 5 (Interlab)	<1	<1	0	<1	<5	0
1,2-dichlorobenzene	µg/l	1 : 5 (Interlab)	<1	<1	0	<1	<5	0
1,3-dichlorobenzene	µg/l	1 : 5 (Interlab)	<1	<1	0	<1	<5	0
1,4-dichlorobenzene	µg/l	1 : 5 (Interlab)	<1	<1	0	<1	<5	0
4-chlorotoluene	µg/l	1 : 5 (Interlab)	<1	<1	0	<1	<5	0
Bromobenzene	µg/l	1 : 5 (Interlab)	<1	<1	0	<1	<5	0
Bromomethane	µg/l	1 : 50 (Interlab)	<1	<1	0	<1	<50	0
Chlorobenzene	µg/l	1 : 5 (Interlab)	<1	<1	0	<1	<5	0
Dichlorodifluoromethane	µg/l	1 : 50 (Interlab)	<1	<1	0	<1	<50	0
Iodomethane	µg/l	1 : 5 (Interlab)	<1	<1	0	<1	<5	0
Trichlorofluoromethane	µg/l	1 : 50 (Interlab)	<1	<1	0	<1	<50	0

Lab Report Number	629653	629653		629653	ES1835239
Field ID	MW02	QA100	RPD	MW02	QA200
Sampled Date/Time	23/11/2018	23/11/2018		23/11/2018	23/11/2018

<b>Solvents</b>								
Methyl Ethyl Ketone	µg/l	1 : 50 (Interlab)	<1	<1	0	<1	<50	0
4-Methyl-2-pentanone	µg/l	1 : 50 (Interlab)	<1	<1	0	<1	<50	0
Acetone	µg/l	1	<1	<1	0	<1		
Allyl chloride	µg/l	1	<1	<1	0	<1		
Carbon disulfide	µg/l	1 : 5 (Interlab)	<1	<1	0	<1	<5	0
<b>Perfluorocarbons</b>								
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	mg/l	5e-005	<0.00005	<0.00005	0	<0.00005	<0.00005	0
Perfluorobutane sulfonic acid (PFBS)	µg/L	0.01 : 0.02 (Interlab)	<0.01	<0.01	0	<0.01	<0.02	0
Perfluoropentane sulfonic acid (PFPeS)	µg/L	0.01 : 0.02 (Interlab)	<0.01	<0.01	0	<0.01	<0.02	0
Perfluorohexane sulfonic acid (PFHxS)	µg/L	0.01 : 0.02 (Interlab)	<0.01	<0.01	0	<0.01	<0.02	0
Perfluoroheptane sulfonic acid (PFHpS)	µg/L	0.01 : 0.02 (Interlab)	<0.01	<0.01	0	<0.01	<0.02	0
Perfluorooctane sulfonic acid (PFOS)	µg/L	0.01	<0.01	<0.01	0	<0.01	<0.01	0
Perfluorodecanesulfonic acid (PFDS)	µg/L	0.01 : 0.02 (Interlab)	<0.01	<0.01	0	<0.01	<0.02	0
Perfluorobutanoic acid (PFBA)	µg/L	0.05 : 0.1 (Interlab)	<0.05	<0.05	0	<0.05	<0.1	0
Perfluoropentanoic acid (PFPeA)	µg/L	0.01 : 0.02 (Interlab)	<0.01	<0.01	0	<0.01	<0.02	0
Perfluorohexanoic acid (PFHxA)	µg/L	0.01 : 0.02 (Interlab)	<0.01	<0.01	0	<0.01	<0.02	0
Perfluoroheptanoic acid (PFHpA)	µg/L	0.01 : 0.02 (Interlab)	<0.01	<0.01	0	<0.01	<0.02	0
Perfluorooctanoate (PFOA)	µg/L	0.01	<0.01	<0.01	0	<0.01	<0.01	0
Perfluorononanoic acid (PFNA)	µg/L	0.01 : 0.02 (Interlab)	<0.01	<0.01	0	<0.01	<0.02	0
Perfluorodecanoic acid (PFDA)	µg/L	0.01 : 0.02 (Interlab)	<0.01	<0.01	0	<0.01	<0.02	0
Perfluoroundecanoic acid (PFUnDA)	µg/L	0.01 : 0.02 (Interlab)	<0.01	<0.01	0	<0.01	<0.02	0
Perfluorododecanoic acid (PFDoDA)	µg/L	0.01 : 0.02 (Interlab)	<0.01	<0.01	0	<0.01	<0.02	0
Perfluorotridecanoic acid (PFTrDA)	µg/L	0.01 : 0.02 (Interlab)	<0.01	<0.01	0	<0.01	<0.02	0
Perfluorotetradecanoic acid (PFTeDA)	µg/L	0.01 : 0.05 (Interlab)	<0.01	<0.01	0	<0.01	<0.05	0
Perfluorooctane sulfonamide (FOSA)	µg/L	0.05 : 0.02 (Interlab)	<0.05	<0.05	0	<0.05	<0.02	0
N-Methyl perfluorooctane sulfonamide (MeFOSA)	µg/L	0.05	<0.05	<0.05	0	<0.05	<0.05	0
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	µg/L	0.05	<0.05	<0.05	0	<0.05	<0.05	0
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	µg/L	0.05	<0.05	<0.05	0	<0.05	<0.05	0
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	µg/L	0.05 : 0.02 (Interlab)	<0.05	<0.05	0	<0.05	<0.02	0
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	µg/L	0.05 : 0.02 (Interlab)	<0.05	<0.05	0	<0.05	<0.02	0
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	µg/L	0.01 : 0.05 (Interlab)	<0.01	<0.01	0	<0.01	<0.05	0
6:2 Fluorotelomer Sulfonate (6:2 FtS)	µg/L	0.05	<0.05	<0.05	0	<0.05	<0.05	0
8:2 Fluorotelomer sulfonate (8:2 FtS)	µg/L	0.01 : 0.05 (Interlab)	<0.01	<0.01	0	<0.01	<0.05	0
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	µg/L	0.01 : 0.05 (Interlab)	<0.01	<0.01	0	<0.01	<0.05	0
Sum of PFAS	µg/L	0.1 : 0.01 (Interlab)	<0.1	<0.1	0	<0.1	<0.01	0
Sum of PFAS (WA DER List)	µg/L	0.05 : 0.01 (Interlab)	<0.05	<0.05	0	<0.05	<0.01	0
Sum of PFHxS and PFOS	µg/L	0.01	<0.01	<0.01	0	<0.01	<0.01	0

RPD Duplicates Acceptance Criteria is 30%

In calculating the RPD values, the following protocols are adopted:-

Where both concentrations are above laboratory reporting limits the RPD formula is used;

Where both concentrations are below the laboratory reporting limits, no RPD is calculated; and

\*\*\*Interlab Duplicates are matched on a per compound basis as methods vary between laboratories. Any methods in the row header relate to those used in the primary laboratory



	A	B	C	D	E	F	G	H	I	J	K	L
1	UCL Statistics for Uncensored Full Data Sets											
2												
3	User Selected Options			Kyeemagh Infants School: TRH C16-C34 85% UCL Excluding Hotspots								
4	Date/Time of Computation			ProUCL 5.112/12/2018 5:18:13 PM								
5	From File			627289, 628416, ES1833866, ES1834552								
6	Full Precision			OFF								
7	Confidence Coefficient			95%								
8	Number of Bootstrap Operations			2000								
9												
10												
11	C0											
12												
13	General Statistics											
14	Total Number of Observations				31		Number of Distinct Observations				4	
15							Number of Missing Observations				0	
16	Minimum				100		Mean				114.5	
17	Maximum				350		Median				100	
18	SD				53.47		Std. Error of Mean				9.603	
19	Coefficient of Variation				0.467		Skewness				3.901	
20												
21	Normal GOF Test											
22	Shapiro Wilk Test Statistic				0.308		Shapiro Wilk GOF Test					
23	5% Shapiro Wilk Critical Value				0.929		Data Not Normal at 5% Significance Level					
24	Lilliefors Test Statistic				0.51		Lilliefors GOF Test					
25	5% Lilliefors Critical Value				0.156		Data Not Normal at 5% Significance Level					
26	Data Not Normal at 5% Significance Level											
27												
28	Assuming Normal Distribution											
29	95% Normal UCL					95% UCLs (Adjusted for Skewness)						
30	95% Student's-t UCL				130.8		95% Adjusted-CLT UCL (Chen-1995)				137.5	
31							95% Modified-t UCL (Johnson-1978)				131.9	
32												
33	Gamma GOF Test											
34	A-D Test Statistic				10.01		Anderson-Darling Gamma GOF Test					
35	5% A-D Critical Value				0.746		Data Not Gamma Distributed at 5% Significance Level					
36	K-S Test Statistic				0.519		Kolmogorov-Smirnov Gamma GOF Test					
37	5% K-S Critical Value				0.158		Data Not Gamma Distributed at 5% Significance Level					
38	Data Not Gamma Distributed at 5% Significance Level											
39												
40	Gamma Statistics											
41	k hat (MLE)				9.316		k star (bias corrected MLE)				8.436	
42	Theta hat (MLE)				12.29		Theta star (bias corrected MLE)				13.57	
43	nu hat (MLE)				577.6		nu star (bias corrected)				523	
44	MLE Mean (bias corrected)				114.5		MLE Sd (bias corrected)				39.43	
45							Approximate Chi Square Value (0.05)				471	
46	Adjusted Level of Significance				0.0413		Adjusted Chi Square Value				468.3	
47												
48	Assuming Gamma Distribution											
49	95% Approximate Gamma UCL (use when n>=50))				127.2		95% Adjusted Gamma UCL (use when n<50)				127.9	
50												



	A	B	C	D	E	F	G	H	I	J	K	L
1	UCL Statistics for Uncensored Full Data Sets											
2												
3	User Selected Options			Kyeemagh Infants School: Nickel 95% UCL Excluding Hotspots								
4	Date/Time of Computation			ProUCL 5.112/12/2018 3:11:33 PM								
5	From File			627289, 628416, ES1833866, ES1834552								
6	Full Precision			OFF								
7	Confidence Coefficient			95%								
8	Number of Bootstrap Operations			2000								
9												
10												
11	C0											
12												
13	General Statistics											
14	Total Number of Observations				30		Number of Distinct Observations				6	
15							Number of Missing Observations				0	
16	Minimum				2		Mean				6.287	
17	Maximum				17		Median				5	
18	SD				3.702		Std. Error of Mean				0.676	
19	Coefficient of Variation				0.589		Skewness				1.955	
20												
21	Normal GOF Test											
22	Shapiro Wilk Test Statistic				0.587		Shapiro Wilk GOF Test					
23	5% Shapiro Wilk Critical Value				0.927		Data Not Normal at 5% Significance Level					
24	Lilliefors Test Statistic				0.469		Lilliefors GOF Test					
25	5% Lilliefors Critical Value				0.159		Data Not Normal at 5% Significance Level					
26	Data Not Normal at 5% Significance Level											
27												
28	Assuming Normal Distribution											
29	95% Normal UCL					95% UCLs (Adjusted for Skewness)						
30	95% Student's-t UCL				7.435		95% Adjusted-CLT UCL (Chen-1995)				7.656	
31							95% Modified-t UCL (Johnson-1978)				7.475	
32												
33	Gamma GOF Test											
34	A-D Test Statistic				5.738		Anderson-Darling Gamma GOF Test					
35	5% A-D Critical Value				0.749		Data Not Gamma Distributed at 5% Significance Level					
36	K-S Test Statistic				0.447		Kolmogorov-Smirnov Gamma GOF Test					
37	5% K-S Critical Value				0.161		Data Not Gamma Distributed at 5% Significance Level					
38	Data Not Gamma Distributed at 5% Significance Level											
39												
40	Gamma Statistics											
41	k hat (MLE)				4.243		k star (bias corrected MLE)				3.841	
42	Theta hat (MLE)				1.482		Theta star (bias corrected MLE)				1.637	
43	nu hat (MLE)				254.6		nu star (bias corrected)				230.4	
44	MLE Mean (bias corrected)				6.287		MLE Sd (bias corrected)				3.208	
45						Approximate Chi Square Value (0.05)				196.3		
46	Adjusted Level of Significance				0.041		Adjusted Chi Square Value				194.5	
47												
48	Assuming Gamma Distribution											
49	95% Approximate Gamma UCL (use when n>=50))				7.38		95% Adjusted Gamma UCL (use when n<50)				7.449	
50												



	A	B	C	D	E	F	G	H	I	J	K	L
1	UCL Statistics for Uncensored Full Data Sets											
2												
3	User Selected Options			Kyeemagh Infatns School: B(a)P In Fill Material 95% UCL								
4	Date/Time of Computation			ProUCL 5.112/12/2018 3:16:45 PM								
5	From File			627289, 628416, ES1833866, ES1834552								
6	Full Precision			OFF								
7	Confidence Coefficient			95%								
8	Number of Bootstrap Operations			2000								
9												
10												
11	C0											
12												
13	General Statistics											
14	Total Number of Observations				41		Number of Distinct Observations				3	
15							Number of Missing Observations				0	
16	Minimum				0.5		Mean				0.515	
17	Maximum				0.9		Median				0.5	
18	SD				0.0691		Std. Error of Mean				0.0108	
19	Coefficient of Variation				0.134		Skewness				5.047	
20												
21	Normal GOF Test											
22	Shapiro Wilk Test Statistic				0.235		Shapiro Wilk GOF Test					
23	5% Shapiro Wilk Critical Value				0.941		Data Not Normal at 5% Significance Level					
24	Lilliefors Test Statistic				0.535		Lilliefors GOF Test					
25	5% Lilliefors Critical Value				0.137		Data Not Normal at 5% Significance Level					
26	Data Not Normal at 5% Significance Level											
27												
28	Assuming Normal Distribution											
29	95% Normal UCL					95% UCLs (Adjusted for Skewness)						
30	95% Student's-t UCL				0.533		95% Adjusted-CLT UCL (Chen-1995)				0.541	
31							95% Modified-t UCL (Johnson-1978)				0.534	
32												
33	Gamma GOF Test											
34	A-D Test Statistic				14.49		Anderson-Darling Gamma GOF Test					
35	5% A-D Critical Value				0.747		Data Not Gamma Distributed at 5% Significance Level					
36	K-S Test Statistic				0.538		Kolmogorov-Smirnov Gamma GOF Test					
37	5% K-S Critical Value				0.137		Data Not Gamma Distributed at 5% Significance Level					
38	Data Not Gamma Distributed at 5% Significance Level											
39												
40	Gamma Statistics											
41	k hat (MLE)				79.47		k star (bias corrected MLE)				73.67	
42	Theta hat (MLE)				0.00648		Theta star (bias corrected MLE)				0.00699	
43	nu hat (MLE)				6516		nu star (bias corrected)				6041	
44	MLE Mean (bias corrected)				0.515		MLE Sd (bias corrected)				0.06	
45						Approximate Chi Square Value (0.05)				5861		
46	Adjusted Level of Significance				0.0441		Adjusted Chi Square Value				5855	
47												
48	Assuming Gamma Distribution											
49	95% Approximate Gamma UCL (use when n>=50))				0.53		95% Adjusted Gamma UCL (use when n<50)				0.531	
50												



	A	B	C	D	E	F	G	H	I	J	K	L
51	Lognormal GOF Test											
52	Shapiro Wilk Test Statistic					0.238	Shapiro Wilk Lognormal GOF Test					
53	5% Shapiro Wilk Critical Value					0.941	Data Not Lognormal at 5% Significance Level					
54	Lilliefors Test Statistic					0.537	Lilliefors Lognormal GOF Test					
55	5% Lilliefors Critical Value					0.137	Data Not Lognormal at 5% Significance Level					
56	Data Not Lognormal at 5% Significance Level											
57												
58	Lognormal Statistics											
59	Minimum of Logged Data					-0.693	Mean of logged Data					-0.671
60	Maximum of Logged Data					-0.105	SD of logged Data					0.105
61												
62	Assuming Lognormal Distribution											
63	95% H-UCL					0.529	90% Chebyshev (MVUE) UCL					0.539
64	95% Chebyshev (MVUE) UCL					0.551	97.5% Chebyshev (MVUE) UCL					0.567
65	99% Chebyshev (MVUE) UCL					0.598						
66												
67	Nonparametric Distribution Free UCL Statistics											
68	Data do not follow a Discernible Distribution (0.05)											
69												
70	Nonparametric Distribution Free UCLs											
71	95% CLT UCL					0.532	95% Jackknife UCL					0.533
72	95% Standard Bootstrap UCL					N/A	95% Bootstrap-t UCL					N/A
73	95% Hall's Bootstrap UCL					N/A	95% Percentile Bootstrap UCL					N/A
74	95% BCA Bootstrap UCL					N/A						
75	90% Chebyshev(Mean, Sd) UCL					0.547	95% Chebyshev(Mean, Sd) UCL					0.562
76	97.5% Chebyshev(Mean, Sd) UCL					0.582	99% Chebyshev(Mean, Sd) UCL					0.622
77												
78	Suggested UCL to Use											
79	95% Student's-t UCL					0.533	or 95% Modified-t UCL					0.534
80												
81	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
82	Recommendations are based upon data size, data distribution, and skewness.											
83	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
84	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
85												

	A	B	C	D	E	F	G	H	I	J	K	L
1	UCL Statistics for Uncensored Full Data Sets											
2												
3	User Selected Options			Kyeemagh Infants School: Chromium 95% UCL								
4	Date/Time of Computation			ProUCL 5.17/12/2018 11:50:02 AM								
5	From File			627289, 628416, ES1833866, ES1834552								
6	Full Precision			OFF								
7	Confidence Coefficient			95%								
8	Number of Bootstrap Operations			2000								
9												
10												
11	C0											
12												
13	General Statistics											
14	Total Number of Observations				41	Number of Distinct Observations				10		
15						Number of Missing Observations				0		
16	Minimum				2	Mean				9.329		
17	Maximum				130	Median				5		
18	SD				19.92	Std. Error of Mean				3.112		
19	Coefficient of Variation				2.136	Skewness				5.869		
20												
21	Normal GOF Test											
22	Shapiro Wilk Test Statistic				0.267	Shapiro Wilk GOF Test						
23	5% Shapiro Wilk Critical Value				0.941	Data Not Normal at 5% Significance Level						
24	Lilliefors Test Statistic				0.412	Lilliefors GOF Test						
25	5% Lilliefors Critical Value				0.137	Data Not Normal at 5% Significance Level						
26	Data Not Normal at 5% Significance Level											
27												
28	Assuming Normal Distribution											
29	95% Normal UCL					95% UCLs (Adjusted for Skewness)						
30	95% Student's-t UCL				14.57	95% Adjusted-CLT UCL (Chen-1995)				17.49		
31						95% Modified-t UCL (Johnson-1978)				15.04		
32												
33	Gamma GOF Test											
34	A-D Test Statistic				9.792	Anderson-Darling Gamma GOF Test						
35	5% A-D Critical Value				0.772	Data Not Gamma Distributed at 5% Significance Level						
36	K-S Test Statistic				0.434	Kolmogorov-Smirnov Gamma GOF Test						
37	5% K-S Critical Value				0.141	Data Not Gamma Distributed at 5% Significance Level						
38	Data Not Gamma Distributed at 5% Significance Level											
39												
40	Gamma Statistics											
41	k hat (MLE)				1.249	k star (bias corrected MLE)				1.174		
42	Theta hat (MLE)				7.469	Theta star (bias corrected MLE)				7.947		
43	nu hat (MLE)				102.4	nu star (bias corrected)				96.26		
44	MLE Mean (bias corrected)				9.329	MLE Sd (bias corrected)				8.611		
45						Approximate Chi Square Value (0.05)				74.63		
46	Adjusted Level of Significance				0.0441	Adjusted Chi Square Value				73.93		
47												
48	Assuming Gamma Distribution											
49	95% Approximate Gamma UCL (use when n>=50))				12.03	95% Adjusted Gamma UCL (use when n<50)				12.15		
50												



	A	B	C	D	E	F	G	H	I	J	K	L
1	UCL Statistics for Uncensored Full Data Sets											
2												
3	User Selected Options			Kyeemagh Infants School: Fill material nickel 95% UCL								
4	Date/Time of Computation			ProUCL 5.112/12/2018 3:01:43 PM								
5	From File			627289, 628416, ES1833866, ES1834552								
6	Full Precision			OFF								
7	Confidence Coefficient			95%								
8	Number of Bootstrap Operations			2000								
9												
10												
11	C0											
12												
13	General Statistics											
14	Total Number of Observations				30		Number of Distinct Observations				8	
15							Number of Missing Observations				0	
16	Minimum				2		Mean				11.29	
17	Maximum				130		Median				5	
18	SD				23.13		Std. Error of Mean				4.222	
19	Coefficient of Variation				2.049		Skewness				4.997	
20												
21	Normal GOF Test											
22	Shapiro Wilk Test Statistic				0.331		Shapiro Wilk GOF Test					
23	5% Shapiro Wilk Critical Value				0.927		Data Not Normal at 5% Significance Level					
24	Lilliefors Test Statistic				0.374		Lilliefors GOF Test					
25	5% Lilliefors Critical Value				0.159		Data Not Normal at 5% Significance Level					
26	Data Not Normal at 5% Significance Level											
27												
28	Assuming Normal Distribution											
29	95% Normal UCL					95% UCLs (Adjusted for Skewness)						
30	95% Student's-t UCL				18.46		95% Adjusted-CLT UCL (Chen-1995)				22.35	
31							95% Modified-t UCL (Johnson-1978)				19.1	
32												
33	Gamma GOF Test											
34	A-D Test Statistic				5.446		Anderson-Darling Gamma GOF Test					
35	5% A-D Critical Value				0.774		Data Not Gamma Distributed at 5% Significance Level					
36	K-S Test Statistic				0.421		Kolmogorov-Smirnov Gamma GOF Test					
37	5% K-S Critical Value				0.165		Data Not Gamma Distributed at 5% Significance Level					
38	Data Not Gamma Distributed at 5% Significance Level											
39												
40	Gamma Statistics											
41	k hat (MLE)				1.063		k star (bias corrected MLE)				0.979	
42	Theta hat (MLE)				10.62		Theta star (bias corrected MLE)				11.53	
43	nu hat (MLE)				63.77		nu star (bias corrected)				58.72	
44	MLE Mean (bias corrected)				11.29		MLE Sd (bias corrected)				11.41	
45						Approximate Chi Square Value (0.05)				42.11		
46	Adjusted Level of Significance				0.041		Adjusted Chi Square Value				41.29	
47												
48	Assuming Gamma Distribution											
49	95% Approximate Gamma UCL (use when n>=50))				15.74		95% Adjusted Gamma UCL (use when n<50)				16.05	
50												










APPENDIX

E

BOREHOLE LOGS




<b>Client:</b> DWP Australia		<b>Hole No: BH01</b>	
<b>Project:</b> Detailed Site Investigation and Geotechnical Investigation			
<b>Location:</b> Kyeemagh Infants School, Kyeemagh, NSW		<b>Job No:</b> 5017190157	<b>Sheet:</b> 1 of 2
<b>Position:</b> E330215.509 N6241986.553 56 MGA94		<b>Angle from Horizontal:</b> 90°	<b>Surface Elevation:</b> 3.480 m AHD
<b>Rig Type:</b> Ute Mounted Drill Rig		<b>Mounting:</b> Light Vehicle	<b>Driller:</b> TR
<b>Casing Diameter:</b>		<b>Contractor:</b> Stratacore	
<b>Data Started:</b> 10/11/18		<b>Date Completed:</b> 10/11/18	<b>Logged By:</b> DD
		<b>Checked By:</b> JB	




Drilling			Water	Sampling & Testing		RL (m AHD)	Depth (m)	Material Description				STRUCTURE & Other Observations
Method	Resistance	Casing		Sample or Field Test	Graphic Log			Classification	SOIL TYPE, plasticity or particle characteristic, colour, secondary and minor components ROCK TYPE, grain size and type, colour, fabric & texture, strength, weathering, defects and structure	Moisture Condition	Consistency Relative Density	
AD/T	F-H		10/11/18	SPT 1.00 - 1.45 m 4, 4, 6 N=10		SP	0.10m 0.30m	Silty SAND: fine grained, grey, with organics FILL: Gravelly SAND: fine grained, grey, fine to medium grained gravel Silty SAND: fine grained, grey yellow	D		TOPSOIL	
											FILL	
											MARINE	
WB			10/11/18	SPT 2.50 - 2.95 m 5, 9, 15 N=24		SP	2.20m	Silty SAND: fine to medium grained, white yellow	M			
			10/11/18	ES 4.00 - 4.45 m BH01 4.00-4.45 ASS SPT 4.00 - 4.45 m 8, 16, 26 N=42		SP	5.50m	SAND: fine to medium grained, pale grey, trace fine grained rounded gravel	W	D		
			10/11/18	5.50 - 5.95 m BH01 5.50-5.95 ASS SPT 5.50 - 5.95 m 17, 19, 19 N=38		SP	7.38m	Silty CLAY: medium plasticity, black, trace fine grained gravel, trace of shells		F to St	7.40 m: HP = 100 Kpa	
			10/11/18	7.00 - 7.45 m BH01 7.00-7.45 ASS SPT 7.00 - 7.45 m 5, 5, 3 N=8		CL-Cl	8.30m	Sandy CLAY: low to medium plasticity, black, fine grained sand, with shell fragments		VS to S		
			10/11/18	8.50 - 8.95 m BH01 8.50-8.95 ASS SPT 8.50 - 8.95 m 0, 0, 0 N=0		CL-Cl	10.00m					

<b>METHOD</b> EX Excavator bucket R Ripper HA Hand auger PT Push tube SON Sonic drilling AH Air hammer PS Percussion sampler AS Short spiral auger AD/V Solid flight auger: V-Bit AD/T Solid flight auger: TC-Bit HFA Hollow flight auger WB Washbore drilling RR Rock roller	<b>PENETRATION</b> VE Very Easy (No Resistance) E Easy F Firm H Hard VH Very Hard (Refusal)  <b>WATER</b> Water Level on Date shown water inflow water outflow	<b>FIELD TESTS</b> SPT - Standard Penetration Test HP - Hand/Pocket Penetrometer DCP - Dynamic Cone Penetrometer PSP - Perth Sand Penetrometer MC - Moisture Content PBT - Plate Bearing Test IMP - Borehole Impression Test PID - Photoionisation Detector VS - Vane Shear; P=Peak, R=Residual (uncorrected kPa)	<b>SAMPLES</b> B - Bulk disturbed sample D - Disturbed sample ES - Environmental sample U - Thin wall tube 'undisturbed'  <b>MOISTURE</b> D - Dry M - Moist W - Wet PL - Plastic limit LL - Liquid limit w - Moisture content	<b>SOIL CONSISTENCY</b> VS - Very Soft S - Soft F - Firm St - Stiff VSt - Very Stiff H - Hard  <b>RELATIVE DENSITY</b> VL - Very Loose L - Loose MD - Medium Dense D - Dense VD - Very Dense
--	--	--	---	---

Refer to explanatory notes for details of abbreviations and basis of descriptions

<b>Client:</b> DWP Australia		<b>Hole No: BH01</b>	
<b>Project:</b> Detailed Site Investigation and Geotechnical Investigation			
<b>Location:</b> Kyeemagh Infants School, Kyeemagh, NSW		<b>Job No:</b> 5017190157	<b>Sheet:</b> 2 of 2
<b>Position:</b> E330215.509 N6241986.553 56 MGA94		<b>Angle from Horizontal:</b> 90°	<b>Surface Elevation:</b> 3.480 m AHD
<b>Rig Type:</b> Ute Mounted Drill Rig		<b>Mounting:</b> Light Vehicle	<b>Driller:</b> TR
<b>Casing Diameter:</b>		<b>Contractor:</b> Stratacore	
<b>Data Started:</b> 10/11/18		<b>Date Completed:</b> 10/11/18	<b>Logged By:</b> DD
		<b>Checked By:</b> JB	

Drilling			Water	Sampling & Testing	RL (m AHD)	Depth (m)	Material Description							
Method	Resistance	Casing		Sample or Field Test			Graphic Log	Classification	SOIL TYPE, plasticity or particle characteristic, colour, secondary and minor components ROCK TYPE, grain size and type, colour, fabric & texture, strength, weathering, defects and structure	Moisture Condition	Consistency Relative Density	STRUCTURE & Other Observations		
WB	F-H			10.00 - 10.45 m BH01 10.00-10.45 ASS SPT 10.00 - 10.45 m 1, 0, 1 N=1	-7		CL-CI	Clayey CLAY: fine to medium, black, low plasticity clay	W		VL	MARINE		
				SPT 11.50 - 11.95 m 4, 5, 7 N=12	-8			11.50m			SAND: medium grained, yellow grey		MD	
				SPT 13.00 - 13.45 m 4, 7, 14 N=21	-10		SP	13.00m			Clayey SAND: fine grained, grey, low plasticity clay		D to VD	WEATHERED ROCK
				SPT 14.50 - 14.80 m 26, 30 N=R	-11			14.60m			SAND: fine to medium grained, grey yellow			
				SPT 16.00 - 16.45 m 0, 8, 30 N=38	-13		SP	16.45m			TERMINATED AT 16.45 m Target depth			
					-14									
					-15									
					-16									
					-17									
					-18									
					-19									
					-20									
					-21									
					-22									
					-23									
					-24									
					-25									
					-26									
					-27									
					-28									
					-29									
					-30									
					-31									
					-32									
					-33									
					-34									
					-35									
					-36									
					-37									
					-38									
					-39									
					-40									
					-41									
					-42									
					-43									
					-44									
					-45									
					-46									
					-47									
					-48									
					-49									
					-50									
					-51									
					-52									
					-53									
					-54									
					-55									
					-56									
					-57									
					-58									
					-59									
					-60									
					-61									
					-62									
					-63									
					-64									
					-65									
					-66									
					-67									
					-68									
					-69									
					-70									
					-71									
					-72									
					-73									
					-74									
					-75									
					-76									
					-77									
					-78									
					-79									
					-80									
					-81									
					-82									
					-83									
					-84									
					-85									
					-86									
					-87									
					-88									
					-89									
					-90									
					-91									
					-92									
					-93									
					-94									
					-95									
					-96									
					-97									
					-98									
					-99									
					-100									

<b>METHOD</b> EX Excavator bucket R Ripper HA Hand auger PT Push tube SON Sonic drilling AH Air hammer PS Percussion sampler AS Short spiral auger AD/V Solid flight auger: V-Bit AD/T Solid flight auger: TC-Bit HFA Hollow flight auger WB Washbore drilling RR Rock roller	<b>PENETRATION</b> VE Very Easy (No Resistance) E Easy F Firm H Hard VH Very Hard (Refusal)  <b>WATER</b>  Water Level on Date shown  water inflow  water outflow	<b>FIELD TESTS</b> SPT - Standard Penetration Test HP - Hand/Pocket Penetrometer DCP - Dynamic Cone Penetrometer PSP - Perth Sand Penetrometer MC - Moisture Content PBT - Plate Bearing Test IMP - Borehole Impression Test PID - Photoionisation Detector VS - Vane Shear; P=Peak, R=Residual (uncorrected kPa)	<b>SAMPLES</b> B - Bulk disturbed sample D - Disturbed sample ES - Environmental sample U - Thin wall tube 'undisturbed'  <b>MOISTURE</b> D - Dry M - Moist W - Wet PL - Plastic limit LL - Liquid limit w - Moisture content	<b>SOIL CONSISTENCY</b> VS - Very Soft S - Soft F - Firm St - Stiff VSt - Very Stiff H - Hard  <b>RELATIVE DENSITY</b> VL - Very Loose L - Loose MD - Medium Dense D - Dense VD - Very Dense
--	--	--	---	---

Refer to explanatory notes for details of abbreviations and basis of descriptions

Client: DWP Australia  
Project: Detailed Site Investigation and Geotechnical Investigation  
Location: Kyeemagh Infants School, Kyeemagh, NSW Job N

Hole No: BH02

**Job No: 5017190157**

Sheet: 1 of 2

Position: E330177.733 N6242026.438 56 MGA94

**Angle from Horizontal:  $90^\circ$**

**Surface Elevation: 4.600 m AHD**

Rig Type: Ute Mounted Drill Rig

**Mounting: Light Vehicle**

**Driller: TR**

**Casing Diameter:**

**Contractor: Stratacore**

Data Started: 17/11/18

Date Completed: 17/11/18

Logged By: DD

**Checked By: JB**

Drilling			Water	Sampling & Testing		RL (m AHD)	Depth (m)	Material Description				
Method	Resistance	Casing		Sample or Field Test	Graphic Log			Classification	SOIL TYPE, plasticity or particle characteristic, colour, secondary and minor components ROCK TYPE, grain size and type, colour, fabric & texture, strength, weathering, defects and structure	Moisture Condition	Consistency Relative Density	STRUCTURE & Other Observations
<div><div></div><div>AD/T</div><div></div><div></div><div></div><div>WB</div></div>	E		<div><div></div><div>07/11/18</div><div></div></div>	SPT 1.00 - 1.45 m 3, 4, 5 N=9			0-1.0m Silty SAND: fine to medium grained, black brown, with organics FILL: Gravelly SAND: fine grained, grey brown, fine to medium grained gravel turning orange brown in colour	M		TOPSOIL FILL		
				D 1.50 - 2.00 m			1.00m Silty SAND: fine grained, pale brown			MARINE		
				SPT 2.50 - 2.95 m 2, 3, 2 N=5		SP	D to M  L to MD					
SPT 4.00 - 4.45 m 2, 4, 8 N=12		SP	SAND: fine to medium grained, yellow white  trace of shell fragments	W	D							
SPT 5.50 - 5.95 m 10, 18, 30 N=48		SP	potential ass odour	W	D							
SPT 7.00 - 7.45 m 21, 4, 4 N=8		SP		W	D							
SPT 8.50 - 8.95 m 0, 0, 0 N=0		CL	Sandy CLAY: low plasticity, black brown, fine grained sand		VS to S							




<b>METHOD</b> EX Excavator bucket R Ripper HA Hand auger PT Push tube SON Sonic drilling AH Air hammer PS Percussion sampler AS Short spiral auger AD/V Solid flight auger: V-Bit AD/T Solid flight auger: TC-Bit HFA Hollow flight auger WB Washbore drilling RR Rock roller	<b>PENETRATION</b> VE Very Easy (No Resistance) E Easy F Firm H Hard VH Very Hard (Refusal)  <b>WATER</b> Water Level on Date shown water inflow water outflow	<b>FIELD TESTS</b> SPT - Standard Penetration Test HP - Hand/Pocket Penetrometer DCP - Dynamic Cone Penetrometer PSP - Perth Sand Penetrometer MC - Moisture Content PBT - Plate Bearing Test IMP - Borehole Impression Test PID - Photoionisation Detector VS - Vane Shear; P=Peak, R=Residual (uncorrected kPa)	<b>SAMPLES</b> B - Bulk disturbed sample D - Disturbed sample ES - Environmental sample U - Thin wall tube 'undisturbed'  <b>MOISTURE</b> D - Dry M - Moist W - Wet PL - Plastic limit LL - Liquid limit w - Moisture content	<b>SOIL CONSISTENCY</b> VS - Very Soft S - Soft F - Firm St - Stiff VSt - Very Stiff H - Hard  <b>RELATIVE DENSITY</b> VL - Very Loose L - Loose MD - Medium Dense D - Dense VD - Very Dense
--	--	--	---	---

Refer to explanatory notes for details of abbreviations and basis of descriptions

CARDNO (NSW/ACT) PTY LTD

<b>Client:</b> DWP Australia		<b>Hole No: BH02</b>	
<b>Project:</b> Detailed Site Investigation and Geotechnical Investigation			
<b>Location:</b> Kyeemagh Infants School, Kyeemagh, NSW		<b>Job No:</b> 5017190157	<b>Sheet:</b> 2 of 2
<b>Position:</b> E330177.733 N6242026.438 56 MGA94		<b>Angle from Horizontal:</b> 90°	<b>Surface Elevation:</b> 4.600 m AHD
<b>Rig Type:</b> Ute Mounted Drill Rig		<b>Mounting:</b> Light Vehicle	<b>Driller:</b> TR
<b>Casing Diameter:</b>		<b>Contractor:</b> Stratacore	
<b>Data Started:</b> 17/11/18		<b>Date Completed:</b> 17/11/18	<b>Logged By:</b> DD
		<b>Checked By:</b> JB	

Drilling			Water	Sampling & Testing	RL (m AHD)	Depth (m)	Material Description					
Method	Resistance	Casing		Sample or Field Test			Graphic Log	Classification	SOIL TYPE, plasticity or particle characteristic, colour, secondary and minor components ROCK TYPE, grain size and type, colour, fabric & texture, strength, weathering, defects and structure	Moisture Condition	Consistency Relative Density	STRUCTURE & Other Observations
WB <div></div>	E			SPT 10.00 - 10.45 m 0, 0, 0 N=0	<div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div>&lt;</div>							

<b>METHOD</b> EX Excavator bucket R Ripper HA Hand auger PT Push tube SON Sonic drilling AH Air hammer PS Percussion sampler AS Short spiral auger AD/V Solid flight auger: V-Bit AD/T Solid flight auger: TC-Bit HFA Hollow flight auger WB Washbore drilling RR Rock roller	<b>PENETRATION</b> VE Very Easy (No Resistance) E Easy F Firm H Hard VH Very Hard (Refusal)  <b>WATER</b>  Water Level on Date shown  water inflow  water outflow	<b>FIELD TESTS</b> SPT - Standard Penetration Test HP - Hand/Pocket Penetrometer DCP - Dynamic Cone Penetrometer PSP - Perth Sand Penetrometer MC - Moisture Content PBT - Plate Bearing Test IMP - Borehole Impression Test PID - Photoionisation Detector VS - Vane Shear; P=Peak, R=Residual (uncorrected kPa)	<b>SAMPLES</b> B - Bulk disturbed sample D - Disturbed sample ES - Environmental sample U - Thin wall tube 'undisturbed'  <b>MOISTURE</b> D - Dry M - Moist W - Wet PL - Plastic limit LL - Liquid limit w - Moisture content	<b>SOIL CONSISTENCY</b> VS - Very Soft S - Soft F - Firm St - Stiff VSt - Very Stiff H - Hard  <b>RELATIVE DENSITY</b> VL - Very Loose L - Loose MD - Medium Dense D - Dense VD - Very Dense
--	--	--	---	---

Refer to explanatory notes for details of abbreviations and basis of descriptions



Client: DWP Australia  
Project: Detailed Site Investigation and Geotechnical Investigation  
Location: Kyeemagh Infants School, Kyeemagh, NSW Job N

Hole No: BH03

**Job No: 5017190157**

Sheet: 1 of 2

**Position: E330229.353 N6241972.538 56 MGA94**

**Angle from Horizontal: 90°**

**Surface Elevation: 3.830 m AHD**

Rig Type: Ute Mounted Drill Rig

**Mounting: Light Vehicle**

**Driller: TR**

**Casing Diameter:**



**Contractor: Stratacore**




Data Started: 17/11/18

Date Completed: 17/11/18

**Logged By: DD**

**Checked By: JB**

Drilling			Water	Sampling & Testing		RL (m AHD)	Depth (m)	Material Description			
Method	Resistance	Casing		Sample or Field Test	Graphic Log			Classification	SOIL TYPE, plasticity or particle characteristic, colour, secondary and minor components ROCK TYPE, grain size and type, colour, fabric & texture, strength, weathering, defects and structure	Moisture Condition	Consistency Relative Density
AD/T	E-F		07/11/18	D 0.20 - 0.50 m		SP	0.10m	SAND: fine to medium grained, dark brown, with organics	D to M	MD	TOPSOIL MARINE
				SPT 1.00 - 1.45 m 1, 3, 3 N=6				SAND: fine to medium grained, pale brown			
				B 2.00 - 2.50 m			1.50m	SAND: fine to medium grained, yellow brown			
				SPT 2.50 - 2.95 m 2, 7, 10 N=17							
				SPT 4.00 - 4.45 m 6, 20, 22 N=42			4.00m	SAND: fine to medium grained, white yellow			
				SPT 5.50 - 5.95 m 3, 12, 27 N=39				medium grained sand			
				SPT 7.00 - 7.45 m 7, 7, 6 N=13				turning grey in colour			
WB				SPT 8.50 - 8.95 m 0, 0, 1 N=1		CL	8.20m	Sandy CLAY: low plasticity, grey, fine to medium grained sand	W	VS	




METHOD		PENETRATION		FIELD TESTS		SAMPLES		SOIL CONSISTENCY	
EX	Excavator bucket	VE	Very Easy (No Resistance)	SPT	- Standard Penetration Test	B	- Bulk disturbed sample	VS	- Very Soft
R	Ripper	E	Easy	HP	- Hand/Pocket Penetrometer	D	- Disturbed sample	S	- Soft
HA	Hand auger	F	Firm	DCP	- Dynamic Cone Penetrometer	ES	- Environmental sample	F	- Firm
PT	Push tube	H	Hard	PSP	- Perth Sand Penetrometer	U	- Thin wall tube 'undisturbed'	St	- Stiff
SON	Sonic drilling	VH	Very Hard (Refusal)	MC	- Moisture Content	<b>MOISTURE</b>		VS <sub>t</sub>	- Very Stiff
AH	Air hammer	<b>WATER</b>		PBT	- Plate Bearing Test	D	- Dry	H	- Hard
PS	Percussion sampler	 Water Level on Date shown		IMP	- Borehole Impression Test	M	- Moist	<b>RELATIVE DENSITY</b>	
AS	Short spiral auger	 water inflow		PID	- Photolonisation Detector	W	- Wet	VL	- Very Loose
AD/N	Solid flight auger: V-Bit	 water outflow		VS	- Vane Shear; P=Peak, R=Residual (uncorrected kPa)	PL	- Plastic limit	L	- Loose
AD/T	Solid flight auger: TC-Bit					LL	- Liquid limit	MD	- Medium Dense
HFA	Hollow flight auger					w	- Moisture content	D	- Dense
WB	Washbore drilling							VD	- Very Dense
RR	Rock roller								

Refer to explanatory notes for details of abbreviations and basis of descriptions.

CARDNO (NSW/ACT) PTY LTD


<b>Client:</b> DWP Australia		<b>Hole No: BH03</b>	
<b>Project:</b> Detailed Site Investigation and Geotechnical Investigation			
<b>Location:</b> Kyeemagh Infants School, Kyeemagh, NSW		<b>Job No:</b> 5017190157	<b>Sheet:</b> 2 of 2
<b>Position:</b> E330229.353 N6241972.538 56 MGA94		<b>Angle from Horizontal:</b> 90°	<b>Surface Elevation:</b> 3.830 m AHD
<b>Rig Type:</b> Ute Mounted Drill Rig		<b>Mounting:</b> Light Vehicle	<b>Driller:</b> TR
<b>Casing Diameter:</b>		<b>Contractor:</b> Stratacore	
<b>Data Started:</b> 17/11/18		<b>Date Completed:</b> 17/11/18	<b>Logged By:</b> DD
		<b>Checked By:</b> JB	




Drilling			Water	Sampling & Testing	RL (m AHD)	Depth (m)	Material Description					
Method	Resistance	Casing		Sample or Field Test			Graphic Log	Classification	SOIL TYPE, plasticity or particle characteristic, colour, secondary and minor components ROCK TYPE, grain size and type, colour, fabric & texture, strength, weathering, defects and structure	Moisture Condition	Consistency Relative Density	STRUCTURE & Other Observations
<div>WB</div> <div>↓</div>	E-F			SPT 10.00 - 10.45 m 0, 1, 0 N=1	<div><div></div><div>-7</div><div>11</div><div></div><div>-8</div><div>12</div><div></div><div>-9</div><div>13</div><div></div><div>-10</div><div>14</div><div></div><div>-11</div><div>15</div><div></div><div>-12</div><div>16</div><div></div><div>-13</div><div>17</div><div></div><div>-14</div><div>18</div><div></div><div>-15</div><div>19</div><div></div><div>-16</div></div>	<div><div></div><div>CL</div><div></div><div>SP</div><div></div></div>	<div><div>Sandy CLAY: low plasticity, grey, fine to medium grained sand (<i>continued</i>)</div><div>11.20m</div><div>SAND: fine to medium grained, brown</div><div>13.45m</div><div>TERMINATED AT 13.45 m Target depth</div></div>	W	VS	MARINE		
				SPT 11.50 - 11.95 m 12, 20, 18 N=38					MD to D			
				SPT 13.00 - 13.45 m 12, 5, 8 N=13								

<b>METHOD</b> EX Excavator bucket R Ripper HA Hand auger PT Push tube SON Sonic drilling AH Air hammer PS Percussion sampler AS Short spiral auger AD/V Solid flight auger: V-Bit AD/T Solid flight auger: TC-Bit HFA Hollow flight auger WB Washbore drilling RR Rock roller	<b>PENETRATION</b> VE Very Easy (No Resistance) E Easy F Firm H Hard VH Very Hard (Refusal)  <b>WATER</b>  Water Level on Date shown  water inflow  water outflow	<b>FIELD TESTS</b> SPT - Standard Penetration Test HP - Hand/Pocket Penetrometer DCP - Dynamic Cone Penetrometer PSP - Perth Sand Penetrometer MC - Moisture Content PBT - Plate Bearing Test IMP - Borehole Impression Test PID - Photoionisation Detector VS - Vane Shear; P=Peak, R=Residual (uncorrected kPa)	<b>SAMPLES</b> B - Bulk disturbed sample D - Disturbed sample ES - Environmental sample U - Thin wall tube 'undisturbed'  <b>MOISTURE</b> D - Dry M - Moist W - Wet PL - Plastic limit LL - Liquid limit w - Moisture content	<b>SOIL CONSISTENCY</b> VS - Very Soft S - Soft F - Firm St - Stiff VSt - Very Stiff H - Hard  <b>RELATIVE DENSITY</b> VL - Very Loose L - Loose MD - Medium Dense D - Dense VD - Very Dense
--	--	--	---	---

Refer to explanatory notes for details of abbreviations and basis of descriptions


<b>Client:</b> DWP Australia		<b>Hole No: BH04</b>	
<b>Project:</b> Detailed Site Investigation and Geotechnical Investigation			
<b>Location:</b> Kyeemagh Infants School, Kyeemagh, NSW		<b>Job No:</b> 5017190157	<b>Sheet:</b> 1 of 1
<b>Position:</b> E330149.299 N6241929.836 56 MGA94		<b>Angle from Horizontal:</b> 90°	<b>Surface Elevation:</b> 4.380 m AHD
<b>Rig Type:</b> Ute Mounted Drill Rig		<b>Mounting:</b> Light Vehicle	<b>Driller:</b> TR
<b>Casing Diameter:</b>		<b>Contractor:</b> Stratacore	
<b>Data Started:</b> 10/11/18		<b>Date Completed:</b> 10/11/18	<b>Logged By:</b> DD
		<b>Checked By:</b> JB	




Drilling			Water	Sampling & Testing	RL (m AHD)	Depth (m)	Graphic Log	Classification	Material Description  SOIL TYPE, plasticity or particle characteristic, colour, secondary and minor components ROCK TYPE, grain size and type, colour, fabric & texture, strength, weathering, defects and structure	Moisture Condition	Consistency Relative Density	STRUCTURE & Other Observations
Method	Resistance	Casing		Sample or Field Test								
	E		Not Encountered	SPT 0.50 - 0.95 m 0, 0, 0 N=0	4		SP	0.13m ASPHALT: corase grained gravel, black	D	L	PAVEMENT FILL	
								FILL: SAND: fine to medium grained, grey			MARINE	
				B 1.00 - 1.20 m	1			SAND: fine to medium grained, pale brown				
					3							
				B 1.50 - 2.00 m SPT 1.50 - 1.95 m 3, 5, 6 N=11	2			1.50m Silty SAND: fine to medium grained, brown				
					2							
					3			Turning white/ pale brown in colour				
				SPT 3.00 - 3.45 m 5, 12, 15 N=27	1							
												4.00m
					0							
					5							
					-1							
					6							
					-2							
					7							
					-3							
					8							
					-4							
					9							
					-5							

<b>METHOD</b> EX Excavator bucket R Ripper HA Hand auger PT Push tube SON Sonic drilling AH Air hammer PS Percussion sampler AS Short spiral auger AD/V Solid flight auger: V-Bit AD/T Solid flight auger: TC-Bit HFA Hollow flight auger WB Washbore drilling RR Rock roller	<b>PENETRATION</b> VE Very Easy (No Resistance) E Easy F Firm H Hard VH Very Hard (Refusal)  <b>WATER</b>  Water Level on Date shown  water inflow  water outflow	<b>FIELD TESTS</b> SPT - Standard Penetration Test HP - Hand/Pocket Penetrometer DCP - Dynamic Cone Penetrometer PSP - Perth Sand Penetrometer MC - Moisture Content PBT - Plate Bearing Test IMP - Borehole Impression Test PID - Photoionisation Detector VS - Vane Shear; P=Peak, R=Residual (uncorrected kPa)	<b>SAMPLES</b> B - Bulk disturbed sample D - Disturbed sample ES - Environmental sample U - Thin wall tube 'undisturbed'  <b>MOISTURE</b> D - Dry M - Moist W - Wet PL - Plastic limit LL - Liquid limit w - Moisture content	<b>SOIL CONSISTENCY</b> VS - Very Soft S - Soft F - Firm St - Stiff VSt - Very Stiff H - Hard  <b>RELATIVE DENSITY</b> VL - Very Loose L - Loose MD - Medium Dense D - Dense VD - Very Dense
--	--	--	---	---

Refer to explanatory notes for details of abbreviations and basis of descriptions

Client:	DWP Australia		<b>Hole No: BH05</b>
Project:	Detailed Site Investigation and Geotechnical Investigation		
Location:	Kyeemagh Infants School, Kyeemagh, NSW	Job No: 5017190157	
Position:	E330122.818 N6241979.746 56 MGA94	Angle from Horizontal: 90°	Sheet: 1 of 1
Rig Type:	Ute Mounted Drill Rig	Mounting: Light Vehicle	Surface Elevation: 4.560 m AHD
Casing Diameter:			Driller: TR
Data Started:	10/11/18	Date Completed: 10/11/18	Contractor: Stratacore
		Logged By: DD	Checked By: JB

Drilling			Water	Sampling & Testing	RL (m AHD)	Depth (m)	Material Description					
Method	Resistance	Casing		Sample or Field Test			Graphic Log	Classification	SOIL TYPE, plasticity or particle characteristic, colour, secondary and minor components ROCK TYPE, grain size and type, colour, fabric & texture, strength, weathering, defects and structure	Moisture Condition	Consistency Relative Density	STRUCTURE & Other Observations
<div>AD/T</div>			Not Encountered	D 0.20 - 0.50 m				SP	0.20m Gravelly SAND: fine grained, black	D	L to MD	TOPSOIL
	SPT 0.50 - 0.95 m 3, 6, 6 N=12	4		Silty SAND: fine grained, dark grey	MARINE							
	D 1.00 - 1.10 m	1										
	SPT 1.50 - 1.95 m 2, 3, 4 N=7	3										
		2		2.00m Silty SAND: fine grained, brown								
	SPT 3.00 - 3.45 m 3, 5, 9 N=14	3			SP	D to M	MD					
		4										
	SPT 4.50 - 4.95 m 2, 3, 9 N=12	0		4.50m SAND: fine to medium grained, pale brown	M	MD						
		5			SP							
						-1	5.50m	TERMINATED AT 5.50 m Target depth				
				-6								
				-2								
				-7								
				-3								
				-8								
				-4								
				-9								
				-5								

<b>METHOD</b> EX Excavator bucket R Ripper HA Hand auger PT Push tube SON Sonic drilling AH Air hammer PS Percussion sampler AS Short spiral auger AD/V Solid flight auger: V-Bit AD/T Solid flight auger: TC-Bit HFA Hollow flight auger WB Washbore drilling RR Rock roller	<b>PENETRATION</b> VE Very Easy (No Resistance) E Easy F Firm H Hard VH Very Hard (Refusal)  <b>WATER</b>  Water Level on Date shown  water inflow  water outflow	<b>FIELD TESTS</b> SPT - Standard Penetration Test HP - Hand/Pocket Penetrometer DCP - Dynamic Cone Penetrometer PSP - Perth Sand Penetrometer MC - Moisture Content PBT - Plate Bearing Test IMP - Borehole Impression Test PID - Photoionisation Detector VS - Vane Shear; P=Peak, R=Residual (uncorrected kPa)	<b>SAMPLES</b> B - Bulk disturbed sample D - Disturbed sample ES - Environmental sample U - Thin wall tube 'undisturbed'  <b>MOISTURE</b> D - Dry M - Moist W - Wet PL - Plastic limit LL - Liquid limit w - Moisture content	<b>SOIL CONSISTENCY</b> VS - Very Soft S - Soft F - Firm St - Stiff VSt - Very Stiff H - Hard  <b>RELATIVE DENSITY</b> VL - Very Loose L - Loose MD - Medium Dense D - Dense VD - Very Dense
--	--	---	---	---

Refer to explanatory notes for details of abbreviations and basis of descriptions

CARDNO (NSW/ACT) PTY LTD

Client: DWP Australia		Job No: 5017190157		Sheet: 1 of 1	
Project: Detailed Site Investigation and Geotechnical Investigation					
Location: Kyeemagh Infants School, Kyeemagh, NSW					
Position: E330227.528 N6242031.053 56 MGA94		Angle from Horizontal: 90°		Surface Elevation:	
Machine Type: 10 tonne Excavator		Excavation Method:			
Excavation Dimensions:		Contractor:			
Date Excavated: 10/11/18		Logged By: JG		Checked By:	

Excavation			Sampling & Testing		Material Description						
Method	Resistance	Stability	Water	Sample or Field Test	Depth (m)	Graphic Log	Classification	SOIL TYPE, plasticity or particle characteristic, colour, secondary and minor components ROCK TYPE, grain size and type, colour, fabric & texture, strength, weathering, defects and structure	Moisture Condition	Consistency Relative Density	STRUCTURE & Other Observations
<div style="display: flex; align-items: center; justify-content: center;"> <div style="width: 100px; height: 1px; background-color: black; margin-right: 5px;"></div> <div style="writing-mode: vertical-rl; transform: rotate(180deg);">EX</div> </div>								Silty SAND: fine to medium grained, poorly graded, black, with coal ash layer	D		TOPSOIL 0.00 m: PID = 0.1ppm
				ES 0.20 m TP01_0.2	0.20			FILL: SAND: fine to medium grained, uniform, brown yellow grey	M		FILL 0.20 m: PID = 0.0 ppm
				ES 0.90 m TP01_0.9	0.90			SAND: fine to medium grained, uniform, yellow brown	M	F	MARINE
					1.40m			TERMINATED AT 1.40 m Target depth			
					1.5						
					2.0						
					2.5						
					3.0						
					3.5						
					4.0						
					4.5						

<b>METHOD</b> EX Excavator bucket R Ripper HA Hand auger PT Push tube SON Sonic drilling AH Air hammer PS Percussion sampler AS Short spiral auger AD/V Solid flight auger: V-Bit AD/T Solid flight auger: TC-Bit HFA Hollow flight auger WB Washbore drilling RR Rock roller	<b>PENETRATION</b> VE Very Easy (No Resistance) E Easy F Firm H Hard VH Very Hard (Refusal)  <b>WATER</b> Water Level on Date shown water inflow water outflow	<b>FIELD TESTS</b> SPT - Standard Penetration Test HP - Hand/Pocket Penetrometer DCP - Dynamic Cone Penetrometer PSP - Perth Sand Penetrometer MC - Moisture Content PBT - Plate Bearing Test IMP - Borehole Impression Test PID - Photoionisation Detector VS - Vane Shear; P=Peak, R=Residual (uncorrected kPa)	<b>SAMPLES</b> B - Bulk disturbed sample D - Disturbed sample ES - Environmental sample U - Thin wall tube 'undisturbed'  <b>MOISTURE</b> D - Dry M - Moist W - Wet PL - Plastic limit LL - Liquid limit w - Moisture content	<b>SOIL CONSISTENCY</b> VS - Very Soft S - Soft F - Firm St - Stiff VSt - Very Stiff H - Hard  <b>RELATIVE DENSITY</b> VL - Very Loose L - Loose MD - Medium Dense D - Dense VD - Very Dense
--	--	--	---	---



<b>Client:</b> DWP Australia <b>Project:</b> Detailed Site Investigation and Geotechnical Investigation <b>Location:</b> Kyeemagh Infants School, Kyeemagh, NSW	<b>Job No:</b> 5017190157 <b>Sheet:</b> 1 of 1
---	---



**Hole No: TP02**

<b>Position:</b> E330192.866 N6242040.364 56 MGA94	<b>Angle from Horizontal:</b> 90°	<b>Surface Elevation:</b>
--	-----------------------------------	---------------------------

<b>Machine Type:</b> 10 tonne Excavator	<b>Excavation Method:</b>
---	---------------------------

<b>Excavation Dimensions:</b>	<b>Contractor:</b>
-------------------------------	--------------------

<b>Date Excavated:</b> 10/11/18	<b>Logged By:</b> JG	<b>Checked By:</b>
---------------------------------	----------------------	--------------------

Excavation			Water	Sampling & Testing	Depth (m)	Material Description					
Method	Resistance	Stability		Sample or Field Test		Graphic Log	Classification	SOIL TYPE, plasticity or particle characteristic, colour, secondary and minor components ROCK TYPE, grain size and type, colour, fabric & texture, strength, weathering, defects and structure	Moisture Condition	Consistency Relative Density	STRUCTURE & Other Observations
↕ EX ↕				ES 0.10 m TP02_0.1 ES 0.40 m TP02_0.4	0.10m		0.10m	Silty SAND: fine to medium grained, poorly graded, brown grey FILL: Silty SAND: fine to medium grained, uniform, yellow brown	D		TOPSOIL 0.00 m: PID = 3.5 ppm FILL 0.10 m: PID = 8.3 ppm
					0.5		0.40m	SAND: fine to medium grained, uniform, yellow brown	M	F	MARINE
					1.0		0.90m	TERMINATED AT 0.90 m Target depth			
					1.5						
					2.0						
					2.5						
					3.0						
					3.5						
					4.0						
					4.5						

<b>METHOD</b> EX Excavator bucket R Ripper HA Hand auger PT Push tube SON Sonic drilling AH Air hammer PS Percussion sampler AS Short spiral auger AD/V Solid flight auger: V-Bit AD/T Solid flight auger: TC-Bit HFA Hollow flight auger WB Washbore drilling RR Rock roller	<b>PENETRATION</b> VE Very Easy (No Resistance) E Easy F Firm H Hard VH Very Hard (Refusal)  <b>WATER</b> Water Level on Date shown water inflow water outflow	<b>FIELD TESTS</b> SPT - Standard Penetration Test HP - Hand/Pocket Penetrometer DCP - Dynamic Cone Penetrometer PSP - Perth Sand Penetrometer MC - Moisture Content PBT - Plate Bearing Test IMP - Borehole Impression Test PID - Photoionisation Detector VS - Vane Shear; P=Peak, R=Residual (uncorrected kPa)	<b>SAMPLES</b> B - Bulk disturbed sample D - Disturbed sample ES - Environmental sample U - Thin wall tube 'undisturbed'  <b>MOISTURE</b> D - Dry M - Moist W - Wet PL - Plastic limit LL - Liquid limit w - Moisture content	<b>SOIL CONSISTENCY</b> VS - Very Soft S - Soft F - Firm St - Stiff VSt - Very Stiff H - Hard  <b>RELATIVE DENSITY</b> VL - Very Loose L - Loose MD - Medium Dense D - Dense VD - Very Dense
--	--	--	---	---

Refer to explanatory notes for details of abbreviations and basis of descriptions


Client: DWP Australia  
 Project: Detailed Site Investigation and Geotechnical Investigation  
 Location: Kyeemagh Infants School, Kyeemagh, NSW Job No: 5017190157 Sheet: 1 of 1

Position: 56 MGA94 Angle from Horizontal: 90° Surface Elevation:

Machine Type: 10 tonne Excavator Excavation Method:

Excavation Dimensions: Contractor:

Date Excavated: 10/11/18 Logged By: JG Checked By:




Excavation			Water	Sampling & Testing	Depth (m)	Material Description					
Method	Resistance	Stability		Sample or Field Test		Graphic Log	Classification	SOIL TYPE, plasticity or particle characteristic, colour, secondary and minor components ROCK TYPE, grain size and type, colour, fabric & texture, strength, weathering, defects and structure	Moisture Condition	Consistency Relative Density	STRUCTURE & Other Observations
<div>↑</div> <div>EX</div> <div>↓</div>				ES 0.20 m TP03_0.2	0.20			Silty SAND: fine to medium grained, poorly graded, grey brown mottled white	D		TOPSOIL 0.00 m: PID = 0.2ppm
				0.5			FILL: Silty SAND: fine to medium grained, poorly graded, white grey brown mottled black	D		FILL 0.20 m: PID = 1.2ppm	
			ES 1.20 m TP03_1.2	1.20			SAND: fine to medium grained, uniform, yellow brown	M	F	MARINE	
				1.5			TERMINATED AT 1.70 m Target depth				
					2.0						
					2.5						
					3.0						
					3.5						
					4.0						
					4.5						

### METHOD

EX Excavator bucket  
 R Ripper  
 HA Hand auger  
 PT Push tube  
 SON Sonic drilling  
 AH Air hammer  
 PS Percussion sampler  
 AS Short spiral auger  
 AD/V Solid flight auger: V-Bit  
 AD/T Solid flight auger: TC-Bit  
 HFA Hollow flight auger  
 WB Washbore drilling  
 RR Rock roller

### PENETRATION

VE Very Easy (No Resistance)  
 E Easy  
 F Firm  
 H Hard  
 VH Very Hard (Refusal)

**WATER**  
 Water Level on Date shown  
 water inflow  
 water outflow

### FIELD TESTS

SPT - Standard Penetration Test  
 HP - Hand/Pocket Penetrometer  
 DCP - Dynamic Cone Penetrometer  
 PSP - Perth Sand Penetrometer  
 MC - Moisture Content  
 PBT - Plate Bearing Test  
 IMP - Borehole Impression Test  
 PID - Photoionisation Detector  
 VS - Vane Shear; P=Peak, R=Residual (uncorrected kPa)

### SAMPLES

B - Bulk disturbed sample  
 D - Disturbed sample  
 ES - Environmental sample  
 U - Thin wall tube 'undisturbed'

**MOISTURE**  
 D - Dry  
 M - Moist  
 W - Wet  
 PL - Plastic limit  
 LL - Liquid limit  
 w - Moisture content

### SOIL CONSISTENCY

VS - Very Soft  
 S - Soft  
 F - Firm  
 St - Stiff  
 VSt - Very Stiff  
 H - Hard

**RELATIVE DENSITY**  
 VL - Very Loose  
 L - Loose  
 MD - Medium Dense  
 D - Dense  
 VD - Very Dense

Refer to explanatory notes for details of abbreviations and basis of descriptions

CARDNO (NSW/ACT) PTY LTD

Client: DWP Australia		Job No: 5017190157		Sheet: 1 of 1	
Project: Detailed Site Investigation and Geotechnical Investigation		Angle from Horizontal: 90°		Surface Elevation:	
Location: Kyeemagh Infants School, Kyeemagh, NSW		Excavation Method:		Contractor:	
Machine Type: 10 tonne Excavator		Excavation Dimensions:		Logged By: JG	
Date Excavated: 10/11/18		Checked By:			

Excavation			Sampling & Testing		Material Description						
Method	Resistance	Stability	Water	Sample or Field Test	Depth (m)	Graphic Log	Classification	SOIL TYPE, plasticity or particle characteristic, colour, secondary and minor components ROCK TYPE, grain size and type, colour, fabric & texture, strength, weathering, defects and structure	Moisture Condition	Consistency Relative Density	STRUCTURE & Other Observations
<div style="display: flex; align-items: center; justify-content: center;"> <div style="width: 20px; height: 100px; border-left: 1px solid black; border-right: 1px solid black; position: relative;"> <div style="position: absolute; top: 0; left: 0; right: 0; height: 100%; background: linear-gradient(to bottom, transparent 49%, black 49%, black 51%, transparent 51%); background-size: 4px 100%;"></div> </div> <div style="margin: 0 5px;">EX</div> </div>				ES 0.10 m TP04_0.1	0.10m			Silty SAND: fine to medium grained, poorly graded, brown black	D		TOPSOIL
				ES 0.40 m TP04_0.4	0.40m			FILL: Silty SAND: fine to medium grained, poorly graded, brown grey	D		FILL
					0.5			SAND: fine to medium grained, uniform, yellow brown	M	F	MARINE
					0.90m			TERMINATED AT 0.90 m Target depth			
					1.0						
					1.5						
					2.0						
					2.5						
					3.0						
					3.5						
					4.0						
					4.5						

<b>METHOD</b> EX Excavator bucket R Ripper HA Hand auger PT Push tube SON Sonic drilling AH Air hammer PS Percussion sampler AS Short spiral auger AD/V Solid flight auger: V-Bit AD/T Solid flight auger: TC-Bit HFA Hollow flight auger WB Washbore drilling RR Rock roller	<b>PENETRATION</b> VE Very Easy (No Resistance) E Easy F Firm H Hard VH Very Hard (Refusal)  <b>WATER</b> Water Level on Date shown water inflow water outflow	<b>FIELD TESTS</b> SPT - Standard Penetration Test HP - Hand/Pocket Penetrometer DCP - Dynamic Cone Penetrometer PSP - Perth Sand Penetrometer MC - Moisture Content PBT - Plate Bearing Test IMP - Borehole Impression Test PID - Photoionisation Detector VS - Vane Shear; P=Peak, R=Residual (uncorrected kPa)	<b>SAMPLES</b> B - Bulk disturbed sample D - Disturbed sample ES - Environmental sample U - Thin wall tube 'undisturbed'  <b>MOISTURE</b> D - Dry M - Moist W - Wet PL - Plastic limit LL - Liquid limit w - Moisture content	<b>SOIL CONSISTENCY</b> VS - Very Soft S - Soft F - Firm St - Stiff VSt - Very Stiff H - Hard  <b>RELATIVE DENSITY</b> VL - Very Loose L - Loose MD - Medium Dense D - Dense VD - Very Dense
--	--	--	---	---

Refer to explanatory notes for details of abbreviations and basis of descriptions



Client: DWP Australia  
 Project: Detailed Site Investigation and Geotechnical Investigation  
 Location: Kyeemagh Infants School, Kyeemagh, NSW  
 Job No: 5017190157  
 Sheet: 1 of 1




Position: See attached plan  
 Angle from Horizontal: 90°  
 Surface Elevation:

Machine Type: 10 tonne Excavator  
 Excavation Method:

Excavation Dimensions:  
 Contractor:

Date Excavated: 10/11/18  
 Logged By: JG  
 Checked By:


Excavation			Water	Sampling & Testing	Depth (m)	Material Description				
Method	Resistance	Stability		Sample or Field Test		Graphic Log	Classification	SOIL TYPE, plasticity or particle characteristic, colour, secondary and minor components ROCK TYPE, grain size and type, colour, fabric & texture, strength, weathering, defects and structure	Moisture Condition	Consistency Relative Density
↑ EX ↓			ES 0.10 m TP05_0.1		0.10m	FILL: Silty SAND: fine to medium grained, uniform, grey brown	D		FILL 0.00 m: PID = 3.7ppm	
						SAND: fine to medium grained, uniform, white yellow grey	M	F	MARINE 0.10 m: PID = 0.8ppm	
			ES 0.90 m TP05_0.9		0.90m	TERMINATED AT 0.90 m Target depth				
					1.0					
					1.5					
					2.0					
					2.5					
					3.0					
					3.5					
					4.0					
					4.5					

<b>METHOD</b> EX Excavator bucket R Ripper HA Hand auger PT Push tube SON Sonic drilling AH Air hammer PS Percussion sampler AS Short spiral auger AD/V Solid flight auger: V-Bit AD/T Solid flight auger: TC-Bit HFA Hollow flight auger WB Washbore drilling RR Rock roller	<b>PENETRATION</b> VE Very Easy (No Resistance) E Easy F Firm H Hard VH Very Hard (Refusal) <b>WATER</b>  Water Level on Date shown  water inflow  water outflow	<b>FIELD TESTS</b> SPT - Standard Penetration Test HP - Hand/Pocket Penetrometer DCP - Dynamic Cone Penetrometer PSP - Perth Sand Penetrometer MC - Moisture Content PBT - Plate Bearing Test IMP - Borehole Impression Test PID - Photoionisation Detector VS - Vane Shear; P=Peak, R=Residual (uncorrected kPa)	<b>SAMPLES</b> B - Bulk disturbed sample D - Disturbed sample ES - Environmental sample U - Thin wall tube 'undisturbed' <b>MOISTURE</b> D - Dry M - Moist W - Wet PL - Plastic limit LL - Liquid limit w - Moisture content	<b>SOIL CONSISTENCY</b> VS - Very Soft S - Soft F - Firm St - Stiff VSt - Very Stiff H - Hard <b>RELATIVE DENSITY</b> VL - Very Loose L - Loose MD - Medium Dense D - Dense VD - Very Dense
--	--	--	---	---




Refer to explanatory notes for details of abbreviations and basis of descriptions

Client: DWP Australia		Job No: 5017190157		Sheet: 1 of 1	
Project: Detailed Site Investigation and Geotechnical Investigation					
Location: Kyeemagh Infants School, Kyeemagh, NSW		Angle from Horizontal: 90°		Surface Elevation:	
Machine Type: 10 tonne Excavator		Excavation Method:		Contractor:	
Excavation Dimensions:		Logged By: JG		Checked By:	
Date Excavated: 10/11/18					

Excavation			Sampling & Testing		Material Description						
Method	Resistance	Stability	Water	Sample or Field Test	Depth (m)	Graphic Log	Classification	SOIL TYPE, plasticity or particle characteristic, colour, secondary and minor components ROCK TYPE, grain size and type, colour, fabric & texture, strength, weathering, defects and structure	Moisture Condition	Consistency Relative Density	STRUCTURE & Other Observations
EX				ES 0.10 m TP06_0.1	0.10m			Gravelly SAND: fine grained, poorly graded, brown black, medium to coarse grained gravel	D		TOPSOIL 0.00 m: PID = 1.8ppm
				ES 0.30 m TP06_0.3	0.30m			FILL: GRAVEL: medium, poorly graded, black mottled yellow	D		FILL 0.10 m: PID = 3.4ppm
					0.5			SAND: fine to medium grained, uniform, yellow brown	M	F	MARINE
					0.80m			TERMINATED AT 0.80 m Target depth			
					1.0						
					1.5						
					2.0						
					2.5						
					3.0						
					3.5						
					4.0						
					4.5						

<b>METHOD</b> EX Excavator bucket R Ripper HA Hand auger PT Push tube SON Sonic drilling AH Air hammer PS Percussion sampler AS Short spiral auger AD/V Solid flight auger: V-Bit AD/T Solid flight auger: TC-Bit HFA Hollow flight auger WB Washbore drilling RR Rock roller	<b>PENETRATION</b> VE Very Easy (No Resistance) E Easy F Firm H Hard VH Very Hard (Refusal)  <b>WATER</b>  Water Level on Date shown  water inflow  water outflow	<b>FIELD TESTS</b> SPT - Standard Penetration Test HP - Hand/Pocket Penetrometer DCP - Dynamic Cone Penetrometer PSP - Perth Sand Penetrometer MC - Moisture Content PBT - Plate Bearing Test IMP - Borehole Impression Test PID - Photoionisation Detector VS - Vane Shear; P=Peak, R=Residual (uncorrected kPa)	<b>SAMPLES</b> B - Bulk disturbed sample D - Disturbed sample ES - Environmental sample U - Thin wall tube 'undisturbed'  <b>MOISTURE</b> D - Dry M - Moist W - Wet PL - Plastic limit LL - Liquid limit w - Moisture content	<b>SOIL CONSISTENCY</b> VS - Very Soft S - Soft F - Firm St - Stiff VSt - Very Stiff H - Hard  <b>RELATIVE DENSITY</b> VL - Very Loose L - Loose MD - Medium Dense D - Dense VD - Very Dense
--	--	--	---	---

Refer to explanatory notes for details of abbreviations and basis of descriptions




**Client:** DWP Australia  
**Project:** Detailed Site Investigation and Geotechnical Investigation  
**Location:** Kyeemagh Infants School, Kyeemagh, NSW  
**Job No:** 5017190157  
**Sheet:** 1 of 1  
**Hole No:** TP07




**Position:** See attached plan  
**Angle from Horizontal:** 90°  
**Surface Elevation:**

**Machine Type:** 10 tonne Excavator  
**Excavation Method:**

**Excavation Dimensions:**  
**Contractor:**

**Date Excavated:** 10/11/18  
**Logged By:** JG  
**Checked By:**

Excavation			Water	Sampling & Testing	Depth (m)	Material Description					
Method	Resistance	Stability		Sample or Field Test		Graphic Log	Classification	SOIL TYPE, plasticity or particle characteristic, colour, secondary and minor components ROCK TYPE, grain size and type, colour, fabric & texture, strength, weathering, defects and structure	Moisture Condition	Consistency Relative Density	STRUCTURE & Other Observations
EX			Water	ES 0.10 m TP07_0.1			0.10m	Silty SAND: fine to medium grained, poorly graded, brown	D		TOPSOIL
				ES 0.40 m TP07_0.4			0.40m	FILL: Silty SAND: fine to medium grained, uniform, brown			0.10 m: PID = 2.3 ppm
				ES 0.60 m TP07_0.6			0.60m	FILL: Gravelly SAND: fine to medium grained, gap graded, brown yellow, medium to coarse grained gravel			0.40 m: PID = 1.3 ppm
							1.10m	SAND: fine to medium grained, uniform, yellow brown	M	F	MARINE
							1.10m	TERMINATED AT 1.10 m Target depth			
							1.5				
							2.0				
							2.5				
							3.0				
							3.5				
							4.0				
							4.5				

<b>METHOD</b> EX Excavator bucket R Ripper HA Hand auger PT Push tube SON Sonic drilling AH Air hammer PS Percussion sampler AS Short spiral auger AD/V Solid flight auger: V-Bit AD/T Solid flight auger: TC-Bit HFA Hollow flight auger WB Washbore drilling RR Rock roller		<b>PENETRATION</b> VE Very Easy (No Resistance) E Easy F Firm H Hard VH Very Hard (Refusal)  <b>WATER</b>  Water Level on Date shown  water inflow  water outflow		<b>FIELD TESTS</b> SPT - Standard Penetration Test HP - Hand/Pocket Penetrometer DCP - Dynamic Cone Penetrometer PSP - Perth Sand Penetrometer MC - Moisture Content PBT - Plate Bearing Test IMP - Borehole Impression Test PID - Photoionisation Detector VS - Vane Shear; P=Peak, R=Residual (uncorrected kPa)		<b>SAMPLES</b> B - Bulk disturbed sample D - Disturbed sample ES - Environmental sample U - Thin wall tube 'undisturbed'  <b>MOISTURE</b> D - Dry M - Moist W - Wet PL - Plastic limit LL - Liquid limit w - Moisture content		<b>SOIL CONSISTENCY</b> VS - Very Soft S - Soft F - Firm St - Stiff VSt - Very Stiff H - Hard  <b>RELATIVE DENSITY</b> VL - Very Loose L - Loose MD - Medium Dense D - Dense VD - Very Dense	
--	--	--	--	--	--	---	--	---	--

Refer to explanatory notes for details of abbreviations and basis of descriptions



**Client:** DWP Australia  
**Project:** Detailed Site Investigation and Geotechnical Investigation  
**Location:** Kyeemagh Infants School, Kyeemagh, NSW  
**Job No:** 5017190157  
**Sheet:** 1 of 1

**Position:** See attached plan  
**Angle from Horizontal:** 90°  
**Surface Elevation:**

**Machine Type:** 10 tonne Excavator  
**Excavation Method:**

**Excavation Dimensions:**  
**Contractor:**

**Date Excavated:** 10/11/18  
**Logged By:** JG  
**Checked By:**

Excavation			Water	Sampling & Testing	Depth (m)	Material Description					
Method	Resistance	Stability		Sample or Field Test		Graphic Log	Classification	SOIL TYPE, plasticity or particle characteristic, colour, secondary and minor components ROCK TYPE, grain size and type, colour, fabric & texture, strength, weathering, defects and structure	Moisture Condition	Consistency Relative Density	STRUCTURE & Other Observations
↑ EX ↓				ES 0.10 m TP08_0.1	0.10m		Silty SAND: fine to medium grained, gap graded, brown	D		TOPSOIL 0.00 m: PID = 2.9ppm FILL 0.10 m: PID = 4.0ppm	
				ES 0.40 m TP08_0.4				D			
								M			F
					0.5		SAND: fine to medium grained, uniform, yellow brown			MARINE	
					0.90m		TERMINATED AT 0.90 m Target depth				
					1.0						
					1.5						
					2.0						
					2.5						
					3.0						
					3.5						
					4.0						
					4.5						




### METHOD

EX Excavator bucket  
 R Ripper  
 HA Hand auger  
 PT Push tube  
 SON Sonic drilling  
 AH Air hammer  
 PS Percussion sampler  
 AS Short spiral auger  
 AD/V Solid flight auger: V-Bit  
 AD/T Solid flight auger: TC-Bit  
 HFA Hollow flight auger  
 WB Washbore drilling  
 RR Rock roller

### PENETRATION

VE Very Easy (No Resistance)  
 E Easy  
 F Firm  
 H Hard  
 VH Very Hard (Refusal)

### WATER

 Water Level on Date shown  
 water inflow  
 water outflow

### FIELD TESTS

SPT - Standard Penetration Test  
 HP - Hand/Pocket Penetrometer  
 DCP - Dynamic Cone Penetrometer  
 PSP - Perth Sand Penetrometer  
 MC - Moisture Content  
 PBT - Plate Bearing Test  
 IMP - Borehole Impression Test  
 PID - Photoionisation Detector  
 VS - Vane Shear; P=Peak, R=Residual (uncorrected kPa)

### SAMPLES

B - Bulk disturbed sample  
 D - Disturbed sample  
 ES - Environmental sample  
 U - Thin wall tube 'undisturbed'

### MOISTURE

D - Dry  
 M - Moist  
 W - Wet  
 PL - Plastic limit  
 LL - Liquid limit  
 w - Moisture content

### SOIL CONSISTENCY

VS - Very Soft  
 S - Soft  
 F - Firm  
 St - Stiff  
 VSt - Very Stiff  
 H - Hard


### RELATIVE DENSITY

VL - Very Loose  
 L - Loose  
 MD - Medium Dense  
 D - Dense  
 VD - Very Dense




Refer to explanatory notes for details of abbreviations and basis of descriptions

Client: DWP Australia		<h2 style="margin: 0;">Hole No: TP09</h2>	
Project: Detailed Site Investigation and Geotechnical Investigation			
Location: Kyeemagh Infants School, Kyeemagh, NSW			
Job No: 5017190157		Sheet: 1 of 1	
Position: See attached plan		Angle from Horizontal: 90°	
Machine Type: 10 tonne Excavator		Surface Elevation:	
Excavation Dimensions:		Excavation Method:	
Date Excavated: 10/11/18		Contractor:	
Logged By: JG		Checked By:	



Excavation			Sampling & Testing		Material Description						
Method	Resistance	Stability	Water	Sample or Field Test	Depth (m)	Graphic Log	Classification	SOIL TYPE, plasticity or particle characteristic, colour, secondary and minor components ROCK TYPE, grain size and type, colour, fabric & texture, strength, weathering, defects and structure	Moisture Condition	Consistency Relative Density	STRUCTURE & Other Observations
↑ EX ↓				ES 0.30 m TP09_0.3				Silty SAND: fine to medium grained, uniform, brown yellow	D		TOPSOIL 0.00 m: PID = 3.3ppm
				ES 0.80 m TP09_0.8	0.5			SAND: fine to medium grained, uniform, yellow brown	M	F	MARINE 0.30 m: PID = 2.0ppm
					1.0			TERMINATED AT 0.80 m Target depth			
					1.5						
					2.0						
					2.5						
					3.0						
					3.5						
					4.0						
					4.5						




<b>METHOD</b> EX Excavator bucket R Ripper HA Hand auger PT Push tube SON Sonic drilling AH Air hammer PS Percussion sampler AS Short spiral auger AD/V Solid flight auger: V-Bit AD/T Solid flight auger: TC-Bit HFA Hollow flight auger WB Washbore drilling RR Rock roller	<b>PENETRATION</b> VE Very Easy (No Resistance) E Easy F Firm H Hard VH Very Hard (Refusal)  <b>WATER</b>  Water Level on Date shown  water inflow  water outflow	<b>FIELD TESTS</b> SPT - Standard Penetration Test HP - Hand/Pocket Penetrometer DCP - Dynamic Cone Penetrometer PSP - Perth Sand Penetrometer MC - Moisture Content PBT - Plate Bearing Test IMP - Borehole Impression Test PID - Photoionisation Detector VS - Vane Shear; P=Peak, R=Residual (uncorrected kPa)	<b>SAMPLES</b> B - Bulk disturbed sample D - Disturbed sample ES - Environmental sample U - Thin wall tube 'undisturbed'  <b>MOISTURE</b> D - Dry M - Moist W - Wet PL - Plastic limit LL - Liquid limit w - Moisture content	<b>SOIL CONSISTENCY</b> VS - Very Soft S - Soft F - Firm St - Stiff VSt - Very Stiff H - Hard  <b>RELATIVE DENSITY</b> VL - Very Loose L - Loose MD - Medium Dense D - Dense VD - Very Dense
--	--	--	---	---

Client: DWP Australia		Job No: 5017190157		Sheet: 1 of 1	
Project: Detailed Site Investigation and Geotechnical Investigation		Angle from Horizontal: 90°		Surface Elevation:	
Location: Kyeemagh Infants School, Kyeemagh, NSW		Excavation Method:		Contractor:	
Machine Type: 10 tonne Excavator		Logged By: JG		Checked By:	
Excavation Dimensions:		Date Excavated: 10/11/18			

Excavation			Sampling & Testing		Material Description						
Method	Resistance	Stability	Water	Sample or Field Test	Depth (m)	Graphic Log	Classification	SOIL TYPE, plasticity or particle characteristic, colour, secondary and minor components ROCK TYPE, grain size and type, colour, fabric & texture, strength, weathering, defects and structure	Moisture Condition	Consistency Relative Density	STRUCTURE & Other Observations
<div style="display: flex; align-items: center; justify-content: center;"> <div style="width: 100px; height: 100px; border: 1px solid black; position: relative;"> <div style="position: absolute; top: 0; left: 0; right: 0; bottom: 0; border: 1px solid black; width: 100%; height: 100%;"></div> </div> </div>	EX			ES 0.10 m TP10_0.1	0.10m			Silty SAND: fine to medium grained, uniform, brown	D		TOPSOIL 0.00 m: PID = 2.3ppm FILL 0.10 m: PID = 3.4ppm
				ES 0.40 m TP10_0.4	0.40m			FILL: SAND: fine to medium grained, uniform, brown yellow			
									0.5		
					0.90m			TERMINATED AT 0.90 m Target depth			
					1.0						
					1.5						
					2.0						
					2.5						
					3.0						
					3.5						
					4.0						
					4.5						




<b>METHOD</b> EX Excavator bucket R Ripper HA Hand auger PT Push tube SON Sonic drilling AH Air hammer PS Percussion sampler AS Short spiral auger AD/V Solid flight auger: V-Bit AD/T Solid flight auger: TC-Bit HFA Hollow flight auger WB Washbore drilling RR Rock roller	<b>PENETRATION</b> VE Very Easy (No Resistance) E Easy F Firm H Hard VH Very Hard (Refusal)  <b>WATER</b>  Water Level on Date shown  water inflow  water outflow	<b>FIELD TESTS</b> SPT - Standard Penetration Test HP - Hand/Pocket Penetrometer DCP - Dynamic Cone Penetrometer PSP - Perth Sand Penetrometer MC - Moisture Content PBT - Plate Bearing Test IMP - Borehole Impression Test PID - Photoionisation Detector VS - Vane Shear; P=Peak, R=Residual (uncorrected kPa)	<b>SAMPLES</b> B - Bulk disturbed sample D - Disturbed sample ES - Environmental sample U - Thin wall tube 'undisturbed'  <b>MOISTURE</b> D - Dry M - Moist W - Wet PL - Plastic limit LL - Liquid limit w - Moisture content	<b>SOIL CONSISTENCY</b> VS - Very Soft S - Soft F - Firm St - Stiff VSt - Very Stiff H - Hard  <b>RELATIVE DENSITY</b> VL - Very Loose L - Loose MD - Medium Dense D - Dense VD - Very Dense
--	--	--	---	---

<b>Client:</b> DWP Australia <b>Project:</b> Detailed Site Investigation and Geotechnical Investigation <b>Location:</b> Kyeemagh Infants School, Kyeemagh, NSW						<b>Hole No: TP11</b> <b>Job No:</b> 5017190157 <b>Sheet:</b> 1 of 1					
<b>Position:</b> See attached plan <b>Machine Type:</b> 10 tonne Excavator <b>Excavation Dimensions:</b>						<b>Angle from Horizontal:</b> 90° <b>Excavation Method:</b> <b>Contractor:</b>					
<b>Date Excavated:</b> 10/11/18 <b>Logged By:</b> JG						<b>Checked By:</b>					

Excavation			Sampling & Testing		Material Description						
Method	Resistance	Stability	Water	Sample or Field Test	Depth (m)	Graphic Log	Classification	SOIL TYPE, plasticity or particle characteristic, colour, secondary and minor components ROCK TYPE, grain size and type, colour, fabric & texture, strength, weathering, defects and structure	Moisture Condition	Consistency Relative Density	STRUCTURE & Other Observations
↑ EX ↓				ES 0.20 m TP11_0.2	0.20	[Pattern]		Silty SAND: fine to medium grained, uniform, brown white	D		TOPSOIL 0.00 m: PID = 2.0ppm
					0.5			SAND: fine to medium grained, uniform, yellow brown	M	F	MARINE 0.20 m: PID = 2.5ppm
				ES 1.20 m TP11_1.2	1.0						
					1.20			TERMINATED AT 1.20 m Target depth			
					1.5						
					2.0						
					2.5						
					3.0						
					3.5						
					4.0						
					4.5						

<b>METHOD</b> EX Excavator bucket R Ripper HA Hand auger PT Push tube SON Sonic drilling AH Air hammer PS Percussion sampler AS Short spiral auger AD/V Solid flight auger: V-Bit AD/T Solid flight auger: TC-Bit HFA Hollow flight auger WB Washbore drilling RR Rock roller	<b>PENETRATION</b> VE Very Easy (No Resistance) E Easy F Firm H Hard VH Very Hard (Refusal)  <b>WATER</b>  Water Level on Date shown  water inflow  water outflow	<b>FIELD TESTS</b> SPT - Standard Penetration Test HP - Hand/Pocket Penetrometer DCP - Dynamic Cone Penetrometer PSP - Perth Sand Penetrometer MC - Moisture Content PBT - Plate Bearing Test IMP - Borehole Impression Test PID - Photoionisation Detector VS - Vane Shear; P=Peak, R=Residual (uncorrected kPa)	<b>SAMPLES</b> B - Bulk disturbed sample D - Disturbed sample ES - Environmental sample U - Thin wall tube 'undisturbed'  <b>MOISTURE</b> D - Dry M - Moist W - Wet PL - Plastic limit LL - Liquid limit w - Moisture content	<b>SOIL CONSISTENCY</b> VS - Very Soft S - Soft F - Firm St - Stiff VSt - Very Stiff H - Hard  <b>RELATIVE DENSITY</b> VL - Very Loose L - Loose MD - Medium Dense D - Dense VD - Very Dense
--	--	--	---	---

Refer to explanatory notes for details of abbreviations and basis of descriptions






Client: DWP Australia		Job No: 5017190157		Sheet: 1 of 1	
Project: Detailed Site Investigation and Geotechnical Investigation		Angle from Horizontal: 90°		Surface Elevation:	
Location: Kyeemagh Infants School, Kyeemagh, NSW		Excavation Method:		Contractor:	
Machine Type: 10 tonne Excavator		Logged By: JG		Checked By:	
Excavation Dimensions:		Date Excavated: 10/11/18			

Excavation			Sampling & Testing		Material Description						
Method	Resistance	Stability	Water	Sample or Field Test	Depth (m)	Graphic Log	Classification	SOIL TYPE, plasticity or particle characteristic, colour, secondary and minor components ROCK TYPE, grain size and type, colour, fabric & texture, strength, weathering, defects and structure	Moisture Condition	Consistency Relative Density	STRUCTURE & Other Observations
↑ EX ↓				ES 0.20 m TP12_0.2, QA100, QA200				FILL: SAND: fine to medium grained, uniform, brown yellow			FILL 0.00 m: PID = 2.2ppm
							SP	SAND: fine to medium grained, uniform, yellow brown	D	L	MARINE 0.20 m: PID = 2.5ppm
				ES 1.00 m TP12_1.0	0.5						
					1.0			TERMINATED AT 1.00 m Target depth			
					1.5						
					2.0						
					2.5						
					3.0						
					3.5						
					4.0						
					4.5						



  

<b>METHOD</b> EX Excavator bucket R Ripper HA Hand auger PT Push tube SON Sonic drilling AH Air hammer PS Percussion sampler AS Short spiral auger AD/V Solid flight auger: V-Bit AD/T Solid flight auger: TC-Bit HFA Hollow flight auger WB Washbore drilling RR Rock roller	<b>PENETRATION</b> VE Very Easy (No Resistance) E Easy F Firm H Hard VH Very Hard (Refusal)  <b>WATER</b>  Water Level on Date shown  water inflow  water outflow	<b>FIELD TESTS</b> SPT - Standard Penetration Test HP - Hand/Pocket Penetrometer DCP - Dynamic Cone Penetrometer PSP - Perth Sand Penetrometer MC - Moisture Content PBT - Plate Bearing Test IMP - Borehole Impression Test PID - Photoionisation Detector VS - Vane Shear; P=Peak, R=Residual (uncorrected kPa)	<b>SAMPLES</b> B - Bulk disturbed sample D - Disturbed sample ES - Environmental sample U - Thin wall tube 'undisturbed'  <b>MOISTURE</b> D - Dry M - Moist W - Wet PL - Plastic limit LL - Liquid limit w - Moisture content	<b>SOIL CONSISTENCY</b> VS - Very Soft S - Soft F - Firm St - Stiff VSt - Very Stiff H - Hard  <b>RELATIVE DENSITY</b> VL - Very Loose L - Loose MD - Medium Dense D - Dense VD - Very Dense
--	--	--	---	---




Refer to explanatory notes for details of abbreviations and basis of descriptions

Client: DWP Australia		Job No: 5017190157		Sheet: 1 of 1	
Project: Detailed Site Investigation and Geotechnical Investigation		Angle from Horizontal: 90°		Surface Elevation:	
Location: Kyeemagh Infants School, Kyeemagh, NSW		Excavation Method:		Contractor:	
Machine Type: 10 tonne Excavator		Logged By: JG		Checked By:	
Excavation Dimensions:		Date Excavated: 10/11/18			

Excavation			Sampling & Testing		Material Description						
Method	Resistance	Stability	Water	Sample or Field Test	Depth (m)	Graphic Log	Classification	SOIL TYPE, plasticity or particle characteristic, colour, secondary and minor components ROCK TYPE, grain size and type, colour, fabric & texture, strength, weathering, defects and structure	Moisture Condition	Consistency Relative Density	STRUCTURE & Other Observations
<div style="display: flex; align-items: center; justify-content: center;"> <div style="width: 20px; height: 20px; border: 1px solid black; margin-right: 5px;"></div> <div style="writing-mode: vertical-rl; transform: rotate(180deg);">EX</div> </div>				ES 0.10 m TP13_0.1	0.10m			Silty SAND: fine to medium grained, poorly graded, brown grey, trace fine to medium grained gravel	D		TOPSOIL 0.00 m: PID = 0.6 ppm, bricks, concrete chunks, plastic sheeting
				ES 0.40 m TP13_0.4	0.40m			FILL: SAND: fine to medium grained, gap graded, brown, trace fine to medium grained gravel			0.10 m: PID = 0.8 ppm, large concrete chunks present
						0.5		SP	SAND: fine to medium grained, uniform, yellow brown	M	MD
					1.0			TERMINATED AT 0.90 m Target depth			
					1.5						
					2.0						
					2.5						
					3.0						
					3.5						
					4.0						
					4.5						



  

<b>METHOD</b> EX Excavator bucket R Ripper HA Hand auger PT Push tube SON Sonic drilling AH Air hammer PS Percussion sampler AS Short spiral auger AD/V Solid flight auger: V-Bit AD/T Solid flight auger: TC-Bit HFA Hollow flight auger WB Washbore drilling RR Rock roller	<b>PENETRATION</b> VE Very Easy (No Resistance) E Easy F Firm H Hard VH Very Hard (Refusal)  <b>WATER</b>  Water Level on Date shown  water inflow  water outflow	<b>FIELD TESTS</b> SPT - Standard Penetration Test HP - Hand/Pocket Penetrometer DCP - Dynamic Cone Penetrometer PSP - Perth Sand Penetrometer MC - Moisture Content PBT - Plate Bearing Test IMP - Borehole Impression Test PID - Photoionisation Detector VS - Vane Shear; P=Peak, R=Residual (uncorrected kPa)	<b>SAMPLES</b> B - Bulk disturbed sample D - Disturbed sample ES - Environmental sample U - Thin wall tube 'undisturbed'  <b>MOISTURE</b> D - Dry M - Moist W - Wet PL - Plastic limit LL - Liquid limit w - Moisture content	<b>SOIL CONSISTENCY</b> VS - Very Soft S - Soft F - Firm St - Stiff VSt - Very Stiff H - Hard  <b>RELATIVE DENSITY</b> VL - Very Loose L - Loose MD - Medium Dense D - Dense VD - Very Dense
--	--	--	---	---




Refer to explanatory notes for details of abbreviations and basis of descriptions

Client: DWP Australia		Job No: 5017190157		Sheet: 1 of 1	
Project: Detailed Site Investigation and Geotechnical Investigation					
Location: Kyeemagh Infants School, Kyeemagh, NSW		Angle from Horizontal: 90°		Surface Elevation:	
Machine Type: 10 tonne Excavator		Excavation Method:			
Excavation Dimensions:		Contractor:			
Date Excavated: 10/11/18		Logged By: JG		Checked By:	

Excavation			Sampling & Testing		Material Description						
Method	Resistance	Stability	Water	Sample or Field Test	Depth (m)	Graphic Log	Classification	SOIL TYPE, plasticity or particle characteristic, colour, secondary and minor components ROCK TYPE, grain size and type, colour, fabric & texture, strength, weathering, defects and structure	Moisture Condition	Consistency Relative Density	STRUCTURE & Other Observations
EX ↑ ↓				ES 0.10 m TP14_0.1				0.10m FILL: Silty SAND: fine to medium grained, gap graded, grey SAND: fine to medium grained, uniform, grey yellow	D		FILL 0.00 m: PID = 0.6 ppm MARINE 0.10 m: PID = 0.7 ppm
				ES 0.70 m TP14_0.7	0.5		SP		M	L	
					0.70m			TERMINATED AT 0.70 m Target depth			
					1.0						
					1.5						
					2.0						
					2.5						
					3.0						
					3.5						
					4.0						
					4.5						




  

<b>METHOD</b> EX Excavator bucket R Ripper HA Hand auger PT Push tube SON Sonic drilling AH Air hammer PS Percussion sampler AS Short spiral auger AD/V Solid flight auger: V-Bit AD/T Solid flight auger: TC-Bit HFA Hollow flight auger WB Washbore drilling RR Rock roller	<b>PENETRATION</b> VE Very Easy (No Resistance) E Easy F Firm H Hard VH Very Hard (Refusal)  <b>WATER</b>  Water Level on Date shown  water inflow  water outflow	<b>FIELD TESTS</b> SPT - Standard Penetration Test HP - Hand/Pocket Penetrometer DCP - Dynamic Cone Penetrometer PSP - Perth Sand Penetrometer MC - Moisture Content PBT - Plate Bearing Test IMP - Borehole Impression Test PID - Photoionisation Detector VS - Vane Shear; P=Peak, R=Residual (uncorrected kPa)	<b>SAMPLES</b> B - Bulk disturbed sample D - Disturbed sample ES - Environmental sample U - Thin wall tube 'undisturbed'  <b>MOISTURE</b> D - Dry M - Moist W - Wet PL - Plastic limit LL - Liquid limit w - Moisture content	<b>SOIL CONSISTENCY</b> VS - Very Soft S - Soft F - Firm St - Stiff VSt - Very Stiff H - Hard  <b>RELATIVE DENSITY</b> VL - Very Loose L - Loose MD - Medium Dense D - Dense VD - Very Dense
--	--	--	---	---




Refer to explanatory notes for details of abbreviations and basis of descriptions

<b>Client:</b> DWP Australia <b>Project:</b> Detailed Site Investigation and Geotechnical Investigation <b>Location:</b> Kyeemagh Infants School, Kyeemagh, NSW				<b>Job No:</b> 5017190157 <b>Sheet:</b> 1 of 1			
<b>Position:</b> See attached plan				<b>Angle from Horizontal:</b> 90°		<b>Surface Elevation:</b>	
<b>Machine Type:</b> 10 tonne Excavator				<b>Excavation Method:</b>			
<b>Excavation Dimensions:</b>				<b>Contractor:</b>			
<b>Date Excavated:</b> 10/11/18				<b>Logged By:</b> JG		<b>Checked By:</b>	

Excavation			Sampling & Testing		Depth (m)	Material Description					
Method	Resistance	Stability	Water	Sample or Field Test		Graphic Log	Classification	SOIL TYPE, plasticity or particle characteristic, colour, secondary and minor components ROCK TYPE, grain size and type, colour, fabric & texture, strength, weathering, defects and structure	Moisture Condition	Consistency Relative Density	STRUCTURE & Other Observations
EX 				ES 0.10 m TP15_0.1			0.10m SAND: fine to medium grained, gap graded, grey	D		TOPSOIL 0.00 m: PID = 0.4ppm	
				ES 0.60 m TP15_0.6			0.60m FILL: SAND: fine to medium grained, poorly graded, grey brown			FILL 0.10 m: PID = 0.2ppm, large concrete chunk present	
							SP	1.10m SAND: fine to medium grained, uniform, yellow brown	M	MD	MARINE
					1.0		TERMINATED AT 1.10 m Target depth				
					1.5						
					2.0						
					2.5						
					3.0						
					3.5						
					4.0						
					4.5						

<b>METHOD</b> EX Excavator bucket R Ripper HA Hand auger PT Push tube SON Sonic drilling AH Air hammer PS Percussion sampler AS Short spiral auger AD/V Solid flight auger: V-Bit AD/T Solid flight auger: TC-Bit HFA Hollow flight auger WB Washbore drilling RR Rock roller	<b>PENETRATION</b> VE Very Easy (No Resistance) E Easy F Firm H Hard VH Very Hard (Refusal)  <b>WATER</b>  Water Level on Date shown  water inflow  water outflow	<b>FIELD TESTS</b> SPT - Standard Penetration Test HP - Hand/Pocket Penetrometer DCP - Dynamic Cone Penetrometer PSP - Perth Sand Penetrometer MC - Moisture Content PBT - Plate Bearing Test IMP - Borehole Impression Test PID - Photoionisation Detector VS - Vane Shear; P=Peak, R=Residual (uncorrected kPa)	<b>SAMPLES</b> B - Bulk disturbed sample D - Disturbed sample ES - Environmental sample U - Thin wall tube 'undisturbed'  <b>MOISTURE</b> D - Dry M - Moist W - Wet PL - Plastic limit LL - Liquid limit w - Moisture content	<b>SOIL CONSISTENCY</b> VS - Very Soft S - Soft F - Firm St - Stiff VSt - Very Stiff H - Hard  <b>RELATIVE DENSITY</b> VL - Very Loose L - Loose MD - Medium Dense D - Dense VD - Very Dense
--	--	--	---	---

Refer to explanatory notes for details of abbreviations and basis of descriptions


**Client:** DWP Australia  
**Project:** Detailed Site Investigation and Geotechnical Investigation  
**Location:** Kyeemagh Infants School, Kyeemagh, NSW **Job No:** 5017190157 **Sheet:** 1 of 1

**Position:** See attached plan **Angle from Horizontal:** 90° **Surface Elevation:**

**Machine Type:** 10 tonne Excavator **Excavation Method:**

**Excavation Dimensions:** **Contractor:**

**Date Excavated:** 10/11/18 **Logged By:** JG **Checked By:**

Excavation			Water	Sampling & Testing	Depth (m)	Material Description					
Method	Resistance	Stability		Sample or Field Test		Graphic Log	Classification	SOIL TYPE, plasticity or particle characteristic, colour, secondary and minor components ROCK TYPE, grain size and type, colour, fabric & texture, strength, weathering, defects and structure	Moisture Condition	Consistency Relative Density	STRUCTURE & Other Observations
EX				ES 0.10 m TP16_0.1 , QA 300, QA 400	0.10m		SP	Silty SAND: fine to medium grained, poorly graded, grey SAND: fine to medium grained, poorly graded, yellow grey	D		TOPSOIL 0.00 m: PID = 0.6ppm MARINE 0.10 m: PID = 0.3ppm
				ES 0.80 m TP16_0.8	0.80m			TERMINATED AT 0.80 m Target depth	M	L	
					1.0						
					1.5						
					2.0						
					2.5						
					3.0						
					3.5						
					4.0						
					4.5						




**METHOD**

EX Excavator bucket  
 R Ripper  
 HA Hand auger  
 PT Push tube  
 SON Sonic drilling  
 AH Air hammer  
 PS Percussion sampler  
 AS Short spiral auger  
 AD/V Solid flight auger: V-Bit  
 AD/T Solid flight auger: TC-Bit  
 HFA Hollow flight auger  
 WB Washbore drilling  
 RR Rock roller

**PENETRATION**

VE Very Easy (No Resistance)  
 E Easy  
 F Firm  
 H Hard  
 VH Very Hard (Refusal)

**WATER**

 Water Level on Date shown  
 water inflow  
 water outflow

**FIELD TESTS**

SPT - Standard Penetration Test  
 HP - Hand/Pocket Penetrometer  
 DCP - Dynamic Cone Penetrometer  
 PSP - Perth Sand Penetrometer  
 MC - Moisture Content  
 PBT - Plate Bearing Test  
 IMP - Borehole Impression Test  
 PID - Photoionisation Detector  
 VS - Vane Shear; P=Peak, R=Residual (uncorrected kPa)

**SAMPLES**

B - Bulk disturbed sample  
 D - Disturbed sample  
 ES - Environmental sample  
 U - Thin wall tube 'undisturbed'

**MOISTURE**

D - Dry  
 M - Moist  
 W - Wet  
 PL - Plastic limit  
 LL - Liquid limit  
 w - Moisture content

**SOIL CONSISTENCY**

VS - Very Soft  
 S - Soft  
 F - Firm  
 St - Stiff  
 VSt - Very Stiff  
 H - Hard

**RELATIVE DENSITY**

VL - Very Loose  
 L - Loose  
 MD - Medium Dense  
 D - Dense  
 VD - Very Dense

Refer to explanatory notes for details of abbreviations and basis of descriptions




**Client:** DWP Australia  
**Project:** Detailed Site Investigation and Geotechnical Investigation  
**Location:** Kyeemagh Infants School, Kyeemagh, NSW **Job No:** 5017190157 **Sheet:** 1 of 1

**Position:** See attached plan **Angle from Horizontal:** 90° **Surface Elevation:**

**Machine Type:** 10 tonne Excavator **Excavation Method:**

**Excavation Dimensions:** **Contractor:**

**Date Excavated:** 10/11/18 **Logged By:** JG **Checked By:**

Excavation			Water	Sampling & Testing	Depth (m)	Material Description					
Method	Resistance	Stability		Sample or Field Test		Graphic Log	Classification	SOIL TYPE, plasticity or particle characteristic, colour, secondary and minor components ROCK TYPE, grain size and type, colour, fabric & texture, strength, weathering, defects and structure	Moisture Condition	Consistency Relative Density	STRUCTURE & Other Observations
EX				ES 0.10 m TP17_0.1	0.10m		SP	0.10m SAND: fine to medium grained, poorly graded, grey brown, silt	D		TOPSOIL
				ES 0.50 m TP17_0.5				0.50m SAND: fine to medium grained, uniform, yellow grey	M	MD	MARINE
					0.5			TERMINATED AT 0.50 m Target depth			
					1.0						
					1.5						
					2.0						
					2.5						
					3.0						
					3.5						
					4.0						
					4.5						




**METHOD**

EX Excavator bucket  
 R Ripper  
 HA Hand auger  
 PT Push tube  
 SON Sonic drilling  
 AH Air hammer  
 PS Percussion sampler  
 AS Short spiral auger  
 AD/V Solid flight auger: V-Bit  
 AD/T Solid flight auger: TC-Bit  
 HFA Hollow flight auger  
 WB Washbore drilling  
 RR Rock roller

**PENETRATION**

VE Very Easy (No Resistance)  
 E Easy  
 F Firm  
 H Hard  
 VH Very Hard (Refusal)

**WATER**

 Water Level on Date shown  
 water inflow  
 water outflow

**FIELD TESTS**

SPT - Standard Penetration Test  
 HP - Hand/Pocket Penetrometer  
 DCP - Dynamic Cone Penetrometer  
 PSP - Perth Sand Penetrometer  
 MC - Moisture Content  
 PBT - Plate Bearing Test  
 IMP - Borehole Impression Test  
 PID - Photoionisation Detector  
 VS - Vane Shear; P=Peak, R=Residual (uncorrected kPa)

**SAMPLES**

B - Bulk disturbed sample  
 D - Disturbed sample  
 ES - Environmental sample  
 U - Thin wall tube 'undisturbed'

**MOISTURE**

D - Dry  
 M - Moist  
 W - Wet  
 PL - Plastic limit  
 LL - Liquid limit  
 w - Moisture content

**SOIL CONSISTENCY**

VS - Very Soft  
 S - Soft  
 F - Firm  
 St - Stiff  
 VSt - Very Stiff  
 H - Hard

**RELATIVE DENSITY**

VL - Very Loose  
 L - Loose  
 MD - Medium Dense  
 D - Dense  
 VD - Very Dense

Refer to explanatory notes for details of abbreviations and basis of descriptions

Client: DWP Australia		Job No: 5017190157		Sheet: 1 of 1	
Project: Detailed Site Investigation and Geotechnical Investigation		Angle from Horizontal: 90°		Surface Elevation:	
Location: Kyeemagh Infants School, Kyeemagh, NSW		Excavation Method:		Contractor:	
Excavation Dimensions:		Logged By: JG		Checked By:	
Date Excavated: 10/11/18					

Excavation			Sampling & Testing		Depth (m)	Material Description				
Method	Resistance	Stability	Water	Sample or Field Test		Graphic Log	Classification	SOIL TYPE, plasticity or particle characteristic, colour, secondary and minor components ROCK TYPE, grain size and type, colour, fabric & texture, strength, weathering, defects and structure	Moisture Condition	Consistency Relative Density
↑ EX ↓				ES 0.10 m TP18_0.1	0.10m	SP	Silty SAND: fine to medium grained, poorly graded, grey brown  SAND: fine to medium grained, uniform, yellow grey	D		TOPSOIL 0.00 m: PID = 0.1ppm MARINE 0.10 m: PID = 0.1ppm
				ES 0.40 m TP18_0.4				M	L	
					0.5		TERMINATED AT 0.40 m Target depth			
					1.0					
					1.5					
					2.0					
					2.5					
					3.0					
					3.5					
					4.0					
					4.5					

<b>METHOD</b> EX Excavator bucket R Ripper HA Hand auger PT Push tube SON Sonic drilling AH Air hammer PS Percussion sampler AS Short spiral auger AD/V Solid flight auger: V-Bit AD/T Solid flight auger: TC-Bit HFA Hollow flight auger WB Washbore drilling RR Rock roller	<b>PENETRATION</b> VE Very Easy (No Resistance) E Easy F Firm H Hard VH Very Hard (Refusal)  <b>WATER</b> Water Level on Date shown water inflow water outflow	<b>FIELD TESTS</b> SPT - Standard Penetration Test HP - Hand/Pocket Penetrometer DCP - Dynamic Cone Penetrometer PSP - Perth Sand Penetrometer MC - Moisture Content PBT - Plate Bearing Test IMP - Borehole Impression Test PID - Photoionisation Detector VS - Vane Shear; P=Peak, R=Residual (uncorrected kPa)	<b>SAMPLES</b> B - Bulk disturbed sample D - Disturbed sample ES - Environmental sample U - Thin wall tube 'undisturbed'  <b>MOISTURE</b> D - Dry M - Moist W - Wet PL - Plastic limit LL - Liquid limit w - Moisture content	<b>SOIL CONSISTENCY</b> VS - Very Soft S - Soft F - Firm St - Stiff VSt - Very Stiff H - Hard  <b>RELATIVE DENSITY</b> VL - Very Loose L - Loose MD - Medium Dense D - Dense VD - Very Dense
--	--	--	---	---

Refer to explanatory notes for details of abbreviations and basis of descriptions


**Client:** DWP Australia  
**Project:** Detailed Site Investigation and Geotechnical Investigation  
**Location:** Kyeemagh Infants School, Kyeemagh, NSW **Job No:** 5017190157 **Sheet:** 1 of 1




**Position:** See attached plan **Angle from Horizontal:** 90° **Surface Elevation:**

**Machine Type:** 10 tonne Excavator **Excavation Method:**

**Excavation Dimensions:** **Contractor:**

**Date Excavated:** 10/11/18 **Logged By:** JG **Checked By:**

Excavation			Water	Sampling & Testing	Depth (m)	Material Description					
Method	Resistance	Stability		Sample or Field Test		Graphic Log	Classification	SOIL TYPE, plasticity or particle characteristic, colour, secondary and minor components ROCK TYPE, grain size and type, colour, fabric & texture, strength, weathering, defects and structure	Moisture Condition	Consistency Relative Density	STRUCTURE & Other Observations
EX				ES 0.10 m TP19_0.1	0.10m 0.30m 0.5 0.80m		SP	0.10m Silty SAND: fine to medium grained, poorly graded, brown grey	D	L	TOPSOIL 0.00 m: PID = 0.3ppm
	ES 0.30 m TP19_0.3	FILL: Gravelly SAND: fine to medium grained, gap graded, brown grey, fine to medium grained gravel	0.10 m: PID = 3.3ppm								
		SAND: fine to medium grained, uniform, yellow grey	MARINE								
								TERMINATED AT 0.80 m Target depth			
					1.0						
					1.5						
					2.0						
					2.5						
					3.0						
					3.5						
					4.0						
					4.5						

<b>METHOD</b> EX Excavator bucket R Ripper HA Hand auger PT Push tube SON Sonic drilling AH Air hammer PS Percussion sampler AS Short spiral auger AD/V Solid flight auger: V-Bit AD/T Solid flight auger: TC-Bit HFA Hollow flight auger WB Washbore drilling RR Rock roller	<b>PENETRATION</b> VE Very Easy (No Resistance) E Easy F Firm H Hard VH Very Hard (Refusal)  <b>WATER</b>  Water Level on Date shown  water inflow  water outflow	<b>FIELD TESTS</b> SPT - Standard Penetration Test HP - Hand/Pocket Penetrometer DCP - Dynamic Cone Penetrometer PSP - Perth Sand Penetrometer MC - Moisture Content PBT - Plate Bearing Test IMP - Borehole Impression Test PID - Photoionisation Detector VS - Vane Shear; P=Peak, R=Residual (uncorrected kPa)	<b>SAMPLES</b> B - Bulk disturbed sample D - Disturbed sample ES - Environmental sample U - Thin wall tube 'undisturbed'  <b>MOISTURE</b> D - Dry M - Moist W - Wet PL - Plastic limit LL - Liquid limit w - Moisture content	<b>SOIL CONSISTENCY</b> VS - Very Soft S - Soft F - Firm St - Stiff VSt - Very Stiff H - Hard  <b>RELATIVE DENSITY</b> VL - Very Loose L - Loose MD - Medium Dense D - Dense VD - Very Dense
--	--	--	---	---

Refer to explanatory notes for details of abbreviations and basis of descriptions


Client: DWP Australia  
 Project: Detailed Site Investigation and Geotechnical Investigation  
 Location: Kyeemagh Infants School, Kyeemagh, NSW Job No: 5017190157 Sheet: 1 of 1




Position: See attached plan Angle from Horizontal: 90° Surface Elevation:

Machine Type: 10 tonne Excavator Excavation Method:

Excavation Dimensions: Contractor:




Date Excavated: 10/11/18 Logged By: JG Checked By:

Excavation			Water	Sampling & Testing	Depth (m)	Material Description					
Method	Resistance	Stability		Sample or Field Test		Graphic Log	Classification	SOIL TYPE, plasticity or particle characteristic, colour, secondary and minor components ROCK TYPE, grain size and type, colour, fabric & texture, strength, weathering, defects and structure	Moisture Condition	Consistency Relative Density	STRUCTURE & Other Observations
EX				ES 0.10 m TP20_0.1	0.10m 0.40m 0.5 0.90m		SP	0.10m Silty SAND: fine to medium grained, poorly graded, grey	D	L	TOPSOIL 0.00 m: PID = 0.5ppm
			ES 0.40 m TP20_0.4	FILL: SAND: fine to medium grained, uniform, yellow brown					FILL 0.10 m: PID = 0.3ppm		
								SAND: fine to medium grained, uniform, yellow grey	M		MARINE
								TERMINATED AT 0.90 m Target depth			

<b>METHOD</b> EX Excavator bucket R Ripper HA Hand auger PT Push tube SON Sonic drilling AH Air hammer PS Percussion sampler AS Short spiral auger AD/V Solid flight auger: V-Bit AD/T Solid flight auger: TC-Bit HFA Hollow flight auger WB Washbore drilling RR Rock roller		<b>PENETRATION</b> VE Very Easy (No Resistance) E Easy F Firm H Hard VH Very Hard (Refusal) <b>WATER</b>  Water Level on Date shown  water inflow  water outflow		<b>FIELD TESTS</b> SPT - Standard Penetration Test HP - Hand/Pocket Penetrometer DCP - Dynamic Cone Penetrometer PSP - Perth Sand Penetrometer MC - Moisture Content PBT - Plate Bearing Test IMP - Borehole Impression Test PID - Photoionisation Detector VS - Vane Shear; P=Peak, R=Residual (uncorrected kPa)		<b>SAMPLES</b> B - Bulk disturbed sample D - Disturbed sample ES - Environmental sample U - Thin wall tube 'undisturbed' <b>MOISTURE</b> D - Dry M - Moist W - Wet PL - Plastic limit LL - Liquid limit w - Moisture content		<b>SOIL CONSISTENCY</b> VS - Very Soft S - Soft F - Firm St - Stiff VSt - Very Stiff H - Hard <b>RELATIVE DENSITY</b> VL - Very Loose L - Loose MD - Medium Dense D - Dense VD - Very Dense	
--	--	--	--	--	--	---	--	---	--

Refer to explanatory notes for details of abbreviations and basis of descriptions





## INDICATIVE GEOLOGICAL CROSS SECTION KYEEMAGH INFANTS SCHOOL





APPENDIX

F

LABORATORY ANALYTICAL REPORTS

# Certificate of Analysis

Cardno (NSW/ACT) Pty Ltd  
Level 9, 203 Pacific Highway  
St Leonards  
NSW 2065



NATA Accredited  
Accreditation Number 1261  
Site Number 18217

Accredited for compliance with ISO/IEC 17025 – Testing  
The results of the tests, calibrations and/or  
measurements included in this document are traceable  
to Australian/national standards.

Attention: Ben Withnall

Report 627289-S  
Project name KYEEMAGH INFANTS SCHOOL  
Project ID 80818157  
Received Date Nov 12, 2018

Client Sample ID			TP03_0.2	TP03_1.2	TP19_0.1	TP19_0.3
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins   mgt Sample No.			S18-No14957	S18-No14958	S18-No14960	S18-No14961
Date Sampled			Nov 10, 2018	Nov 10, 2018	Nov 10, 2018	Nov 10, 2018
Test/Reference	LOR	Unit				
<b>Total Recoverable Hydrocarbons - 1999 NEPM Fractions</b>						
TRH C6-C9	20	mg/kg	< 20	< 20	< 20	< 20
TRH C10-C14	20	mg/kg	< 20	< 20	< 20	< 20
TRH C15-C28	50	mg/kg	< 50	< 50	< 50	< 50
TRH C29-C36	50	mg/kg	< 50	< 50	< 50	< 50
TRH C10-36 (Total)	50	mg/kg	< 50	< 50	< 50	< 50
<b>BTEX</b>						
Benzene	0.1	mg/kg	< 0.1	-	< 0.1	< 0.1
Toluene	0.1	mg/kg	< 0.1	-	< 0.1	< 0.1
Ethylbenzene	0.1	mg/kg	< 0.1	-	< 0.1	< 0.1
m&p-Xylenes	0.2	mg/kg	< 0.2	-	< 0.2	< 0.2
o-Xylene	0.1	mg/kg	< 0.1	-	< 0.1	< 0.1
Xylenes - Total	0.3	mg/kg	< 0.3	-	< 0.3	< 0.3
4-Bromofluorobenzene (surr.)	1	%	97	-	93	85
<b>Volatile Organics</b>						
1.1-Dichloroethane	0.5	mg/kg	-	< 0.5	-	-
1.1-Dichloroethene	0.5	mg/kg	-	< 0.5	-	-
1.1.1-Trichloroethane	0.5	mg/kg	-	< 0.5	-	-
1.1.1.2-Tetrachloroethane	0.5	mg/kg	-	< 0.5	-	-
1.1.2-Trichloroethane	0.5	mg/kg	-	< 0.5	-	-
1.1.2.2-Tetrachloroethane	0.5	mg/kg	-	< 0.5	-	-
1.2-Dibromoethane	0.5	mg/kg	-	< 0.5	-	-
1.2-Dichlorobenzene	0.5	mg/kg	-	< 0.5	-	-
1.2-Dichloroethane	0.5	mg/kg	-	< 0.5	-	-
1.2-Dichloropropane	0.5	mg/kg	-	< 0.5	-	-
1.2.3-Trichloropropane	0.5	mg/kg	-	< 0.5	-	-
1.2.4-Trimethylbenzene	0.5	mg/kg	-	< 0.5	-	-
1.3-Dichlorobenzene	0.5	mg/kg	-	< 0.5	-	-
1.3-Dichloropropane	0.5	mg/kg	-	< 0.5	-	-
1.3.5-Trimethylbenzene	0.5	mg/kg	-	< 0.5	-	-
1.4-Dichlorobenzene	0.5	mg/kg	-	< 0.5	-	-
2-Butanone (MEK)	0.5	mg/kg	-	< 0.5	-	-
2-Propanone (Acetone)	0.5	mg/kg	-	< 0.5	-	-
4-Chlorotoluene	0.5	mg/kg	-	< 0.5	-	-
4-Methyl-2-pentanone (MIBK)	0.5	mg/kg	-	< 0.5	-	-
Allyl chloride	0.5	mg/kg	-	< 0.5	-	-

Client Sample ID			TP03_0.2	TP03_1.2	TP19_0.1	TP19_0.3
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins   mgt Sample No.			S18-No14957	S18-No14958	S18-No14960	S18-No14961
Date Sampled			Nov 10, 2018	Nov 10, 2018	Nov 10, 2018	Nov 10, 2018
Test/Reference	LOR	Unit				
<b>Volatile Organics</b>						
Benzene	0.1	mg/kg	-	< 0.1	-	-
Bromobenzene	0.5	mg/kg	-	< 0.5	-	-
Bromochloromethane	0.5	mg/kg	-	< 0.5	-	-
Bromodichloromethane	0.5	mg/kg	-	< 0.5	-	-
Bromoform	0.5	mg/kg	-	< 0.5	-	-
Bromomethane	0.5	mg/kg	-	< 0.5	-	-
Carbon disulfide	0.5	mg/kg	-	< 0.5	-	-
Carbon Tetrachloride	0.5	mg/kg	-	< 0.5	-	-
Chlorobenzene	0.5	mg/kg	-	< 0.5	-	-
Chloroethane	0.5	mg/kg	-	< 0.5	-	-
Chloroform	0.5	mg/kg	-	< 0.5	-	-
Chloromethane	0.5	mg/kg	-	< 0.5	-	-
cis-1.2-Dichloroethene	0.5	mg/kg	-	< 0.5	-	-
cis-1.3-Dichloropropene	0.5	mg/kg	-	< 0.5	-	-
Dibromochloromethane	0.5	mg/kg	-	< 0.5	-	-
Dibromomethane	0.5	mg/kg	-	< 0.5	-	-
Dichlorodifluoromethane	0.5	mg/kg	-	< 0.5	-	-
Ethylbenzene	0.1	mg/kg	-	< 0.1	-	-
Iodomethane	0.5	mg/kg	-	< 0.5	-	-
Isopropyl benzene (Cumene)	0.5	mg/kg	-	< 0.5	-	-
m&p-Xylenes	0.2	mg/kg	-	< 0.2	-	-
Methylene Chloride	0.5	mg/kg	-	< 0.5	-	-
o-Xylene	0.1	mg/kg	-	< 0.1	-	-
Styrene	0.5	mg/kg	-	< 0.5	-	-
Tetrachloroethene	0.5	mg/kg	-	< 0.5	-	-
Toluene	0.1	mg/kg	-	< 0.1	-	-
trans-1.2-Dichloroethene	0.5	mg/kg	-	< 0.5	-	-
trans-1.3-Dichloropropene	0.5	mg/kg	-	< 0.5	-	-
Trichloroethene	0.5	mg/kg	-	< 0.5	-	-
Trichlorofluoromethane	0.5	mg/kg	-	< 0.5	-	-
Vinyl chloride	0.5	mg/kg	-	< 0.5	-	-
Xylenes - Total	0.3	mg/kg	-	< 0.3	-	-
Total MAH*	0.5	mg/kg	-	< 0.5	-	-
Vic EPA IWRG 621 CHC (Total)*	0.5	mg/kg	-	< 0.5	-	-
Vic EPA IWRG 621 Other CHC (Total)*	0.5	mg/kg	-	< 0.5	-	-
4-Bromofluorobenzene (surr.)	1	%	-	107	-	-
Toluene-d8 (surr.)	1	%	-	99	-	-
<b>Total Recoverable Hydrocarbons - 2013 NEPM Fractions</b>						
Naphthalene <sup>N02</sup>	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
TRH C6-C10	20	mg/kg	< 20	< 20	< 20	< 20
TRH C6-C10 less BTEX (F1) <sup>N04</sup>	20	mg/kg	< 20	< 20	< 20	< 20
TRH >C10-C16	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C10-C16 less Naphthalene (F2) <sup>N01</sup>	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C16-C34	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C34-C40	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C10-C40 (total)*	100	mg/kg	< 100	< 100	< 100	< 100

Client Sample ID			TP03_0.2	TP03_1.2	TP19_0.1	TP19_0.3
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins   mgt Sample No.			S18-No14957	S18-No14958	S18-No14960	S18-No14961
Date Sampled			Nov 10, 2018	Nov 10, 2018	Nov 10, 2018	Nov 10, 2018
Test/Reference	LOR	Unit				
<b>Polycyclic Aromatic Hydrocarbons</b>						
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6	0.6	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2	1.2	1.2
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(b&j)fluoranthene <sup>N07</sup>	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chrysene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluorene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Indeno(1.2.3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Naphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Total PAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Fluorobiphenyl (surr.)	1	%	92	116	125	134
p-Terphenyl-d14 (surr.)	1	%	117	111	133	149
<b>Organochlorine Pesticides</b>						
Chlordanes - Total	0.1	mg/kg	< 0.1	-	-	-
4,4'-DDD	0.05	mg/kg	< 0.05	-	-	-
4,4'-DDE	0.05	mg/kg	< 0.05	-	-	-
4,4'-DDT	0.05	mg/kg	< 0.05	-	-	-
a-BHC	0.05	mg/kg	< 0.05	-	-	-
Aldrin	0.05	mg/kg	< 0.05	-	-	-
b-BHC	0.05	mg/kg	< 0.05	-	-	-
d-BHC	0.05	mg/kg	< 0.05	-	-	-
Dieldrin	0.05	mg/kg	< 0.05	-	-	-
Endosulfan I	0.05	mg/kg	< 0.05	-	-	-
Endosulfan II	0.05	mg/kg	< 0.05	-	-	-
Endosulfan sulphate	0.05	mg/kg	< 0.05	-	-	-
Endrin	0.05	mg/kg	< 0.05	-	-	-
Endrin aldehyde	0.05	mg/kg	< 0.05	-	-	-
Endrin ketone	0.05	mg/kg	< 0.05	-	-	-
g-BHC (Lindane)	0.05	mg/kg	< 0.05	-	-	-
Heptachlor	0.05	mg/kg	< 0.05	-	-	-
Heptachlor epoxide	0.05	mg/kg	< 0.05	-	-	-
Hexachlorobenzene	0.05	mg/kg	< 0.05	-	-	-
Methoxychlor	0.05	mg/kg	< 0.05	-	-	-
Toxaphene	1	mg/kg	< 1	-	-	-
Aldrin and Dieldrin (Total)*	0.05	mg/kg	< 0.05	-	-	-
DDT + DDE + DDD (Total)*	0.05	mg/kg	< 0.05	-	-	-
Vic EPA IWRG 621 OCP (Total)*	0.1	mg/kg	< 0.1	-	-	-
Vic EPA IWRG 621 Other OCP (Total)*	0.1	mg/kg	< 0.1	-	-	-
Dibutylchloroendate (surr.)	1	%	69	-	-	-
Tetrachloro-m-xylene (surr.)	1	%	57	-	-	-

Client Sample ID			TP03_0.2	TP03_1.2	TP19_0.1	TP19_0.3
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins   mgt Sample No.			S18-No14957	S18-No14958	S18-No14960	S18-No14961
Date Sampled			Nov 10, 2018	Nov 10, 2018	Nov 10, 2018	Nov 10, 2018
Test/Reference	LOR	Unit				
<b>Organophosphorus Pesticides</b>						
Azinphos-methyl	0.2	mg/kg	< 0.2	-	-	-
Bolstar	0.2	mg/kg	< 0.2	-	-	-
Chlorfenvinphos	0.2	mg/kg	< 0.2	-	-	-
Chlorpyrifos	0.2	mg/kg	< 0.2	-	-	-
Chlorpyrifos-methyl	0.2	mg/kg	< 0.2	-	-	-
Coumaphos	2	mg/kg	< 2	-	-	-
Demeton-S	0.2	mg/kg	< 0.2	-	-	-
Demeton-O	0.2	mg/kg	< 0.2	-	-	-
Diazinon	0.2	mg/kg	< 0.2	-	-	-
Dichlorvos	0.2	mg/kg	< 0.2	-	-	-
Dimethoate	0.2	mg/kg	< 0.2	-	-	-
Disulfoton	0.2	mg/kg	< 0.2	-	-	-
EPN	0.2	mg/kg	< 0.2	-	-	-
Ethion	0.2	mg/kg	< 0.2	-	-	-
Ethoprop	0.2	mg/kg	< 0.2	-	-	-
Ethyl parathion	0.2	mg/kg	< 0.2	-	-	-
Fenitrothion	0.2	mg/kg	< 0.2	-	-	-
Fensulfothion	0.2	mg/kg	< 0.2	-	-	-
Fenthion	0.2	mg/kg	< 0.2	-	-	-
Malathion	0.2	mg/kg	< 0.2	-	-	-
Merphos	0.2	mg/kg	< 0.2	-	-	-
Methyl parathion	0.2	mg/kg	< 0.2	-	-	-
Mevinphos	0.2	mg/kg	< 0.2	-	-	-
Monocrotophos	2	mg/kg	< 2	-	-	-
Naled	0.2	mg/kg	< 0.2	-	-	-
Omethoate	2	mg/kg	< 2	-	-	-
Phorate	0.2	mg/kg	< 0.2	-	-	-
Pirimiphos-methyl	0.2	mg/kg	< 0.2	-	-	-
Pyrazophos	0.2	mg/kg	< 0.2	-	-	-
Ronnel	0.2	mg/kg	< 0.2	-	-	-
Terbufos	0.2	mg/kg	< 0.2	-	-	-
Tetrachlorvinphos	0.2	mg/kg	< 0.2	-	-	-
Tokuthion	0.2	mg/kg	< 0.2	-	-	-
Trichloronate	0.2	mg/kg	< 0.2	-	-	-
Triphenylphosphate (surr.)	1	%	59	-	-	-
<b>Polychlorinated Biphenyls</b>						
Aroclor-1016	0.1	mg/kg	< 0.1	-	-	-
Aroclor-1221	0.1	mg/kg	< 0.1	-	-	-
Aroclor-1232	0.1	mg/kg	< 0.1	-	-	-
Aroclor-1242	0.1	mg/kg	< 0.1	-	-	-
Aroclor-1248	0.1	mg/kg	< 0.1	-	-	-
Aroclor-1254	0.1	mg/kg	< 0.1	-	-	-
Aroclor-1260	0.1	mg/kg	< 0.1	-	-	-
Total PCB*	0.1	mg/kg	< 0.1	-	-	-
Dibutylchlorendate (surr.)	1	%	69	-	-	-
Tetrachloro-m-xylene (surr.)	1	%	57	-	-	-
% Moisture	1	%	2.8	3.8	1.4	18



Client Sample ID			TP03_0.2	TP03_1.2	TP19_0.1	TP19_0.3
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins   mgt Sample No.			S18-No14957	S18-No14958	S18-No14960	S18-No14961
Date Sampled			Nov 10, 2018	Nov 10, 2018	Nov 10, 2018	Nov 10, 2018
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Arsenic	2	mg/kg	< 2	< 2	< 2	< 2
Cadmium	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Chromium	5	mg/kg	< 5	< 5	< 5	< 5
Copper	5	mg/kg	6.6	< 5	7.3	10
Lead	5	mg/kg	19	6.2	32	10
Mercury	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Nickel	5	mg/kg	< 5	< 5	< 5	< 5
Zinc	5	mg/kg	35	11	29	25

Client Sample ID			TP01_0.2	TP01_0.9	TP02_0.1	TP02_0.4
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins   mgt Sample No.			S18-No14962	S18-No14963	S18-No14964	S18-No14965
Date Sampled			Nov 10, 2018	Nov 10, 2018	Nov 10, 2018	Nov 10, 2018
Test/Reference	LOR	Unit				
<b>Total Recoverable Hydrocarbons - 1999 NEPM Fractions</b>						
TRH C6-C9	20	mg/kg	< 20	< 20	< 20	< 20
TRH C10-C14	20	mg/kg	< 20	< 20	< 20	< 20
TRH C15-C28	50	mg/kg	< 50	< 50	63	< 50
TRH C29-C36	50	mg/kg	62	< 50	110	< 50
TRH C10-36 (Total)	50	mg/kg	62	< 50	173	< 50
<b>BTEX</b>						
Benzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Toluene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Ethylbenzene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
m&p-Xylenes	0.2	mg/kg	< 0.2	< 0.2	< 0.2	< 0.2
o-Xylene	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Xylenes - Total	0.3	mg/kg	< 0.3	< 0.3	< 0.3	< 0.3
4-Bromofluorobenzene (surr.)	1	%	89	92	107	95
<b>Total Recoverable Hydrocarbons - 2013 NEPM Fractions</b>						
Naphthalene <sup>N02</sup>	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
TRH C6-C10	20	mg/kg	< 20	< 20	< 20	< 20
TRH C6-C10 less BTEX (F1) <sup>N04</sup>	20	mg/kg	< 20	< 20	< 20	< 20
TRH >C10-C16	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C10-C16 less Naphthalene (F2) <sup>N01</sup>	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C16-C34	100	mg/kg	< 100	< 100	130	< 100
TRH >C34-C40	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C10-C40 (total)*	100	mg/kg	< 100	< 100	130	< 100
<b>Polycyclic Aromatic Hydrocarbons</b>						
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6	0.6	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2	1.2	1.2
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benz(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(b&j)fluoranthene <sup>N07</sup>	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5

Client Sample ID			TP01_0.2	TP01_0.9	TP02_0.1	TP02_0.4
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins   mgt Sample No.			S18-No14962	S18-No14963	S18-No14964	S18-No14965
Date Sampled			Nov 10, 2018	Nov 10, 2018	Nov 10, 2018	Nov 10, 2018
Test/Reference	LOR	Unit				
<b>Polycyclic Aromatic Hydrocarbons</b>						
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chrysene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluorene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Indeno(1.2.3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Naphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Total PAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Fluorobiphenyl (surr.)	1	%	121	96	87	86
p-Terphenyl-d14 (surr.)	1	%	115	102	100	93
<b>Organochlorine Pesticides</b>						
Chlordanes - Total	0.1	mg/kg	-	-	0.7	-
4.4'-DDD	0.05	mg/kg	-	-	< 0.05	-
4.4'-DDE	0.05	mg/kg	-	-	0.06	-
4.4'-DDT	0.05	mg/kg	-	-	0.06	-
a-BHC	0.05	mg/kg	-	-	< 0.05	-
Aldrin	0.05	mg/kg	-	-	< 0.05	-
b-BHC	0.05	mg/kg	-	-	< 0.05	-
d-BHC	0.05	mg/kg	-	-	< 0.05	-
Dieldrin	0.05	mg/kg	-	-	0.64	-
Endosulfan I	0.05	mg/kg	-	-	< 0.05	-
Endosulfan II	0.05	mg/kg	-	-	< 0.05	-
Endosulfan sulphate	0.05	mg/kg	-	-	< 0.05	-
Endrin	0.05	mg/kg	-	-	< 0.05	-
Endrin aldehyde	0.05	mg/kg	-	-	< 0.05	-
Endrin ketone	0.05	mg/kg	-	-	< 0.05	-
g-BHC (Lindane)	0.05	mg/kg	-	-	< 0.05	-
Heptachlor	0.05	mg/kg	-	-	< 0.05	-
Heptachlor epoxide	0.05	mg/kg	-	-	< 0.05	-
Hexachlorobenzene	0.05	mg/kg	-	-	< 0.05	-
Methoxychlor	0.05	mg/kg	-	-	< 0.05	-
Toxaphene	1	mg/kg	-	-	< 1	-
Aldrin and Dieldrin (Total)*	0.05	mg/kg	-	-	0.64	-
DDT + DDE + DDD (Total)*	0.05	mg/kg	-	-	0.12	-
Vic EPA IWRG 621 OCP (Total)*	0.1	mg/kg	-	-	1.46	-
Vic EPA IWRG 621 Other OCP (Total)*	0.1	mg/kg	-	-	0.7	-
Dibutylchloroendate (surr.)	1	%	-	-	84	-
Tetrachloro-m-xylene (surr.)	1	%	-	-	95	-
<b>Organophosphorus Pesticides</b>						
Azinphos-methyl	0.2	mg/kg	-	-	< 0.2	-
Bolstar	0.2	mg/kg	-	-	< 0.2	-
Chlorfenvinphos	0.2	mg/kg	-	-	< 0.2	-
Chlorpyrifos	0.2	mg/kg	-	-	< 0.2	-
Chlorpyrifos-methyl	0.2	mg/kg	-	-	< 0.2	-
Coumaphos	2	mg/kg	-	-	< 2	-
Demeton-S	0.2	mg/kg	-	-	< 0.2	-
Demeton-O	0.2	mg/kg	-	-	< 0.2	-

Client Sample ID			TP01_0.2	TP01_0.9	TP02_0.1	TP02_0.4
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins   mgt Sample No.			S18-No14962	S18-No14963	S18-No14964	S18-No14965
Date Sampled			Nov 10, 2018	Nov 10, 2018	Nov 10, 2018	Nov 10, 2018
Test/Reference	LOR	Unit				
<b>Organophosphorus Pesticides</b>						
Diazinon	0.2	mg/kg	-	-	< 0.2	-
Dichlorvos	0.2	mg/kg	-	-	< 0.2	-
Dimethoate	0.2	mg/kg	-	-	< 0.2	-
Disulfoton	0.2	mg/kg	-	-	< 0.2	-
EPN	0.2	mg/kg	-	-	< 0.2	-
Ethion	0.2	mg/kg	-	-	< 0.2	-
Ethoprop	0.2	mg/kg	-	-	< 0.2	-
Ethyl parathion	0.2	mg/kg	-	-	< 0.2	-
Fenitrothion	0.2	mg/kg	-	-	< 0.2	-
Fensulfothion	0.2	mg/kg	-	-	< 0.2	-
Fenthion	0.2	mg/kg	-	-	< 0.2	-
Malathion	0.2	mg/kg	-	-	< 0.2	-
Merphos	0.2	mg/kg	-	-	< 0.2	-
Methyl parathion	0.2	mg/kg	-	-	< 0.2	-
Mevinphos	0.2	mg/kg	-	-	< 0.2	-
Monocrotophos	2	mg/kg	-	-	< 2	-
Naled	0.2	mg/kg	-	-	< 0.2	-
Omethoate	2	mg/kg	-	-	< 2	-
Phorate	0.2	mg/kg	-	-	< 0.2	-
Pirimiphos-methyl	0.2	mg/kg	-	-	< 0.2	-
Pyrazophos	0.2	mg/kg	-	-	< 0.2	-
Ronnel	0.2	mg/kg	-	-	< 0.2	-
Terbufos	0.2	mg/kg	-	-	< 0.2	-
Tetrachlorvinphos	0.2	mg/kg	-	-	< 0.2	-
Tokuthion	0.2	mg/kg	-	-	< 0.2	-
Trichloronate	0.2	mg/kg	-	-	< 0.2	-
Triphenylphosphate (surr.)	1	%	-	-	94	-
<b>Polychlorinated Biphenyls</b>						
Aroclor-1016	0.1	mg/kg	-	-	< 0.1	-
Aroclor-1221	0.1	mg/kg	-	-	< 0.1	-
Aroclor-1232	0.1	mg/kg	-	-	< 0.1	-
Aroclor-1242	0.1	mg/kg	-	-	< 0.1	-
Aroclor-1248	0.1	mg/kg	-	-	< 0.1	-
Aroclor-1254	0.1	mg/kg	-	-	< 0.1	-
Aroclor-1260	0.1	mg/kg	-	-	< 0.1	-
Total PCB*	0.1	mg/kg	-	-	< 0.1	-
Dibutylchlorendate (surr.)	1	%	-	-	84	-
Tetrachloro-m-xylene (surr.)	1	%	-	-	95	-
% Moisture	1	%	4.0	3.6	5.3	4.7
<b>Heavy Metals</b>						
Arsenic	2	mg/kg	< 2	< 2	< 2	< 2
Cadmium	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Chromium	5	mg/kg	8.8	< 5	18	10
Copper	5	mg/kg	27	< 5	9.4	6.8
Lead	5	mg/kg	19	18	35	8.1
Mercury	0.1	mg/kg	< 0.1	< 0.1	0.7	< 0.1
Nickel	5	mg/kg	15	< 5	15	9.6
Zinc	5	mg/kg	44	20	72	27

Client Sample ID			TP04_0.1	TP05_0.1	TP05_0.9	TP06_0.1
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins   mgt Sample No.			S18-No14966	S18-No14967	S18-No14968	S18-No14969
Date Sampled			Nov 10, 2018	Nov 10, 2018	Nov 10, 2018	Nov 10, 2018
Test/Reference	LOR	Unit				
<b>Total Recoverable Hydrocarbons - 1999 NEPM Fractions</b>						
TRH C6-C9	20	mg/kg	< 20	< 20	< 20	< 20
TRH C10-C14	20	mg/kg	< 20	< 20	< 20	< 20
TRH C15-C28	50	mg/kg	< 50	< 50	< 50	100
TRH C29-C36	50	mg/kg	< 50	< 50	< 50	480
TRH C10-36 (Total)	50	mg/kg	< 50	< 50	< 50	580
<b>BTEX</b>						
Benzene	0.1	mg/kg	< 0.1	< 0.1	-	< 0.1
Toluene	0.1	mg/kg	< 0.1	< 0.1	-	< 0.1
Ethylbenzene	0.1	mg/kg	< 0.1	< 0.1	-	< 0.1
m&p-Xylenes	0.2	mg/kg	< 0.2	< 0.2	-	< 0.2
o-Xylene	0.1	mg/kg	< 0.1	< 0.1	-	< 0.1
Xylenes - Total	0.3	mg/kg	< 0.3	< 0.3	-	< 0.3
4-Bromofluorobenzene (surr.)	1	%	95	80	-	90
<b>Volatile Organics</b>						
1.1-Dichloroethane	0.5	mg/kg	-	-	< 0.5	-
1.1-Dichloroethene	0.5	mg/kg	-	-	< 0.5	-
1.1.1-Trichloroethane	0.5	mg/kg	-	-	< 0.5	-
1.1.1.2-Tetrachloroethane	0.5	mg/kg	-	-	< 0.5	-
1.1.2-Trichloroethane	0.5	mg/kg	-	-	< 0.5	-
1.1.2.2-Tetrachloroethane	0.5	mg/kg	-	-	< 0.5	-
1.2-Dibromoethane	0.5	mg/kg	-	-	< 0.5	-
1.2-Dichlorobenzene	0.5	mg/kg	-	-	< 0.5	-
1.2-Dichloroethane	0.5	mg/kg	-	-	< 0.5	-
1.2-Dichloropropane	0.5	mg/kg	-	-	< 0.5	-
1.2.3-Trichloropropane	0.5	mg/kg	-	-	< 0.5	-
1.2.4-Trimethylbenzene	0.5	mg/kg	-	-	< 0.5	-
1.3-Dichlorobenzene	0.5	mg/kg	-	-	< 0.5	-
1.3-Dichloropropane	0.5	mg/kg	-	-	< 0.5	-
1.3.5-Trimethylbenzene	0.5	mg/kg	-	-	< 0.5	-
1.4-Dichlorobenzene	0.5	mg/kg	-	-	< 0.5	-
2-Butanone (MEK)	0.5	mg/kg	-	-	< 0.5	-
2-Propanone (Acetone)	0.5	mg/kg	-	-	< 0.5	-
4-Chlorotoluene	0.5	mg/kg	-	-	< 0.5	-
4-Methyl-2-pentanone (MIBK)	0.5	mg/kg	-	-	< 0.5	-
Allyl chloride	0.5	mg/kg	-	-	< 0.5	-
Benzene	0.1	mg/kg	-	-	< 0.1	-
Bromobenzene	0.5	mg/kg	-	-	< 0.5	-
Bromochloromethane	0.5	mg/kg	-	-	< 0.5	-
Bromodichloromethane	0.5	mg/kg	-	-	< 0.5	-
Bromoform	0.5	mg/kg	-	-	< 0.5	-
Bromomethane	0.5	mg/kg	-	-	< 0.5	-
Carbon disulfide	0.5	mg/kg	-	-	< 0.5	-
Carbon Tetrachloride	0.5	mg/kg	-	-	< 0.5	-
Chlorobenzene	0.5	mg/kg	-	-	< 0.5	-
Chloroethane	0.5	mg/kg	-	-	< 0.5	-
Chloroform	0.5	mg/kg	-	-	< 0.5	-
Chloromethane	0.5	mg/kg	-	-	< 0.5	-
cis-1.2-Dichloroethene	0.5	mg/kg	-	-	< 0.5	-
cis-1.3-Dichloropropene	0.5	mg/kg	-	-	< 0.5	-

Client Sample ID			TP04_0.1	TP05_0.1	TP05_0.9	TP06_0.1
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins   mgt Sample No.			S18-No14966	S18-No14967	S18-No14968	S18-No14969
Date Sampled			Nov 10, 2018	Nov 10, 2018	Nov 10, 2018	Nov 10, 2018
Test/Reference	LOR	Unit				
<b>Volatile Organics</b>						
Dibromochloromethane	0.5	mg/kg	-	-	< 0.5	-
Dibromomethane	0.5	mg/kg	-	-	< 0.5	-
Dichlorodifluoromethane	0.5	mg/kg	-	-	< 0.5	-
Ethylbenzene	0.1	mg/kg	-	-	< 0.1	-
Iodomethane	0.5	mg/kg	-	-	< 0.5	-
Isopropyl benzene (Cumene)	0.5	mg/kg	-	-	< 0.5	-
m&p-Xylenes	0.2	mg/kg	-	-	< 0.2	-
Methylene Chloride	0.5	mg/kg	-	-	< 0.5	-
o-Xylene	0.1	mg/kg	-	-	< 0.1	-
Styrene	0.5	mg/kg	-	-	< 0.5	-
Tetrachloroethene	0.5	mg/kg	-	-	< 0.5	-
Toluene	0.1	mg/kg	-	-	< 0.1	-
trans-1.2-Dichloroethene	0.5	mg/kg	-	-	< 0.5	-
trans-1.3-Dichloropropene	0.5	mg/kg	-	-	< 0.5	-
Trichloroethene	0.5	mg/kg	-	-	< 0.5	-
Trichlorofluoromethane	0.5	mg/kg	-	-	< 0.5	-
Vinyl chloride	0.5	mg/kg	-	-	< 0.5	-
Xylenes - Total	0.3	mg/kg	-	-	< 0.3	-
Total MAH*	0.5	mg/kg	-	-	< 0.5	-
Vic EPA IWRG 621 CHC (Total)*	0.5	mg/kg	-	-	< 0.5	-
Vic EPA IWRG 621 Other CHC (Total)*	0.5	mg/kg	-	-	< 0.5	-
4-Bromofluorobenzene (surr.)	1	%	-	-	101	-
Toluene-d8 (surr.)	1	%	-	-	98	-
<b>Total Recoverable Hydrocarbons - 2013 NEPM Fractions</b>						
Naphthalene <sup>N02</sup>	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
TRH C6-C10	20	mg/kg	< 20	< 20	< 20	< 20
TRH C6-C10 less BTEX (F1) <sup>N04</sup>	20	mg/kg	< 20	< 20	< 20	< 20
TRH >C10-C16	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C10-C16 less Naphthalene (F2) <sup>N01</sup>	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C16-C34	100	mg/kg	< 100	< 100	< 100	350
TRH >C34-C40	100	mg/kg	< 100	< 100	< 100	520
TRH >C10-C40 (total)*	100	mg/kg	< 100	< 100	< 100	870
<b>Polycyclic Aromatic Hydrocarbons</b>						
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6	0.6	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2	1.2	1.2
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benz(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(b&j)fluoranthene <sup>N07</sup>	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chrysene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluorene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Indeno(1.2.3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5



Client Sample ID			TP04_0.1	TP05_0.1	TP05_0.9	TP06_0.1
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins   mgt Sample No.			S18-No14966	S18-No14967	S18-No14968	S18-No14969
Date Sampled			Nov 10, 2018	Nov 10, 2018	Nov 10, 2018	Nov 10, 2018
Test/Reference	LOR	Unit				
<b>Polycyclic Aromatic Hydrocarbons</b>						
Naphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Total PAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Fluorobiphenyl (surr.)	1	%	88	102	110	88
p-Terphenyl-d14 (surr.)	1	%	87	119	126	92
<b>Organochlorine Pesticides</b>						
Chlordanes - Total	0.1	mg/kg	< 0.1	-	-	-
4,4'-DDD	0.05	mg/kg	< 0.05	-	-	-
4,4'-DDE	0.05	mg/kg	< 0.05	-	-	-
4,4'-DDT	0.05	mg/kg	< 0.05	-	-	-
a-BHC	0.05	mg/kg	< 0.05	-	-	-
Aldrin	0.05	mg/kg	< 0.05	-	-	-
b-BHC	0.05	mg/kg	< 0.05	-	-	-
d-BHC	0.05	mg/kg	< 0.05	-	-	-
Dieldrin	0.05	mg/kg	< 0.05	-	-	-
Endosulfan I	0.05	mg/kg	< 0.05	-	-	-
Endosulfan II	0.05	mg/kg	< 0.05	-	-	-
Endosulfan sulphate	0.05	mg/kg	< 0.05	-	-	-
Endrin	0.05	mg/kg	< 0.05	-	-	-
Endrin aldehyde	0.05	mg/kg	< 0.05	-	-	-
Endrin ketone	0.05	mg/kg	< 0.05	-	-	-
g-BHC (Lindane)	0.05	mg/kg	< 0.05	-	-	-
Heptachlor	0.05	mg/kg	< 0.05	-	-	-
Heptachlor epoxide	0.05	mg/kg	< 0.05	-	-	-
Hexachlorobenzene	0.05	mg/kg	< 0.05	-	-	-
Methoxychlor	0.05	mg/kg	< 0.05	-	-	-
Toxaphene	1	mg/kg	< 1	-	-	-
Aldrin and Dieldrin (Total)*	0.05	mg/kg	< 0.05	-	-	-
DDT + DDE + DDD (Total)*	0.05	mg/kg	< 0.05	-	-	-
Vic EPA IWRG 621 OCP (Total)*	0.1	mg/kg	< 0.1	-	-	-
Vic EPA IWRG 621 Other OCP (Total)*	0.1	mg/kg	< 0.1	-	-	-
Dibutylchloroendate (surr.)	1	%	79	-	-	-
Tetrachloro-m-xylene (surr.)	1	%	65	-	-	-
<b>Organophosphorus Pesticides</b>						
Azinphos-methyl	0.2	mg/kg	< 0.2	-	-	-
Bolstar	0.2	mg/kg	< 0.2	-	-	-
Chlorfenvinphos	0.2	mg/kg	< 0.2	-	-	-
Chlorpyrifos	0.2	mg/kg	< 0.2	-	-	-
Chlorpyrifos-methyl	0.2	mg/kg	< 0.2	-	-	-
Coumaphos	2	mg/kg	< 2	-	-	-
Demeton-S	0.2	mg/kg	< 0.2	-	-	-
Demeton-O	0.2	mg/kg	< 0.2	-	-	-
Diazinon	0.2	mg/kg	< 0.2	-	-	-
Dichlorvos	0.2	mg/kg	< 0.2	-	-	-
Dimethoate	0.2	mg/kg	< 0.2	-	-	-
Disulfoton	0.2	mg/kg	< 0.2	-	-	-
EPN	0.2	mg/kg	< 0.2	-	-	-
Ethion	0.2	mg/kg	< 0.2	-	-	-

Client Sample ID			TP04_0.1	TP05_0.1	TP05_0.9	TP06_0.1
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins   mgt Sample No.			S18-No14966	S18-No14967	S18-No14968	S18-No14969
Date Sampled			Nov 10, 2018	Nov 10, 2018	Nov 10, 2018	Nov 10, 2018
Test/Reference	LOR	Unit				
<b>Organophosphorus Pesticides</b>						
Ethoprop	0.2	mg/kg	< 0.2	-	-	-
Ethyl parathion	0.2	mg/kg	< 0.2	-	-	-
Fenitrothion	0.2	mg/kg	< 0.2	-	-	-
Fensulfothion	0.2	mg/kg	< 0.2	-	-	-
Fenthion	0.2	mg/kg	< 0.2	-	-	-
Malathion	0.2	mg/kg	< 0.2	-	-	-
Merphos	0.2	mg/kg	< 0.2	-	-	-
Methyl parathion	0.2	mg/kg	< 0.2	-	-	-
Mevinphos	0.2	mg/kg	< 0.2	-	-	-
Monocrotophos	2	mg/kg	< 2	-	-	-
Naled	0.2	mg/kg	< 0.2	-	-	-
Omethoate	2	mg/kg	< 2	-	-	-
Phorate	0.2	mg/kg	< 0.2	-	-	-
Pirimiphos-methyl	0.2	mg/kg	< 0.2	-	-	-
Pyrazophos	0.2	mg/kg	< 0.2	-	-	-
Ronnel	0.2	mg/kg	< 0.2	-	-	-
Terbufos	0.2	mg/kg	< 0.2	-	-	-
Tetrachlorvinphos	0.2	mg/kg	< 0.2	-	-	-
Tokuthion	0.2	mg/kg	< 0.2	-	-	-
Trichloronate	0.2	mg/kg	< 0.2	-	-	-
Triphenylphosphate (surr.)	1	%	112	-	-	-
<b>Polychlorinated Biphenyls</b>						
Aroclor-1016	0.1	mg/kg	< 0.1	-	-	-
Aroclor-1221	0.1	mg/kg	< 0.1	-	-	-
Aroclor-1232	0.1	mg/kg	< 0.1	-	-	-
Aroclor-1242	0.1	mg/kg	< 0.1	-	-	-
Aroclor-1248	0.1	mg/kg	< 0.1	-	-	-
Aroclor-1254	0.1	mg/kg	< 0.1	-	-	-
Aroclor-1260	0.1	mg/kg	< 0.1	-	-	-
Total PCB*	0.1	mg/kg	< 0.1	-	-	-
Dibutylchlorendate (surr.)	1	%	79	-	-	-
Tetrachloro-m-xylene (surr.)	1	%	65	-	-	-
% Clay	1	%	-	-	< 1	-
Conductivity (1:5 aqueous extract at 25°C as rec.)	10	uS/cm	-	-	12	-
pH (units)(1:5 soil:CaCl2 extract at 25°C as rec.)	0.1	pH Units	-	-	5.9	-
Total Organic Carbon	0.1	%	-	-	0.1	-
% Moisture	1	%	2.4	4.5	4.3	6.6
<b>Heavy Metals</b>						
Arsenic	2	mg/kg	< 2	< 2	< 2	2.8
Cadmium	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Chromium	5	mg/kg	< 5	< 5	< 5	130
Copper	5	mg/kg	8.7	5.2	< 5	37
Iron	20	mg/kg	-	-	360	-
Lead	5	mg/kg	38	23	< 5	8.1
Mercury	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Nickel	5	mg/kg	< 5	< 5	< 5	130
Zinc	5	mg/kg	36	23	< 5	86
<b>Heavy Metals</b>						
Iron (%)	0.01	%	-	-	0.04	-

<b>Client Sample ID</b>			<b>TP04_0.1</b>	<b>TP05_0.1</b>	<b>TP05_0.9</b>	<b>TP06_0.1</b>
<b>Sample Matrix</b>			<b>Soil</b>	<b>Soil</b>	<b>Soil</b>	<b>Soil</b>
<b>Eurofins   mgt Sample No.</b>			<b>S18-No14966</b>	<b>S18-No14967</b>	<b>S18-No14968</b>	<b>S18-No14969</b>
<b>Date Sampled</b>			<b>Nov 10, 2018</b>	<b>Nov 10, 2018</b>	<b>Nov 10, 2018</b>	<b>Nov 10, 2018</b>
Test/Reference	LOR	Unit				
<b>Cation Exchange Capacity</b>						
Cation Exchange Capacity	0.05	meq/100g	-	-	0.76	-

<b>Client Sample ID</b>			<b>TP06_0.3</b>	<b>TP07_0.1</b>	<b>TP07_0.4</b>	<b>TP07_0.6</b>
<b>Sample Matrix</b>			<b>Soil</b>	<b>Soil</b>	<b>Soil</b>	<b>Soil</b>
<b>Eurofins   mgt Sample No.</b>			<b>S18-No14970</b>	<b>S18-No14971</b>	<b>S18-No14972</b>	<b>S18-No14973</b>
<b>Date Sampled</b>			<b>Nov 10, 2018</b>	<b>Nov 10, 2018</b>	<b>Nov 10, 2018</b>	<b>Nov 10, 2018</b>
Test/Reference	LOR	Unit				
<b>Total Recoverable Hydrocarbons - 1999 NEPM Fractions</b>						
TRH C6-C9	20	mg/kg	< 20	< 20	< 20	< 20
TRH C10-C14	20	mg/kg	< 20	< 20	< 20	< 20
TRH C15-C28	50	mg/kg	< 50	< 50	< 50	< 50
TRH C29-C36	50	mg/kg	< 50	< 50	< 50	< 50
TRH C10-36 (Total)	50	mg/kg	< 50	< 50	< 50	< 50
<b>BTEX</b>						
Benzene	0.1	mg/kg	-	< 0.1	< 0.1	< 0.1
Toluene	0.1	mg/kg	-	< 0.1	< 0.1	< 0.1
Ethylbenzene	0.1	mg/kg	-	< 0.1	< 0.1	< 0.1
m&p-Xylenes	0.2	mg/kg	-	< 0.2	< 0.2	< 0.2
o-Xylene	0.1	mg/kg	-	< 0.1	< 0.1	< 0.1
Xylenes - Total	0.3	mg/kg	-	< 0.3	< 0.3	< 0.3
4-Bromofluorobenzene (surr.)	1	%	-	98	114	93
<b>Volatile Organics</b>						
1.1-Dichloroethane	0.5	mg/kg	< 0.5	-	-	-
1.1-Dichloroethene	0.5	mg/kg	< 0.5	-	-	-
1.1.1-Trichloroethane	0.5	mg/kg	< 0.5	-	-	-
1.1.1.2-Tetrachloroethane	0.5	mg/kg	< 0.5	-	-	-
1.1.2-Trichloroethane	0.5	mg/kg	< 0.5	-	-	-
1.1.2.2-Tetrachloroethane	0.5	mg/kg	< 0.5	-	-	-
1.2-Dibromoethane	0.5	mg/kg	< 0.5	-	-	-
1.2-Dichlorobenzene	0.5	mg/kg	< 0.5	-	-	-
1.2-Dichloroethane	0.5	mg/kg	< 0.5	-	-	-
1.2-Dichloropropane	0.5	mg/kg	< 0.5	-	-	-
1.2.3-Trichloropropane	0.5	mg/kg	< 0.5	-	-	-
1.2.4-Trimethylbenzene	0.5	mg/kg	< 0.5	-	-	-
1.3-Dichlorobenzene	0.5	mg/kg	< 0.5	-	-	-
1.3-Dichloropropane	0.5	mg/kg	< 0.5	-	-	-
1.3.5-Trimethylbenzene	0.5	mg/kg	< 0.5	-	-	-
1.4-Dichlorobenzene	0.5	mg/kg	< 0.5	-	-	-
2-Butanone (MEK)	0.5	mg/kg	< 0.5	-	-	-
2-Propanone (Acetone)	0.5	mg/kg	< 0.5	-	-	-
4-Chlorotoluene	0.5	mg/kg	< 0.5	-	-	-
4-Methyl-2-pentanone (MIBK)	0.5	mg/kg	< 0.5	-	-	-
Allyl chloride	0.5	mg/kg	< 0.5	-	-	-
Benzene	0.1	mg/kg	< 0.1	-	-	-
Bromobenzene	0.5	mg/kg	< 0.5	-	-	-
Bromochloromethane	0.5	mg/kg	< 0.5	-	-	-
Bromodichloromethane	0.5	mg/kg	< 0.5	-	-	-
Bromoform	0.5	mg/kg	< 0.5	-	-	-

Client Sample ID			TP06_0.3	TP07_0.1	TP07_0.4	TP07_0.6
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins   mgt Sample No.			S18-No14970	S18-No14971	S18-No14972	S18-No14973
Date Sampled			Nov 10, 2018	Nov 10, 2018	Nov 10, 2018	Nov 10, 2018
Test/Reference	LOR	Unit				
<b>Volatile Organics</b>						
Bromomethane	0.5	mg/kg	< 0.5	-	-	-
Carbon disulfide	0.5	mg/kg	< 0.5	-	-	-
Carbon Tetrachloride	0.5	mg/kg	< 0.5	-	-	-
Chlorobenzene	0.5	mg/kg	< 0.5	-	-	-
Chloroethane	0.5	mg/kg	< 0.5	-	-	-
Chloroform	0.5	mg/kg	< 0.5	-	-	-
Chloromethane	0.5	mg/kg	< 0.5	-	-	-
cis-1.2-Dichloroethene	0.5	mg/kg	< 0.5	-	-	-
cis-1.3-Dichloropropene	0.5	mg/kg	< 0.5	-	-	-
Dibromochloromethane	0.5	mg/kg	< 0.5	-	-	-
Dibromomethane	0.5	mg/kg	< 0.5	-	-	-
Dichlorodifluoromethane	0.5	mg/kg	< 0.5	-	-	-
Ethylbenzene	0.1	mg/kg	< 0.1	-	-	-
Iodomethane	0.5	mg/kg	< 0.5	-	-	-
Isopropyl benzene (Cumene)	0.5	mg/kg	< 0.5	-	-	-
m&p-Xylenes	0.2	mg/kg	< 0.2	-	-	-
Methylene Chloride	0.5	mg/kg	< 0.5	-	-	-
o-Xylene	0.1	mg/kg	< 0.1	-	-	-
Styrene	0.5	mg/kg	< 0.5	-	-	-
Tetrachloroethene	0.5	mg/kg	< 0.5	-	-	-
Toluene	0.1	mg/kg	< 0.1	-	-	-
trans-1.2-Dichloroethene	0.5	mg/kg	< 0.5	-	-	-
trans-1.3-Dichloropropene	0.5	mg/kg	< 0.5	-	-	-
Trichloroethene	0.5	mg/kg	< 0.5	-	-	-
Trichlorofluoromethane	0.5	mg/kg	< 0.5	-	-	-
Vinyl chloride	0.5	mg/kg	< 0.5	-	-	-
Xylenes - Total	0.3	mg/kg	< 0.3	-	-	-
Total MAH*	0.5	mg/kg	< 0.5	-	-	-
Vic EPA IWRG 621 CHC (Total)*	0.5	mg/kg	< 0.5	-	-	-
Vic EPA IWRG 621 Other CHC (Total)*	0.5	mg/kg	< 0.5	-	-	-
4-Bromofluorobenzene (surr.)	1	%	100	-	-	-
Toluene-d8 (surr.)	1	%	94	-	-	-
<b>Total Recoverable Hydrocarbons - 2013 NEPM Fractions</b>						
Naphthalene <sup>N02</sup>	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
TRH C6-C10	20	mg/kg	< 20	< 20	< 20	< 20
TRH C6-C10 less BTEX (F1) <sup>N04</sup>	20	mg/kg	< 20	< 20	< 20	< 20
TRH >C10-C16	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C10-C16 less Naphthalene (F2) <sup>N01</sup>	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C16-C34	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C34-C40	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C10-C40 (total)*	100	mg/kg	< 100	< 100	< 100	< 100
<b>Polycyclic Aromatic Hydrocarbons</b>						
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6	0.6	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2	1.2	1.2
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benz(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5

Client Sample ID			TP06_0.3	TP07_0.1	TP07_0.4	TP07_0.6
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins   mgt Sample No.			S18-No14970	S18-No14971	S18-No14972	S18-No14973
Date Sampled			Nov 10, 2018	Nov 10, 2018	Nov 10, 2018	Nov 10, 2018
Test/Reference	LOR	Unit				
<b>Polycyclic Aromatic Hydrocarbons</b>						
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(b&j)fluoranthene <sup>N07</sup>	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chrysene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluorene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Indeno(1,2,3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Naphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Total PAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Fluorobiphenyl (surr.)	1	%	101	90	100	105
p-Terphenyl-d14 (surr.)	1	%	104	98	111	120
% Clay	1	%	-	-	< 1	-
Conductivity (1:5 aqueous extract at 25°C as rec.)	10	uS/cm	-	-	58	-
pH (units)(1:5 soil:CaCl2 extract at 25°C as rec.)	0.1	pH Units	-	-	5.8	-
Total Organic Carbon	0.1	%	-	-	0.6	-
% Moisture	1	%	7.7	7.7	2.1	24
<b>Heavy Metals</b>						
Arsenic	2	mg/kg	< 2	2.5	< 2	< 2
Cadmium	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Chromium	5	mg/kg	13	6.4	< 5	< 5
Copper	5	mg/kg	16	8.4	< 5	13
Iron	20	mg/kg	-	-	1500	-
Lead	5	mg/kg	11	17	11	9.0
Mercury	0.1	mg/kg	< 0.1	1.5	0.2	0.7
Nickel	5	mg/kg	17	< 5	< 5	< 5
Zinc	5	mg/kg	26	46	15	20
<b>Heavy Metals</b>						
Iron (%)	0.01	%	-	-	0.15	-
<b>Cation Exchange Capacity</b>						
Cation Exchange Capacity	0.05	meq/100g	-	-	2.8	-

Client Sample ID			TP08_0.4	TP09_0.3	TP10_0.1	TP11_0.2
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins   mgt Sample No.			S18-No14974	S18-No14975	S18-No14976	S18-No14977
Date Sampled			Nov 10, 2018	Nov 10, 2018	Nov 10, 2018	Nov 10, 2018
Test/Reference	LOR	Unit				
<b>Total Recoverable Hydrocarbons - 1999 NEPM Fractions</b>						
TRH C6-C9	20	mg/kg	< 20	< 20	< 20	< 20
TRH C10-C14	20	mg/kg	< 20	< 20	< 20	< 20
TRH C15-C28	50	mg/kg	< 50	< 50	< 50	< 50
TRH C29-C36	50	mg/kg	< 50	< 50	91	< 50
TRH C10-36 (Total)	50	mg/kg	< 50	< 50	91	< 50



Client Sample ID			TP08_0.4	TP09_0.3	TP10_0.1	TP11_0.2
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins   mgt Sample No.			S18-No14974	S18-No14975	S18-No14976	S18-No14977
Date Sampled			Nov 10, 2018	Nov 10, 2018	Nov 10, 2018	Nov 10, 2018
Test/Reference	LOR	Unit				
<b>BTEX</b>						
Benzene	0.1	mg/kg	-	< 0.1	< 0.1	< 0.1
Toluene	0.1	mg/kg	-	< 0.1	< 0.1	< 0.1
Ethylbenzene	0.1	mg/kg	-	< 0.1	< 0.1	< 0.1
m&p-Xylenes	0.2	mg/kg	-	< 0.2	< 0.2	< 0.2
o-Xylene	0.1	mg/kg	-	< 0.1	< 0.1	< 0.1
Xylenes - Total	0.3	mg/kg	-	< 0.3	< 0.3	< 0.3
4-Bromofluorobenzene (surr.)	1	%	-	113	106	103
<b>Volatile Organics</b>						
1.1-Dichloroethane	0.5	mg/kg	< 0.5	-	-	-
1.1-Dichloroethene	0.5	mg/kg	< 0.5	-	-	-
1.1.1-Trichloroethane	0.5	mg/kg	< 0.5	-	-	-
1.1.1.2-Tetrachloroethane	0.5	mg/kg	< 0.5	-	-	-
1.1.2-Trichloroethane	0.5	mg/kg	< 0.5	-	-	-
1.1.2.2-Tetrachloroethane	0.5	mg/kg	< 0.5	-	-	-
1.2-Dibromoethane	0.5	mg/kg	< 0.5	-	-	-
1.2-Dichlorobenzene	0.5	mg/kg	< 0.5	-	-	-
1.2-Dichloroethane	0.5	mg/kg	< 0.5	-	-	-
1.2-Dichloropropane	0.5	mg/kg	< 0.5	-	-	-
1.2.3-Trichloropropane	0.5	mg/kg	< 0.5	-	-	-
1.2.4-Trimethylbenzene	0.5	mg/kg	< 0.5	-	-	-
1.3-Dichlorobenzene	0.5	mg/kg	< 0.5	-	-	-
1.3-Dichloropropane	0.5	mg/kg	< 0.5	-	-	-
1.3.5-Trimethylbenzene	0.5	mg/kg	< 0.5	-	-	-
1.4-Dichlorobenzene	0.5	mg/kg	< 0.5	-	-	-
2-Butanone (MEK)	0.5	mg/kg	< 0.5	-	-	-
2-Propanone (Acetone)	0.5	mg/kg	< 0.5	-	-	-
4-Chlorotoluene	0.5	mg/kg	< 0.5	-	-	-
4-Methyl-2-pentanone (MIBK)	0.5	mg/kg	< 0.5	-	-	-
Allyl chloride	0.5	mg/kg	< 0.5	-	-	-
Benzene	0.1	mg/kg	< 0.1	-	-	-
Bromobenzene	0.5	mg/kg	< 0.5	-	-	-
Bromochloromethane	0.5	mg/kg	< 0.5	-	-	-
Bromodichloromethane	0.5	mg/kg	< 0.5	-	-	-
Bromoform	0.5	mg/kg	< 0.5	-	-	-
Bromomethane	0.5	mg/kg	< 0.5	-	-	-
Carbon disulfide	0.5	mg/kg	< 0.5	-	-	-
Carbon Tetrachloride	0.5	mg/kg	< 0.5	-	-	-
Chlorobenzene	0.5	mg/kg	< 0.5	-	-	-
Chloroethane	0.5	mg/kg	< 0.5	-	-	-
Chloroform	0.5	mg/kg	< 0.5	-	-	-
Chloromethane	0.5	mg/kg	< 0.5	-	-	-
cis-1.2-Dichloroethene	0.5	mg/kg	< 0.5	-	-	-
cis-1.3-Dichloropropene	0.5	mg/kg	< 0.5	-	-	-
Dibromochloromethane	0.5	mg/kg	< 0.5	-	-	-
Dibromomethane	0.5	mg/kg	< 0.5	-	-	-
Dichlorodifluoromethane	0.5	mg/kg	< 0.5	-	-	-
Ethylbenzene	0.1	mg/kg	< 0.1	-	-	-
Iodomethane	0.5	mg/kg	< 0.5	-	-	-
Isopropyl benzene (Cumene)	0.5	mg/kg	< 0.5	-	-	-

Client Sample ID			TP08_0.4	TP09_0.3	TP10_0.1	TP11_0.2
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins   mgt Sample No.			S18-No14974	S18-No14975	S18-No14976	S18-No14977
Date Sampled			Nov 10, 2018	Nov 10, 2018	Nov 10, 2018	Nov 10, 2018
Test/Reference	LOR	Unit				
<b>Volatile Organics</b>						
m&p-Xylenes	0.2	mg/kg	< 0.2	-	-	-
Methylene Chloride	0.5	mg/kg	< 0.5	-	-	-
o-Xylene	0.1	mg/kg	< 0.1	-	-	-
Styrene	0.5	mg/kg	< 0.5	-	-	-
Tetrachloroethene	0.5	mg/kg	< 0.5	-	-	-
Toluene	0.1	mg/kg	< 0.1	-	-	-
trans-1.2-Dichloroethene	0.5	mg/kg	< 0.5	-	-	-
trans-1.3-Dichloropropene	0.5	mg/kg	< 0.5	-	-	-
Trichloroethene	0.5	mg/kg	< 0.5	-	-	-
Trichlorofluoromethane	0.5	mg/kg	< 0.5	-	-	-
Vinyl chloride	0.5	mg/kg	< 0.5	-	-	-
Xylenes - Total	0.3	mg/kg	< 0.3	-	-	-
Total MAH*	0.5	mg/kg	< 0.5	-	-	-
Vic EPA IWRG 621 CHC (Total)*	0.5	mg/kg	< 0.5	-	-	-
Vic EPA IWRG 621 Other CHC (Total)*	0.5	mg/kg	< 0.5	-	-	-
4-Bromofluorobenzene (surr.)	1	%	103	-	-	-
Toluene-d8 (surr.)	1	%	97	-	-	-
<b>Total Recoverable Hydrocarbons - 2013 NEPM Fractions</b>						
Naphthalene <sup>N02</sup>	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
TRH C6-C10	20	mg/kg	< 20	< 20	< 20	< 20
TRH C6-C10 less BTEX (F1) <sup>N04</sup>	20	mg/kg	< 20	< 20	< 20	< 20
TRH >C10-C16	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C10-C16 less Naphthalene (F2) <sup>N01</sup>	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C16-C34	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C34-C40	100	mg/kg	< 100	< 100	150	< 100
TRH >C10-C40 (total)*	100	mg/kg	< 100	< 100	150	< 100
<b>Polycyclic Aromatic Hydrocarbons</b>						
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6	0.6	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2	1.2	1.2
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benz(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(b&j)fluoranthene <sup>N07</sup>	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chrysene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluorene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Indeno(1.2.3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Naphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Total PAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Fluorobiphenyl (surr.)	1	%	105	100	112	102
p-Terphenyl-d14 (surr.)	1	%	118	114	129	122

Client Sample ID			TP08_0.4	TP09_0.3	TP10_0.1	TP11_0.2
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins   mgt Sample No.			S18-No14974	S18-No14975	S18-No14976	S18-No14977
Date Sampled			Nov 10, 2018	Nov 10, 2018	Nov 10, 2018	Nov 10, 2018
Test/Reference	LOR	Unit				
<b>Organochlorine Pesticides</b>						
Chlordanes - Total	0.1	mg/kg	-	-	-	< 0.1
4,4'-DDD	0.05	mg/kg	-	-	-	< 0.05
4,4'-DDE	0.05	mg/kg	-	-	-	< 0.05
4,4'-DDT	0.05	mg/kg	-	-	-	< 0.05
a-BHC	0.05	mg/kg	-	-	-	< 0.05
Aldrin	0.05	mg/kg	-	-	-	< 0.05
b-BHC	0.05	mg/kg	-	-	-	< 0.05
d-BHC	0.05	mg/kg	-	-	-	< 0.05
Dieldrin	0.05	mg/kg	-	-	-	< 0.05
Endosulfan I	0.05	mg/kg	-	-	-	< 0.05
Endosulfan II	0.05	mg/kg	-	-	-	< 0.05
Endosulfan sulphate	0.05	mg/kg	-	-	-	< 0.05
Endrin	0.05	mg/kg	-	-	-	< 0.05
Endrin aldehyde	0.05	mg/kg	-	-	-	< 0.05
Endrin ketone	0.05	mg/kg	-	-	-	< 0.05
g-BHC (Lindane)	0.05	mg/kg	-	-	-	< 0.05
Heptachlor	0.05	mg/kg	-	-	-	< 0.05
Heptachlor epoxide	0.05	mg/kg	-	-	-	< 0.05
Hexachlorobenzene	0.05	mg/kg	-	-	-	< 0.05
Methoxychlor	0.05	mg/kg	-	-	-	< 0.05
Toxaphene	1	mg/kg	-	-	-	< 1
Aldrin and Dieldrin (Total)*	0.05	mg/kg	-	-	-	< 0.05
DDT + DDE + DDD (Total)*	0.05	mg/kg	-	-	-	< 0.05
Vic EPA IWRG 621 OCP (Total)*	0.1	mg/kg	-	-	-	< 0.1
Vic EPA IWRG 621 Other OCP (Total)*	0.1	mg/kg	-	-	-	< 0.1
Dibutylchloride (surr.)	1	%	-	-	-	70
Tetrachloro-m-xylene (surr.)	1	%	-	-	-	73
<b>Organophosphorus Pesticides</b>						
Azinphos-methyl	0.2	mg/kg	-	-	-	< 0.2
Bolstar	0.2	mg/kg	-	-	-	< 0.2
Chlorfenvinphos	0.2	mg/kg	-	-	-	< 0.2
Chlorpyrifos	0.2	mg/kg	-	-	-	< 0.2
Chlorpyrifos-methyl	0.2	mg/kg	-	-	-	< 0.2
Coumaphos	2	mg/kg	-	-	-	< 2
Demeton-S	0.2	mg/kg	-	-	-	< 0.2
Demeton-O	0.2	mg/kg	-	-	-	< 0.2
Diazinon	0.2	mg/kg	-	-	-	< 0.2
Dichlorvos	0.2	mg/kg	-	-	-	< 0.2
Dimethoate	0.2	mg/kg	-	-	-	< 0.2
Disulfoton	0.2	mg/kg	-	-	-	< 0.2
EPN	0.2	mg/kg	-	-	-	< 0.2
Ethion	0.2	mg/kg	-	-	-	< 0.2
Ethoprop	0.2	mg/kg	-	-	-	< 0.2
Ethyl parathion	0.2	mg/kg	-	-	-	< 0.2
Fenitrothion	0.2	mg/kg	-	-	-	< 0.2
Fensulfothion	0.2	mg/kg	-	-	-	< 0.2
Fenthion	0.2	mg/kg	-	-	-	< 0.2
Malathion	0.2	mg/kg	-	-	-	< 0.2
Merphos	0.2	mg/kg	-	-	-	< 0.2

Client Sample ID			TP08_0.4	TP09_0.3	TP10_0.1	TP11_0.2
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins   mgt Sample No.			S18-No14974	S18-No14975	S18-No14976	S18-No14977
Date Sampled			Nov 10, 2018	Nov 10, 2018	Nov 10, 2018	Nov 10, 2018
Test/Reference	LOR	Unit				
<b>Organophosphorus Pesticides</b>						
Methyl parathion	0.2	mg/kg	-	-	-	< 0.2
Mevinphos	0.2	mg/kg	-	-	-	< 0.2
Monocrotophos	2	mg/kg	-	-	-	< 2
Naled	0.2	mg/kg	-	-	-	< 0.2
Omethoate	2	mg/kg	-	-	-	< 2
Phorate	0.2	mg/kg	-	-	-	< 0.2
Pirimiphos-methyl	0.2	mg/kg	-	-	-	< 0.2
Pyrazophos	0.2	mg/kg	-	-	-	< 0.2
Ronnel	0.2	mg/kg	-	-	-	< 0.2
Terbufos	0.2	mg/kg	-	-	-	< 0.2
Tetrachlorvinphos	0.2	mg/kg	-	-	-	< 0.2
Tokuthion	0.2	mg/kg	-	-	-	< 0.2
Trichloronate	0.2	mg/kg	-	-	-	< 0.2
Triphenylphosphate (surr.)	1	%	-	-	-	104
<b>Polychlorinated Biphenyls</b>						
Aroclor-1016	0.1	mg/kg	-	-	-	< 0.1
Aroclor-1221	0.1	mg/kg	-	-	-	< 0.1
Aroclor-1232	0.1	mg/kg	-	-	-	< 0.1
Aroclor-1242	0.1	mg/kg	-	-	-	< 0.1
Aroclor-1248	0.1	mg/kg	-	-	-	< 0.1
Aroclor-1254	0.1	mg/kg	-	-	-	< 0.1
Aroclor-1260	0.1	mg/kg	-	-	-	< 0.1
Total PCB*	0.1	mg/kg	-	-	-	< 0.1
Dibutylchlorendate (surr.)	1	%	-	-	-	70
Tetrachloro-m-xylene (surr.)	1	%	-	-	-	73
% Moisture	1	%	5.4	2.5	4.3	1.5
<b>Heavy Metals</b>						
Arsenic	2	mg/kg	< 2	< 2	< 2	< 2
Cadmium	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Chromium	5	mg/kg	< 5	< 5	< 5	< 5
Copper	5	mg/kg	< 5	< 5	< 5	< 5
Lead	5	mg/kg	7.3	10	10	< 5
Mercury	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Nickel	5	mg/kg	< 5	< 5	< 5	< 5
Zinc	5	mg/kg	10	14	21	< 5

Client Sample ID			TP11_1.2	TP12_0.2	QA100	BH4_0.4
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins   mgt Sample No.			S18-No14978	S18-No14979	S18-No14980	S18-No14981
Date Sampled			Nov 10, 2018	Nov 10, 2018	Nov 10, 2018	Nov 10, 2018
Test/Reference	LOR	Unit				
<b>Total Recoverable Hydrocarbons - 1999 NEPM Fractions</b>						
TRH C6-C9	20	mg/kg	< 20	< 20	< 20	< 20
TRH C10-C14	20	mg/kg	< 20	< 20	< 20	< 20
TRH C15-C28	50	mg/kg	72	< 50	< 50	370
TRH C29-C36	50	mg/kg	92	< 50	< 50	1600
TRH C10-36 (Total)	50	mg/kg	164	< 50	< 50	1970

Client Sample ID			TP11_1.2	TP12_0.2	QA100	BH4_0.4
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins   mgt Sample No.			S18-No14978	S18-No14979	S18-No14980	S18-No14981
Date Sampled			Nov 10, 2018	Nov 10, 2018	Nov 10, 2018	Nov 10, 2018
Test/Reference	LOR	Unit				
<b>BTEX</b>						
Benzene	0.1	mg/kg	-	< 0.1	-	< 0.1
Toluene	0.1	mg/kg	-	< 0.1	-	< 0.1
Ethylbenzene	0.1	mg/kg	-	< 0.1	-	< 0.1
m&p-Xylenes	0.2	mg/kg	-	< 0.2	-	< 0.2
o-Xylene	0.1	mg/kg	-	< 0.1	-	< 0.1
Xylenes - Total	0.3	mg/kg	-	< 0.3	-	< 0.3
4-Bromofluorobenzene (surr.)	1	%	-	114	-	112
<b>Volatile Organics</b>						
1.1-Dichloroethane	0.5	mg/kg	< 0.5	-	< 0.5	-
1.1-Dichloroethene	0.5	mg/kg	< 0.5	-	< 0.5	-
1.1.1-Trichloroethane	0.5	mg/kg	< 0.5	-	< 0.5	-
1.1.1.2-Tetrachloroethane	0.5	mg/kg	< 0.5	-	< 0.5	-
1.1.2-Trichloroethane	0.5	mg/kg	< 0.5	-	< 0.5	-
1.1.2.2-Tetrachloroethane	0.5	mg/kg	< 0.5	-	< 0.5	-
1.2-Dibromoethane	0.5	mg/kg	< 0.5	-	< 0.5	-
1.2-Dichlorobenzene	0.5	mg/kg	< 0.5	-	< 0.5	-
1.2-Dichloroethane	0.5	mg/kg	< 0.5	-	< 0.5	-
1.2-Dichloropropane	0.5	mg/kg	< 0.5	-	< 0.5	-
1.2.3-Trichloropropane	0.5	mg/kg	< 0.5	-	< 0.5	-
1.2.4-Trimethylbenzene	0.5	mg/kg	< 0.5	-	< 0.5	-
1.3-Dichlorobenzene	0.5	mg/kg	< 0.5	-	< 0.5	-
1.3-Dichloropropane	0.5	mg/kg	< 0.5	-	< 0.5	-
1.3.5-Trimethylbenzene	0.5	mg/kg	< 0.5	-	< 0.5	-
1.4-Dichlorobenzene	0.5	mg/kg	< 0.5	-	< 0.5	-
2-Butanone (MEK)	0.5	mg/kg	< 0.5	-	< 0.5	-
2-Propanone (Acetone)	0.5	mg/kg	< 0.5	-	< 0.5	-
4-Chlorotoluene	0.5	mg/kg	< 0.5	-	< 0.5	-
4-Methyl-2-pentanone (MIBK)	0.5	mg/kg	< 0.5	-	< 0.5	-
Allyl chloride	0.5	mg/kg	< 0.5	-	< 0.5	-
Benzene	0.1	mg/kg	< 0.1	-	< 0.1	-
Bromobenzene	0.5	mg/kg	< 0.5	-	< 0.5	-
Bromochloromethane	0.5	mg/kg	< 0.5	-	< 0.5	-
Bromodichloromethane	0.5	mg/kg	< 0.5	-	< 0.5	-
Bromoform	0.5	mg/kg	< 0.5	-	< 0.5	-
Bromomethane	0.5	mg/kg	< 0.5	-	< 0.5	-
Carbon disulfide	0.5	mg/kg	< 0.5	-	< 0.5	-
Carbon Tetrachloride	0.5	mg/kg	< 0.5	-	< 0.5	-
Chlorobenzene	0.5	mg/kg	< 0.5	-	< 0.5	-
Chloroethane	0.5	mg/kg	< 0.5	-	< 0.5	-
Chloroform	0.5	mg/kg	< 0.5	-	< 0.5	-
Chloromethane	0.5	mg/kg	< 0.5	-	< 0.5	-
cis-1.2-Dichloroethene	0.5	mg/kg	< 0.5	-	< 0.5	-
cis-1.3-Dichloropropene	0.5	mg/kg	< 0.5	-	< 0.5	-
Dibromochloromethane	0.5	mg/kg	< 0.5	-	< 0.5	-
Dibromomethane	0.5	mg/kg	< 0.5	-	< 0.5	-
Dichlorodifluoromethane	0.5	mg/kg	< 0.5	-	< 0.5	-
Ethylbenzene	0.1	mg/kg	< 0.1	-	< 0.1	-
Iodomethane	0.5	mg/kg	< 0.5	-	< 0.5	-
Isopropyl benzene (Cumene)	0.5	mg/kg	< 0.5	-	< 0.5	-



Client Sample ID			TP11_1.2	TP12_0.2	QA100	BH4_0.4
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins   mgt Sample No.			S18-No14978	S18-No14979	S18-No14980	S18-No14981
Date Sampled			Nov 10, 2018	Nov 10, 2018	Nov 10, 2018	Nov 10, 2018
Test/Reference	LOR	Unit				
<b>Volatile Organics</b>						
m&p-Xylenes	0.2	mg/kg	< 0.2	-	< 0.2	-
Methylene Chloride	0.5	mg/kg	< 0.5	-	< 0.5	-
o-Xylene	0.1	mg/kg	< 0.1	-	< 0.1	-
Styrene	0.5	mg/kg	< 0.5	-	< 0.5	-
Tetrachloroethene	0.5	mg/kg	< 0.5	-	< 0.5	-
Toluene	0.1	mg/kg	< 0.1	-	< 0.1	-
trans-1.2-Dichloroethene	0.5	mg/kg	< 0.5	-	< 0.5	-
trans-1.3-Dichloropropene	0.5	mg/kg	< 0.5	-	< 0.5	-
Trichloroethene	0.5	mg/kg	< 0.5	-	< 0.5	-
Trichlorofluoromethane	0.5	mg/kg	< 0.5	-	< 0.5	-
Vinyl chloride	0.5	mg/kg	< 0.5	-	< 0.5	-
Xylenes - Total	0.3	mg/kg	< 0.3	-	< 0.3	-
Total MAH*	0.5	mg/kg	< 0.5	-	< 0.5	-
Vic EPA IWRG 621 CHC (Total)*	0.5	mg/kg	< 0.5	-	< 0.5	-
Vic EPA IWRG 621 Other CHC (Total)*	0.5	mg/kg	< 0.5	-	< 0.5	-
4-Bromofluorobenzene (surr.)	1	%	102	-	102	-
Toluene-d8 (surr.)	1	%	99	-	97	-
<b>Total Recoverable Hydrocarbons - 2013 NEPM Fractions</b>						
Naphthalene <sup>N02</sup>	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
TRH C6-C10	20	mg/kg	< 20	< 20	< 20	< 20
TRH C6-C10 less BTEX (F1) <sup>N04</sup>	20	mg/kg	< 20	< 20	< 20	< 20
TRH >C10-C16	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C10-C16 less Naphthalene (F2) <sup>N01</sup>	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C16-C34	100	mg/kg	< 100	< 100	< 100	1200
TRH >C34-C40	100	mg/kg	< 100	< 100	< 100	940
TRH >C10-C40 (total)*	100	mg/kg	< 100	< 100	< 100	2140
<b>Polycyclic Aromatic Hydrocarbons</b>						
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5	< 0.5	1.0
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6	0.6	1.3
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2	1.2	1.7
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benz(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	0.9
Benzo(b&j)fluoranthene <sup>N07</sup>	0.5	mg/kg	< 0.5	< 0.5	< 0.5	0.6
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	0.8
Chrysene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	0.6
Fluorene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Indeno(1.2.3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Naphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	0.5
Total PAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	3.4
2-Fluorobiphenyl (surr.)	1	%	93	95	107	89
p-Terphenyl-d14 (surr.)	1	%	114	116	130	89

Client Sample ID			TP11_1.2	TP12_0.2	QA100	BH4_0.4
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins   mgt Sample No.			S18-No14978	S18-No14979	S18-No14980	S18-No14981
Date Sampled			Nov 10, 2018	Nov 10, 2018	Nov 10, 2018	Nov 10, 2018
Test/Reference	LOR	Unit				
<b>Organochlorine Pesticides</b>						
Chlordanes - Total	0.1	mg/kg	-	< 0.1	< 0.1	-
4,4'-DDD	0.05	mg/kg	-	< 0.05	< 0.05	-
4,4'-DDE	0.05	mg/kg	-	< 0.05	< 0.05	-
4,4'-DDT	0.05	mg/kg	-	< 0.05	< 0.05	-
a-BHC	0.05	mg/kg	-	< 0.05	< 0.05	-
Aldrin	0.05	mg/kg	-	< 0.05	< 0.05	-
b-BHC	0.05	mg/kg	-	< 0.05	< 0.05	-
d-BHC	0.05	mg/kg	-	< 0.05	< 0.05	-
Dieldrin	0.05	mg/kg	-	< 0.05	< 0.05	-
Endosulfan I	0.05	mg/kg	-	< 0.05	< 0.05	-
Endosulfan II	0.05	mg/kg	-	< 0.05	< 0.05	-
Endosulfan sulphate	0.05	mg/kg	-	< 0.05	< 0.05	-
Endrin	0.05	mg/kg	-	< 0.05	< 0.05	-
Endrin aldehyde	0.05	mg/kg	-	< 0.05	< 0.05	-
Endrin ketone	0.05	mg/kg	-	< 0.05	< 0.05	-
g-BHC (Lindane)	0.05	mg/kg	-	< 0.05	< 0.05	-
Heptachlor	0.05	mg/kg	-	< 0.05	< 0.05	-
Heptachlor epoxide	0.05	mg/kg	-	< 0.05	< 0.05	-
Hexachlorobenzene	0.05	mg/kg	-	< 0.05	< 0.05	-
Methoxychlor	0.05	mg/kg	-	< 0.05	< 0.05	-
Toxaphene	1	mg/kg	-	< 1	< 1	-
Aldrin and Dieldrin (Total)*	0.05	mg/kg	-	< 0.05	< 0.05	-
DDT + DDE + DDD (Total)*	0.05	mg/kg	-	< 0.05	< 0.05	-
Vic EPA IWRG 621 OCP (Total)*	0.1	mg/kg	-	< 0.1	< 0.1	-
Vic EPA IWRG 621 Other OCP (Total)*	0.1	mg/kg	-	< 0.1	< 0.1	-
Dibutylchloroendate (surr.)	1	%	-	69	73	-
Tetrachloro-m-xylene (surr.)	1	%	-	67	80	-
<b>Organophosphorus Pesticides</b>						
Azinphos-methyl	0.2	mg/kg	-	< 0.2	< 0.2	-
Bolstar	0.2	mg/kg	-	< 0.2	< 0.2	-
Chlorfenvinphos	0.2	mg/kg	-	< 0.2	< 0.2	-
Chlorpyrifos	0.2	mg/kg	-	< 0.2	< 0.2	-
Chlorpyrifos-methyl	0.2	mg/kg	-	< 0.2	< 0.2	-
Coumaphos	2	mg/kg	-	< 2	< 2	-
Demeton-S	0.2	mg/kg	-	< 0.2	< 0.2	-
Demeton-O	0.2	mg/kg	-	< 0.2	< 0.2	-
Diazinon	0.2	mg/kg	-	< 0.2	< 0.2	-
Dichlorvos	0.2	mg/kg	-	< 0.2	< 0.2	-
Dimethoate	0.2	mg/kg	-	< 0.2	< 0.2	-
Disulfoton	0.2	mg/kg	-	< 0.2	< 0.2	-
EPN	0.2	mg/kg	-	< 0.2	< 0.2	-
Ethion	0.2	mg/kg	-	< 0.2	< 0.2	-
Ethoprop	0.2	mg/kg	-	< 0.2	< 0.2	-
Ethyl parathion	0.2	mg/kg	-	< 0.2	< 0.2	-
Fenitrothion	0.2	mg/kg	-	< 0.2	< 0.2	-
Fensulfothion	0.2	mg/kg	-	< 0.2	< 0.2	-
Fenthion	0.2	mg/kg	-	< 0.2	< 0.2	-
Malathion	0.2	mg/kg	-	< 0.2	< 0.2	-
Merphos	0.2	mg/kg	-	< 0.2	< 0.2	-

Client Sample ID			TP11_1.2	TP12_0.2	QA100	BH4_0.4
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins   mgt Sample No.			S18-No14978	S18-No14979	S18-No14980	S18-No14981
Date Sampled			Nov 10, 2018	Nov 10, 2018	Nov 10, 2018	Nov 10, 2018
Test/Reference	LOR	Unit				
<b>Organophosphorus Pesticides</b>						
Methyl parathion	0.2	mg/kg	-	< 0.2	< 0.2	-
Mevinphos	0.2	mg/kg	-	< 0.2	< 0.2	-
Monocrotophos	2	mg/kg	-	< 2	< 2	-
Naled	0.2	mg/kg	-	< 0.2	< 0.2	-
Omethoate	2	mg/kg	-	< 2	< 2	-
Phorate	0.2	mg/kg	-	< 0.2	< 0.2	-
Pirimiphos-methyl	0.2	mg/kg	-	< 0.2	< 0.2	-
Pyrazophos	0.2	mg/kg	-	< 0.2	< 0.2	-
Ronnel	0.2	mg/kg	-	< 0.2	< 0.2	-
Terbufos	0.2	mg/kg	-	< 0.2	< 0.2	-
Tetrachlorvinphos	0.2	mg/kg	-	< 0.2	< 0.2	-
Tokuthion	0.2	mg/kg	-	< 0.2	< 0.2	-
Trichloronate	0.2	mg/kg	-	< 0.2	< 0.2	-
Triphenylphosphate (surr.)	1	%	-	96	108	-
<b>Polychlorinated Biphenyls</b>						
Aroclor-1016	0.1	mg/kg	-	< 0.1	< 0.1	-
Aroclor-1221	0.1	mg/kg	-	< 0.1	< 0.1	-
Aroclor-1232	0.1	mg/kg	-	< 0.1	< 0.1	-
Aroclor-1242	0.1	mg/kg	-	< 0.1	< 0.1	-
Aroclor-1248	0.1	mg/kg	-	< 0.1	< 0.1	-
Aroclor-1254	0.1	mg/kg	-	< 0.1	< 0.1	-
Aroclor-1260	0.1	mg/kg	-	< 0.1	< 0.1	-
Total PCB*	0.1	mg/kg	-	< 0.1	< 0.1	-
Dibutylchloredate (surr.)	1	%	-	69	73	-
Tetrachloro-m-xylene (surr.)	1	%	-	67	80	-
% Clay	1	%	-	< 1	-	-
Conductivity (1:5 aqueous extract at 25°C as rec.)	10	uS/cm	-	31	-	-
pH (units)(1:5 soil:CaCl2 extract at 25°C as rec.)	0.1	pH Units	-	5.9	-	-
Total Organic Carbon	0.1	%	-	0.7	-	-
% Moisture	1	%	2.4	3.7	6.9	< 1
<b>Heavy Metals</b>						
Arsenic	2	mg/kg	< 2	< 2	< 2	< 2
Cadmium	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Chromium	5	mg/kg	< 5	< 5	< 5	< 5
Copper	5	mg/kg	< 5	< 5	11	11
Iron	20	mg/kg	-	630	-	-
Lead	5	mg/kg	19	13	14	13
Mercury	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Nickel	5	mg/kg	< 5	< 5	< 5	13
Zinc	5	mg/kg	12	17	15	25
<b>Heavy Metals</b>						
Iron (%)	0.01	%	-	0.06	-	-
<b>Cation Exchange Capacity</b>						
Cation Exchange Capacity	0.05	meq/100g	-	1.9	-	-

Client Sample ID			BH05_0.2-0.5	BH01_1.0-1.45	BH01_2.5-2.95	BH01_3.0-3.45
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins   mgt Sample No.			S18-No14982	S18-No14983	S18-No14984	S18-No14985
Date Sampled			Nov 10, 2018	Nov 10, 2018	Nov 10, 2018	Nov 10, 2018
Test/Reference	LOR	Unit				
<b>Total Recoverable Hydrocarbons - 1999 NEPM Fractions</b>						
TRH C6-C9	20	mg/kg	< 20	-	-	-
TRH C10-C14	20	mg/kg	< 20	-	-	-
TRH C15-C28	50	mg/kg	< 50	-	-	-
TRH C29-C36	50	mg/kg	< 50	-	-	-
TRH C10-36 (Total)	50	mg/kg	< 50	-	-	-
<b>Volatile Organics</b>						
1.1-Dichloroethane	0.5	mg/kg	< 0.5	-	-	-
1.1-Dichloroethene	0.5	mg/kg	< 0.5	-	-	-
1.1.1-Trichloroethane	0.5	mg/kg	< 0.5	-	-	-
1.1.1.2-Tetrachloroethane	0.5	mg/kg	< 0.5	-	-	-
1.1.2-Trichloroethane	0.5	mg/kg	< 0.5	-	-	-
1.1.2.2-Tetrachloroethane	0.5	mg/kg	< 0.5	-	-	-
1.2-Dibromoethane	0.5	mg/kg	< 0.5	-	-	-
1.2-Dichlorobenzene	0.5	mg/kg	< 0.5	-	-	-
1.2-Dichloroethane	0.5	mg/kg	< 0.5	-	-	-
1.2-Dichloropropane	0.5	mg/kg	< 0.5	-	-	-
1.2.3-Trichloropropane	0.5	mg/kg	< 0.5	-	-	-
1.2.4-Trimethylbenzene	0.5	mg/kg	< 0.5	-	-	-
1.3-Dichlorobenzene	0.5	mg/kg	< 0.5	-	-	-
1.3-Dichloropropane	0.5	mg/kg	< 0.5	-	-	-
1.3.5-Trimethylbenzene	0.5	mg/kg	< 0.5	-	-	-
1.4-Dichlorobenzene	0.5	mg/kg	< 0.5	-	-	-
2-Butanone (MEK)	0.5	mg/kg	< 0.5	-	-	-
2-Propanone (Acetone)	0.5	mg/kg	< 0.5	-	-	-
4-Chlorotoluene	0.5	mg/kg	< 0.5	-	-	-
4-Methyl-2-pentanone (MIBK)	0.5	mg/kg	< 0.5	-	-	-
Allyl chloride	0.5	mg/kg	< 0.5	-	-	-
Benzene	0.1	mg/kg	< 0.1	-	-	-
Bromobenzene	0.5	mg/kg	< 0.5	-	-	-
Bromochloromethane	0.5	mg/kg	< 0.5	-	-	-
Bromodichloromethane	0.5	mg/kg	< 0.5	-	-	-
Bromoform	0.5	mg/kg	< 0.5	-	-	-
Bromomethane	0.5	mg/kg	< 0.5	-	-	-
Carbon disulfide	0.5	mg/kg	< 0.5	-	-	-
Carbon Tetrachloride	0.5	mg/kg	< 0.5	-	-	-
Chlorobenzene	0.5	mg/kg	< 0.5	-	-	-
Chloroethane	0.5	mg/kg	< 0.5	-	-	-
Chloroform	0.5	mg/kg	< 0.5	-	-	-
Chloromethane	0.5	mg/kg	< 0.5	-	-	-
cis-1.2-Dichloroethene	0.5	mg/kg	< 0.5	-	-	-
cis-1.3-Dichloropropene	0.5	mg/kg	< 0.5	-	-	-
Dibromochloromethane	0.5	mg/kg	< 0.5	-	-	-
Dibromomethane	0.5	mg/kg	< 0.5	-	-	-
Dichlorodifluoromethane	0.5	mg/kg	< 0.5	-	-	-
Ethylbenzene	0.1	mg/kg	< 0.1	-	-	-
Iodomethane	0.5	mg/kg	< 0.5	-	-	-
Isopropyl benzene (Cumene)	0.5	mg/kg	< 0.5	-	-	-
m&p-Xylenes	0.2	mg/kg	< 0.2	-	-	-
Methylene Chloride	0.5	mg/kg	< 0.5	-	-	-

Client Sample ID			BH05_0.2-0.5	BH01_1.0-1.45	BH01_2.5-2.95	BH01_3.0-3.45
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins   mgt Sample No.			S18-No14982	S18-No14983	S18-No14984	S18-No14985
Date Sampled			Nov 10, 2018	Nov 10, 2018	Nov 10, 2018	Nov 10, 2018
Test/Reference	LOR	Unit				
<b>Volatile Organics</b>						
o-Xylene	0.1	mg/kg	< 0.1	-	-	-
Styrene	0.5	mg/kg	< 0.5	-	-	-
Tetrachloroethene	0.5	mg/kg	< 0.5	-	-	-
Toluene	0.1	mg/kg	< 0.1	-	-	-
trans-1.2-Dichloroethene	0.5	mg/kg	< 0.5	-	-	-
trans-1.3-Dichloropropene	0.5	mg/kg	< 0.5	-	-	-
Trichloroethene	0.5	mg/kg	< 0.5	-	-	-
Trichlorofluoromethane	0.5	mg/kg	< 0.5	-	-	-
Vinyl chloride	0.5	mg/kg	< 0.5	-	-	-
Xylenes - Total	0.3	mg/kg	< 0.3	-	-	-
Total MAH*	0.5	mg/kg	< 0.5	-	-	-
Vic EPA IWRG 621 CHC (Total)*	0.5	mg/kg	< 0.5	-	-	-
Vic EPA IWRG 621 Other CHC (Total)*	0.5	mg/kg	< 0.5	-	-	-
4-Bromofluorobenzene (surr.)	1	%	102	-	-	-
Toluene-d8 (surr.)	1	%	99	-	-	-
<b>Total Recoverable Hydrocarbons - 2013 NEPM Fractions</b>						
Naphthalene <sup>N02</sup>	0.5	mg/kg	< 0.5	-	-	-
TRH C6-C10	20	mg/kg	< 20	-	-	-
TRH C6-C10 less BTEX (F1) <sup>N04</sup>	20	mg/kg	< 20	-	-	-
TRH >C10-C16	50	mg/kg	< 50	-	-	-
TRH >C10-C16 less Naphthalene (F2) <sup>N01</sup>	50	mg/kg	< 50	-	-	-
TRH >C16-C34	100	mg/kg	< 100	-	-	-
TRH >C34-C40	100	mg/kg	< 100	-	-	-
TRH >C10-C40 (total)*	100	mg/kg	< 100	-	-	-
<b>Polycyclic Aromatic Hydrocarbons</b>						
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	-	-	-
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	-	-	-
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	-	-	-
Acenaphthene	0.5	mg/kg	< 0.5	-	-	-
Acenaphthylene	0.5	mg/kg	< 0.5	-	-	-
Anthracene	0.5	mg/kg	< 0.5	-	-	-
Benz(a)anthracene	0.5	mg/kg	< 0.5	-	-	-
Benzo(a)pyrene	0.5	mg/kg	< 0.5	-	-	-
Benzo(b&j)fluoranthene <sup>N07</sup>	0.5	mg/kg	< 0.5	-	-	-
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	-	-	-
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	-	-	-
Chrysene	0.5	mg/kg	< 0.5	-	-	-
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	-	-	-
Fluoranthene	0.5	mg/kg	< 0.5	-	-	-
Fluorene	0.5	mg/kg	< 0.5	-	-	-
Indeno(1.2.3-cd)pyrene	0.5	mg/kg	< 0.5	-	-	-
Naphthalene	0.5	mg/kg	< 0.5	-	-	-
Phenanthrene	0.5	mg/kg	< 0.5	-	-	-
Pyrene	0.5	mg/kg	< 0.5	-	-	-
Total PAH*	0.5	mg/kg	< 0.5	-	-	-
2-Fluorobiphenyl (surr.)	1	%	99	-	-	-
p-Terphenyl-d14 (surr.)	1	%	121	-	-	-
% Moisture	1	%	2.5	-	-	-



<b>Client Sample ID</b>			<b>BH05_0.2-0.5</b>	<b>BH01_1.0-1.45</b>	<b>BH01_2.5-2.95</b>	<b>BH01_3.0-3.45</b>
<b>Sample Matrix</b>			<b>Soil</b>	<b>Soil</b>	<b>Soil</b>	<b>Soil</b>
<b>Eurofins   mgt Sample No.</b>			<b>S18-No14982</b>	<b>S18-No14983</b>	<b>S18-No14984</b>	<b>S18-No14985</b>
<b>Date Sampled</b>			<b>Nov 10, 2018</b>	<b>Nov 10, 2018</b>	<b>Nov 10, 2018</b>	<b>Nov 10, 2018</b>
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Arsenic	2	mg/kg	< 2	-	-	-
Cadmium	0.4	mg/kg	< 0.4	-	-	-
Chromium	5	mg/kg	< 5	-	-	-
Copper	5	mg/kg	< 5	-	-	-
Lead	5	mg/kg	< 5	-	-	-
Mercury	0.1	mg/kg	< 0.1	-	-	-
Nickel	5	mg/kg	< 5	-	-	-
Zinc	5	mg/kg	< 5	-	-	-
<b>Acid Sulfate Soils Field pH Test</b>						
pH-F (Field pH test)*	0.1	pH Units	-	6.4	6.3	7.1
pH-FOX (Field pH Peroxide test)*	0.1	pH Units	-	4.2	4.8	5.7
Reaction Ratings*S05		comment	-	1.0	1.0	1.0

<b>Client Sample ID</b>			<b>BH01_4.0-4.45</b>	<b>BH01_5.0-5.95</b>	<b>BH01_7.0-7.45</b>	<b>BH01_8.0-8.95</b>
<b>Sample Matrix</b>			<b>Soil</b>	<b>Soil</b>	<b>Soil</b>	<b>Soil</b>
<b>Eurofins   mgt Sample No.</b>			<b>S18-No14986</b>	<b>S18-No14987</b>	<b>S18-No14988</b>	<b>S18-No14989</b>
<b>Date Sampled</b>			<b>Nov 10, 2018</b>	<b>Nov 10, 2018</b>	<b>Nov 10, 2018</b>	<b>Nov 10, 2018</b>
Test/Reference	LOR	Unit				
<b>Acid Sulfate Soils Field pH Test</b>						
pH-F (Field pH test)*	0.1	pH Units	6.7	9.2	9.0	8.9
pH-FOX (Field pH Peroxide test)*	0.1	pH Units	5.0	7.7	5.1	4.2
Reaction Ratings*S05		comment	1.0	1.0	2.0	3.0

<b>Client Sample ID</b>			<b>BH01_10.0-10.45</b>	<b>BH01_11.0-11.45</b>	<b>BH01_13.0-13.45</b>	<b>BH01_14.5-14.95</b>
<b>Sample Matrix</b>			<b>Soil</b>	<b>Soil</b>	<b>Soil</b>	<b>Soil</b>
<b>Eurofins   mgt Sample No.</b>			<b>S18-No14990</b>	<b>S18-No14991</b>	<b>S18-No14992</b>	<b>S18-No14993</b>
<b>Date Sampled</b>			<b>Nov 10, 2018</b>	<b>Nov 10, 2018</b>	<b>Nov 10, 2018</b>	<b>Nov 10, 2018</b>
Test/Reference	LOR	Unit				
<b>Acid Sulfate Soils Field pH Test</b>						
pH-F (Field pH test)*	0.1	pH Units	9.2	8.5	8.3	8.2
pH-FOX (Field pH Peroxide test)*	0.1	pH Units	4.3	7.1	5.2	5.8
Reaction Ratings*S05		comment	3.0	1.0	4.0	1.0

<b>Client Sample ID</b>			<b>BH01_16.0-16.45</b>	<b>BH04_0.5-0.95</b>	<b>BH04_2.0-2.45</b>	<b>BH04_3.0-3.45</b>
<b>Sample Matrix</b>			<b>Soil</b>	<b>Soil</b>	<b>Soil</b>	<b>Soil</b>
<b>Eurofins   mgt Sample No.</b>			<b>S18-No14994</b>	<b>S18-No14995</b>	<b>S18-No14996</b>	<b>S18-No14997</b>
<b>Date Sampled</b>			<b>Nov 10, 2018</b>	<b>Nov 10, 2018</b>	<b>Nov 10, 2018</b>	<b>Nov 10, 2018</b>
Test/Reference	LOR	Unit				
<b>Acid Sulfate Soils Field pH Test</b>						
pH-F (Field pH test)*	0.1	pH Units	6.9	6.2	4.9	5.5
pH-FOX (Field pH Peroxide test)*	0.1	pH Units	3.1	3.9	3.3	3.4
Reaction Ratings*S05		comment	2.0	1.0	1.0	1.0

<b>Client Sample ID</b>			<b>BH05_1.5-1.95</b>	<b>BH05_4.5-4.95</b>
<b>Sample Matrix</b>			<b>Soil</b>	<b>Soil</b>
<b>Eurofins   mgt Sample No.</b>			<b>S18-No14998</b>	<b>S18-No14999</b>
<b>Date Sampled</b>			<b>Nov 10, 2018</b>	<b>Nov 10, 2018</b>
Test/Reference	LOR	Unit		
<b>Acid Sulfate Soils Field pH Test</b>				
pH-F (Field pH test)*	0.1	pH Units	5.6	6.5
pH-FOX (Field pH Peroxide test)*	0.1	pH Units	3.5	5.0
Reaction Ratings* <sup>S05</sup>		comment	1.0	1.0

## Sample History

Where samples are submitted/analysed over several days, the last date of extraction and analysis is reported.  
A recent review of our LIMS has resulted in the correction or clarification of some method identifications. Due to this, some of the method reference information on reports has changed. However, no substantive change has been made to our laboratory methods, and as such there is no change in the validity of current or previous results (regarding both quality and NATA accreditation).

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

Description	Testing Site	Extracted	Holding Time
<b>Eurofins   mgt Suite B8</b>			
Total Recoverable Hydrocarbons - 1999 NEPM Fractions	Melbourne	Nov 15, 2018	14 Day
- Method: LTM-ORG-2010 TRH C6-C40			
Volatile Organics	Melbourne	Nov 15, 2018	7 Days
- Method: LTM-ORG-2150 VOCs in Soils Liquid and other Aqueous Matrices			
Total Recoverable Hydrocarbons - 2013 NEPM Fractions	Melbourne	Nov 15, 2018	14 Day
- Method: LTM-ORG-2010 TRH C6-C40			
Total Recoverable Hydrocarbons - 2013 NEPM Fractions	Melbourne	Nov 15, 2018	14 Day
- Method: LTM-ORG-2010 TRH C6-C40			
Polycyclic Aromatic Hydrocarbons	Melbourne	Nov 15, 2018	14 Day
- Method: LTM-ORG-2130 PAH and Phenols in Soil and Water			
Metals M8	Melbourne	Nov 15, 2018	28 Days
- Method: LTM-MET-3040 Metals in Waters, Soils & Sediments by ICP-MS			
<b>Eurofins   mgt Suite B7</b>			
BTEX	Melbourne	Nov 15, 2018	14 Day
- Method: LTM-ORG-2150 VOCs in Soils Liquid and other Aqueous Matrices			
<b>Eurofins   mgt Suite B15</b>			
Organochlorine Pesticides	Melbourne	Nov 15, 2018	14 Day
- Method: LTM-ORG-2220 OCP & PCB in Soil and Water			
Organophosphorus Pesticides	Melbourne	Nov 15, 2018	14 Day
- Method: LTM-ORG-2200 Organophosphorus Pesticides by GC-MS			
Polychlorinated Biphenyls	Melbourne	Nov 15, 2018	28 Days
- Method: LTM-ORG-2220 OCP & PCB in Soil and Water			
<b>NEPM Screen for Soil Classification</b>			
% Clay	Brisbane	Nov 15, 2018	6 Day
- Method: LTM-GEN-7040			
Conductivity (1:5 aqueous extract at 25°C as rec.)	Melbourne	Nov 15, 2018	7 Day
- Method: LTM-INO-4030 Conductivity			
pH (units)(1:5 soil:CaCl <sub>2</sub> extract at 25°C as rec.)	Melbourne	Nov 15, 2018	7 Day
- Method: LTM-GEN-7090 pH in soil by ISE			
Total Organic Carbon	Melbourne	Nov 17, 2018	28 Day
- Method: APHA 5310B Total Organic Carbon			
Heavy Metals	Melbourne	Nov 15, 2018	180 Day
- Method: LTM-MET-3040 Metals in Waters, Soils & Sediments by ICP-MS			
Cation Exchange Capacity	Melbourne	Nov 16, 2018	180 Days
- Method: LTM-MET-3060 Cation Exchange Capacity by bases & Exchangeable Sodium Percentage			
% Moisture	Melbourne	Nov 12, 2018	14 Day
- Method: LTM-GEN-7080 Moisture			
Acid Sulfate Soils Field pH Test	Brisbane	Nov 12, 2018	7 Days
- Method: LTM-GEN-7060 Determination of field pH (pHF) and field pH peroxide (pHFOX) tests			

**Company Name:** Cardno (NSW/ACT) Pty Ltd  
**Address:** Level 9, 203 Pacific Highway  
St Leonards  
NSW 2065  
**Project Name:** KYEEMAGH INFANTS SCHOOL  
**Project ID:** 80818157

**Order No.:**  
**Report #:** 627289  
**Phone:** 0294967700  
**Fax:** 02 9499 3902

**Received:** Nov 12, 2018 4:31 PM  
**Due:** Nov 19, 2018  
**Priority:** 5 Day  
**Contact Name:** Ben Withnall

**Eurofins | mgt Analytical Services Manager : Nibha Vaidya**

Sample Detail						Asbestos - WA guidelines	Asbestos Absence /Presence	HOLD	Acid Sulfate Soils Field pH Test	Eurofins   mgt Suite B15	Moisture Set	NEPM Screen for Soil Classification	Eurofins   mgt Suite B7	Eurofins   mgt Suite B8
Melbourne Laboratory - NATA Site # 1254 & 14271								X		X	X	X	X	X
Sydney Laboratory - NATA Site # 18217						X	X							
Brisbane Laboratory - NATA Site # 20794									X			X		
Perth Laboratory - NATA Site # 23736														
External Laboratory														
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID									
1	TP03_0.2	Nov 10, 2018		Soil	S18-No14957	X				X	X		X	
2	TP03_1.2	Nov 10, 2018		Soil	S18-No14958	X					X			X
3	TP03_ASB1	Nov 10, 2018		Building Materials	S18-No14959		X							
4	TP19_0.1	Nov 10, 2018		Soil	S18-No14960	X					X		X	
5	TP19_0.3	Nov 10, 2018		Soil	S18-No14961	X					X		X	
6	TP01_0.2	Nov 10, 2018		Soil	S18-No14962	X					X		X	
7	TP01_0.9	Nov 10, 2018		Soil	S18-No14963						X		X	
8	TP02_0.1	Nov 10, 2018		Soil	S18-No14964	X				X	X		X	
9	TP02_0.4	Nov 10, 2018		Soil	S18-No14965	X					X		X	

**Company Name:** Cardno (NSW/ACT) Pty Ltd  
**Address:** Level 9, 203 Pacific Highway  
St Leonards  
NSW 2065  
**Project Name:** KYEEMAGH INFANTS SCHOOL  
**Project ID:** 80818157

**Order No.:**  
**Report #:** 627289  
**Phone:** 0294967700  
**Fax:** 02 9499 3902

**Received:** Nov 12, 2018 4:31 PM  
**Due:** Nov 19, 2018  
**Priority:** 5 Day  
**Contact Name:** Ben Withnall

**Eurofins | mgt Analytical Services Manager : Nibha Vaidya**

Sample Detail						Asbestos - WA guidelines	Asbestos Absence /Presence	HOLD	Acid Sulfate Soils Field pH Test	Eurofins   mgt Suite B15	Moisture Set	NEPM Screen for Soil Classification	Eurofins   mgt Suite B7	Eurofins   mgt Suite B8
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>								X		X	X	X	X	X
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X							
<b>Brisbane Laboratory - NATA Site # 20794</b>									X			X		
<b>Perth Laboratory - NATA Site # 23736</b>														
10	TP04_0.1	Nov 10, 2018		Soil	S18-No14966	X				X	X		X	
11	TP05_0.1	Nov 10, 2018		Soil	S18-No14967	X					X		X	
12	TP05_0.9	Nov 10, 2018		Soil	S18-No14968						X	X		X
13	TP06_0.1	Nov 10, 2018		Soil	S18-No14969	X					X		X	
14	TP06_0.3	Nov 10, 2018		Soil	S18-No14970						X			X
15	TP07_0.1	Nov 10, 2018		Soil	S18-No14971	X					X		X	
16	TP07_0.4	Nov 10, 2018		Soil	S18-No14972						X	X	X	
17	TP07_0.6	Nov 10, 2018		Soil	S18-No14973						X		X	
18	TP08_0.4	Nov 10, 2018		Soil	S18-No14974						X			X
19	TP09_0.3	Nov 10, 2018		Soil	S18-No14975	X					X		X	
20	TP10_0.1	Nov 10, 2018		Soil	S18-No14976						X		X	
21	TP11_0.2	Nov 10, 2018		Soil	S18-No14977	X				X	X		X	



**Company Name:** Cardno (NSW/ACT) Pty Ltd  
**Address:** Level 9, 203 Pacific Highway  
St Leonards  
NSW 2065

**Project Name:** KYEEMAGH INFANTS SCHOOL  
**Project ID:** 80818157

**Order No.:**  
**Report #:** 627289  
**Phone:** 0294967700  
**Fax:** 02 9499 3902

**Received:** Nov 12, 2018 4:31 PM  
**Due:** Nov 19, 2018  
**Priority:** 5 Day  
**Contact Name:** Ben Withnall

**Eurofins | mgt Analytical Services Manager : Nibha Vaidya**

Sample Detail						Asbestos - WA guidelines	Asbestos Absence / Presence	HOLD	Acid Sulfate Soils Field pH Test	Eurofins   mgt Suite B15	Moisture Set	NEPM Screen for Soil Classification	Eurofins   mgt Suite B7	Eurofins   mgt Suite B8
Melbourne Laboratory - NATA Site # 1254 & 14271								X		X	X	X	X	X
Sydney Laboratory - NATA Site # 18217						X	X							
Brisbane Laboratory - NATA Site # 20794									X			X		
Perth Laboratory - NATA Site # 23736														
22	TP11_1.2	Nov 10, 2018		Soil	S18-No14978						X			X
23	TP12_0.2	Nov 10, 2018		Soil	S18-No14979	X				X	X	X	X	
24	QA100	Nov 10, 2018		Soil	S18-No14980					X	X			X
25	BH4_0.4	Nov 10, 2018		Soil	S18-No14981						X		X	
26	BH05_0.2-0.5	Nov 10, 2018		Soil	S18-No14982						X			X
27	BH01_1.0-1.45	Nov 10, 2018		Soil	S18-No14983				X					
28	BH01_2.5-2.95	Nov 10, 2018		Soil	S18-No14984				X					
29	BH01_3.0-3.45	Nov 10, 2018		Soil	S18-No14985				X					
30	BH01_4.0-4.45	Nov 10, 2018		Soil	S18-No14986				X					
31	BH01_5.0-5.95	Nov 10, 2018		Soil	S18-No14987				X					
32	BH01_7.0-7.45	Nov 10, 2018		Soil	S18-No14988				X					
33	BH01_8.0-8.95	Nov 10, 2018		Soil	S18-No14989				X					

**Company Name:** Cardno (NSW/ACT) Pty Ltd  
**Address:** Level 9, 203 Pacific Highway  
St Leonards  
NSW 2065  
**Project Name:** KYEEMAGH INFANTS SCHOOL  
**Project ID:** 80818157

**Order No.:**  
**Report #:** 627289  
**Phone:** 0294967700  
**Fax:** 02 9499 3902

**Received:** Nov 12, 2018 4:31 PM  
**Due:** Nov 19, 2018  
**Priority:** 5 Day  
**Contact Name:** Ben Withnall

**Eurofins | mgt Analytical Services Manager : Nibha Vaidya**

Sample Detail						Asbestos - WA guidelines	Asbestos Absence / Presence	HOLD	Acid Sulfate Soils Field pH Test	Eurofins   mgt Suite B15	Moisture Set	NEPM Screen for Soil Classification	Eurofins   mgt Suite B7	Eurofins   mgt Suite B8
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>								X		X	X	X	X	X
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X							
<b>Brisbane Laboratory - NATA Site # 20794</b>									X			X		
<b>Perth Laboratory - NATA Site # 23736</b>														
34	BH01_10.0-10.45	Nov 10, 2018		Soil	S18-No14990				X					
35	BH01_11.0-11.45	Nov 10, 2018		Soil	S18-No14991				X					
36	BH01_13.0-13.45	Nov 10, 2018		Soil	S18-No14992				X					
37	BH01_14.5-14.95	Nov 10, 2018		Soil	S18-No14993				X					
38	BH01_16.0-16.45	Nov 10, 2018		Soil	S18-No14994				X					
39	BH04_0.5-0.95	Nov 10, 2018		Soil	S18-No14995				X					
40	BH04_2.0-2.45	Nov 10, 2018		Soil	S18-No14996				X					
41	BH04_3.0-3.45	Nov 10, 2018		Soil	S18-No14997				X					
42	BH05_1.5-1.95	Nov 10, 2018		Soil	S18-No14998				X					

**Company Name:** Cardno (NSW/ACT) Pty Ltd  
**Address:** Level 9, 203 Pacific Highway  
St Leonards  
NSW 2065  
**Project Name:** KYEEMAGH INFANTS SCHOOL  
**Project ID:** 80818157

**Order No.:**  
**Report #:** 627289  
**Phone:** 0294967700  
**Fax:** 02 9499 3902

**Received:** Nov 12, 2018 4:31 PM  
**Due:** Nov 19, 2018  
**Priority:** 5 Day  
**Contact Name:** Ben Withnall

**Eurofins | mgt Analytical Services Manager : Nibha Vaidya**

Sample Detail						Asbestos - WA guidelines	Asbestos Absence /Presence	HOLD	Acid Sulfate Soils Field pH Test	Eurofins   mgt Suite B15	Moisture Set	NEPM Screen for Soil Classification	Eurofins   mgt Suite B7	Eurofins   mgt Suite B8
Melbourne Laboratory - NATA Site # 1254 & 14271								X		X	X	X	X	X
Sydney Laboratory - NATA Site # 18217						X	X							
Brisbane Laboratory - NATA Site # 20794									X			X		
Perth Laboratory - NATA Site # 23736														
43	BH05_4.5-4.95	Nov 10, 2018		Soil	S18-No14999				X					
44	TP04_0.4	Nov 10, 2018		Soil	S18-No15000			X						
45	TP08_0.1	Nov 10, 2018		Soil	S18-No15001			X						
46	TP09_0.8	Nov 10, 2018		Soil	S18-No15002			X						
47	TP10_0.4	Nov 10, 2018		Soil	S18-No15003			X						
48	TP12_1.0	Nov 10, 2018		Soil	S18-No15004			X						
49	BH04_0.5-0.95	Nov 10, 2018		Soil	S18-No15005			X						
Test Counts						14	1	6	17	6	25	3	18	7

## Internal Quality Control Review and Glossary

### General

1. Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples are included in this QC report where applicable. Additional QC data may be available on request.
2. All soil results are reported on a dry basis, unless otherwise stated.
3. All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
4. Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
5. Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
6. SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
7. Samples were analysed on an 'as received' basis.
8. This report replaces any interim results previously issued.

### Holding Times

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

**\*\*NOTE:** pH duplicates are reported as a range NOT as RPD

### Units

**mg/kg:** milligrams per kilogram

**mg/L:** milligrams per litre

**ug/L:** micrograms per litre

**ppm:** Parts per million

**ppb:** Parts per billion

**%:** Percentage

**org/100mL:** Organisms per 100 millilitres

**NTU:** Nephelometric Turbidity Units

**MPN/100mL:** Most Probable Number of organisms per 100 millilitres

### Terms

<b>Dry</b>	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
<b>LOR</b>	Limit of Reporting.
<b>SPIKE</b>	Addition of the analyte to the sample and reported as percentage recovery.
<b>RPD</b>	Relative Percent Difference between two Duplicate pieces of analysis.
<b>LCS</b>	Laboratory Control Sample - reported as percent recovery.
<b>CRM</b>	Certified Reference Material - reported as percent recovery.
<b>Method Blank</b>	In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water.
<b>Surr - Surrogate</b>	The addition of a like compound to the analyte target and reported as percentage recovery.
<b>Duplicate</b>	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
<b>USEPA</b>	United States Environmental Protection Agency
<b>APHA</b>	American Public Health Association
<b>TCLP</b>	Toxicity Characteristic Leaching Procedure
<b>COC</b>	Chain of Custody
<b>SRA</b>	Sample Receipt Advice
<b>QSM</b>	Quality Systems Manual ver 5.1 US Department of Defense
<b>CP</b>	Client Parent - QC was performed on samples pertaining to this report
<b>NCP</b>	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within.
<b>TEQ</b>	Toxic Equivalency Quotient

### QC - Acceptance Criteria

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR : No Limit

Results between 10-20 times the LOR : RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

Surrogate Recoveries: Recoveries must lie between 50-150%-Phenols & PFASs

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.1 where no positive PFAS results have been reported have been reviewed and no data was affected.

WA DWER (n=10): PFBA, PFPa, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA

### QC Data General Comments

1. Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
2. Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
3. Organochlorine Pesticide analysis - where reporting LCS data, Toxaphene & Chlordane are not added to the LCS.
4. Organochlorine Pesticide analysis - where reporting Spike data, Toxaphene is not added to the Spike.
5. Total Recoverable Hydrocarbons - where reporting Spike & LCS data, a single spike of commercial Hydrocarbon products in the range of C12-C30 is added and it's Total Recovery is reported in the C10-C14 cell of the Report.
6. pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
7. Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of Recovery the term "INT" appears against that analyte.
8. Polychlorinated Biphenyls are spiked only using Aroclor 1260 in Matrix Spikes and LCS.
9. For Matrix Spikes and LCS results a dash " - " in the report means that the specific analyte was not added to the QC sample.
10. Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.

## Quality Control Results

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
<b>Method Blank</b>							
<b>Total Recoverable Hydrocarbons - 1999 NEPM Fractions</b>							
TRH C6-C9	mg/kg	< 20			20	Pass	
TRH C10-C14	mg/kg	< 20			20	Pass	
TRH C15-C28	mg/kg	< 50			50	Pass	
TRH C29-C36	mg/kg	< 50			50	Pass	
<b>Method Blank</b>							
<b>BTEX</b>							
Benzene	mg/kg	< 0.1			0.1	Pass	
Toluene	mg/kg	< 0.1			0.1	Pass	
Ethylbenzene	mg/kg	< 0.1			0.1	Pass	
m&p-Xylenes	mg/kg	< 0.2			0.2	Pass	
o-Xylene	mg/kg	< 0.1			0.1	Pass	
Xylenes - Total	mg/kg	< 0.3			0.3	Pass	
<b>Method Blank</b>							
<b>Volatile Organics</b>							
1.1-Dichloroethane	mg/kg	< 0.5			0.5	Pass	
1.1-Dichloroethene	mg/kg	< 0.5			0.5	Pass	
1.1.1-Trichloroethane	mg/kg	< 0.5			0.5	Pass	
1.1.1.2-Tetrachloroethane	mg/kg	< 0.5			0.5	Pass	
1.1.2-Trichloroethane	mg/kg	< 0.5			0.5	Pass	
1.1.2.2-Tetrachloroethane	mg/kg	< 0.5			0.5	Pass	
1.2-Dibromoethane	mg/kg	< 0.5			0.5	Pass	
1.2-Dichlorobenzene	mg/kg	< 0.5			0.5	Pass	
1.2-Dichloroethane	mg/kg	< 0.5			0.5	Pass	
1.2-Dichloropropane	mg/kg	< 0.5			0.5	Pass	
1.2.3-Trichloropropane	mg/kg	< 0.5			0.5	Pass	
1.2.4-Trimethylbenzene	mg/kg	< 0.5			0.5	Pass	
1.3-Dichlorobenzene	mg/kg	< 0.5			0.5	Pass	
1.3-Dichloropropane	mg/kg	< 0.5			0.5	Pass	
1.3.5-Trimethylbenzene	mg/kg	< 0.5			0.5	Pass	
1.4-Dichlorobenzene	mg/kg	< 0.5			0.5	Pass	
2-Butanone (MEK)	mg/kg	< 0.5			0.5	Pass	
2-Propanone (Acetone)	mg/kg	< 0.5			0.5	Pass	
4-Chlorotoluene	mg/kg	< 0.5			0.5	Pass	
4-Methyl-2-pentanone (MIBK)	mg/kg	< 0.5			0.5	Pass	
Allyl chloride	mg/kg	< 0.5			0.5	Pass	
Benzene	mg/kg	< 0.1			0.1	Pass	
Bromobenzene	mg/kg	< 0.5			0.5	Pass	
Bromochloromethane	mg/kg	< 0.5			0.5	Pass	
Bromodichloromethane	mg/kg	< 0.5			0.5	Pass	
Bromoform	mg/kg	< 0.5			0.5	Pass	
Bromomethane	mg/kg	< 0.5			0.5	Pass	
Carbon disulfide	mg/kg	< 0.5			0.5	Pass	
Carbon Tetrachloride	mg/kg	< 0.5			0.5	Pass	
Chlorobenzene	mg/kg	< 0.5			0.5	Pass	
Chloroethane	mg/kg	< 0.5			0.5	Pass	
Chloroform	mg/kg	< 0.5			0.5	Pass	
Chloromethane	mg/kg	< 0.5			0.5	Pass	
cis-1.2-Dichloroethene	mg/kg	< 0.5			0.5	Pass	
cis-1.3-Dichloropropene	mg/kg	< 0.5			0.5	Pass	
Dibromochloromethane	mg/kg	< 0.5			0.5	Pass	



Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Dibromomethane	mg/kg	< 0.5			0.5	Pass	
Dichlorodifluoromethane	mg/kg	< 0.5			0.5	Pass	
Ethylbenzene	mg/kg	< 0.1			0.1	Pass	
Iodomethane	mg/kg	< 0.5			0.5	Pass	
Isopropyl benzene (Cumene)	mg/kg	< 0.5			0.5	Pass	
m&p-Xylenes	mg/kg	< 0.2			0.2	Pass	
Methylene Chloride	mg/kg	< 0.5			0.5	Pass	
o-Xylene	mg/kg	< 0.1			0.1	Pass	
Styrene	mg/kg	< 0.5			0.5	Pass	
Tetrachloroethene	mg/kg	< 0.5			0.5	Pass	
Toluene	mg/kg	< 0.1			0.1	Pass	
trans-1.2-Dichloroethene	mg/kg	< 0.5			0.5	Pass	
trans-1.3-Dichloropropene	mg/kg	< 0.5			0.5	Pass	
Trichloroethene	mg/kg	< 0.5			0.5	Pass	
Trichlorofluoromethane	mg/kg	< 0.5			0.5	Pass	
Vinyl chloride	mg/kg	< 0.5			0.5	Pass	
Xylenes - Total	mg/kg	< 0.3			0.3	Pass	
<b>Method Blank</b>							
<b>Total Recoverable Hydrocarbons - 2013 NEPM Fractions</b>							
Naphthalene	mg/kg	< 0.5			0.5	Pass	
TRH C6-C10	mg/kg	< 20			20	Pass	
TRH >C10-C16	mg/kg	< 50			50	Pass	
TRH >C16-C34	mg/kg	< 100			100	Pass	
TRH >C34-C40	mg/kg	< 100			100	Pass	
<b>Method Blank</b>							
<b>Polycyclic Aromatic Hydrocarbons</b>							
Acenaphthene	mg/kg	< 0.5			0.5	Pass	
Acenaphthylene	mg/kg	< 0.5			0.5	Pass	
Anthracene	mg/kg	< 0.5			0.5	Pass	
Benz(a)anthracene	mg/kg	< 0.5			0.5	Pass	
Benzo(a)pyrene	mg/kg	< 0.5			0.5	Pass	
Benzo(b&j)fluoranthene	mg/kg	< 0.5			0.5	Pass	
Benzo(g,h,i)perylene	mg/kg	< 0.5			0.5	Pass	
Benzo(k)fluoranthene	mg/kg	< 0.5			0.5	Pass	
Chrysene	mg/kg	< 0.5			0.5	Pass	
Dibenz(a,h)anthracene	mg/kg	< 0.5			0.5	Pass	
Fluoranthene	mg/kg	< 0.5			0.5	Pass	
Fluorene	mg/kg	< 0.5			0.5	Pass	
Indeno(1.2.3-cd)pyrene	mg/kg	< 0.5			0.5	Pass	
Naphthalene	mg/kg	< 0.5			0.5	Pass	
Phenanthrene	mg/kg	< 0.5			0.5	Pass	
Pyrene	mg/kg	< 0.5			0.5	Pass	
<b>Method Blank</b>							
<b>Organochlorine Pesticides</b>							
Chlordanes - Total	mg/kg	< 0.1			0.1	Pass	
4.4'-DDD	mg/kg	< 0.05			0.05	Pass	
4.4'-DDE	mg/kg	< 0.05			0.05	Pass	
4.4'-DDT	mg/kg	< 0.05			0.05	Pass	
a-BHC	mg/kg	< 0.05			0.05	Pass	
Aldrin	mg/kg	< 0.05			0.05	Pass	
b-BHC	mg/kg	< 0.05			0.05	Pass	
d-BHC	mg/kg	< 0.05			0.05	Pass	
Dieldrin	mg/kg	< 0.05			0.05	Pass	
Endosulfan I	mg/kg	< 0.05			0.05	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Endosulfan II	mg/kg	< 0.05			0.05	Pass	
Endosulfan sulphate	mg/kg	< 0.05			0.05	Pass	
Endrin	mg/kg	< 0.05			0.05	Pass	
Endrin aldehyde	mg/kg	< 0.05			0.05	Pass	
Endrin ketone	mg/kg	< 0.05			0.05	Pass	
g-BHC (Lindane)	mg/kg	< 0.05			0.05	Pass	
Heptachlor	mg/kg	< 0.05			0.05	Pass	
Heptachlor epoxide	mg/kg	< 0.05			0.05	Pass	
Hexachlorobenzene	mg/kg	< 0.05			0.05	Pass	
Methoxychlor	mg/kg	< 0.05			0.05	Pass	
Toxaphene	mg/kg	< 1			1	Pass	
<b>Method Blank</b>							
<b>Organophosphorus Pesticides</b>							
Azinphos-methyl	mg/kg	< 0.2			0.2	Pass	
Bolstar	mg/kg	< 0.2			0.2	Pass	
Chlorfenvinphos	mg/kg	< 0.2			0.2	Pass	
Chlorpyrifos	mg/kg	< 0.2			0.2	Pass	
Chlorpyrifos-methyl	mg/kg	< 0.2			0.2	Pass	
Coumaphos	mg/kg	< 2			2	Pass	
Demeton-S	mg/kg	< 0.2			0.2	Pass	
Demeton-O	mg/kg	< 0.2			0.2	Pass	
Diazinon	mg/kg	< 0.2			0.2	Pass	
Dichlorvos	mg/kg	< 0.2			0.2	Pass	
Dimethoate	mg/kg	< 0.2			0.2	Pass	
Disulfoton	mg/kg	< 0.2			0.2	Pass	
EPN	mg/kg	< 0.2			0.2	Pass	
Ethion	mg/kg	< 0.2			0.2	Pass	
Ethoprop	mg/kg	< 0.2			0.2	Pass	
Ethyl parathion	mg/kg	< 0.2			0.2	Pass	
Fenitrothion	mg/kg	< 0.2			0.2	Pass	
Fensulfothion	mg/kg	< 0.2			0.2	Pass	
Fenthion	mg/kg	< 0.2			0.2	Pass	
Malathion	mg/kg	< 0.2			0.2	Pass	
Merphos	mg/kg	< 0.2			0.2	Pass	
Methyl parathion	mg/kg	< 0.2			0.2	Pass	
Mevinphos	mg/kg	< 0.2			0.2	Pass	
Monocrotophos	mg/kg	< 2			2	Pass	
Naled	mg/kg	< 0.2			0.2	Pass	
Omethoate	mg/kg	< 2			2	Pass	
Phorate	mg/kg	< 0.2			0.2	Pass	
Pirimiphos-methyl	mg/kg	< 0.2			0.2	Pass	
Pyrazophos	mg/kg	< 0.2			0.2	Pass	
Ronnel	mg/kg	< 0.2			0.2	Pass	
Terbufos	mg/kg	< 0.2			0.2	Pass	
Tetrachlorvinphos	mg/kg	< 0.2			0.2	Pass	
Tokuthion	mg/kg	< 0.2			0.2	Pass	
Trichloronate	mg/kg	< 0.2			0.2	Pass	
<b>Method Blank</b>							
<b>Polychlorinated Biphenyls</b>							
Aroclor-1016	mg/kg	< 0.1			0.1	Pass	
Aroclor-1221	mg/kg	< 0.1			0.1	Pass	
Aroclor-1232	mg/kg	< 0.1			0.1	Pass	
Aroclor-1242	mg/kg	< 0.1			0.1	Pass	
Aroclor-1248	mg/kg	< 0.1			0.1	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Aroclor-1254	mg/kg	< 0.1			0.1	Pass	
Aroclor-1260	mg/kg	< 0.1			0.1	Pass	
Total PCB*	mg/kg	< 0.1			0.1	Pass	
<b>Method Blank</b>							
% Clay	%	< 1			1	Pass	
Total Organic Carbon	%	< 0.1			0.1	Pass	
<b>Method Blank</b>							
<b>Heavy Metals</b>							
Arsenic	mg/kg	< 2			2	Pass	
Cadmium	mg/kg	< 0.4			0.4	Pass	
Chromium	mg/kg	< 5			5	Pass	
Copper	mg/kg	< 5			5	Pass	
Iron	mg/kg	< 20			20	Pass	
Lead	mg/kg	< 5			5	Pass	
Mercury	mg/kg	< 0.1			0.1	Pass	
Nickel	mg/kg	< 5			5	Pass	
Zinc	mg/kg	< 5			5	Pass	
<b>Method Blank</b>							
<b>Cation Exchange Capacity</b>							
Cation Exchange Capacity	meq/100g	< 0.05			0.05	Pass	
<b>LCS - % Recovery</b>							
<b>Total Recoverable Hydrocarbons - 1999 NEPM Fractions</b>							
TRH C6-C9	%	102			70-130	Pass	
TRH C10-C14	%	106			70-130	Pass	
<b>LCS - % Recovery</b>							
<b>BTEX</b>							
Benzene	%	93			70-130	Pass	
Toluene	%	105			70-130	Pass	
Ethylbenzene	%	116			70-130	Pass	
m&p-Xylenes	%	119			70-130	Pass	
Xylenes - Total	%	120			70-130	Pass	
<b>LCS - % Recovery</b>							
<b>Volatile Organics</b>							
1.1-Dichloroethene	%	117			70-130	Pass	
1.1.1-Trichloroethane	%	113			70-130	Pass	
1.2-Dichlorobenzene	%	104			70-130	Pass	
1.2-Dichloroethane	%	118			70-130	Pass	
Trichloroethene	%	116			70-130	Pass	
<b>LCS - % Recovery</b>							
<b>Total Recoverable Hydrocarbons - 2013 NEPM Fractions</b>							
Naphthalene	%	88			70-130	Pass	
TRH C6-C10	%	98			70-130	Pass	
TRH >C10-C16	%	114			70-130	Pass	
<b>LCS - % Recovery</b>							
<b>Polycyclic Aromatic Hydrocarbons</b>							
Acenaphthene	%	100			70-130	Pass	
Acenaphthylene	%	112			70-130	Pass	
Anthracene	%	123			70-130	Pass	
Benz(a)anthracene	%	105			70-130	Pass	
Benzo(a)pyrene	%	75			70-130	Pass	
Benzo(b&j)fluoranthene	%	91			70-130	Pass	
Benzo(g,h,i)perylene	%	88			70-130	Pass	
Benzo(k)fluoranthene	%	84			70-130	Pass	
Chrysene	%	90			70-130	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Dibenz(a,h)anthracene	%	105			70-130	Pass	
Fluoranthene	%	121			70-130	Pass	
Fluorene	%	96			70-130	Pass	
Indeno(1.2.3-cd)pyrene	%	91			70-130	Pass	
Naphthalene	%	82			70-130	Pass	
Phenanthrene	%	92			70-130	Pass	
Pyrene	%	110			70-130	Pass	
<b>LCS - % Recovery</b>							
<b>Organochlorine Pesticides</b>							
4.4'-DDD	%	77			70-130	Pass	
4.4'-DDE	%	90			70-130	Pass	
4.4'-DDT	%	89			70-130	Pass	
a-BHC	%	127			70-130	Pass	
Aldrin	%	92			70-130	Pass	
b-BHC	%	90			70-130	Pass	
d-BHC	%	74			70-130	Pass	
Dieldrin	%	92			70-130	Pass	
Endosulfan I	%	106			70-130	Pass	
Endosulfan II	%	71			70-130	Pass	
Endosulfan sulphate	%	105			70-130	Pass	
Endrin	%	103			70-130	Pass	
Endrin aldehyde	%	103			70-130	Pass	
Endrin ketone	%	113			70-130	Pass	
g-BHC (Lindane)	%	103			70-130	Pass	
Heptachlor	%	73			70-130	Pass	
Heptachlor epoxide	%	88			70-130	Pass	
Hexachlorobenzene	%	86			70-130	Pass	
Methoxychlor	%	106			70-130	Pass	
<b>LCS - % Recovery</b>							
<b>Organophosphorus Pesticides</b>							
Diazinon	%	90			70-130	Pass	
Dimethoate	%	112			70-130	Pass	
Ethion	%	123			70-130	Pass	
Fenitrothion	%	95			70-130	Pass	
Methyl parathion	%	89			70-130	Pass	
Mevinphos	%	70			70-130	Pass	
<b>LCS - % Recovery</b>							
<b>Polychlorinated Biphenyls</b>							
Aroclor-1260	%	98			70-130	Pass	
<b>LCS - % Recovery</b>							
% Clay	%	82			70-130	Pass	
Total Organic Carbon	%	86			70-130	Pass	
<b>LCS - % Recovery</b>							
<b>Heavy Metals</b>							
Arsenic	%	108			80-120	Pass	
Cadmium	%	105			80-120	Pass	
Chromium	%	110			80-120	Pass	
Copper	%	109			80-120	Pass	
Lead	%	112			80-120	Pass	
Mercury	%	94			75-125	Pass	
Nickel	%	107			80-120	Pass	
Zinc	%	108			80-120	Pass	

Test	Lab Sample ID	QA Source	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
<b>Spike - % Recovery</b>								
<b>Total Recoverable Hydrocarbons - 1999 NEPM Fractions</b>				Result 1				
TRH C6-C9	M18-No12287	NCP	%	112		70-130	Pass	
<b>Spike - % Recovery</b>								
<b>BTEX</b>				Result 1				
Benzene	M18-No12287	NCP	%	95		70-130	Pass	
Toluene	M18-No12287	NCP	%	104		70-130	Pass	
Ethylbenzene	M18-No12287	NCP	%	111		70-130	Pass	
m&p-Xylenes	M18-No12287	NCP	%	115		70-130	Pass	
o-Xylene	M18-No12287	NCP	%	116		70-130	Pass	
Xylenes - Total	M18-No12287	NCP	%	115		70-130	Pass	
<b>Spike - % Recovery</b>								
<b>Total Recoverable Hydrocarbons - 2013 NEPM Fractions</b>				Result 1				
Naphthalene	M18-No12287	NCP	%	92		70-130	Pass	
TRH C6-C10	M18-No12287	NCP	%	106		70-130	Pass	
<b>Spike - % Recovery</b>								
<b>Polycyclic Aromatic Hydrocarbons</b>				Result 1				
Acenaphthene	S18-No14508	NCP	%	124		70-130	Pass	
Acenaphthylene	S18-No14508	NCP	%	85		70-130	Pass	
Anthracene	S18-No14508	NCP	%	96		70-130	Pass	
Benz(a)anthracene	S18-No14508	NCP	%	122		70-130	Pass	
Benzo(a)pyrene	S18-No14508	NCP	%	87		70-130	Pass	
Benzo(b&j)fluoranthene	S18-No14508	NCP	%	109		70-130	Pass	
Benzo(g,h,i)perylene	S18-No14508	NCP	%	82		70-130	Pass	
Benzo(k)fluoranthene	S18-No14508	NCP	%	99		70-130	Pass	
Chrysene	S18-No14508	NCP	%	105		70-130	Pass	
Dibenz(a,h)anthracene	S18-No14508	NCP	%	97		70-130	Pass	
Fluoranthene	S18-No14508	NCP	%	91		70-130	Pass	
Fluorene	S18-No14508	NCP	%	112		70-130	Pass	
Indeno(1,2,3-cd)pyrene	S18-No14508	NCP	%	85		70-130	Pass	
Naphthalene	S18-No14508	NCP	%	92		70-130	Pass	
Phenanthrene	S18-No14508	NCP	%	106		70-130	Pass	
Pyrene	S18-No14508	NCP	%	124		70-130	Pass	
<b>Spike - % Recovery</b>								
<b>Organochlorine Pesticides</b>				Result 1				
4,4'-DDD	S18-No16633	NCP	%	85		70-130	Pass	
4,4'-DDE	S18-No16633	NCP	%	92		70-130	Pass	
4,4'-DDT	M18-No14233	NCP	%	121		70-130	Pass	
a-BHC	S18-No16633	NCP	%	124		70-130	Pass	
Aldrin	S18-No16633	NCP	%	101		70-130	Pass	
b-BHC	S18-No16633	NCP	%	100		70-130	Pass	
d-BHC	S18-No16633	NCP	%	103		70-130	Pass	
Dieldrin	S18-No16633	NCP	%	84		70-130	Pass	
Endosulfan I	S18-No16633	NCP	%	103		70-130	Pass	
Endosulfan II	S18-No16633	NCP	%	74		70-130	Pass	
Endosulfan sulphate	S18-No16633	NCP	%	81		70-130	Pass	
Endrin	S18-No16633	NCP	%	88		70-130	Pass	
Endrin aldehyde	S18-No16633	NCP	%	74		70-130	Pass	
Endrin ketone	S18-No16633	NCP	%	76		70-130	Pass	
g-BHC (Lindane)	S18-No16633	NCP	%	121		70-130	Pass	
Heptachlor	S18-No16633	NCP	%	88		70-130	Pass	
Heptachlor epoxide	S18-No16633	NCP	%	90		70-130	Pass	
Hexachlorobenzene	S18-No16633	NCP	%	124		70-130	Pass	
Methoxychlor	M18-No14233	NCP	%	123		70-130	Pass	



Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
<b>Spike - % Recovery</b>									
<b>Organophosphorus Pesticides</b>				Result 1					
Diazinon	S18-No14513	NCP	%	108			70-130	Pass	
Dimethoate	S18-No14513	NCP	%	95			70-130	Pass	
Ethion	S18-No14513	NCP	%	88			70-130	Pass	
Fenitrothion	S18-No14513	NCP	%	92			70-130	Pass	
Methyl parathion	S18-No14513	NCP	%	82			70-130	Pass	
<b>Spike - % Recovery</b>									
<b>Polychlorinated Biphenyls</b>				Result 1					
Aroclor-1260	S18-No14523	NCP	%	96			70-130	Pass	
<b>Spike - % Recovery</b>									
<b>Volatile Organics</b>				Result 1					
1.1-Dichloroethene	S18-No13762	NCP	%	73			70-130	Pass	
1.1.1-Trichloroethane	S18-No13762	NCP	%	86			70-130	Pass	
1.2-Dichlorobenzene	S18-No13762	NCP	%	94			70-130	Pass	
1.2-Dichloroethane	S18-No13762	NCP	%	108			70-130	Pass	
Trichloroethene	S18-No13762	NCP	%	92			70-130	Pass	
<b>Spike - % Recovery</b>									
<b>Total Recoverable Hydrocarbons - 1999 NEPM Fractions</b>				Result 1					
TRH C10-C14	S18-No14970	CP	%	82			70-130	Pass	
<b>Spike - % Recovery</b>									
<b>Total Recoverable Hydrocarbons - 2013 NEPM Fractions</b>				Result 1					
TRH >C10-C16	S18-No14970	CP	%	99			70-130	Pass	
<b>Spike - % Recovery</b>									
<b>Heavy Metals</b>				Result 1					
Arsenic	S18-No14970	CP	%	97			75-125	Pass	
Cadmium	S18-No14970	CP	%	96			75-125	Pass	
Chromium	S18-No14970	CP	%	96			75-125	Pass	
Copper	S18-No14970	CP	%	93			75-125	Pass	
Lead	S18-No14970	CP	%	96			75-125	Pass	
Mercury	S18-No14970	CP	%	89			70-130	Pass	
Nickel	S18-No14970	CP	%	91			75-125	Pass	
Zinc	S18-No14970	CP	%	86			75-125	Pass	
<b>Spike - % Recovery</b>									
<b>Organophosphorus Pesticides</b>				Result 1					
Mevinphos	S18-No13245	NCP	%	84			70-130	Pass	
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
<b>Duplicate</b>									
<b>Total Recoverable Hydrocarbons - 1999 NEPM Fractions</b>				Result 1	Result 2	RPD			
TRH C10-C14	M18-No15527	NCP	mg/kg	< 20	< 20	<1	30%	Pass	
TRH C15-C28	M18-No15527	NCP	mg/kg	160	89	56	30%	Fail	Q15
TRH C29-C36	M18-No15527	NCP	mg/kg	170	69	84	30%	Fail	Q15
<b>Duplicate</b>									
<b>Total Recoverable Hydrocarbons - 2013 NEPM Fractions</b>				Result 1	Result 2	RPD			
TRH >C10-C16	M18-No15527	NCP	mg/kg	< 50	< 50	<1	30%	Pass	
TRH >C16-C34	M18-No15527	NCP	mg/kg	290	140	68	30%	Fail	Q15
TRH >C34-C40	M18-No15527	NCP	mg/kg	< 100	< 100	<1	30%	Pass	
<b>Duplicate</b>									
<b>Polycyclic Aromatic Hydrocarbons</b>				Result 1	Result 2	RPD			
Acenaphthene	S18-No14520	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Acenaphthylene	S18-No14520	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Anthracene	S18-No14520	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Benz(a)anthracene	S18-No14520	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Benzo(a)pyrene	S18-No14520	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	

Duplicate								
Polycyclic Aromatic Hydrocarbons				Result 1	Result 2	RPD		
Benzo(b&j)fluoranthene	S18-No14520	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benzo(g,h,i)perylene	S18-No14520	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benzo(k)fluoranthene	S18-No14520	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chrysene	S18-No14520	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Dibenz(a,h)anthracene	S18-No14520	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Fluoranthene	S18-No14520	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Fluorene	S18-No14520	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Indeno(1,2,3-cd)pyrene	S18-No14520	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Naphthalene	S18-No14520	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Phenanthrene	S18-No14520	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Pyrene	S18-No14520	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Duplicate								
Organochlorine Pesticides				Result 1	Result 2	RPD		
Chlordanes - Total	S18-No14522	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
4,4'-DDD	S18-No14522	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
4,4'-DDE	S18-No14522	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
4,4'-DDT	S18-No14522	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
a-BHC	S18-No14522	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Aldrin	S18-No14522	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
b-BHC	S18-No14522	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
d-BHC	S18-No14522	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Dieldrin	S18-No14522	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endosulfan I	S18-No14522	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endosulfan II	S18-No14522	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endosulfan sulphate	S18-No14522	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endrin	S18-No14522	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endrin aldehyde	S18-No14522	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endrin ketone	S18-No14522	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
g-BHC (Lindane)	S18-No14522	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Heptachlor	S18-No14522	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Heptachlor epoxide	S18-No14522	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Hexachlorobenzene	S18-No14522	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Methoxychlor	S18-No14522	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Toxaphene	S18-No14522	NCP	mg/kg	< 1	< 1	<1	30%	Pass
Duplicate								
Polychlorinated Biphenyls				Result 1	Result 2	RPD		
Aroclor-1016	S18-No14522	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1221	S18-No14522	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1232	S18-No14522	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1242	S18-No14522	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1248	S18-No14522	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1254	S18-No14522	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Aroclor-1260	S18-No14522	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Total PCB*	S18-No14522	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Duplicate								
				Result 1	Result 2	RPD		
% Moisture	S18-No14920	NCP	%	15	15	4.0	30%	Pass
Duplicate								
Volatile Organics				Result 1	Result 2	RPD		
1,1-Dichloroethane	S18-No13761	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1,1-Dichloroethene	S18-No13761	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1,1,1-Trichloroethane	S18-No13761	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1,1,1,2-Tetrachloroethane	S18-No13761	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1,1,2-Trichloroethane	S18-No13761	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass

Duplicate								
Volatile Organics				Result 1	Result 2	RPD		
1.1.2.2-Tetrachloroethane	S18-No13761	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.2-Dibromoethane	S18-No13761	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.2-Dichlorobenzene	S18-No13761	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.2-Dichloroethane	S18-No13761	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.2-Dichloropropane	S18-No13761	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.2.3-Trichloropropane	S18-No13761	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.2.4-Trimethylbenzene	S18-No13761	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.3-Dichlorobenzene	S18-No13761	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.3-Dichloropropane	S18-No13761	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.3.5-Trimethylbenzene	S18-No13761	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.4-Dichlorobenzene	S18-No13761	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2-Butanone (MEK)	S18-No13761	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2-Propanone (Acetone)	S18-No13761	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
4-Chlorotoluene	S18-No13761	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
4-Methyl-2-pentanone (MIBK)	S18-No13761	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Allyl chloride	S18-No13761	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Bromobenzene	S18-No13761	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Bromochloromethane	S18-No13761	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Bromodichloromethane	S18-No13761	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Bromoform	S18-No13761	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Bromomethane	S18-No13761	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Carbon disulfide	S18-No13761	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Carbon Tetrachloride	S18-No13761	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chlorobenzene	S18-No13761	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chloroethane	S18-No13761	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chloroform	S18-No13761	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chloromethane	S18-No13761	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
cis-1.2-Dichloroethene	S18-No13761	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
cis-1.3-Dichloropropene	S18-No13761	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Dibromochloromethane	S18-No13761	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Dibromomethane	S18-No13761	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Dichlorodifluoromethane	S18-No13761	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Iodomethane	S18-No13761	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Isopropyl benzene (Cumene)	S18-No13761	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Methylene Chloride	S18-No13761	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Styrene	S18-No13761	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Tetrachloroethene	S18-No13761	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
trans-1.2-Dichloroethene	S18-No13761	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
trans-1.3-Dichloropropene	S18-No13761	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Trichloroethene	S18-No13761	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Trichlorofluoromethane	S18-No13761	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Vinyl chloride	S18-No13761	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Duplicate								
				Result 1	Result 2	RPD		
% Clay	M18-Oc24970	NCP	%	8.8	8.8	<1	30%	Pass
Conductivity (1:5 aqueous extract at 25°C as rec.)	S18-No16804	NCP	uS/cm	80	110	28	30%	Pass
pH (units)(1:5 soil:CaCl2 extract at 25°C as rec.)	S18-No16804	NCP	pH Units	7.1	7.2	pass	30%	Pass
Total Organic Carbon	S18-No14968	CP	%	0.1	< 0.1	9.3	30%	Pass
Duplicate								
Heavy Metals				Result 1	Result 2	RPD		
Iron (%)	M18-No15610	NCP	%	5.5	5.4	2.0	30%	Pass
Duplicate								
Total Recoverable Hydrocarbons - 1999 NEPM Fractions				Result 1	Result 2	RPD		
TRH C6-C9	S18-No14969	CP	mg/kg	< 20	< 20	<1	30%	Pass

Duplicate								
BTEX				Result 1	Result 2	RPD		
Benzene	S18-No14969	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Toluene	S18-No14969	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Ethylbenzene	S18-No14969	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
m&p-Xylenes	S18-No14969	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
o-Xylene	S18-No14969	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Xylenes - Total	S18-No14969	CP	mg/kg	< 0.3	< 0.3	<1	30%	Pass
Duplicate								
Total Recoverable Hydrocarbons - 2013 NEPM Fractions				Result 1	Result 2	RPD		
Naphthalene	S18-No14969	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
TRH C6-C10	S18-No14969	CP	mg/kg	< 20	< 20	<1	30%	Pass
Duplicate								
Heavy Metals				Result 1	Result 2	RPD		
Arsenic	S18-No14970	CP	mg/kg	< 2	< 2	<1	30%	Pass
Cadmium	S18-No14970	CP	mg/kg	< 0.4	< 0.4	<1	30%	Pass
Chromium	S18-No14970	CP	mg/kg	13	13	1.0	30%	Pass
Copper	S18-No14970	CP	mg/kg	16	16	1.0	30%	Pass
Iron	S18-No14970	CP	mg/kg	6700	6700	1.0	30%	Pass
Lead	S18-No14970	CP	mg/kg	11	11	1.0	30%	Pass
Mercury	S18-No14970	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Nickel	S18-No14970	CP	mg/kg	17	17	1.0	30%	Pass
Zinc	S18-No14970	CP	mg/kg	26	26	1.0	30%	Pass
Duplicate								
Acid Sulfate Soils Field pH Test				Result 1	Result 2	RPD		
pH-F (Field pH test)*	S18-No14983	CP	pH Units	6.4	6.3	pass	30%	Pass
Reaction Ratings*	S18-No14983	CP	comment	1.0	1.0	pass	30%	Pass
Duplicate								
Acid Sulfate Soils Field pH Test				Result 1	Result 2	RPD		
pH-F (Field pH test)*	S18-No14993	CP	pH Units	8.2	8.3	pass	30%	Pass
Reaction Ratings*	S18-No14993	CP	comment	1.0	1.0	pass	30%	Pass

## Comments

Eurofins | mgt accreditation number 1261, corporate site 1254 is currently in progress of a controlled transition to a new custom built location at 6 Monterey Road, Dandenong South, Victoria 3175. All results on this report denoted as being performed by Eurofins | mgt 2-5 Kingston Town Close, Oakleigh Victoria 3166 corporate site 1254, will have been performed on either Oakleigh or new Dandenong South site.

## Sample Integrity

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	Yes
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

## Qualifier Codes/Comments

Code	Description
N01	F2 is determined by arithmetically subtracting the "naphthalene" value from the ">C10-C16" value. The naphthalene value used in this calculation is obtained from volatiles (Purge & Trap analysis).
N02	Where we have reported both volatile (P&T GCMS) and semivolatile (GCMS) naphthalene data, results may not be identical. Provided correct sample handling protocols have been followed, any observed differences in results are likely to be due to procedural differences within each methodology. Results determined by both techniques have passed all QAQC acceptance criteria, and are entirely technically valid.
N04	F1 is determined by arithmetically subtracting the "Total BTEX" value from the "C6-C10" value. The "Total BTEX" value is obtained by summing the concentrations of BTEX analytes. The "C6-C10" value is obtained by quantitating against a standard of mixed aromatic/aliphatic analytes.
N07	Please note:- These two PAH isomers closely co-elute using the most contemporary analytical methods and both the reported concentration (and the TEQ) apply specifically to the total of the two co-eluting PAHs
Q15	The RPD reported passes Eurofins   mgt's QC - Acceptance Criteria as defined in the Internal Quality Control Review and Glossary page of this report.
S05	Field Screen uses the following fizz rating to classify the rate the samples reacted to the peroxide: 1.0; No reaction to slight. 2.0; Moderate reaction. 3.0; Strong reaction with persistent froth. 4.0; Extreme reaction.

## Authorised By

Nibha Vaidya	Analytical Services Manager
Chris Bennett	Senior Analyst-Metal (VIC)
Harry Bacalis	Senior Analyst-Volatile (VIC)
Jonathon Angell	Senior Analyst-Inorganic (QLD)
Joseph Edouard	Senior Analyst-Organic (VIC)
Julie Kay	Senior Analyst-Inorganic (VIC)
Myles Clark	Senior Analyst-SPOCAS (QLD)
Nibha Vaidya	Senior Analyst-Asbestos (NSW)



## Glenn Jackson General Manager

Final report - this Report replaces any previously issued Report

- Indicates Not Requested

\* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins | mgt shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins | mgt be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.



# Certificate of Analysis



**NATA Accredited**  
 Accreditation Number 1261  
 Site Number 18217

Accredited for compliance with ISO/IEC 17025-Testing  
 The results of the tests, calibrations and/or  
 measurements included in this document are traceable  
 to Australian/national standards.

**Cardno (NSW/ACT) Pty Ltd**  
**Level 9, 203 Pacific Highway**  
**St Leonards**  
**NSW 2065**

<b>Attention:</b>	Ben Withnall
<b>Report</b>	627289-AID
<b>Project Name</b>	KYEEMAGH INFANTS SCHOOL
<b>Project ID</b>	80818157
<b>Received Date</b>	Nov 12, 2018
<b>Date Reported</b>	Nov 21, 2018

## Methodology:

Asbestos Fibre Identification

Conducted in accordance with the Australian Standard AS 4964 – 2004: Method for the Qualitative Identification of Asbestos in Bulk Samples and in-house Method LTM-ASB-8020 by polarised light microscopy (PLM) and dispersion staining (DS) techniques.

*NOTE: Positive Trace Analysis results indicate the sample contains detectable respirable fibres.*

Unknown Mineral Fibres

Mineral fibres of unknown type, as determined by PLM with DS, may require another analytical technique, such as Electron Microscopy, to confirm unequivocal identity.

*NOTE: While Actinolite, Anthophyllite and Tremolite asbestos may be detected by PLM with DS, due to variability in the optical properties of these materials, AS4964 requires that these are reported as UMF unless confirmed by an independent technique.*

Subsampling Soil Samples

The whole sample submitted is first dried and then passed through a 10mm sieve followed by a 2mm sieve. All fibrous matter greater than 10mm, greater than 2mm as well as the material passing through the 2mm sieve are retained and analysed for the presence of asbestos. If the sub 2mm fraction is greater than approximately 30 to 60g then a sub-sampling routine based on ISO 3082:2009(E) is employed.

*NOTE: Depending on the nature and size of the soil sample, the sub-2 mm residue material may need to be sub-sampled for trace analysis, in accordance with AS 4964-2004.*

Bonded asbestos-containing material (ACM)

The material is first examined and any fibres isolated for identification by PLM and DS. Where required, interfering matrices may be removed by disintegration using a range of heat, chemical or physical treatments, possibly in combination. The resultant material is then further examined in accordance with AS 4964 - 2004.

*NOTE: Even after disintegration it may be difficult to detect the presence of asbestos in some asbestos-containing bulk materials using PLM and DS. This is due to the low grade or small length or diameter of the asbestos fibres present in the material, or to the fact that very fine fibres have been distributed intimately throughout the materials. Vinyl/asbestos floor tiles, some asbestos-containing sealants and mastics, asbestos-containing epoxy resins and some ore samples are examples of these types of material, which are difficult to analyse.*

Limit of Reporting

The performance limitation of the AS 4964 (2004) method for non-homogeneous samples is around 0.1 g/kg (equivalent to 0.01% (w/w)). Where no asbestos is found by PLM and DS, including Trace Analysis, this is considered to be at the nominal reporting limit of 0.01% (w/w).

The NEPM screening level of 0.001% (w/w) is intended as an on-site determination, not a laboratory Limit of Reporting (LOR), per se. Examination of a large sample size (e.g. 500 mL) may improve the likelihood of detecting asbestos, particularly AF, to aid assessment against the NEPM criteria. Gravimetric determinations to this level of accuracy are outside of AS 4964 and hence NATA Accreditation does not cover the performance of this service (non-NATA results shown with an asterisk).

*NOTE: NATA News March 2014, p.7, states in relation to AS 4964: "This is a qualitative method with a nominal reporting limit of 0.01 % " and that currently in Australia "there is no validated method available for the quantification of asbestos". This report is consistent with the analytical procedures and reporting recommendations in the NEPM and the WA DoH.*

**Project Name** KYEEMAGH INFANTS SCHOOL  
**Project ID** 80818157  
**Date Sampled** Nov 10, 2018  
**Report** 627289-AID

Client Sample ID	Eurofins   mgt Sample No.	Date Sampled	Sample Description	Result
TP03_0.2	18-No14957	Nov 10, 2018	Approximate Sample 678g Sample consisted of: Brown fine-grained sandy soil	No asbestos detected at the reporting limit of 0.001% w/w.* Organic fibre detected. No respirable fibres detected.
TP03_1.2	18-No14958	Nov 10, 2018	Approximate Sample 709g Sample consisted of: Brown fine-grained sandy soil and rocks	No asbestos detected at the reporting limit of 0.001% w/w.* Organic fibre detected. No respirable fibres detected.
TP03_ASB1	18-No14959	Nov 10, 2018	Approximate Sample 116g / 100x70x5mm Sample consisted of: Grey compressed fibre cement material	Chrysotile asbestos detected.
TP19_0.1	18-No14960	Nov 10, 2018	Approximate Sample 575g Sample consisted of: Brown fine-grained sandy soil and organic debris	No asbestos detected at the reporting limit of 0.001% w/w.* Organic fibre detected. No respirable fibres detected.
TP19_0.3	18-No14961	Nov 10, 2018	Approximate Sample 355g Sample consisted of: Brown fine-grained sandy soil, rocks and organic debris	No asbestos detected at the reporting limit of 0.001% w/w.* Organic fibre detected. No respirable fibres detected.
TP01_0.2	18-No14962	Nov 10, 2018	Approximate Sample 363g Sample consisted of: Dark brown coarse-grained soil and rocks	No asbestos detected at the reporting limit of 0.001% w/w.* Organic fibre detected. No respirable fibres detected.
TP02_0.1	18-No14964	Nov 10, 2018	Approximate Sample 693g Sample consisted of: Brown fine-grained sandy soil, rocks and organic debris	No asbestos detected at the reporting limit of 0.001% w/w.* Organic fibre detected. No respirable fibres detected.
TP02_0.4	18-No14965	Nov 10, 2018	Approximate Sample 753g Sample consisted of: Brown fine-grained sandy soil and rocks	No asbestos detected at the reporting limit of 0.001% w/w.* Organic fibre detected. No respirable fibres detected.

Client Sample ID	Eurofins   mgt Sample No.	Date Sampled	Sample Description	Result
TP04_0.1	18-No14966	Nov 10, 2018	Approximate Sample 729g Sample consisted of: Brown fine-grained sandy soil and rocks	No asbestos detected at the reporting limit of 0.001% w/w.* Organic fibre detected. No respirable fibres detected.
TP05_0.1	18-No14967	Nov 10, 2018	Approximate Sample 674g Sample consisted of: Brown fine-grained sandy soil and rocks	No asbestos detected at the reporting limit of 0.001% w/w.* Organic fibre detected. No respirable fibres detected.
TP06_0.1	18-No14969	Nov 10, 2018	Approximate Sample 893g Sample consisted of: Brown coarse-grained soil and rocks	No asbestos detected at the reporting limit of 0.001% w/w.* Organic fibre detected. No respirable fibres detected.
TP07_0.1	18-No14971	Nov 10, 2018	Approximate Sample 556g Sample consisted of: Brown fine-grained sandy soil and rocks	No asbestos detected at the reporting limit of 0.001% w/w.* Organic fibre detected. No respirable fibres detected.
TP09_0.3	18-No14975	Nov 10, 2018	Approximate Sample 717g Sample consisted of: Brown fine-grained sandy soil and organic debris	No asbestos detected at the reporting limit of 0.001% w/w.* Organic fibre detected. No respirable fibres detected.
TP11_0.2	18-No14977	Nov 10, 2018	Approximate Sample 798g Sample consisted of: Brown fine-grained sandy soil and organic debris	No asbestos detected at the reporting limit of 0.001% w/w.* Organic fibre detected. No respirable fibres detected.
TP12_0.2	18-No14979	Nov 10, 2018	Approximate Sample 629g Sample consisted of: Brown fine-grained sandy soil and organic debris	No asbestos detected at the reporting limit of 0.001% w/w.* Organic fibre detected. No respirable fibres detected.

### Sample History

Where samples are submitted/analysed over several days, the last date of extraction and analysis is reported. A recent review of our LIMS has resulted in the correction or clarification of some method identifications. Due to this, some of the method reference information on reports has changed. However, no substantive change has been made to our laboratory methods, and as such there is no change in the validity of current or previous results (regarding both quality and NATA accreditation).

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

Description	Testing Site	Extracted	Holding Time
Asbestos - LTM-ASB-8020	Sydney	Nov 12, 2018	Indefinite
Asbestos - LTM-ASB-8020	Sydney	Nov 12, 2018	Indefinite

**Company Name:** Cardno (NSW/ACT) Pty Ltd  
**Address:** Level 9, 203 Pacific Highway  
St Leonards  
NSW 2065

**Project Name:** KYEEMAGH INFANTS SCHOOL  
**Project ID:** 80818157

**Order No.:**  
**Report #:** 627289  
**Phone:** 0294967700  
**Fax:** 02 9499 3902

**Received:** Nov 12, 2018 4:31 PM  
**Due:** Nov 19, 2018  
**Priority:** 5 Day  
**Contact Name:** Ben Withnall

**Eurofins | mgt Analytical Services Manager : Nibha Vaidya**

Sample Detail						Asbestos - WA guidelines	Asbestos Absence / Presence	HOLD	Acid Sulfate Soils Field pH Test	Eurofins   mgt Suite B15	Moisture Set	NEPM Screen for Soil Classification	Eurofins   mgt Suite B7	Eurofins   mgt Suite B8
Melbourne Laboratory - NATA Site # 1254 & 14271								X		X	X	X	X	X
Sydney Laboratory - NATA Site # 18217						X	X							
Brisbane Laboratory - NATA Site # 20794									X			X		
Perth Laboratory - NATA Site # 23736														
External Laboratory														
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID									
1	TP03_0.2	Nov 10, 2018		Soil	S18-No14957	X				X	X		X	
2	TP03_1.2	Nov 10, 2018		Soil	S18-No14958	X					X			X
3	TP03_ASB1	Nov 10, 2018		Building Materials	S18-No14959		X							
4	TP19_0.1	Nov 10, 2018		Soil	S18-No14960	X					X		X	
5	TP19_0.3	Nov 10, 2018		Soil	S18-No14961	X					X		X	
6	TP01_0.2	Nov 10, 2018		Soil	S18-No14962	X					X		X	
7	TP01_0.9	Nov 10, 2018		Soil	S18-No14963						X		X	
8	TP02_0.1	Nov 10, 2018		Soil	S18-No14964	X				X	X		X	
9	TP02_0.4	Nov 10, 2018		Soil	S18-No14965	X					X		X	



**Company Name:** Cardno (NSW/ACT) Pty Ltd  
**Address:** Level 9, 203 Pacific Highway  
St Leonards  
NSW 2065

**Project Name:** KYEEMAGH INFANTS SCHOOL  
**Project ID:** 80818157

**Order No.:**  
**Report #:** 627289  
**Phone:** 0294967700  
**Fax:** 02 9499 3902

**Received:** Nov 12, 2018 4:31 PM  
**Due:** Nov 19, 2018  
**Priority:** 5 Day  
**Contact Name:** Ben Withnall

**Eurofins | mgt Analytical Services Manager : Nibha Vaidya**

Sample Detail						Asbestos - WA guidelines	Asbestos Absence / Presence	HOLD	Acid Sulfate Soils Field pH Test	Eurofins   mgt Suite B15	Moisture Set	NEPM Screen for Soil Classification	Eurofins   mgt Suite B7	Eurofins   mgt Suite B8
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>								X		X	X	X	X	X
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X							
<b>Brisbane Laboratory - NATA Site # 20794</b>									X			X		
<b>Perth Laboratory - NATA Site # 23736</b>														
10	TP04_0.1	Nov 10, 2018		Soil	S18-No14966	X				X	X		X	
11	TP05_0.1	Nov 10, 2018		Soil	S18-No14967	X					X		X	
12	TP05_0.9	Nov 10, 2018		Soil	S18-No14968						X	X		X
13	TP06_0.1	Nov 10, 2018		Soil	S18-No14969	X					X		X	
14	TP06_0.3	Nov 10, 2018		Soil	S18-No14970						X			X
15	TP07_0.1	Nov 10, 2018		Soil	S18-No14971	X					X		X	
16	TP07_0.4	Nov 10, 2018		Soil	S18-No14972						X	X	X	
17	TP07_0.6	Nov 10, 2018		Soil	S18-No14973						X		X	
18	TP08_0.4	Nov 10, 2018		Soil	S18-No14974						X			X
19	TP09_0.3	Nov 10, 2018		Soil	S18-No14975	X					X		X	
20	TP10_0.1	Nov 10, 2018		Soil	S18-No14976						X		X	
21	TP11_0.2	Nov 10, 2018		Soil	S18-No14977	X				X	X		X	

**Company Name:** Cardno (NSW/ACT) Pty Ltd  
**Address:** Level 9, 203 Pacific Highway  
St Leonards  
NSW 2065

**Project Name:** KYEEMAGH INFANTS SCHOOL  
**Project ID:** 80818157

**Order No.:**  
**Report #:** 627289  
**Phone:** 0294967700  
**Fax:** 02 9499 3902

**Received:** Nov 12, 2018 4:31 PM  
**Due:** Nov 19, 2018  
**Priority:** 5 Day  
**Contact Name:** Ben Withnall

**Eurofins | mgt Analytical Services Manager : Nibha Vaidya**

Sample Detail						Asbestos - WA guidelines	Asbestos Absence / Presence	HOLD	Acid Sulfate Soils Field pH Test	Eurofins   mgt Suite B15	Moisture Set	NEPM Screen for Soil Classification	Eurofins   mgt Suite B7	Eurofins   mgt Suite B8
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>								X		X	X	X	X	X
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X							
<b>Brisbane Laboratory - NATA Site # 20794</b>									X			X		
<b>Perth Laboratory - NATA Site # 23736</b>														
22	TP11_1.2	Nov 10, 2018		Soil	S18-No14978						X			X
23	TP12_0.2	Nov 10, 2018		Soil	S18-No14979	X				X	X	X	X	
24	QA100	Nov 10, 2018		Soil	S18-No14980					X	X			X
25	BH4_0.4	Nov 10, 2018		Soil	S18-No14981						X		X	
26	BH05_0.2-0.5	Nov 10, 2018		Soil	S18-No14982						X			X
27	BH01_1.0-1.45	Nov 10, 2018		Soil	S18-No14983				X					
28	BH01_2.5-2.95	Nov 10, 2018		Soil	S18-No14984				X					
29	BH01_3.0-3.45	Nov 10, 2018		Soil	S18-No14985				X					
30	BH01_4.0-4.45	Nov 10, 2018		Soil	S18-No14986				X					
31	BH01_5.0-5.95	Nov 10, 2018		Soil	S18-No14987				X					
32	BH01_7.0-7.45	Nov 10, 2018		Soil	S18-No14988				X					
33	BH01_8.0-8.95	Nov 10, 2018		Soil	S18-No14989				X					

**Company Name:** Cardno (NSW/ACT) Pty Ltd  
**Address:** Level 9, 203 Pacific Highway  
St Leonards  
NSW 2065

**Project Name:** KYEEMAGH INFANTS SCHOOL  
**Project ID:** 80818157

**Order No.:**  
**Report #:** 627289  
**Phone:** 0294967700  
**Fax:** 02 9499 3902

**Received:** Nov 12, 2018 4:31 PM  
**Due:** Nov 19, 2018  
**Priority:** 5 Day  
**Contact Name:** Ben Withnall

**Eurofins | mgt Analytical Services Manager : Nibha Vaidya**

Sample Detail						Asbestos - WA guidelines	Asbestos Absence / Presence	HOLD	Acid Sulfate Soils Field pH Test	Eurofins   mgt Suite B15	Moisture Set	NEPM Screen for Soil Classification	Eurofins   mgt Suite B7	Eurofins   mgt Suite B8
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>								X		X	X	X	X	X
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X							
<b>Brisbane Laboratory - NATA Site # 20794</b>									X			X		
<b>Perth Laboratory - NATA Site # 23736</b>														
34	BH01_10.0-10.45	Nov 10, 2018		Soil	S18-No14990				X					
35	BH01_11.0-11.45	Nov 10, 2018		Soil	S18-No14991				X					
36	BH01_13.0-13.45	Nov 10, 2018		Soil	S18-No14992				X					
37	BH01_14.5-14.95	Nov 10, 2018		Soil	S18-No14993				X					
38	BH01_16.0-16.45	Nov 10, 2018		Soil	S18-No14994				X					
39	BH04_0.5-0.95	Nov 10, 2018		Soil	S18-No14995				X					
40	BH04_2.0-2.45	Nov 10, 2018		Soil	S18-No14996				X					
41	BH04_3.0-3.45	Nov 10, 2018		Soil	S18-No14997				X					
42	BH05_1.5-1.95	Nov 10, 2018		Soil	S18-No14998				X					

**Company Name:** Cardno (NSW/ACT) Pty Ltd  
**Address:** Level 9, 203 Pacific Highway  
St Leonards  
NSW 2065

**Project Name:** KYEEMAGH INFANTS SCHOOL  
**Project ID:** 80818157

**Order No.:**  
**Report #:** 627289  
**Phone:** 0294967700  
**Fax:** 02 9499 3902

**Received:** Nov 12, 2018 4:31 PM  
**Due:** Nov 19, 2018  
**Priority:** 5 Day  
**Contact Name:** Ben Withnall

**Eurofins | mgt Analytical Services Manager : Nibha Vaidya**

Sample Detail						Asbestos - WA guidelines	Asbestos Absence / Presence	HOLD	Acid Sulfate Soils Field pH Test	Eurofins   mgt Suite B15	Moisture Set	NEPM Screen for Soil Classification	Eurofins   mgt Suite B7	Eurofins   mgt Suite B8
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>								X		X	X	X	X	X
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X							
<b>Brisbane Laboratory - NATA Site # 20794</b>									X			X		
<b>Perth Laboratory - NATA Site # 23736</b>														
43	BH05_4.5-4.95	Nov 10, 2018		Soil	S18-No14999				X					
44	TP04_0.4	Nov 10, 2018		Soil	S18-No15000			X						
45	TP08_0.1	Nov 10, 2018		Soil	S18-No15001			X						
46	TP09_0.8	Nov 10, 2018		Soil	S18-No15002			X						
47	TP10_0.4	Nov 10, 2018		Soil	S18-No15003			X						
48	TP12_1.0	Nov 10, 2018		Soil	S18-No15004			X						
49	BH04_0.5-0.95	Nov 10, 2018		Soil	S18-No15005			X						
<b>Test Counts</b>						14	1	6	17	6	25	3	18	7

## Internal Quality Control Review and Glossary

### General

1. QC data may be available on request.
2. All soil results are reported on a dry basis, unless otherwise stated.
3. Samples were analysed on an 'as received' basis.
4. This report replaces any interim results previously issued.

### Holding Times

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the Sample Receipt Advice.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

### Units

% w/w: weight for weight basis	grams per kilogram
Filter loading:	fibres/100 graticule areas
Reported Concentration:	fibres/mL
Flowrate:	L/min

### Terms

<b>Dry</b>	Sample is dried by heating prior to analysis
<b>LOR</b>	Limit of Reporting
<b>COC</b>	Chain of Custody
<b>SRA</b>	Sample Receipt Advice
<b>ISO</b>	International Standards Organisation
<b>AS</b>	Australian Standards
<b>WA DOH</b>	Reference document for the NEPM. Government of Western Australia, Guidelines for the Assessment, Remediation and Management of Asbestos-Contaminated Sites in Western Australia (2009), including supporting document Recommended Procedures for Laboratory Analysis of Asbestos in Soil (2011)
<b>NEPM</b>	National Environment Protection (Assessment of Site Contamination) Measure, 2013 (as amended)
<b>ACM</b>	Asbestos Containing Materials. Asbestos contained within a non-asbestos matrix, typically presented in bonded and/or sound condition. For the purposes of the NEPM, ACM is generally restricted to those materials that do not pass a 7mm x 7mm sieve.
<b>AF</b>	Asbestos Fines. Asbestos containing materials, including friable, weathered and bonded materials, able to pass a 7mm x 7mm sieve. Considered under the NEPM as equivalent to "non-bonded / friable".
<b>FA</b>	Fibrous Asbestos. Asbestos containing materials in a friable and/or severely weathered condition. For the purposes of the NEPM, FA is generally restricted to those materials that do not pass a 7mm x 7mm sieve.
<b>Friable</b>	Asbestos-containing materials of any size that may be broken or crumbled by hand pressure. For the purposes of the NEPM, this includes both AF and FA. It is outside of the laboratory's remit to assess degree of friability.
<b>Trace Analysis</b>	Analytical procedure used to detect the presence of respirable fibres in the matrix.



### Comments

Samples No14961 & No14962 received were less than the nominal 500mL as recommended in Section 4.10 of the NEPM Schedule B1 - Guideline on Investigation Levels for Soil and Groundwater.

Eurofins | mgt accreditation number 1261, corporate site 1254 is currently in progress of a controlled transition to a new custom built location at 6 Monterey Road, Dandenong South, Victoria 3175. All results on this report denoted as being performed by Eurofins | mgt 2-5 Kingston Town Close, Oakleigh Victoria 3166 corporate site 1254, will have been performed on either Oakleigh or new Dandenong South site.

### Sample Integrity

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	Yes
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

### Qualifier Codes/Comments

Code	Description
N/A	Not applicable

### Asbestos Counter/Identifier:

### Authorised by:

Sayed Abu Senior Analyst-Asbestos (NSW)



**Glenn Jackson**  
**General Manager**

Final Report – this report replaces any previously issued Report

- Indicates Not Requested

\* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins | mgt shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins | mgt be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.

# CHAIN OF CUSTODY AND ANALYSIS REQUEST

Page 1 of 1

Contact Person:	Ben Withnail	Project Name:	Kyeemagh Infants School
Telephone Number:	9495 8188	Project Number:	80818157
Alternative Contact:	Joel Griffiths	PO No.:	
Telephone Number:	9496 7873	Project Specific Quote No.:	181029CAR_1
Sampler:	Joel Griffiths	Date results required:	Standard TAT
Email Address (results and invoice):	ben.withnail@cardno.com.au; joel.griffiths@cardno.com.au	Report format:	Electronic
Address: Level 9 - The Forum, 203 Pacific Highway, St Leonards, New South Wales 2065			

Sample Information						Analysis Required												Comments	
Cardno Sample ID	Laboratory Sample ID	No. Containers	Preservation	Date sampled	Matrix	B7 <sup>+</sup> - [RH/8]TEX/PAH/Metals 8	B15 <sup>+</sup> - OCP/OPPCB	B8 <sup>+</sup> TRH, VOC, PAH, Metals (8)	pH Field Screen (pH and pHfox)	Asbestos (w/w%)	Asbestos Presence / Absence	Suite 21 <sup>+</sup> - NEPM Screen for Soil Classification	HOLD						
TP03_0.2		2	Ice	10/11/2018	Soil	X	X			X									
TP03_1.2		2	Ice	10/11/2018	Soil			X		X									
TP03_ASB1		2	Ice	10/11/2018	Fibre Cement						X								
TP19_0.1		2	Ice	10/11/2018	Soil	X				X									
TP19_0.3		2	Ice	10/11/2018	Soil	X				X									
TP01_0.2		2	Ice	10/11/2018	Soil	X				X									
TP01_0.9		2	Ice	10/11/2018	Soil	X				X									
TP02_0.1		2	Ice	10/11/2018	Soil	X				X									
TP02_0.4		2	Ice	10/11/2018	Soil	X	X			X									
TP04_0.1		2	Ice	10/11/2018	Soil	X				X									
TP04_0.4		2	Ice	10/11/2018	Soil	X	X			X									
TP05_0.1		2	Ice	10/11/2018	Soil	X							X						
TP05_0.9		2	Ice	10/11/2018	Soil	X				X									
TP06_0.1		2	Ice	10/11/2018	Soil	X		X		X		X							
TP06_0.3		2	Ice	10/11/2018	Soil	X				X									
TP07_0.1		2	Ice	10/11/2018	Soil	X		X		X									
TP07_0.4		2	Ice	10/11/2018	Soil	X				X									
TP07_0.6		2	Ice	10/11/2018	Soil	X						X							
TP08_0.1		2	Ice	10/11/2018	Soil	X													
TP08_0.4		2	Ice	10/11/2018	Soil								X						
TP09_0.3		2	Ice	10/11/2018	Soil	X		X		X									
TP09_0.8		2	Ice	10/11/2018	Soil	X				X									
TP10_0.1		2	Ice	10/11/2018	Soil	X							X						
TP10_0.4		2	Ice	10/11/2018	Soil	X							X						
TP11_0.2		2	Ice	10/11/2018	Soil	X	X			X			X						
TP12_0.2		2	Ice	10/11/2018	Soil	X		X											
TP12_1.0		2	Ice	10/11/2018	Soil	X	X			X		X							
QA100		2	Ice	10/11/2018	Soil			X					X						
QA200		2	Ice	10/11/2018	Soil		X	X											
BH4_0.4		1	Ice	10/11/2018	Soil	X													
BH05_0.2-0.5		1	Ice	10/11/2018	Soil			X										Please Forward to ALS	
BH01_1.0-1.45		1	Frozen	10/11/2018	Soil				X										
BH01_2.5-2.95		1	Frozen	10/11/2018	Soil				X										
BH05_3.0-3.45		1	Frozen	10/11/2018	Soil				X										
BH01_4.0-4.45		1	Frozen	10/11/2018	Soil				X										
BH01_5.5-5.95		1	Frozen	10/11/2018	Soil				X										
BH01_7.0-7.45		1	Frozen	10/11/2018	Soil				X										
BH01_8.5-8.95		1	Frozen	10/11/2018	Soil				X										
BH01_10.0-10.45		1	Frozen	10/11/2018	Soil				X										
BH01_11.0-11.45		1	Frozen	10/11/2018	Soil				X										
BH01_13.0-13.45		1	Frozen	10/11/2018	Soil				X										
BH01_14.5-14.95		1	Frozen	10/11/2018	Soil				X										
BH01_16.0-16.45		1	Frozen	10/11/2018	Soil				X										
BH04_0.5-0.95		1	Frozen	10/11/2018	Soil				X										
BH04_2.0-2.45		1	Frozen	10/11/2018	Soil				X										
BH04_3.0-3.45		1	Frozen	10/11/2018	Soil				X										
BH05_1.5-1.95		1	Frozen	10/11/2018	Soil				X										
BH05_4.5-4.95		1	Frozen	10/11/2018	Soil				X										

Relinquished by:	Joel Griffiths	Received by:	Laura D.	Relinquished by:		Received by:		Relinquished by:	
(name / company)	Cardno	(name / company)	Eurofine H&T	(name / company)		(name / company)		(name / company)	
Date & Time:	12/11/18 12:00	Date & Time:	12/11/18 4:31 PM	Date & Time:		Date & Time:		Date & Time:	
Signature:	JG	Signature:	[Signature]	Signature:		Signature:		Signature:	
Received by:		Relinquished by:		Received by:		Relinquished by:		Received by:	
(name / company)		(name / company)		(name / company)		(name / company)		(name / company)	
Date & Time:		Date & Time:		Date & Time:		Date & Time:		Date & Time:	
Signature:		Signature:		Signature:		Signature:		Signature:	
					Lab use:				
					Samples Received: Cool or Ambient (circle one)				
					Temperature Received at: 4.5°C (if applicable)				
					Transported by: Hand delivered (circle one)				

#627289

## Sample Receipt Advice

Company name: **Cardno (NSW/ACT) Pty Ltd**  
Contact name: **Ben Withnall**  
Project name: **KYEEMAGH INFANTS SCHOOL**  
Project ID: **80818157**  
COC number: **Not provided**  
Turn around time: **5 Day**  
Date/Time received: **Nov 12, 2018 4:31 PM**  
Eurofins | mgt reference: **627289**

### Sample information

- ☒ A detailed list of analytes logged into our LIMS, is included in the attached summary table.
- ☒ All samples have been received as described on the above COC.
- ☒ COC has been completed correctly.
- ☒ Attempt to chill was evident.
- ☒ Appropriately preserved sample containers have been used.
- ☒ All samples were received in good condition.
- ☒ Samples have been provided with adequate time to commence analysis in accordance with the relevant holding times.
- ☒ Appropriate sample containers have been used.
- ☒ Split sample sent to requested external lab.
- ☒ Some samples have been subcontracted.
- N/A Custody Seals intact (if used).

### Notes

Sample QA200 forwarded to ALS. Extra Jar received (BH04\_0.5-0.95) placed on hold.

### Contact notes

If you have any questions with respect to these samples please contact:

Nibha Vaidya on Phone : +61 (2) 9900 8415 or by e.mail: NibhaVaidya@eurofins.com

Results will be delivered electronically via e.mail to Ben Withnall - ben.withnall@cardno.com.au.

*Note: A copy of these results will also be delivered to the general Cardno (NSW/ACT) Pty Ltd email address.*

**Cardno (NSW/ACT) Pty Ltd**  
**Level 9, 203 Pacific Highway**  
**St Leonards**  
**NSW 2065**



**NATA Accredited**  
**Accreditation Number 1261**  
**Site Number 18217**

Accredited for compliance with ISO/IEC 17025-Testing  
 The results of the tests, calibrations and/or  
 measurements included in this document are traceable  
 to Australian/national standards.

**Attention:** Ben Withnall  
**Report** 629407-AID  
**Project Name** ADDITIONAL - KYEEMAGH INFANTS SCHOOL  
**Project ID** 80818157  
**Received Date** Nov 22, 2018  
**Date Reported** Nov 29, 2018

## Methodology:

Asbestos Fibre  
 Identification

Conducted in accordance with the Australian Standard AS 4964 – 2004: Method for the Qualitative Identification of Asbestos in Bulk Samples and in-house Method LTM-ASB-8020 by polarised light microscopy (PLM) and dispersion staining (DS) techniques.

*NOTE: Positive Trace Analysis results indicate the sample contains detectable respirable fibres.*

Unknown Mineral  
 Fibres

Mineral fibres of unknown type, as determined by PLM with DS, may require another analytical technique, such as Electron Microscopy, to confirm unequivocal identity.

*NOTE: While Actinolite, Anthophyllite and Tremolite asbestos may be detected by PLM with DS, due to variability in the optical properties of these materials, AS4964 requires that these are reported as UMF unless confirmed by an independent technique.*

Subsampling Soil  
 Samples

The whole sample submitted is first dried and then passed through a 10mm sieve followed by a 2mm sieve. All fibrous matter greater than 10mm, greater than 2mm as well as the material passing through the 2mm sieve are retained and analysed for the presence of asbestos. If the sub 2mm fraction is greater than approximately 30 to 60g then a sub-sampling routine based on ISO 3082:2009(E) is employed.

*NOTE: Depending on the nature and size of the soil sample, the sub-2 mm residue material may need to be sub-sampled for trace analysis, in accordance with AS 4964-2004.*

Bonded asbestos-  
 containing material  
 (ACM)

The material is first examined and any fibres isolated for identification by PLM and DS. Where required, interfering matrices may be removed by disintegration using a range of heat, chemical or physical treatments, possibly in combination. The resultant material is then further examined in accordance with AS 4964 - 2004.

*NOTE: Even after disintegration it may be difficult to detect the presence of asbestos in some asbestos-containing bulk materials using PLM and DS. This is due to the low grade or small length or diameter of the asbestos fibres present in the material, or to the fact that very fine fibres have been distributed intimately throughout the materials. Vinyl/asbestos floor tiles, some asbestos-containing sealants and mastics, asbestos-containing epoxy resins and some ore samples are examples of these types of material, which are difficult to analyse.*

Limit of Reporting

The performance limitation of the AS 4964 (2004) method for non-homogeneous samples is around 0.1 g/kg (equivalent to 0.01% (w/w)). Where no asbestos is found by PLM and DS, including Trace Analysis, this is considered to be at the nominal reporting limit of 0.01% (w/w).

The NEPM screening level of 0.001% (w/w) is intended as an on-site determination, not a laboratory Limit of Reporting (LOR), per se. Examination of a large sample size (e.g. 500 mL) may improve the likelihood of detecting asbestos, particularly AF, to aid assessment against the NEPM criteria. Gravimetric determinations to this level of accuracy are outside of AS 4964 and hence NATA Accreditation does not cover the performance of this service (non-NATA results shown with an asterisk).

*NOTE: NATA News March 2014, p.7, states in relation to AS 4964: "This is a qualitative method with a nominal reporting limit of 0.01 % " and that currently in Australia "there is no validated method available for the quantification of asbestos". This report is consistent with the analytical procedures and reporting recommendations in the NEPM and the WA DoH.*

**Project Name** ADDITIONAL - KYEEMAGH INFANTS SCHOOL  
**Project ID** 80818157  
**Date Sampled** Nov 10, 2018  
**Report** 629407-AID

Client Sample ID	Eurofins   mgt Sample No.	Date Sampled	Sample Description	Result
TP04_0.4	18-No31520	Nov 10, 2018	Approximate Sample 816 Sample consisted of: Gray coarse-grained sandy soil	ACM: Chrysotile asbestos detected in fibre cement fragments. Approximate raw weight of ACM = 16g Total estimated asbestos content in ACM = 1.6g* Total estimated asbestos concentration in ACM = 0.19% w/w*  Organic fibre detected. No respirable fibres detected.



### Sample History

Where samples are submitted/analysed over several days, the last date of extraction and analysis is reported. A recent review of our LIMS has resulted in the correction or clarification of some method identifications. Due to this, some of the method reference information on reports has changed. However, no substantive change has been made to our laboratory methods, and as such there is no change in the validity of current or previous results (regarding both quality and NATA accreditation).

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

Description	Testing Site	Extracted	Holding Time
Asbestos - LTM-ASB-8020	Sydney	Nov 23, 2018	Indefinite

**Company Name:** Cardno (NSW/ACT) Pty Ltd  
**Address:** Level 9, 203 Pacific Highway  
St Leonards  
NSW 2065

**Project Name:** ADDITIONAL - KYEEMAGH INFANTS SCHOOL  
**Project ID:** 80818157

**Order No.:**  
**Report #:** 629407  
**Phone:** 0294967700  
**Fax:** 02 9499 3902

**Received:** Nov 22, 2018 12:04 PM  
**Due:** Nov 29, 2018  
**Priority:** 5 Day  
**Contact Name:** Ben Withnall

**Eurofins | mgt Analytical Services Manager : Nibha Vaidya**

Sample Detail						Asbestos - WA guidelines
Melbourne Laboratory - NATA Site # 1254 & 14271						
Sydney Laboratory - NATA Site # 18217						X
Brisbane Laboratory - NATA Site # 20794						
Perth Laboratory - NATA Site # 23736						
External Laboratory						
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID	
1	TP04_0.4	Nov 10, 2018		Soil	S18-No31520	X
Test Counts						1

## Internal Quality Control Review and Glossary

### General

1. QC data may be available on request.
2. All soil results are reported on a dry basis, unless otherwise stated.
3. Samples were analysed on an 'as received' basis.
4. This report replaces any interim results previously issued.

### Holding Times

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the Sample Receipt Advice.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

### Units

% w/w: weight for weight basis	grams per kilogram
Filter loading:	fibres/100 graticule areas
Reported Concentration:	fibres/mL
Flowrate:	L/min

### Terms

<b>Dry</b>	Sample is dried by heating prior to analysis
<b>LOR</b>	Limit of Reporting
<b>COC</b>	Chain of Custody
<b>SRA</b>	Sample Receipt Advice
<b>ISO</b>	International Standards Organisation
<b>AS</b>	Australian Standards
<b>WA DOH</b>	Reference document for the NEPM. Government of Western Australia, Guidelines for the Assessment, Remediation and Management of Asbestos-Contaminated Sites in Western Australia (2009), including supporting document Recommended Procedures for Laboratory Analysis of Asbestos in Soil (2011)
<b>NEPM</b>	National Environment Protection (Assessment of Site Contamination) Measure, 2013 (as amended)
<b>ACM</b>	Asbestos Containing Materials. Asbestos contained within a non-asbestos matrix, typically presented in bonded and/or sound condition. For the purposes of the NEPM, ACM is generally restricted to those materials that do not pass a 7mm x 7mm sieve.
<b>AF</b>	Asbestos Fines. Asbestos containing materials, including friable, weathered and bonded materials, able to pass a 7mm x 7mm sieve. Considered under the NEPM as equivalent to "non-bonded / friable".
<b>FA</b>	Fibrous Asbestos. Asbestos containing materials in a friable and/or severely weathered condition. For the purposes of the NEPM, FA is generally restricted to those materials that do not pass a 7mm x 7mm sieve.
<b>Friable</b>	Asbestos-containing materials of any size that may be broken or crumbled by hand pressure. For the purposes of the NEPM, this includes both AF and FA. It is outside of the laboratory's remit to assess degree of friability.
<b>Trace Analysis</b>	Analytical procedure used to detect the presence of respirable fibres in the matrix.

## Comments

Eurofins | mgt accreditation number 1261, corporate site 1254 is currently in progress of a controlled transition to a new custom built location at 6 Monterey Road, Dandenong South, Victoria 3175. All results on this report denoted as being performed by Eurofins | mgt 2-5 Kingston Town Close, Oakleigh Victoria 3166 corporate site 1254, will have been performed on either Oakleigh or new Dandenong South site.

## Sample Integrity

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	Yes
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

## Qualifier Codes/Comments

Code	Description
N/A	Not applicable

## Asbestos Counter/Identifier:

## Authorised by:

Sayeed Abu

Senior Analyst-Asbestos (NSW)



**Glenn Jackson**  
**General Manager**

Final Report – this report replaces any previously issued Report

- Indicates Not Requested

\* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins | mgt shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins | mgt be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.



## CHAIN OF CUSTODY AND ANALYSIS REQUEST

[illegible]



## Enviro Sample NSW

---

**To:** Nibha Vaidya; COC NSW  
**Subject:** RE: Report 627289 : Site KYEEMAGH INFANTS SCHOOL (80818157) - TP04\_0.4 ASB analysis

**From:** Joel Griffiths [<mailto:joel.griffiths@cardno.com.au>]  
**Sent:** Thursday, 22 November 2018 12:04 PM  
**To:** Nibha Vaidya  
**Cc:** Ben Withnall  
**Subject:** Report 627289 : Site KYEEMAGH INFANTS SCHOOL (80818157) - TP04\_0.4 ASB analysis

### EXTERNAL EMAIL\*

Hello Nibha,

Sorry to bug you again! Going through my notes from the other weekends field work it looks as though there was piece of FC in the ASB bag taken for TP04\_0.4. Could we please have this sample analysed? I have attached the relevant COC. Thanks a million!

Kind regards,

Joel Griffiths  
ENVIRONMENTAL SCIENTIST  
CARDNO



Phone Direct +61 2 9496 7873;  
Address Level 9, The Forum, 203 Pacific Highway, St Leonards, New South Wales 2065 Australia

Email [joel.griffiths@cardno.com.au](mailto:joel.griffiths@cardno.com.au) Web [www.cardno.com](http://www.cardno.com)

CONNECT WITH CARDNO    

Cardno's management systems are certified to ISO9001 (quality) and AS4801/OHSAS18001 (occupational health and safety)

This email and its attachments may contain confidential and/or privileged information for the sole use of the intended recipient(s). All electronically supplied data must be checked against an applicable hardcopy version which shall be the only document which Cardno warrants accuracy. If you are not the intended recipient, any use, distribution or copying of the information contained in this email and its attachments is strictly prohibited. If you have received this email in error, please email the sender by replying to this message and immediately delete and destroy any copies of this email and any attachments. The views or opinions expressed are the author's own and may not reflect the views or opinions of Cardno.

Click [here](#) to report this email as spam.

ScannedByWebsenseForEurofins

\* WARNING - EXTERNAL: This email originated from outside of Eurofins. Do not click any links or open any attachments unless you trust the sender and know that the content is safe!

## Sample Receipt Advice

Company name: **Cardno (NSW/ACT) Pty Ltd**  
Contact name: **Ben Withnall**  
Project name: **ADDITIONAL - KYEEMAGH INFANTS SCHOOL**  
Project ID: **80818157**  
COC number: **Not provided**  
Turn around time: **5 Day**  
Date/Time received: **Nov 22, 2018 12:04 PM**  
Eurofins | mgt reference: **629407**

### Sample information

- ☒ A detailed list of analytes logged into our LIMS, is included in the attached summary table.
- ☒ All samples have been received as described on the above COC.
- ☒ COC has been completed correctly.
- ☒ Attempt to chill was evident.
- ☒ Appropriately preserved sample containers have been used.
- ☒ All samples were received in good condition.
- ☒ Samples have been provided with adequate time to commence analysis in accordance with the relevant holding times.
- ☒ Appropriate sample containers have been used.
- ☐ Split sample sent to requested external lab.
- ☐ Some samples have been subcontracted.
- N/A Custody Seals intact (if used).

### Contact notes

If you have any questions with respect to these samples please contact:

Nibha Vaidya on Phone : +61 (2) 9900 8415 or by e.mail: NibhaVaidya@eurofins.com

Results will be delivered electronically via e.mail to Ben Withnall - ben.withnall@cardno.com.au.

*Note: A copy of these results will also be delivered to the general Cardno (NSW/ACT) Pty Ltd email address.*

## CERTIFICATE OF ANALYSIS

**Work Order** : **ES1833866**  
**Client** : **CARDNO (NSW/ACT) PTY LTD**  
**Contact** : **MR BEN WITHNALL**  
**Address** : **Level 9 The Forum 203 Pacific Highway**  
**St Leonards NSW 2065**  
**Telephone** : **+61 2 9495 8188**  
**Project** : **80818157 Kyeemagh Infants School**  
**Order number** :  
**C-O-C number** :  
**Sampler** : **Joel Griffiths**  
**Site** :  
**Quote number** : **EN/222 - Secondary Work**  
**No. of samples received** : **1**  
**No. of samples analysed** : **1**

**Page** : 1 of 9  
**Laboratory** : Environmental Division Sydney  
**Contact** : Customer Services ES  
**Address** : 277-289 Woodpark Road Smithfield NSW Australia 2164  
**Telephone** : +61-2-8784 8555  
**Date Samples Received** : 13-Nov-2018 14:30  
**Date Analysis Commenced** : 15-Nov-2018  
**Issue Date** : 19-Nov-2018 15:37



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results
- Surrogate Control Limits

**Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.**

### Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

Signatories	Position	Accreditation Category
Alex Rossi	Organic Chemist	Sydney Organics, Smithfield, NSW
Celine Conceicao	Senior Spectroscopist	Sydney Inorganics, Smithfield, NSW
Edwandy Fadjjar	Organic Coordinator	Sydney Inorganics, Smithfield, NSW
Edwandy Fadjjar	Organic Coordinator	Sydney Organics, Smithfield, NSW



## General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

LOR = Limit of reporting

^ = This result is computed from individual analyte detections at or above the level of reporting

ø = ALS is not NATA accredited for these tests.

~ = Indicates an estimated value.

- Benzo(a)pyrene Toxicity Equivalent Quotient (TEQ) is the sum total of the concentration of the eight carcinogenic PAHs multiplied by their Toxicity Equivalence Factor (TEF) relative to Benzo(a)pyrene. TEF values are provided in brackets as follows: Benz(a)anthracene (0.1), Chrysene (0.01), Benzo(b+j) & Benzo(k)fluoranthene (0.1), Benzo(a)pyrene (1.0), Indeno(1.2.3.cd)pyrene (0.1), Dibenzo(a,h)anthracene (1.0),

Benzo(g,h,i)perylene (0.01). Less than LOR results for 'TEQ Zero' are treated as zero, for 'TEQ 1/2LOR' are treated as half the reported LOR, and for 'TEQ LOR' are treated as being equal to the reported LOR.

Note: TEQ 1/2LOR and TEQ LOR will calculate as 0.6mg/Kg and 1.2mg/Kg respectively for samples with non-detects for all of the eight TEQ PAHs.



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)			Client sample ID	QA200	----	----	----	----
Client sampling date / time				10-Nov-2018 00:00	----	----	----	----
Compound	CAS Number	LOR	Unit	ES1833866-001	-----	-----	-----	-----
Result				----	----	----	----	----
<b>EA055: Moisture Content (Dried @ 105-110°C)</b>								
Moisture Content	----	1.0	%	3.9	----	----	----	----
<b>EG005T: Total Metals by ICP-AES</b>								
Arsenic	7440-38-2	5	mg/kg	<5	----	----	----	----
Cadmium	7440-43-9	1	mg/kg	<1	----	----	----	----
Chromium	7440-47-3	2	mg/kg	<2	----	----	----	----
Copper	7440-50-8	5	mg/kg	<5	----	----	----	----
Lead	7439-92-1	5	mg/kg	8	----	----	----	----
Nickel	7440-02-0	2	mg/kg	<2	----	----	----	----
Zinc	7440-66-6	5	mg/kg	10	----	----	----	----
<b>EG035T: Total Recoverable Mercury by FIMS</b>								
Mercury	7439-97-6	0.1	mg/kg	<0.1	----	----	----	----
<b>EP066: Polychlorinated Biphenyls (PCB)</b>								
Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	----	----	----	----
<b>EP068A: Organochlorine Pesticides (OC)</b>								
alpha-BHC	319-84-6	0.05	mg/kg	<0.05	----	----	----	----
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	----	----	----	----
beta-BHC	319-85-7	0.05	mg/kg	<0.05	----	----	----	----
gamma-BHC	58-89-9	0.05	mg/kg	<0.05	----	----	----	----
delta-BHC	319-86-8	0.05	mg/kg	<0.05	----	----	----	----
Heptachlor	76-44-8	0.05	mg/kg	<0.05	----	----	----	----
Aldrin	309-00-2	0.05	mg/kg	<0.05	----	----	----	----
Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	----	----	----	----
^ Total Chlordane (sum)	----	0.05	mg/kg	<0.05	----	----	----	----
trans-Chlordane	5103-74-2	0.05	mg/kg	<0.05	----	----	----	----
alpha-Endosulfan	959-98-8	0.05	mg/kg	<0.05	----	----	----	----
cis-Chlordane	5103-71-9	0.05	mg/kg	<0.05	----	----	----	----
Dieldrin	60-57-1	0.05	mg/kg	<0.05	----	----	----	----
4,4'-DDE	72-55-9	0.05	mg/kg	<0.05	----	----	----	----
Endrin	72-20-8	0.05	mg/kg	<0.05	----	----	----	----
beta-Endosulfan	33213-65-9	0.05	mg/kg	<0.05	----	----	----	----
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	<0.05	----	----	----	----
4,4'-DDD	72-54-8	0.05	mg/kg	<0.05	----	----	----	----
Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	----	----	----	----
Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	----	----	----	----





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	QA200	----	----	----	----
Client sampling date / time					10-Nov-2018 00:00	----	----	----	----
Compound	CAS Number	LOR	Unit		ES1833866-001	-----	-----	-----	-----
					Result	----	----	----	----
EP068A: Organochlorine Pesticides (OC) - Continued									
4,4'-DDT	50-29-3	0.2	mg/kg		<0.2	----	----	----	----
Endrin ketone	53494-70-5	0.05	mg/kg		<0.05	----	----	----	----
Methoxychlor	72-43-5	0.2	mg/kg		<0.2	----	----	----	----
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg		<0.05	----	----	----	----
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/5	0.05	mg/kg		<0.05	----	----	----	----
	0-2								
EP068B: Organophosphorus Pesticides (OP)									
Dichlorvos	62-73-7	0.05	mg/kg		<0.05	----	----	----	----
Demeton-S-methyl	919-86-8	0.05	mg/kg		<0.05	----	----	----	----
Monocrotophos	6923-22-4	0.2	mg/kg		<0.2	----	----	----	----
Dimethoate	60-51-5	0.05	mg/kg		<0.05	----	----	----	----
Diazinon	333-41-5	0.05	mg/kg		<0.05	----	----	----	----
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg		<0.05	----	----	----	----
Parathion-methyl	298-00-0	0.2	mg/kg		<0.2	----	----	----	----
Malathion	121-75-5	0.05	mg/kg		<0.05	----	----	----	----
Fenthion	55-38-9	0.05	mg/kg		<0.05	----	----	----	----
Chlorpyrifos	2921-88-2	0.05	mg/kg		<0.05	----	----	----	----
Parathion	56-38-2	0.2	mg/kg		<0.2	----	----	----	----
Pirimphos-ethyl	23505-41-1	0.05	mg/kg		<0.05	----	----	----	----
Chlorfenvinphos	470-90-6	0.05	mg/kg		<0.05	----	----	----	----
Bromophos-ethyl	4824-78-6	0.05	mg/kg		<0.05	----	----	----	----
Fenamiphos	22224-92-6	0.05	mg/kg		<0.05	----	----	----	----
Prothiofos	34643-46-4	0.05	mg/kg		<0.05	----	----	----	----
Ethion	563-12-2	0.05	mg/kg		<0.05	----	----	----	----
Carbophenothion	786-19-6	0.05	mg/kg		<0.05	----	----	----	----
Azinphos Methyl	86-50-0	0.05	mg/kg		<0.05	----	----	----	----
EP074A: Monocyclic Aromatic Hydrocarbons									
Styrene	100-42-5	0.5	mg/kg		<0.5	----	----	----	----
Isopropylbenzene	98-82-8	0.5	mg/kg		<0.5	----	----	----	----
n-Propylbenzene	103-65-1	0.5	mg/kg		<0.5	----	----	----	----
1,3,5-Trimethylbenzene	108-67-8	0.5	mg/kg		<0.5	----	----	----	----
sec-Butylbenzene	135-98-8	0.5	mg/kg		<0.5	----	----	----	----
1,2,4-Trimethylbenzene	95-63-6	0.5	mg/kg		<0.5	----	----	----	----
tert-Butylbenzene	98-06-6	0.5	mg/kg		<0.5	----	----	----	----
p-Isopropyltoluene	99-87-6	0.5	mg/kg		<0.5	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	QA200	----	----	----	----
Client sampling date / time					10-Nov-2018 00:00	----	----	----	----
Compound	CAS Number	LOR	Unit		ES1833866-001	-----	-----	-----	-----
				Result	----	----	----	----	----
<b>EP074A: Monocyclic Aromatic Hydrocarbons - Continued</b>									
n-Butylbenzene	104-51-8	0.5	mg/kg		<0.5	----	----	----	----
<b>EP074B: Oxygenated Compounds</b>									
Vinyl Acetate	108-05-4	5	mg/kg		<5	----	----	----	----
2-Butanone (MEK)	78-93-3	5	mg/kg		<5	----	----	----	----
4-Methyl-2-pentanone (MIBK)	108-10-1	5	mg/kg		<5	----	----	----	----
2-Hexanone (MBK)	591-78-6	5	mg/kg		<5	----	----	----	----
<b>EP074C: Sulfonated Compounds</b>									
Carbon disulfide	75-15-0	0.5	mg/kg		<0.5	----	----	----	----
<b>EP074D: Fumigants</b>									
2,2-Dichloropropane	594-20-7	0.5	mg/kg		<0.5	----	----	----	----
1,2-Dichloropropane	78-87-5	0.5	mg/kg		<0.5	----	----	----	----
cis-1,3-Dichloropropylene	10061-01-5	0.5	mg/kg		<0.5	----	----	----	----
trans-1,3-Dichloropropylene	10061-02-6	0.5	mg/kg		<0.5	----	----	----	----
1,2-Dibromoethane (EDB)	106-93-4	0.5	mg/kg		<0.5	----	----	----	----
<b>EP074E: Halogenated Aliphatic Compounds</b>									
Dichlorodifluoromethane	75-71-8	5	mg/kg		<5	----	----	----	----
Chloromethane	74-87-3	5	mg/kg		<5	----	----	----	----
Vinyl chloride	75-01-4	5	mg/kg		<5	----	----	----	----
Bromomethane	74-83-9	5	mg/kg		<5	----	----	----	----
Chloroethane	75-00-3	5	mg/kg		<5	----	----	----	----
Trichlorofluoromethane	75-69-4	5	mg/kg		<5	----	----	----	----
1,1-Dichloroethene	75-35-4	0.5	mg/kg		<0.5	----	----	----	----
Iodomethane	74-88-4	0.5	mg/kg		<0.5	----	----	----	----
trans-1,2-Dichloroethene	156-60-5	0.5	mg/kg		<0.5	----	----	----	----
1,1-Dichloroethane	75-34-3	0.5	mg/kg		<0.5	----	----	----	----
cis-1,2-Dichloroethene	156-59-2	0.5	mg/kg		<0.5	----	----	----	----
1,1,1-Trichloroethane	71-55-6	0.5	mg/kg		<0.5	----	----	----	----
1,1-Dichloropropylene	563-58-6	0.5	mg/kg		<0.5	----	----	----	----
Carbon Tetrachloride	56-23-5	0.5	mg/kg		<0.5	----	----	----	----
1,2-Dichloroethane	107-06-2	0.5	mg/kg		<0.5	----	----	----	----
Trichloroethene	79-01-6	0.5	mg/kg		<0.5	----	----	----	----
Dibromomethane	74-95-3	0.5	mg/kg		<0.5	----	----	----	----
1,1,2-Trichloroethane	79-00-5	0.5	mg/kg		<0.5	----	----	----	----
1,3-Dichloropropane	142-28-9	0.5	mg/kg		<0.5	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Client sample ID

				QA200	----	----	----	----
Client sampling date / time				10-Nov-2018 00:00	----	----	----	----
Compound	CAS Number	LOR	Unit	ES1833866-001	-----	-----	-----	-----
Result				----	----	----	----	----

### EP074E: Halogenated Aliphatic Compounds - Continued

Tetrachloroethene	127-18-4	0.5	mg/kg	<0.5	----	----	----	----
1.1.1.2-Tetrachloroethane	630-20-6	0.5	mg/kg	<0.5	----	----	----	----
trans-1.4-Dichloro-2-butene	110-57-6	0.5	mg/kg	<0.5	----	----	----	----
cis-1.4-Dichloro-2-butene	1476-11-5	0.5	mg/kg	<0.5	----	----	----	----
1.1.2.2-Tetrachloroethane	79-34-5	0.5	mg/kg	<0.5	----	----	----	----
1.2.3-Trichloropropane	96-18-4	0.5	mg/kg	<0.5	----	----	----	----
Pentachloroethane	76-01-7	0.5	mg/kg	<0.5	----	----	----	----
1.2-Dibromo-3-chloropropane	96-12-8	0.5	mg/kg	<0.5	----	----	----	----
Hexachlorobutadiene	87-68-3	0.5	mg/kg	<0.5	----	----	----	----

### EP074F: Halogenated Aromatic Compounds

Chlorobenzene	108-90-7	0.5	mg/kg	<0.5	----	----	----	----
Bromobenzene	108-86-1	0.5	mg/kg	<0.5	----	----	----	----
2-Chlorotoluene	95-49-8	0.5	mg/kg	<0.5	----	----	----	----
4-Chlorotoluene	106-43-4	0.5	mg/kg	<0.5	----	----	----	----
1.3-Dichlorobenzene	541-73-1	0.5	mg/kg	<0.5	----	----	----	----
1.4-Dichlorobenzene	106-46-7	0.5	mg/kg	<0.5	----	----	----	----
1.2-Dichlorobenzene	95-50-1	0.5	mg/kg	<0.5	----	----	----	----
1.2.4-Trichlorobenzene	120-82-1	0.5	mg/kg	<0.5	----	----	----	----
1.2.3-Trichlorobenzene	87-61-6	0.5	mg/kg	<0.5	----	----	----	----

### EP074G: Trihalomethanes

Chloroform	67-66-3	0.5	mg/kg	<0.5	----	----	----	----
Bromodichloromethane	75-27-4	0.5	mg/kg	<0.5	----	----	----	----
Dibromochloromethane	124-48-1	0.5	mg/kg	<0.5	----	----	----	----
Bromoform	75-25-2	0.5	mg/kg	<0.5	----	----	----	----

### EP074H: Naphthalene

Naphthalene	91-20-3	1	mg/kg	<1	----	----	----	----
-------------	---------	---	-------	----	------	------	------	------

### EP075(SIM)B: Polynuclear Aromatic Hydrocarbons

Naphthalene	91-20-3	0.5	mg/kg	<0.5	----	----	----	----
Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	----	----	----	----
Acenaphthene	83-32-9	0.5	mg/kg	<0.5	----	----	----	----
Fluorene	86-73-7	0.5	mg/kg	<0.5	----	----	----	----
Phenanthrene	85-01-8	0.5	mg/kg	<0.5	----	----	----	----
Anthracene	120-12-7	0.5	mg/kg	<0.5	----	----	----	----
Fluoranthene	206-44-0	0.5	mg/kg	<0.5	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	QA200	----	----	----	----
Client sampling date / time					10-Nov-2018 00:00	----	----	----	----
Compound	CAS Number	LOR	Unit		ES1833866-001	-----	-----	-----	-----
				Result	----	----	----	----	----
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Pyrene	129-00-0	0.5	mg/kg		<0.5	----	----	----	----
Benz(a)anthracene	56-55-3	0.5	mg/kg		<0.5	----	----	----	----
Chrysene	218-01-9	0.5	mg/kg		<0.5	----	----	----	----
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg		<0.5	----	----	----	----
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg		<0.5	----	----	----	----
Benzo(a)pyrene	50-32-8	0.5	mg/kg		<0.5	----	----	----	----
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg		<0.5	----	----	----	----
Dibenz(a,h)anthracene	53-70-3	0.5	mg/kg		<0.5	----	----	----	----
Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg		<0.5	----	----	----	----
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg		<0.5	----	----	----	----
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg		<0.5	----	----	----	----
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg		0.6	----	----	----	----
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg		1.2	----	----	----	----
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg		<10	----	----	----	----
C10 - C14 Fraction	----	50	mg/kg		<50	----	----	----	----
C15 - C28 Fraction	----	100	mg/kg		<100	----	----	----	----
C29 - C36 Fraction	----	100	mg/kg		<100	----	----	----	----
^ C10 - C36 Fraction (sum)	----	50	mg/kg		<50	----	----	----	----
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg		<10	----	----	----	----
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg		<10	----	----	----	----
>C10 - C16 Fraction	----	50	mg/kg		<50	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		<100	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		<100	----	----	----	----
^ >C10 - C40 Fraction (sum)	----	50	mg/kg		<50	----	----	----	----
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg		<50	----	----	----	----
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg		<0.2	----	----	----	----
Toluene	108-88-3	0.5	mg/kg		<0.5	----	----	----	----
Ethylbenzene	100-41-4	0.5	mg/kg		<0.5	----	----	----	----
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg		<0.5	----	----	----	----
ortho-Xylene	95-47-6	0.5	mg/kg		<0.5	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	QA200	----	----	----	----
Client sampling date / time					10-Nov-2018 00:00	----	----	----	----
Compound	CAS Number	LOR	Unit		ES1833866-001	-----	-----	-----	-----
					Result	----	----	----	----
EP080: BTEXN - Continued									
^ Sum of BTEX	----	0.2	mg/kg		<0.2	----	----	----	----
^ Total Xylenes	----	0.5	mg/kg		<0.5	----	----	----	----
Naphthalene	91-20-3	1	mg/kg		<1	----	----	----	----
EP066S: PCB Surrogate									
Decachlorobiphenyl	2051-24-3	0.1	%		90.5	----	----	----	----
EP068S: Organochlorine Pesticide Surrogate									
Dibromo-DDE	21655-73-2	0.05	%		104	----	----	----	----
EP068T: Organophosphorus Pesticide Surrogate									
DEF	78-48-8	0.05	%		70.1	----	----	----	----
EP074S: VOC Surrogates									
1,2-Dichloroethane-D4	17060-07-0	0.5	%		87.4	----	----	----	----
Toluene-D8	2037-26-5	0.5	%		99.2	----	----	----	----
4-Bromofluorobenzene	460-00-4	0.5	%		96.0	----	----	----	----
EP075(SIM)S: Phenolic Compound Surrogates									
Phenol-d6	13127-88-3	0.5	%		94.8	----	----	----	----
2-Chlorophenol-D4	93951-73-6	0.5	%		83.6	----	----	----	----
2,4,6-Tribromophenol	118-79-6	0.5	%		55.6	----	----	----	----
EP075(SIM)T: PAH Surrogates									
2-Fluorobiphenyl	321-60-8	0.5	%		90.8	----	----	----	----
Anthracene-d10	1719-06-8	0.5	%		91.8	----	----	----	----
4-Terphenyl-d14	1718-51-0	0.5	%		94.0	----	----	----	----
EP080S: TPH(V)/BTEX Surrogates									
1,2-Dichloroethane-D4	17060-07-0	0.2	%		93.1	----	----	----	----
Toluene-D8	2037-26-5	0.2	%		100	----	----	----	----
4-Bromofluorobenzene	460-00-4	0.2	%		98.3	----	----	----	----





## Surrogate Control Limits

Sub-Matrix: SOIL		Recovery Limits (%)	
Compound	CAS Number	Low	High
<b>EP066S: PCB Surrogate</b>			
Decachlorobiphenyl	2051-24-3	39	149
<b>EP068S: Organochlorine Pesticide Surrogate</b>			
Dibromo-DDE	21655-73-2	49	147
<b>EP068T: Organophosphorus Pesticide Surrogate</b>			
DEF	78-48-8	35	143
<b>EP074S: VOC Surrogates</b>			
1,2-Dichloroethane-D4	17060-07-0	64	130
Toluene-D8	2037-26-5	66	136
4-Bromofluorobenzene	460-00-4	60	122
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>			
Phenol-d6	13127-88-3	63	123
2-Chlorophenol-D4	93951-73-6	66	122
2,4,6-Tribromophenol	118-79-6	40	138
<b>EP075(SIM)T: PAH Surrogates</b>			
2-Fluorobiphenyl	321-60-8	70	122
Anthracene-d10	1719-06-8	66	128
4-Terphenyl-d14	1718-51-0	65	129
<b>EP080S: TPH(V)/BTEX Surrogates</b>			
1,2-Dichloroethane-D4	17060-07-0	73	133
Toluene-D8	2037-26-5	74	132
4-Bromofluorobenzene	460-00-4	72	130

## QUALITY CONTROL REPORT

<b>Work Order</b>	<b>: ES1833866</b>	<b>Page</b>	<b>: 1 of 14</b>
<b>Client</b>	<b>: CARDNO (NSW/ACT) PTY LTD</b>	<b>Laboratory</b>	<b>: Environmental Division Sydney</b>
<b>Contact</b>	<b>: MR BEN WITHNALL</b>	<b>Contact</b>	<b>: Customer Services ES</b>
<b>Address</b>	<b>: Level 9 The Forum 203 Pacific Highway St Leonards NSW 2065</b>	<b>Address</b>	<b>: 277-289 Woodpark Road Smithfield NSW Australia 2164</b>
<b>Telephone</b>	<b>: +61 2 9495 8188</b>	<b>Telephone</b>	<b>: +61-2-8784 8555</b>
<b>Project</b>	<b>: 80818157 Kyeemagh Infants School</b>	<b>Date Samples Received</b>	<b>: 13-Nov-2018</b>
<b>Order number</b>	<b>:</b>	<b>Date Analysis Commenced</b>	<b>: 15-Nov-2018</b>
<b>C-O-C number</b>	<b>: ----</b>	<b>Issue Date</b>	<b>: 19-Nov-2018</b>
<b>Sampler</b>	<b>: Joel Griffiths</b>		
<b>Site</b>	<b>: ----</b>		
<b>Quote number</b>	<b>: EN/222 - Secondary Work</b>		
<b>No. of samples received</b>	<b>: 1</b>		
<b>No. of samples analysed</b>	<b>: 1</b>		



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percentage Difference (RPD) and Acceptance Limits
- Method Blank (MB) and Laboratory Control Spike (LCS) Report; Recovery and Acceptance Limits
- Matrix Spike (MS) Report; Recovery and Acceptance Limits

### Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Alex Rossi	Organic Chemist	Sydney Organics, Smithfield, NSW
Celine Conceicao	Senior Spectroscopist	Sydney Inorganics, Smithfield, NSW
Edwandy Fadjar	Organic Coordinator	Sydney Inorganics, Smithfield, NSW
Edwandy Fadjar	Organic Coordinator	Sydney Organics, Smithfield, NSW



## General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis. Where the LOR of a reported result differs from standard LOR, this may be due to high

Key :  
 Anonymous = Refers to samples which are not specifically part of this work order but formed part of the QC process lot  
 CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
 LOR = Limit of reporting  
 RPD = Relative Percentage Difference  
 # = Indicates failed QC

## Laboratory Duplicate (DUP) Report

The quality control term Laboratory Duplicate refers to a randomly selected intralaboratory split. Laboratory duplicates provide information regarding method precision and sample heterogeneity. The permitted ranges for the Relative Percent Deviation (RPD) of Laboratory Duplicates are specified in ALS Method QWI-EN/38 and are dependent on the magnitude of results in comparison to the level of reporting: Result < 10 times LOR: No Limit; Result between 10 and 20 times LOR: 0% - 50%; Result > 20 times LOR: 0% - 20%.

Sub-Matrix: **SOIL**

Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
EA055: Moisture Content (Dried @ 105-110°C) (QC Lot: 2038764)									
ES1833836-021	Anonymous	EA055: Moisture Content	----	0.1	%	2.5	2.3	8.03	No Limit
ES1833855-001	Anonymous	EA055: Moisture Content	----	0.1	%	11.1	9.5	16.1	0% - 20%
EG005T: Total Metals by ICP-AES (QC Lot: 2040220)									
ES1833912-003	Anonymous	EG005T: Cadmium	7440-43-9	1	mg/kg	<1	<1	0.00	No Limit
		EG005T: Chromium	7440-47-3	2	mg/kg	29	34	15.1	0% - 50%
		EG005T: Nickel	7440-02-0	2	mg/kg	15	15	0.00	No Limit
		EG005T: Arsenic	7440-38-2	5	mg/kg	8	6	32.0	No Limit
		EG005T: Copper	7440-50-8	5	mg/kg	37	34	8.78	No Limit
		EG005T: Lead	7439-92-1	5	mg/kg	147	164	11.2	0% - 20%
		EG005T: Zinc	7440-66-6	5	mg/kg	100	85	15.6	0% - 50%
ES1833803-001	Anonymous	EG005T: Cadmium	7440-43-9	1	mg/kg	<1	<1	0.00	No Limit
		EG005T: Chromium	7440-47-3	2	mg/kg	18	18	0.00	No Limit
		EG005T: Nickel	7440-02-0	2	mg/kg	18	17	0.00	No Limit
		EG005T: Arsenic	7440-38-2	5	mg/kg	9	8	19.1	No Limit
		EG005T: Copper	7440-50-8	5	mg/kg	190	194	2.17	0% - 20%
		EG005T: Lead	7439-92-1	5	mg/kg	283	310	9.06	0% - 20%
		EG005T: Zinc	7440-66-6	5	mg/kg	590	568	3.92	0% - 20%
EG035T: Total Recoverable Mercury by FIMS (QC Lot: 2040221)									
ES1833912-003	Anonymous	EG035T: Mercury	7439-97-6	0.1	mg/kg	0.7	0.1	148	No Limit
ES1833803-001	Anonymous	EG035T: Mercury	7439-97-6	0.1	mg/kg	1.0	1.5	38.6	0% - 50%
EP066: Polychlorinated Biphenyls (PCB) (QC Lot: 2036442)									
ES1833803-001	Anonymous	EP066: Total Polychlorinated biphenyls	----	0.1	mg/kg	<0.1	<0.1	0.00	No Limit
EP068A: Organochlorine Pesticides (OC) (QC Lot: 2036441)									
ES1833803-001	Anonymous	EP068: alpha-BHC	319-84-6	0.05	mg/kg	<0.05	<0.05	0.00	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
EP068A: Organochlorine Pesticides (OC) (QC Lot: 2036441) - continued									
ES1833803-001	Anonymous	EP068: Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: beta-BHC	319-85-7	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: gamma-BHC	58-89-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: delta-BHC	319-86-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Heptachlor	76-44-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Aldrin	309-00-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: trans-Chlordane	5103-74-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: alpha-Endosulfan	959-98-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: cis-Chlordane	5103-71-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Dieldrin	60-57-1	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: 4,4`-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endrin	72-20-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: beta-Endosulfan	33213-65-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: 4,4`-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endrin ketone	53494-70-5	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: 4,4`-DDT	50-29-3	0.2	mg/kg	<0.2	<0.2	0.00	No Limit
		EP068: Methoxychlor	72-43-5	0.2	mg/kg	<0.2	<0.2	0.00	No Limit
EP068B: Organophosphorus Pesticides (OP) (QC Lot: 2036441)									
ES1833803-001	Anonymous	EP068: Dichlorvos	62-73-7	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Demeton-S-methyl	919-86-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Dimethoate	60-51-5	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Diazinon	333-41-5	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Malathion	121-75-5	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Fenthion	55-38-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Chlorpyrifos	2921-88-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Pirimphos-ethyl	23505-41-1	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Chlorfenvinphos	470-90-6	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Bromophos-ethyl	4824-78-6	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Fenamiphos	22224-92-6	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Prothiofos	34643-46-4	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Ethion	563-12-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Carbophenothion	786-19-6	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Azinphos Methyl	86-50-0	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Monocrotophos	6923-22-4	0.2	mg/kg	<0.2	<0.2	0.00	No Limit
		EP068: Parathion-methyl	298-00-0	0.2	mg/kg	<0.2	<0.2	0.00	No Limit
		EP068: Parathion	56-38-2	0.2	mg/kg	<0.2	<0.2	0.00	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
EP074A: Monocyclic Aromatic Hydrocarbons (QC Lot: 2037823)									
ES1834031-003	Anonymous	EP074: Styrene	100-42-5	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: Isopropylbenzene	98-82-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: n-Propylbenzene	103-65-1	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: 1.3.5-Trimethylbenzene	108-67-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: sec-Butylbenzene	135-98-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: 1.2.4-Trimethylbenzene	95-63-6	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: tert-Butylbenzene	98-06-6	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: p-Isopropyltoluene	99-87-6	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: n-Butylbenzene	104-51-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
ES1834013-004	Anonymous	EP074: Styrene	100-42-5	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: Isopropylbenzene	98-82-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: n-Propylbenzene	103-65-1	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: 1.3.5-Trimethylbenzene	108-67-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: sec-Butylbenzene	135-98-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: 1.2.4-Trimethylbenzene	95-63-6	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: tert-Butylbenzene	98-06-6	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: p-Isopropyltoluene	99-87-6	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: n-Butylbenzene	104-51-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
EP074B: Oxygenated Compounds (QC Lot: 2037823)									
ES1834031-003	Anonymous	EP074: Vinyl Acetate	108-05-4	5	mg/kg	<5	<5	0.00	No Limit
		EP074: 2-Butanone (MEK)	78-93-3	5	mg/kg	<5	<5	0.00	No Limit
		EP074: 4-Methyl-2-pentanone (MIBK)	108-10-1	5	mg/kg	<5	<5	0.00	No Limit
		EP074: 2-Hexanone (MBK)	591-78-6	5	mg/kg	<5	<5	0.00	No Limit
ES1834013-004	Anonymous	EP074: Vinyl Acetate	108-05-4	5	mg/kg	<5	<5	0.00	No Limit
		EP074: 2-Butanone (MEK)	78-93-3	5	mg/kg	<5	<5	0.00	No Limit
		EP074: 4-Methyl-2-pentanone (MIBK)	108-10-1	5	mg/kg	<5	<5	0.00	No Limit
		EP074: 2-Hexanone (MBK)	591-78-6	5	mg/kg	<5	<5	0.00	No Limit
EP074C: Sulfonated Compounds (QC Lot: 2037823)									
ES1834031-003	Anonymous	EP074: Carbon disulfide	75-15-0	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
ES1834013-004	Anonymous	EP074: Carbon disulfide	75-15-0	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
EP074D: Fumigants (QC Lot: 2037823)									
ES1834031-003	Anonymous	EP074: 2.2-Dichloropropane	594-20-7	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: 1.2-Dichloropropane	78-87-5	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: cis-1.3-Dichloropropylene	10061-01-5	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: trans-1.3-Dichloropropylene	10061-02-6	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: 1.2-Dibromoethane (EDB)	106-93-4	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
ES1834013-004	Anonymous	EP074: 2.2-Dichloropropane	594-20-7	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: 1.2-Dichloropropane	78-87-5	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: cis-1.3-Dichloropropylene	10061-01-5	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: trans-1.3-Dichloropropylene	10061-02-6	0.5	mg/kg	<0.5	<0.5	0.00	No Limit





Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
EP074D: Fumigants (QC Lot: 2037823) - continued									
ES1834013-004	Anonymous	EP074: 1,2-Dibromoethane (EDB)	106-93-4	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
EP074E: Halogenated Aliphatic Compounds (QC Lot: 2037823)									
ES1834031-003	Anonymous	EP074: 1,1-Dichloroethene	75-35-4	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: Iodomethane	74-88-4	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: trans-1,2-Dichloroethene	156-60-5	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: 1,1-Dichloroethane	75-34-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: cis-1,2-Dichloroethene	156-59-2	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: 1,1,1-Trichloroethane	71-55-6	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: 1,1-Dichloropropylene	563-58-6	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: Carbon Tetrachloride	56-23-5	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: 1,2-Dichloroethane	107-06-2	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: Trichloroethene	79-01-6	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: Dibromomethane	74-95-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: 1,1,2-Trichloroethane	79-00-5	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: 1,3-Dichloropropane	142-28-9	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: Tetrachloroethene	127-18-4	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: 1,1,1,2-Tetrachloroethane	630-20-6	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: trans-1,4-Dichloro-2-butene	110-57-6	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: cis-1,4-Dichloro-2-butene	1476-11-5	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: 1,1,2,2-Tetrachloroethane	79-34-5	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: 1,2,3-Trichloropropane	96-18-4	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: Pentachloroethane	76-01-7	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: 1,2-Dibromo-3-chloropropane	96-12-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: Hexachlorobutadiene	87-68-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: Dichlorodifluoromethane	75-71-8	5	mg/kg	<5	<5	0.00	No Limit
		EP074: Chloromethane	74-87-3	5	mg/kg	<5	<5	0.00	No Limit
		EP074: Vinyl chloride	75-01-4	5	mg/kg	<5	<5	0.00	No Limit
		EP074: Bromomethane	74-83-9	5	mg/kg	<5	<5	0.00	No Limit
		EP074: Chloroethane	75-00-3	5	mg/kg	<5	<5	0.00	No Limit
		EP074: Trichlorofluoromethane	75-69-4	5	mg/kg	<5	<5	0.00	No Limit
ES1834013-004	Anonymous	EP074: 1,1-Dichloroethene	75-35-4	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: Iodomethane	74-88-4	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: trans-1,2-Dichloroethene	156-60-5	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: 1,1-Dichloroethane	75-34-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: cis-1,2-Dichloroethene	156-59-2	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: 1,1,1-Trichloroethane	71-55-6	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: 1,1-Dichloropropylene	563-58-6	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: Carbon Tetrachloride	56-23-5	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: 1,2-Dichloroethane	107-06-2	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: Trichloroethene	79-01-6	0.5	mg/kg	<0.5	<0.5	0.00	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
EP074E: Halogenated Aliphatic Compounds (QC Lot: 2037823) - continued									
ES1834013-004	Anonymous	EP074: Dibromomethane	74-95-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: 1.1.2-Trichloroethane	79-00-5	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: 1.3-Dichloropropane	142-28-9	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: Tetrachloroethene	127-18-4	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: 1.1.1.2-Tetrachloroethane	630-20-6	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: trans-1.4-Dichloro-2-butene	110-57-6	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: cis-1.4-Dichloro-2-butene	1476-11-5	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: 1.1.2.2-Tetrachloroethane	79-34-5	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: 1.2.3-Trichloropropane	96-18-4	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: Pentachloroethane	76-01-7	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: 1.2-Dibromo-3-chloropropane	96-12-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: Hexachlorobutadiene	87-68-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: Dichlorodifluoromethane	75-71-8	5	mg/kg	<5	<5	0.00	No Limit
		EP074: Chloromethane	74-87-3	5	mg/kg	<5	<5	0.00	No Limit
		EP074: Vinyl chloride	75-01-4	5	mg/kg	<5	<5	0.00	No Limit
		EP074: Bromomethane	74-83-9	5	mg/kg	<5	<5	0.00	No Limit
		EP074: Chloroethane	75-00-3	5	mg/kg	<5	<5	0.00	No Limit
		EP074: Trichlorofluoromethane	75-69-4	5	mg/kg	<5	<5	0.00	No Limit
EP074F: Halogenated Aromatic Compounds (QC Lot: 2037823)									
ES1834031-003	Anonymous	EP074: Chlorobenzene	108-90-7	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: Bromobenzene	108-86-1	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: 2-Chlorotoluene	95-49-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: 4-Chlorotoluene	106-43-4	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: 1.3-Dichlorobenzene	541-73-1	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: 1.4-Dichlorobenzene	106-46-7	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: 1.2-Dichlorobenzene	95-50-1	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: 1.2.4-Trichlorobenzene	120-82-1	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: 1.2.3-Trichlorobenzene	87-61-6	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
ES1834013-004	Anonymous	EP074: Chlorobenzene	108-90-7	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: Bromobenzene	108-86-1	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: 2-Chlorotoluene	95-49-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: 4-Chlorotoluene	106-43-4	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: 1.3-Dichlorobenzene	541-73-1	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: 1.4-Dichlorobenzene	106-46-7	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: 1.2-Dichlorobenzene	95-50-1	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: 1.2.4-Trichlorobenzene	120-82-1	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
EP074: 1.2.3-Trichlorobenzene	87-61-6	0.5	mg/kg	<0.5	<0.5	0.00	No Limit		
EP074G: Trihalomethanes (QC Lot: 2037823)									
ES1834031-003	Anonymous	EP074: Chloroform	67-66-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: Bromodichloromethane	75-27-4	0.5	mg/kg	<0.5	<0.5	0.00	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
EP074G: Trihalomethanes (QC Lot: 2037823) - continued									
ES1834031-003	Anonymous	EP074: Dibromochloromethane	124-48-1	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: Bromoform	75-25-2	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
ES1834013-004	Anonymous	EP074: Chloroform	67-66-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: Bromodichloromethane	75-27-4	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: Dibromochloromethane	124-48-1	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP074: Bromoform	75-25-2	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
EP074H: Naphthalene (QC Lot: 2037823)									
ES1834031-003	Anonymous	EP074: Naphthalene	91-20-3	1	mg/kg	<1	<1	0.00	No Limit
ES1834013-004	Anonymous	EP074: Naphthalene	91-20-3	1	mg/kg	<1	<1	0.00	No Limit
EP075(SIM)B: Polynuclear Aromatic Hydrocarbons (QC Lot: 2036440)									
ES1833803-001	Anonymous	EP075(SIM): Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Acenaphthylene	208-96-8	0.5	mg/kg	0.9	0.8	0.00	No Limit
		EP075(SIM): Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Phenanthrene	85-01-8	0.5	mg/kg	2.8	2.6	8.23	No Limit
		EP075(SIM): Anthracene	120-12-7	0.5	mg/kg	1.1	0.9	20.5	No Limit
		EP075(SIM): Fluoranthene	206-44-0	0.5	mg/kg	6.6	6.4	2.42	0% - 50%
		EP075(SIM): Pyrene	129-00-0	0.5	mg/kg	6.2	6.3	2.32	0% - 50%
		EP075(SIM): Benz(a)anthracene	56-55-3	0.5	mg/kg	4.6	4.3	6.04	No Limit
		EP075(SIM): Chrysene	218-01-9	0.5	mg/kg	3.6	3.4	4.54	No Limit
		EP075(SIM): Benzo(b+j)fluoranthene	205-99-2	0.5	mg/kg	5.4	5.7	6.36	0% - 50%
			205-82-3						
		EP075(SIM): Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	1.9	2.0	0.00	No Limit
		EP075(SIM): Benzo(a)pyrene	50-32-8	0.5	mg/kg	4.3	4.7	8.53	No Limit
		EP075(SIM): Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	2.1	2.4	10.2	No Limit
		EP075(SIM): Dibenzo(a,h)anthracene	53-70-3	0.5	mg/kg	0.5	0.6	0.00	No Limit
		EP075(SIM): Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	2.9	3.1	7.92	No Limit
		EP075(SIM): Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	42.9	43.2	0.697	0% - 20%
EP075(SIM): Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	6.3	6.8	8.26	0% - 50%		
EP080/071: Total Petroleum Hydrocarbons (QC Lot: 2036439)									
ES1833803-001	Anonymous	EP071: C15 - C28 Fraction	----	100	mg/kg	190	160	17.4	No Limit
		EP071: C29 - C36 Fraction	----	100	mg/kg	140	140	0.00	No Limit
		EP071: C10 - C14 Fraction	----	50	mg/kg	<50	<50	0.00	No Limit
EP080/071: Total Petroleum Hydrocarbons (QC Lot: 2037822)									
ES1834013-004	Anonymous	EP080: C6 - C9 Fraction	----	10	mg/kg	<10	<10	0.00	No Limit
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QC Lot: 2036439)									
ES1833803-001	Anonymous	EP071: >C16 - C34 Fraction	----	100	mg/kg	290	250	14.6	No Limit
		EP071: >C34 - C40 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit

Page : 8 of 14  
 Work Order : ES1833866  
 Client : CARDNO (NSW/ACT) PTY LTD  
 Project : 80818157 Kyeemagh Infants School



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QC Lot: 2036439) - continued									
ES1833803-001	Anonymous	EP071: >C10 - C16 Fraction	----	50	mg/kg	<50	<50	0.00	No Limit
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QC Lot: 2037822)									
ES1834013-004	Anonymous	EP080: C6 - C10 Fraction	C6_C10	10	mg/kg	<10	<10	0.00	No Limit
EP080: BTEXN (QC Lot: 2037822)									
ES1834013-004	Anonymous	EP080: Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	0.00	No Limit
		EP080: Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: meta- & para-Xylene	108-38-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
			106-42-3						
		EP080: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: Naphthalene	91-20-3	1	mg/kg	<1	<1	0.00	No Limit

The quality control term Method / Laboratory Blank refers to an analyte free matrix to which all reagents are added in the same volumes or proportions as used in standard sample preparation. The purpose of this QC parameter is to monitor potential laboratory contamination. The quality control term Laboratory Control Spike (LCS) refers to a certified reference material, or a known interference free matrix spiked with target analytes. The purpose of this QC parameter is to monitor method precision and accuracy independent of sample matrix. Dynamic Recovery Limits are based on statistical evaluation of processed LCS.

## Method Blank (MB) Report

### Spike

**Spike Recovery (%)**

## Recovery Limits (%)

**EP068B: Organophosphorus Pesticides (OP) (QCLot: 2036441)**





Sub-Matrix: **SOIL**

Method: Compound				Method Blank (MB) Report Result	Laboratory Control Spike (LCS) Report			
					Spike Concentration	Spike Recovery (%) LCS	Recovery Limits (%)	
							Low	High
CAS Number	LOR	Unit						
<b>EP068B: Organophosphorus Pesticides (OP) (QCLot: 2036441) - continued</b>								
EP068: Dichlorvos	62-73-7	0.05	mg/kg	<0.05	0.5 mg/kg	83.7	59	119
EP068: Demeton-S-methyl	919-86-8	0.05	mg/kg	<0.05	0.5 mg/kg	86.7	62	128
EP068: Monocrotophos	6923-22-4	0.2	mg/kg	<0.2	0.5 mg/kg	108	54	126
EP068: Dimethoate	60-51-5	0.05	mg/kg	<0.05	0.5 mg/kg	97.1	67	119
EP068: Diazinon	333-41-5	0.05	mg/kg	<0.05	0.5 mg/kg	87.7	70	120
EP068: Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg	<0.05	0.5 mg/kg	87.4	72	120
EP068: Parathion-methyl	298-00-0	0.2	mg/kg	<0.2	0.5 mg/kg	82.8	68	120
EP068: Malathion	121-75-5	0.05	mg/kg	<0.05	0.5 mg/kg	77.4	68	122
EP068: Fenthion	55-38-9	0.05	mg/kg	<0.05	0.5 mg/kg	92.6	69	117
EP068: Chlorpyrifos	2921-88-2	0.05	mg/kg	<0.05	0.5 mg/kg	97.1	76	118
EP068: Parathion	56-38-2	0.2	mg/kg	<0.2	0.5 mg/kg	94.2	64	122
EP068: Pirimphos-ethyl	23505-41-1	0.05	mg/kg	<0.05	0.5 mg/kg	86.4	70	116
EP068: Chlorfenvinphos	470-90-6	0.05	mg/kg	<0.05	0.5 mg/kg	86.7	69	121
EP068: Bromophos-ethyl	4824-78-6	0.05	mg/kg	<0.05	0.5 mg/kg	94.6	66	118
EP068: Fenamiphos	22224-92-6	0.05	mg/kg	<0.05	0.5 mg/kg	95.4	68	124
EP068: Prothiofos	34643-46-4	0.05	mg/kg	<0.05	0.5 mg/kg	94.2	62	112
EP068: Ethion	563-12-2	0.05	mg/kg	<0.05	0.5 mg/kg	93.2	68	120
EP068: Carbophenothion	786-19-6	0.05	mg/kg	<0.05	0.5 mg/kg	95.3	65	127
EP068: Azinphos Methyl	86-50-0	0.05	mg/kg	<0.05	0.5 mg/kg	64.4	41	123
<b>EP074A: Monocyclic Aromatic Hydrocarbons (QCLot: 2037823)</b>								
EP074: Styrene	100-42-5	0.5	mg/kg	<0.5	1 mg/kg	87.5	67	113
EP074: Isopropylbenzene	98-82-8	0.5	mg/kg	<0.5	1 mg/kg	84.0	65	117
EP074: n-Propylbenzene	103-65-1	0.5	mg/kg	<0.5	1 mg/kg	83.3	66	122
EP074: 1,3,5-Trimethylbenzene	108-67-8	0.5	mg/kg	<0.5	1 mg/kg	83.7	68	118
EP074: sec-Butylbenzene	135-98-8	0.5	mg/kg	<0.5	1 mg/kg	82.6	69	119
EP074: 1,2,4-Trimethylbenzene	95-63-6	0.5	mg/kg	<0.5	1 mg/kg	84.1	69	117
EP074: tert-Butylbenzene	98-06-6	0.5	mg/kg	<0.5	1 mg/kg	82.9	69	115
EP074: p-Isopropyltoluene	99-87-6	0.5	mg/kg	<0.5	1 mg/kg	84.4	66	118
EP074: n-Butylbenzene	104-51-8	0.5	mg/kg	<0.5	1 mg/kg	84.4	59	125
<b>EP074B: Oxygenated Compounds (QCLot: 2037823)</b>								
EP074: Vinyl Acetate	108-05-4	5	mg/kg	<5	10 mg/kg	58.1	30	156
EP074: 2-Butanone (MEK)	78-93-3	5	mg/kg	<5	10 mg/kg	81.9	58	136
EP074: 4-Methyl-2-pentanone (MIBK)	108-10-1	5	mg/kg	<5	10 mg/kg	82.7	62	132
EP074: 2-Hexanone (MBK)	591-78-6	5	mg/kg	<5	10 mg/kg	78.4	54	136
<b>EP074C: Sulfonated Compounds (QCLot: 2037823)</b>								
EP074: Carbon disulfide	75-15-0	0.5	mg/kg	<0.5	1 mg/kg	81.0	54	126
<b>EP074D: Fumigants (QCLot: 2037823)</b>								
EP074: 2,2-Dichloropropane	594-20-7	0.5	mg/kg	<0.5	1 mg/kg	85.7	60	126



Sub-Matrix: **SOIL**

Method: Compound				Method Blank (MB) Report	Laboratory Control Spike (LCS) Report			
					Spike Concentration	Spike Recovery (%)	Recovery Limits (%)	
						LCS	Low	High
CAS Number	LOR	Unit	Result					
<b>EP074D: Fumigants (QCLot: 2037823) - continued</b>								
EP074: 1,2-Dichloropropane	78-87-5	0.5	mg/kg	<0.5	1 mg/kg	82.1	68	124
EP074: cis-1,3-Dichloropropylene	10061-01-5	0.5	mg/kg	<0.5	1 mg/kg	85.6	51	119
EP074: trans-1,3-Dichloropropylene	10061-02-6	0.5	mg/kg	<0.5	1 mg/kg	85.3	52	114
EP074: 1,2-Dibromoethane (EDB)	106-93-4	0.5	mg/kg	<0.5	1 mg/kg	84.5	63	115
<b>EP074E: Halogenated Aliphatic Compounds (QCLot: 2037823)</b>								
EP074: Dichlorodifluoromethane	75-71-8	5	mg/kg	<5	10 mg/kg	35.5	30	148
EP074: Chloromethane	74-87-3	5	mg/kg	<5	10 mg/kg	65.1	41	141
EP074: Vinyl chloride	75-01-4	5	mg/kg	<5	10 mg/kg	68.8	43	147
EP074: Bromomethane	74-83-9	5	mg/kg	<5	10 mg/kg	68.5	47	141
EP074: Chloroethane	75-00-3	5	mg/kg	<5	10 mg/kg	78.0	49	143
EP074: Trichlorofluoromethane	75-69-4	5	mg/kg	<5	10 mg/kg	79.5	49	135
EP074: 1,1-Dichloroethene	75-35-4	0.5	mg/kg	<0.5	1 mg/kg	84.3	54	126
EP074: Iodomethane	74-88-4	0.5	mg/kg	<0.5	1 mg/kg	102	43	129
EP074: trans-1,2-Dichloroethene	156-60-5	0.5	mg/kg	<0.5	1 mg/kg	88.6	64	120
EP074: 1,1-Dichloroethane	75-34-3	0.5	mg/kg	<0.5	1 mg/kg	86.9	67	125
EP074: cis-1,2-Dichloroethene	156-59-2	0.5	mg/kg	<0.5	1 mg/kg	87.4	69	121
EP074: 1,1,1-Trichloroethane	71-55-6	0.5	mg/kg	<0.5	1 mg/kg	86.0	65	117
EP074: 1,1-Dichloropropylene	563-58-6	0.5	mg/kg	<0.5	1 mg/kg	85.8	65	123
EP074: Carbon Tetrachloride	56-23-5	0.5	mg/kg	<0.5	1 mg/kg	82.9	59	125
EP074: 1,2-Dichloroethane	107-06-2	0.5	mg/kg	<0.5	1 mg/kg	83.1	65	125
EP074: Trichloroethene	79-01-6	0.5	mg/kg	<0.5	1 mg/kg	82.7	70	118
EP074: Dibromomethane	74-95-3	0.5	mg/kg	<0.5	1 mg/kg	82.0	68	118
EP074: 1,1,2-Trichloroethane	79-00-5	0.5	mg/kg	<0.5	1 mg/kg	85.9	64	126
EP074: 1,3-Dichloropropane	142-28-9	0.5	mg/kg	<0.5	1 mg/kg	88.3	68	122
EP074: Tetrachloroethene	127-18-4	0.5	mg/kg	<0.5	1 mg/kg	93.2	67	143
EP074: 1,1,1,2-Tetrachloroethane	630-20-6	0.5	mg/kg	<0.5	1 mg/kg	82.8	62	122
EP074: trans-1,4-Dichloro-2-butene	110-57-6	0.5	mg/kg	<0.5	1 mg/kg	84.2	54	128
EP074: cis-1,4-Dichloro-2-butene	1476-11-5	0.5	mg/kg	<0.5	1 mg/kg	83.8	55	129
EP074: 1,1,2,2-Tetrachloroethane	79-34-5	0.5	mg/kg	<0.5	1 mg/kg	80.2	65	121
EP074: 1,2,3-Trichloropropane	96-18-4	0.5	mg/kg	<0.5	1 mg/kg	86.4	61	125
EP074: Pentachloroethane	76-01-7	0.5	mg/kg	<0.5	1 mg/kg	74.4	20	134
EP074: 1,2-Dibromo-3-chloropropane	96-12-8	0.5	mg/kg	<0.5	1 mg/kg	80.1	53	129
EP074: Hexachlorobutadiene	87-68-3	0.5	mg/kg	<0.5	1 mg/kg	82.0	50	128
<b>EP074F: Halogenated Aromatic Compounds (QCLot: 2037823)</b>								
EP074: Chlorobenzene	108-90-7	0.5	mg/kg	<0.5	1 mg/kg	86.9	68	116
EP074: Bromobenzene	108-86-1	0.5	mg/kg	<0.5	1 mg/kg	84.7	70	114
EP074: 2-Chlorotoluene	95-49-8	0.5	mg/kg	<0.5	1 mg/kg	82.4	68	122
EP074: 4-Chlorotoluene	106-43-4	0.5	mg/kg	<0.5	1 mg/kg	85.2	67	123
EP074: 1,3-Dichlorobenzene	541-73-1	0.5	mg/kg	<0.5	1 mg/kg	81.8	70	116



Sub-Matrix: **SOIL**

Sub-Matrix: SOIL				Method Blank (MB) Report	Laboratory Control Spike (LCS) Report			
					Spike Concentration	Spike Recovery (%) LCS	Recovery Limits (%) Low High	
Method: Compound	CAS Number	LOR	Unit	Result				
EP074F: Halogenated Aromatic Compounds (QCLot: 2037823) - continued								
EP074: 1,4-Dichlorobenzene	106-46-7	0.5	mg/kg	<0.5	1 mg/kg	82.1	67	117
EP074: 1,2-Dichlorobenzene	95-50-1	0.5	mg/kg	<0.5	1 mg/kg	79.9	70	114
EP074: 1,2,4-Trichlorobenzene	120-82-1	0.5	mg/kg	<0.5	1 mg/kg	83.4	48	122
EP074: 1,2,3-Trichlorobenzene	87-61-6	0.5	mg/kg	<0.5	1 mg/kg	80.7	52	122
EP074G: Trihalomethanes (QCLot: 2037823)								
EP074: Chloroform	67-66-3	0.5	mg/kg	<0.5	1 mg/kg	86.0	66	124
EP074: Bromodichloromethane	75-27-4	0.5	mg/kg	<0.5	1 mg/kg	82.0	61	121
EP074: Dibromochloromethane	124-48-1	0.5	mg/kg	<0.5	1 mg/kg	86.4	63	121
EP074: Bromoform	75-25-2	0.5	mg/kg	<0.5	1 mg/kg	82.7	60	126
EP074H: Naphthalene (QCLot: 2037823)								
EP074: Naphthalene	91-20-3	1	mg/kg	<1	1 mg/kg	82.4	67	129
EP075(SIM)B: Polynuclear Aromatic Hydrocarbons (QCLot: 2036440)								
EP075(SIM): Naphthalene	91-20-3	0.5	mg/kg	<0.5	6 mg/kg	93.7	77	125
EP075(SIM): Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	6 mg/kg	94.8	72	124
EP075(SIM): Acenaphthene	83-32-9	0.5	mg/kg	<0.5	6 mg/kg	90.8	73	127
EP075(SIM): Fluorene	86-73-7	0.5	mg/kg	<0.5	6 mg/kg	90.4	72	126
EP075(SIM): Phenanthrene	85-01-8	0.5	mg/kg	<0.5	6 mg/kg	90.7	75	127
EP075(SIM): Anthracene	120-12-7	0.5	mg/kg	<0.5	6 mg/kg	88.5	77	127
EP075(SIM): Fluoranthene	206-44-0	0.5	mg/kg	<0.5	6 mg/kg	93.6	73	127
EP075(SIM): Pyrene	129-00-0	0.5	mg/kg	<0.5	6 mg/kg	91.3	74	128
EP075(SIM): Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	6 mg/kg	90.6	69	123
EP075(SIM): Chrysene	218-01-9	0.5	mg/kg	<0.5	6 mg/kg	88.6	75	127
EP075(SIM): Benzo(b+j)fluoranthene	205-99-2	0.5	mg/kg	<0.5	6 mg/kg	96.8	68	116
	205-82-3							
EP075(SIM): Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	<0.5	6 mg/kg	97.4	74	126
EP075(SIM): Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	6 mg/kg	91.3	70	126
EP075(SIM): Indeno(1,2,3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	6 mg/kg	93.8	61	121
EP075(SIM): Dibenz(a,h)anthracene	53-70-3	0.5	mg/kg	<0.5	6 mg/kg	92.7	62	118
EP075(SIM): Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	<0.5	6 mg/kg	95.3	63	121
EP080/071: Total Petroleum Hydrocarbons (QCLot: 2036439)								
EP071: C10 - C14 Fraction	----	50	mg/kg	<50	300 mg/kg	112	75	129
EP071: C15 - C28 Fraction	----	100	mg/kg	<100	450 mg/kg	110	77	131
EP071: C29 - C36 Fraction	----	100	mg/kg	<100	300 mg/kg	100	71	129
EP080/071: Total Petroleum Hydrocarbons (QCLot: 2037822)								
EP080: C6 - C9 Fraction	----	10	mg/kg	<10	26 mg/kg	80.7	68	128
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 2036439)								
EP071: >C10 - C16 Fraction	----	50	mg/kg	<50	375 mg/kg	112	77	125
EP071: >C16 - C34 Fraction	----	100	mg/kg	<100	525 mg/kg	106	74	138



Sub-Matrix: SOIL				Method Blank (MB) Report	Laboratory Control Spike (LCS) Report			
					Spike Concentration	Spike Recovery (%) LCS	Recovery Limits (%) Low      High	
Method: Compound	CAS Number	LOR	Unit	Result				
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 2036439) - continued								
EP071: >C34 - C40 Fraction	----	100	mg/kg	<100	225 mg/kg	89.4	63	131
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 2037822)								
EP080: C6 - C10 Fraction	C6_C10	10	mg/kg	<10	31 mg/kg	82.2	68	128
EP080: BTEXN (QCLot: 2037822)								
EP080: Benzene	71-43-2	0.2	mg/kg	<0.2	1 mg/kg	86.8	62	116
EP080: Toluene	108-88-3	0.5	mg/kg	<0.5	1 mg/kg	85.6	67	121
EP080: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	1 mg/kg	85.5	65	117
EP080: meta- & para-Xylene	108-38-3	0.5	mg/kg	<0.5	2 mg/kg	85.7	66	118
	106-42-3							
EP080: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	1 mg/kg	85.3	68	120
EP080: Naphthalene	91-20-3	1	mg/kg	<1	1 mg/kg	83.3	63	119

## Matrix Spike (MS) Report

The quality control term Matrix Spike (MS) refers to an intralaboratory split sample spiked with a representative set of target analytes. The purpose of this QC parameter is to monitor potential matrix effects on analyte recoveries. Static Recovery Limits as per laboratory Data Quality Objectives (DQOs). Ideal recovery ranges stated may be waived in the event of sample matrix interference.

Sub-Matrix: <b>SOIL</b>				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Recovery Limits (%)	
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
EG005T: Total Metals by ICP-AES (QCLot: 2040220)							
ES1833803-001	Anonymous	EG005T: Arsenic	7440-38-2	50 mg/kg	94.8	70	130
		EG005T: Cadmium	7440-43-9	50 mg/kg	101	70	130
		EG005T: Chromium	7440-47-3	50 mg/kg	97.6	70	130
		EG005T: Copper	7440-50-8	250 mg/kg	115	70	130
		EG005T: Lead	7439-92-1	250 mg/kg	80.9	70	130
		EG005T: Nickel	7440-02-0	50 mg/kg	101	70	130
		EG005T: Zinc	7440-66-6	250 mg/kg	130	70	130
EG035T: Total Recoverable Mercury by FIMS (QCLot: 2040221)							
ES1833803-001	Anonymous	EG035T: Mercury	7439-97-6	5 mg/kg	93.3	70	130
EP066: Polychlorinated Biphenyls (PCB) (QCLot: 2036442)							
ES1833803-001	Anonymous	EP066: Total Polychlorinated biphenyls	----	1 mg/kg	103	70	130
EP068A: Organochlorine Pesticides (OC) (QCLot: 2036441)							
ES1833803-001	Anonymous	EP068: gamma-BHC	58-89-9	0.5 mg/kg	93.6	70	130
		EP068: Heptachlor	76-44-8	0.5 mg/kg	104	70	130
		EP068: Aldrin	309-00-2	0.5 mg/kg	90.6	70	130
		EP068: Dieldrin	60-57-1	0.5 mg/kg	100	70	130
		EP068: Endrin	72-20-8	2 mg/kg	92.7	70	130



Sub-Matrix: **SOIL**

Sub-Matrix: SOIL				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Recovery Limits (%)	
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
EP068A: Organochlorine Pesticides (OC) (QCLot: 2036441) - continued							
ES1833803-001	Anonymous	EP068: 4,4'-DDT	50-29-3	2 mg/kg	99.0	70	130
EP068B: Organophosphorus Pesticides (OP) (QCLot: 2036441)							
ES1833803-001	Anonymous	EP068: Diazinon	333-41-5	0.5 mg/kg	102	70	130
		EP068: Chlorpyrifos-methyl	5598-13-0	0.5 mg/kg	98.0	70	130
		EP068: Pirimphos-ethyl	23505-41-1	0.5 mg/kg	98.5	70	130
		EP068: Bromophos-ethyl	4824-78-6	0.5 mg/kg	95.8	70	130
		EP068: Prothiofos	34643-46-4	0.5 mg/kg	93.8	70	130
EP074E: Halogenated Aliphatic Compounds (QCLot: 2037823)							
ES1834013-004	Anonymous	EP074: 1,1-Dichloroethene	75-35-4	2.5 mg/kg	92.6	70	130
		EP074: Trichloroethene	79-01-6	2.5 mg/kg	86.2	70	130
EP074F: Halogenated Aromatic Compounds (QCLot: 2037823)							
ES1834013-004	Anonymous	EP074: Chlorobenzene	108-90-7	2.5 mg/kg	89.9	70	130
EP075(SIM)B: Polynuclear Aromatic Hydrocarbons (QCLot: 2036440)							
ES1833803-001	Anonymous	EP075(SIM): Acenaphthene	83-32-9	10 mg/kg	91.5	70	130
		EP075(SIM): Pyrene	129-00-0	10 mg/kg	102	70	130
EP080/071: Total Petroleum Hydrocarbons (QCLot: 2036439)							
ES1833803-001	Anonymous	EP071: C10 - C14 Fraction	----	523 mg/kg	103	73	137
		EP071: C15 - C28 Fraction	----	2319 mg/kg	110	53	131
		EP071: C29 - C36 Fraction	----	1714 mg/kg	114	52	132
EP080/071: Total Petroleum Hydrocarbons (QCLot: 2037822)							
ES1834013-004	Anonymous	EP080: C6 - C9 Fraction	----	32.5 mg/kg	91.8	70	130
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 2036439)							
ES1833803-001	Anonymous	EP071: >C10 - C16 Fraction	----	860 mg/kg	102	73	137
		EP071: >C16 - C34 Fraction	----	3223 mg/kg	110	53	131
		EP071: >C34 - C40 Fraction	----	1058 mg/kg	111	52	132
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 2037822)							
ES1834013-004	Anonymous	EP080: C6 - C10 Fraction	C6_C10	37.5 mg/kg	94.1	70	130
EP080: BTEXN (QCLot: 2037822)							
ES1834013-004	Anonymous	EP080: Benzene	71-43-2	2.5 mg/kg	90.1	70	130
		EP080: Toluene	108-88-3	2.5 mg/kg	92.8	70	130
		EP080: Ethylbenzene	100-41-4	2.5 mg/kg	92.2	70	130
		EP080: meta- & para-Xylene	108-38-3	2.5 mg/kg	91.1	70	130
			106-42-3				
		EP080: ortho-Xylene	95-47-6	2.5 mg/kg	92.7	70	130
		EP080: Naphthalene	91-20-3	2.5 mg/kg	91.0	70	130



## QA/QC Compliance Assessment to assist with Quality Review

Work Order	: ES1833866	Page	: 1 of 6
Client	: CARDNO (NSW/ACT) PTY LTD	Laboratory	: Environmental Division Sydney
Contact	: MR BEN WITHNALL	Telephone	: +61-2-8784 8555
Project	: 80818157 Kyeemagh Infants School	Date Samples Received	: 13-Nov-2018
Site	: ----	Issue Date	: 19-Nov-2018
Sampler	: Joel Griffiths	No. of samples received	: 1
Order number	:	No. of samples analysed	: 1

This report is automatically generated by the ALS LIMS through interpretation of the ALS Quality Control Report and several Quality Assurance parameters measured by ALS. This automated reporting highlights any non-conformances, facilitates faster and more accurate data validation and is designed to assist internal expert and external Auditor review. Many components of this report contribute to the overall DQO assessment and reporting for guideline compliance.

Brief method summaries and references are also provided to assist in traceability.

### Summary of Outliers

#### Outliers : Quality Control Samples

This report highlights outliers flagged in the Quality Control (QC) Report.

- **NO** Method Blank value outliers occur.
- **NO** Duplicate outliers occur.
- **NO** Laboratory Control outliers occur.
- **NO** Matrix Spike outliers occur.
- For all regular sample matrices, **NO** surrogate recovery outliers occur.

#### Outliers : Analysis Holding Time Compliance

- **NO** Analysis Holding Time Outliers exist.

#### Outliers : Frequency of Quality Control Samples

- **NO** Quality Control Sample Frequency Outliers exist.



## Analysis Holding Time Compliance

If samples are identified below as having been analysed or extracted outside of recommended holding times, this should be taken into consideration when interpreting results.

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times (referencing USEPA SW 846, APHA, AS and NEPM) based on the sample container provided. Dates reported represent first date of extraction or analysis and preclude subsequent dilutions and reruns. A listing of breaches (if any) is provided herein.

Holding time for leachate methods (e.g. TCLP) vary according to the analytes reported. Assessment compares the leach date with the shortest analyte holding time for the equivalent soil method. These are: organics 14 days, mercury 28 days & other metals 180 days. A recorded breach does not guarantee a breach for all non-volatile parameters.

Holding times for VOC in soils vary according to analytes of interest. Vinyl Chloride and Styrene holding time is 7 days; others 14 days. A recorded breach does not guarantee a breach for all VOC analytes and should be verified in case the reported breach is a false positive or Vinyl Chloride and Styrene are not key analytes of interest/concern.

Matrix: **SOIL**

Evaluation: ✖ = Holding time breach ; ✔ = Within holding time.

Method	Sample Date	Extraction / Preparation			Analysis		
Container / Client Sample ID(s)		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation
EA055: Moisture Content (Dried @ 105-110°C)							
Soil Glass Jar - Unpreserved (EA055) QA200	10-Nov-2018	----	----	----	15-Nov-2018	24-Nov-2018	✓
EG005T: Total Metals by ICP-AES							
Soil Glass Jar - Unpreserved (EG005T) QA200	10-Nov-2018	16-Nov-2018	09-May-2019	✓	16-Nov-2018	09-May-2019	✓
EG035T: Total Recoverable Mercury by FIMS							
Soil Glass Jar - Unpreserved (EG035T) QA200	10-Nov-2018	16-Nov-2018	08-Dec-2018	✓	16-Nov-2018	08-Dec-2018	✓
EP066: Polychlorinated Biphenyls (PCB)							
Soil Glass Jar - Unpreserved (EP066) QA200	10-Nov-2018	15-Nov-2018	24-Nov-2018	✓	16-Nov-2018	25-Dec-2018	✓
EP068A: Organochlorine Pesticides (OC)							
Soil Glass Jar - Unpreserved (EP068) QA200	10-Nov-2018	15-Nov-2018	24-Nov-2018	✓	16-Nov-2018	25-Dec-2018	✓
EP068B: Organophosphorus Pesticides (OP)							
Soil Glass Jar - Unpreserved (EP068) QA200	10-Nov-2018	15-Nov-2018	24-Nov-2018	✓	16-Nov-2018	25-Dec-2018	✓
EP074A: Monocyclic Aromatic Hydrocarbons							
Soil Glass Jar - Unpreserved (EP074) QA200	10-Nov-2018	15-Nov-2018	17-Nov-2018	✓	15-Nov-2018	17-Nov-2018	✓
EP074B: Oxygenated Compounds							
Soil Glass Jar - Unpreserved (EP074) QA200	10-Nov-2018	15-Nov-2018	17-Nov-2018	✓	15-Nov-2018	17-Nov-2018	✓
EP074C: Sulfonated Compounds							
Soil Glass Jar - Unpreserved (EP074) QA200	10-Nov-2018	15-Nov-2018	17-Nov-2018	✓	15-Nov-2018	17-Nov-2018	✓
EP074D: Fumigants							
Soil Glass Jar - Unpreserved (EP074) QA200	10-Nov-2018	15-Nov-2018	17-Nov-2018	✓	15-Nov-2018	17-Nov-2018	✓



Matrix: **SOIL**

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method	Sample Date	Extraction / Preparation			Analysis		
Container / Client Sample ID(s)		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation
EP074E: Halogenated Aliphatic Compounds							
Soil Glass Jar - Unpreserved (EP074) QA200	10-Nov-2018	15-Nov-2018	17-Nov-2018	✓	15-Nov-2018	17-Nov-2018	✓
EP074F: Halogenated Aromatic Compounds							
Soil Glass Jar - Unpreserved (EP074) QA200	10-Nov-2018	15-Nov-2018	17-Nov-2018	✓	15-Nov-2018	17-Nov-2018	✓
EP074G: Trihalomethanes							
Soil Glass Jar - Unpreserved (EP074) QA200	10-Nov-2018	15-Nov-2018	17-Nov-2018	✓	15-Nov-2018	17-Nov-2018	✓
EP074H: Naphthalene							
Soil Glass Jar - Unpreserved (EP074) QA200	10-Nov-2018	15-Nov-2018	17-Nov-2018	✓	15-Nov-2018	17-Nov-2018	✓
EP075(SIM)B: Polynuclear Aromatic Hydrocarbons							
Soil Glass Jar - Unpreserved (EP075(SIM)) QA200	10-Nov-2018	15-Nov-2018	24-Nov-2018	✓	16-Nov-2018	25-Dec-2018	✓
EP080/071: Total Petroleum Hydrocarbons							
Soil Glass Jar - Unpreserved (EP080) QA200	10-Nov-2018	15-Nov-2018	24-Nov-2018	✓	15-Nov-2018	24-Nov-2018	✓
Soil Glass Jar - Unpreserved (EP071) QA200	10-Nov-2018	15-Nov-2018	24-Nov-2018	✓	16-Nov-2018	25-Dec-2018	✓
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions							
Soil Glass Jar - Unpreserved (EP080) QA200	10-Nov-2018	15-Nov-2018	24-Nov-2018	✓	15-Nov-2018	24-Nov-2018	✓
Soil Glass Jar - Unpreserved (EP071) QA200	10-Nov-2018	15-Nov-2018	24-Nov-2018	✓	16-Nov-2018	25-Dec-2018	✓
EP080: BTEXN							
Soil Glass Jar - Unpreserved (EP080) QA200	10-Nov-2018	15-Nov-2018	24-Nov-2018	✓	15-Nov-2018	24-Nov-2018	✓



## Quality Control Parameter Frequency Compliance

The following report summarises the frequency of laboratory QC samples analysed within the analytical lot(s) in which the submitted sample(s) was(were) processed. Actual rate should be greater than or equal to the expected rate. A listing of breaches is provided in the Summary of Outliers.

Matrix: **SOIL**

Evaluation: ✖ = Quality Control frequency not within specification ; ✔ = Quality Control frequency within specification.

Quality Control Sample Type		Count		Rate (%)			Quality Control Specification
Analytical Methods	Method	QC	Regular	Actual	Expected	Evaluation	
Laboratory Duplicates (DUP)							
Moisture Content	EA055	2	19	10.53	10.00	✓	NEPM 2013 B3 & ALS QC Standard
PAH/Phenols (SIM)	EP075(SIM)	1	9	11.11	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Pesticides by GCMS	EP068	1	6	16.67	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Polychlorinated Biphenyls (PCB)	EP066	1	3	33.33	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071	1	10	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH Volatiles/BTEX	EP080	1	7	14.29	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Volatile Organic Compounds	EP074	2	17	11.76	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Laboratory Control Samples (LCS)							
PAH/Phenols (SIM)	EP075(SIM)	1	9	11.11	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Pesticides by GCMS	EP068	1	6	16.67	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Polychlorinated Biphenyls (PCB)	EP066	1	3	33.33	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071	1	10	10.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH Volatiles/BTEX	EP080	1	7	14.29	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Volatile Organic Compounds	EP074	1	17	5.88	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Method Blanks (MB)							
PAH/Phenols (SIM)	EP075(SIM)	1	9	11.11	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Pesticides by GCMS	EP068	1	6	16.67	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Polychlorinated Biphenyls (PCB)	EP066	1	3	33.33	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071	1	10	10.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH Volatiles/BTEX	EP080	1	7	14.29	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Volatile Organic Compounds	EP074	1	17	5.88	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Matrix Spikes (MS)							
PAH/Phenols (SIM)	EP075(SIM)	1	9	11.11	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Pesticides by GCMS	EP068	1	6	16.67	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Polychlorinated Biphenyls (PCB)	EP066	1	3	33.33	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071	1	10	10.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH Volatiles/BTEX	EP080	1	7	14.29	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Volatile Organic Compounds	EP074	1	17	5.88	5.00	✓	NEPM 2013 B3 & ALS QC Standard



## Brief Method Summaries

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the US EPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request. The following report provides brief descriptions of the analytical procedures employed for results reported in the Certificate of Analysis. Sources from which ALS methods have been developed are provided within the Method Descriptions.

Analytical Methods	Method	Matrix	Method Descriptions
Moisture Content	EA055	SOIL	In house: A gravimetric procedure based on weight loss over a 12 hour drying period at 105-110 degrees C. This method is compliant with NEPM (2013) Schedule B(3) Section 7.1 and Table 1 (14 day holding time).
Total Metals by ICP-AES	EG005T	SOIL	In house: Referenced to APHA 3120; USEPA SW 846 - 6010. Metals are determined following an appropriate acid digestion of the soil. The ICPAES technique ionises samples in a plasma, emitting a characteristic spectrum based on metals present. Intensities at selected wavelengths are compared against those of matrix matched standards. This method is compliant with NEPM (2013) Schedule B(3)
Total Mercury by FIMS	EG035T	SOIL	In house: Referenced to AS 3550, APHA 3112 Hg - B (Flow-injection (SnCl <sub>2</sub> ) (Cold Vapour generation) AAS) FIM-AAS is an automated flameless atomic absorption technique. Mercury in solids are determined following an appropriate acid digestion. Ionic mercury is reduced online to atomic mercury vapour by SnCl <sub>2</sub> which is then purged into a heated quartz cell. Quantification is by comparing absorbance against a calibration curve. This method is compliant with NEPM (2013) Schedule B(3)
Polychlorinated Biphenyls (PCB)	EP066	SOIL	In house: Referenced to USEPA SW 846 - 8270D Extracts are analysed by Capillary GC/MS and quantification is by comparison against an established 5 point calibration curve. This method is compliant with NEPM (2013) Schedule B(3) (Method 504)
Pesticides by GCMS	EP068	SOIL	In house: Referenced to USEPA SW 846 - 8270D Extracts are analysed by Capillary GC/MS and quantification is by comparison against an established 5 point calibration curve. This technique is compliant with NEPM (2013) Schedule B(3) (Method 504,505)
TRH - Semivolatile Fraction	EP071	SOIL	In house: Referenced to USEPA SW 846 - 8015A Sample extracts are analysed by Capillary GC/FID and quantified against alkane standards over the range C10 - C40. Compliant with NEPM amended 2013.
Volatile Organic Compounds	EP074	SOIL	In house: Referenced to USEPA SW 846 - 8260B Extracts are analysed by Purge and Trap, Capillary GC/MS. Quantification is by comparison against an established 5 point calibration curve. This method is compliant with NEPM (2013) Schedule B(3) (Method 501)
PAH/Phenols (SIM)	EP075(SIM)	SOIL	In house: Referenced to USEPA SW 846 - 8270D. Extracts are analysed by Capillary GC/MS in Selective Ion Mode (SIM) and quantification is by comparison against an established 5 point calibration curve. This method is compliant with NEPM (2013) Schedule B(3) (Method 502 and 507)
TRH Volatiles/BTEX	EP080	SOIL	In house: Referenced to USEPA SW 846 - 8260B. Extracts are analysed by Purge and Trap, Capillary GC/MS. Quantification is by comparison against an established 5 point calibration curve. Compliant with NEPM amended 2013.
Preparation Methods	Method	Matrix	Method Descriptions
Hot Block Digest for metals in soils sediments and sludges	EN69	SOIL	In house: Referenced to USEPA 200.2. Hot Block Acid Digestion 1.0g of sample is heated with Nitric and Hydrochloric acids, then cooled. Peroxide is added and samples heated and cooled again before being filtered and bulked to volume for analysis. Digest is appropriate for determination of selected metals in sludge, sediments, and soils. This method is compliant with NEPM (2013) Schedule B(3) (Method 202)
Methanolic Extraction of Soils for Purge and Trap	ORG16	SOIL	In house: Referenced to USEPA SW 846 - 5030A. 5g of solid is shaken with surrogate and 10mL methanol prior to analysis by Purge and Trap - GC/MS.



Page : 6 of 6  
Work Order : ES1833866  
Client : CARDNO (NSW/ACT) PTY LTD  
Project : 80818157 Kyeemagh Infants School



Preparation Methods	Method	Matrix	Method Descriptions
Tumbler Extraction of Solids	ORG17	SOIL	In house: Mechanical agitation (tumbler). 10g of sample, Na2SO4 and surrogate are extracted with 30mL 1:1 DCM/Acetone by end over end tumble. The solvent is decanted, dehydrated and concentrated (by KD) to the desired volume for analysis.



**Cardno®**  
Shaping the Future

## CHAIN OF CUSTODY AND ANALYSIS REQUEST

[illegible]

# Certificate of Analysis

Cardno (NSW/ACT) Pty Ltd  
Level 9, 203 Pacific Highway  
St Leonards  
NSW 2065



NATA Accredited  
Accreditation Number 1261  
Site Number 18217

Accredited for compliance with ISO/IEC 17025 – Testing  
The results of the tests, calibrations and/or  
measurements included in this document are traceable  
to Australian/national standards.

Attention: Ben Withnall

Report 628416-S  
Project name KYEEMAGH INFANTS SCHOOL  
Project ID 80818157  
Received Date Nov 19, 2018

Client Sample ID			TP13_0.1	TP14_0.7	TP15_0.1	TP15_0.6
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins   mgt Sample No.			S18-No24227	S18-No24230	S18-No24231	S18-No24232
Date Sampled			Nov 17, 2018	Nov 17, 2018	Nov 17, 2018	Nov 17, 2018
Test/Reference	LOR	Unit				
<b>Total Recoverable Hydrocarbons - 1999 NEPM Fractions</b>						
TRH C6-C9	20	mg/kg	< 20	< 20	< 20	< 20
TRH C10-C14	20	mg/kg	< 20	< 20	< 20	< 20
TRH C15-C28	50	mg/kg	70	< 50	< 50	< 50
TRH C29-C36	50	mg/kg	290	< 50	< 50	< 50
TRH C10-36 (Total)	50	mg/kg	360	< 50	< 50	< 50
<b>BTEX</b>						
Benzene	0.1	mg/kg	< 0.1	-	< 0.1	-
Toluene	0.1	mg/kg	< 0.1	-	< 0.1	-
Ethylbenzene	0.1	mg/kg	< 0.1	-	< 0.1	-
m&p-Xylenes	0.2	mg/kg	< 0.2	-	< 0.2	-
o-Xylene	0.1	mg/kg	< 0.1	-	< 0.1	-
Xylenes - Total	0.3	mg/kg	< 0.3	-	< 0.3	-
4-Bromofluorobenzene (surr.)	1	%	141	-	55	-
<b>Volatile Organics</b>						
1.1-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	-	< 0.5
1.1-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	-	< 0.5
1.1.1-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	-	< 0.5
1.1.1.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	-	< 0.5
1.1.2-Trichloroethane	0.5	mg/kg	< 0.5	< 0.5	-	< 0.5
1.1.2.2-Tetrachloroethane	0.5	mg/kg	< 0.5	< 0.5	-	< 0.5
1.2-Dibromoethane	0.5	mg/kg	< 0.5	< 0.5	-	< 0.5
1.2-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	-	< 0.5
1.2-Dichloroethane	0.5	mg/kg	< 0.5	< 0.5	-	< 0.5
1.2-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	-	< 0.5
1.2.3-Trichloropropane	0.5	mg/kg	< 0.5	< 0.5	-	< 0.5
1.2.4-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	-	< 0.5
1.3-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	-	< 0.5
1.3-Dichloropropane	0.5	mg/kg	< 0.5	< 0.5	-	< 0.5
1.3.5-Trimethylbenzene	0.5	mg/kg	< 0.5	< 0.5	-	< 0.5
1.4-Dichlorobenzene	0.5	mg/kg	< 0.5	< 0.5	-	< 0.5
2-Butanone (MEK)	0.5	mg/kg	< 0.5	< 0.5	-	< 0.5
2-Propanone (Acetone)	0.5	mg/kg	< 0.5	< 0.5	-	< 0.5
4-Chlorotoluene	0.5	mg/kg	< 0.5	< 0.5	-	< 0.5
4-Methyl-2-pentanone (MIBK)	0.5	mg/kg	< 0.5	< 0.5	-	< 0.5
Allyl chloride	0.5	mg/kg	< 0.5	< 0.5	-	< 0.5

Client Sample ID			TP13_0.1	TP14_0.7	TP15_0.1	TP15_0.6
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins   mgt Sample No.			S18-No24227	S18-No24230	S18-No24231	S18-No24232
Date Sampled			Nov 17, 2018	Nov 17, 2018	Nov 17, 2018	Nov 17, 2018
Test/Reference	LOR	Unit				
<b>Volatile Organics</b>						
Benzene	0.1	mg/kg	< 0.1	< 0.1	-	< 0.1
Bromobenzene	0.5	mg/kg	< 0.5	< 0.5	-	< 0.5
Bromochloromethane	0.5	mg/kg	< 0.5	< 0.5	-	< 0.5
Bromodichloromethane	0.5	mg/kg	< 0.5	< 0.5	-	< 0.5
Bromoform	0.5	mg/kg	< 0.5	< 0.5	-	< 0.5
Bromomethane	0.5	mg/kg	< 0.5	< 0.5	-	< 0.5
Carbon disulfide	0.5	mg/kg	< 0.5	< 0.5	-	< 0.5
Carbon Tetrachloride	0.5	mg/kg	< 0.5	< 0.5	-	< 0.5
Chlorobenzene	0.5	mg/kg	< 0.5	< 0.5	-	< 0.5
Chloroethane	0.5	mg/kg	< 0.5	< 0.5	-	< 0.5
Chloroform	0.5	mg/kg	< 0.5	< 0.5	-	< 0.5
Chloromethane	0.5	mg/kg	< 0.5	< 0.5	-	< 0.5
cis-1,2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	-	< 0.5
cis-1,3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	-	< 0.5
Dibromochloromethane	0.5	mg/kg	< 0.5	< 0.5	-	< 0.5
Dibromomethane	0.5	mg/kg	< 0.5	< 0.5	-	< 0.5
Dichlorodifluoromethane	0.5	mg/kg	< 0.5	< 0.5	-	< 0.5
Ethylbenzene	0.1	mg/kg	< 0.1	< 0.1	-	< 0.1
Iodomethane	0.5	mg/kg	< 0.5	< 0.5	-	< 0.5
Isopropyl benzene (Cumene)	0.5	mg/kg	< 0.5	< 0.5	-	< 0.5
m&p-Xylenes	0.2	mg/kg	< 0.2	< 0.2	-	< 0.2
Methylene Chloride	0.5	mg/kg	< 0.5	< 0.5	-	< 0.5
o-Xylene	0.1	mg/kg	< 0.1	< 0.1	-	< 0.1
Styrene	0.5	mg/kg	< 0.5	< 0.5	-	< 0.5
Tetrachloroethene	0.5	mg/kg	< 0.5	< 0.5	-	< 0.5
Toluene	0.1	mg/kg	< 0.1	< 0.1	-	< 0.1
trans-1,2-Dichloroethene	0.5	mg/kg	< 0.5	< 0.5	-	< 0.5
trans-1,3-Dichloropropene	0.5	mg/kg	< 0.5	< 0.5	-	< 0.5
Trichloroethene	0.5	mg/kg	< 0.5	< 0.5	-	< 0.5
Trichlorofluoromethane	0.5	mg/kg	< 0.5	< 0.5	-	< 0.5
Vinyl chloride	0.5	mg/kg	< 0.5	< 0.5	-	< 0.5
Xylenes - Total	0.3	mg/kg	< 0.3	< 0.3	-	< 0.3
Total MAH*	0.5	mg/kg	< 0.5	< 0.5	-	< 0.5
Vic EPA IWRG 621 CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	-	< 0.5
Vic EPA IWRG 621 Other CHC (Total)*	0.5	mg/kg	< 0.5	< 0.5	-	< 0.5
4-Bromofluorobenzene (surr.)	1	%	141	126	-	144
Toluene-d8 (surr.)	1	%	116	115	-	130
<b>Total Recoverable Hydrocarbons - 2013 NEPM Fractions</b>						
Naphthalene <sup>N02</sup>	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
TRH C6-C10	20	mg/kg	< 20	< 20	< 20	< 20
TRH C6-C10 less BTEX (F1) <sup>N04</sup>	20	mg/kg	< 20	< 20	< 20	< 20
TRH >C10-C16	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C10-C16 less Naphthalene (F2) <sup>N01</sup>	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C16-C34	100	mg/kg	270	< 100	< 100	< 100
TRH >C34-C40	100	mg/kg	240	< 100	< 100	< 100
TRH >C10-C40 (total)*	100	mg/kg	510	< 100	< 100	< 100

Client Sample ID			TP13_0.1	TP14_0.7	TP15_0.1	TP15_0.6
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins   mgt Sample No.			S18-No24227	S18-No24230	S18-No24231	S18-No24232
Date Sampled			Nov 17, 2018	Nov 17, 2018	Nov 17, 2018	Nov 17, 2018
Test/Reference	LOR	Unit				
<b>Polycyclic Aromatic Hydrocarbons</b>						
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5	0.9	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6	1.2	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2	1.5	1.2
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	1.1	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5	0.7	< 0.5
Benzo(b&j)fluoranthene <sup>N07</sup>	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5	0.7	< 0.5
Chrysene	0.5	mg/kg	< 0.5	< 0.5	1.0	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5	< 0.5	1.3	< 0.5
Fluorene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Indeno(1.2.3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Naphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5	< 0.5	0.8	< 0.5
Pyrene	0.5	mg/kg	< 0.5	< 0.5	1.3	< 0.5
Total PAH*	0.5	mg/kg	< 0.5	< 0.5	6.9	< 0.5
2-Fluorobiphenyl (surr.)	1	%	101	111	136	59
p-Terphenyl-d14 (surr.)	1	%	98	72	83	58
<b>Organochlorine Pesticides</b>						
Chlordanes - Total	0.1	mg/kg	< 0.1	-	-	< 0.1
4,4'-DDD	0.05	mg/kg	< 0.05	-	-	< 0.05
4,4'-DDE	0.05	mg/kg	< 0.05	-	-	< 0.05
4,4'-DDT	0.05	mg/kg	< 0.05	-	-	< 0.05
a-BHC	0.05	mg/kg	< 0.05	-	-	< 0.05
Aldrin	0.05	mg/kg	< 0.05	-	-	< 0.05
b-BHC	0.05	mg/kg	< 0.05	-	-	< 0.05
d-BHC	0.05	mg/kg	< 0.05	-	-	< 0.05
Dieldrin	0.05	mg/kg	< 0.05	-	-	< 0.05
Endosulfan I	0.05	mg/kg	< 0.05	-	-	< 0.05
Endosulfan II	0.05	mg/kg	< 0.05	-	-	< 0.05
Endosulfan sulphate	0.05	mg/kg	< 0.05	-	-	< 0.05
Endrin	0.05	mg/kg	< 0.05	-	-	< 0.05
Endrin aldehyde	0.05	mg/kg	< 0.05	-	-	< 0.05
Endrin ketone	0.05	mg/kg	< 0.05	-	-	< 0.05
g-BHC (Lindane)	0.05	mg/kg	< 0.05	-	-	< 0.05
Heptachlor	0.05	mg/kg	< 0.05	-	-	< 0.05
Heptachlor epoxide	0.05	mg/kg	< 0.05	-	-	< 0.05
Hexachlorobenzene	0.05	mg/kg	< 0.05	-	-	< 0.05
Methoxychlor	0.05	mg/kg	< 0.05	-	-	< 0.05
Toxaphene	1	mg/kg	< 1	-	-	< 1
Aldrin and Dieldrin (Total)*	0.05	mg/kg	< 0.05	-	-	< 0.05
DDT + DDE + DDD (Total)*	0.05	mg/kg	< 0.05	-	-	< 0.05
Vic EPA IWRG 621 OCP (Total)*	0.1	mg/kg	< 0.1	-	-	< 0.1
Vic EPA IWRG 621 Other OCP (Total)*	0.1	mg/kg	< 0.1	-	-	< 0.1
Dibutylchloroendate (surr.)	1	%	85	-	-	73
Tetrachloro-m-xylene (surr.)	1	%	70	-	-	89



Client Sample ID			TP13_0.1	TP14_0.7	TP15_0.1	TP15_0.6
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins   mgt Sample No.			S18-No24227	S18-No24230	S18-No24231	S18-No24232
Date Sampled			Nov 17, 2018	Nov 17, 2018	Nov 17, 2018	Nov 17, 2018
Test/Reference	LOR	Unit				
<b>Organophosphorus Pesticides</b>						
Azinphos-methyl	0.2	mg/kg	< 0.2	-	-	< 0.2
Bolstar	0.2	mg/kg	< 0.2	-	-	< 0.2
Chlorfenvinphos	0.2	mg/kg	< 0.2	-	-	< 0.2
Chlorpyrifos	0.2	mg/kg	< 0.2	-	-	< 0.2
Chlorpyrifos-methyl	0.2	mg/kg	< 0.2	-	-	< 0.2
Coumaphos	2	mg/kg	< 2	-	-	< 2
Demeton-S	0.2	mg/kg	< 0.2	-	-	< 0.2
Demeton-O	0.2	mg/kg	< 0.2	-	-	< 0.2
Diazinon	0.2	mg/kg	< 0.2	-	-	< 0.2
Dichlorvos	0.2	mg/kg	< 0.2	-	-	< 0.2
Dimethoate	0.2	mg/kg	< 0.2	-	-	< 0.2
Disulfoton	0.2	mg/kg	< 0.2	-	-	< 0.2
EPN	0.2	mg/kg	< 0.2	-	-	< 0.2
Ethion	0.2	mg/kg	< 0.2	-	-	< 0.2
Ethoprop	0.2	mg/kg	< 0.2	-	-	< 0.2
Ethyl parathion	0.2	mg/kg	< 0.2	-	-	< 0.2
Fenitrothion	0.2	mg/kg	< 0.2	-	-	< 0.2
Fensulfothion	0.2	mg/kg	< 0.2	-	-	< 0.2
Fenthion	0.2	mg/kg	< 0.2	-	-	< 0.2
Malathion	0.2	mg/kg	< 0.2	-	-	< 0.2
Merphos	0.2	mg/kg	< 0.2	-	-	< 0.2
Methyl parathion	0.2	mg/kg	< 0.2	-	-	< 0.2
Mevinphos	0.2	mg/kg	< 0.2	-	-	< 0.2
Monocrotophos	2	mg/kg	< 2	-	-	< 2
Naled	0.2	mg/kg	< 0.2	-	-	< 0.2
Omethoate	2	mg/kg	< 2	-	-	< 2
Phorate	0.2	mg/kg	< 0.2	-	-	< 0.2
Pirimiphos-methyl	0.2	mg/kg	< 0.2	-	-	< 0.2
Pyrazophos	0.2	mg/kg	< 0.2	-	-	< 0.2
Ronnel	0.2	mg/kg	< 0.2	-	-	< 0.2
Terbufos	0.2	mg/kg	< 0.2	-	-	< 0.2
Tetrachlorvinphos	0.2	mg/kg	< 0.2	-	-	< 0.2
Tokuthion	0.2	mg/kg	< 0.2	-	-	< 0.2
Trichloronate	0.2	mg/kg	< 0.2	-	-	< 0.2
Triphenylphosphate (surr.)	1	%	97	-	-	53
<b>Polychlorinated Biphenyls</b>						
Aroclor-1016	0.1	mg/kg	< 0.1	-	-	< 0.1
Aroclor-1221	0.1	mg/kg	< 0.1	-	-	< 0.1
Aroclor-1232	0.1	mg/kg	< 0.1	-	-	< 0.1
Aroclor-1242	0.1	mg/kg	< 0.1	-	-	< 0.1
Aroclor-1248	0.1	mg/kg	< 0.1	-	-	< 0.1
Aroclor-1254	0.1	mg/kg	< 0.1	-	-	< 0.1
Aroclor-1260	0.1	mg/kg	< 0.1	-	-	< 0.1
Total PCB*	0.1	mg/kg	< 0.1	-	-	< 0.1
Dibutylchlorendate (surr.)	1	%	85	-	-	73
Tetrachloro-m-xylene (surr.)	1	%	70	-	-	89

<b>Client Sample ID</b>			<b>TP13_0.1</b>	<b>TP14_0.7</b>	<b>TP15_0.1</b>	<b>TP15_0.6</b>
<b>Sample Matrix</b>			<b>Soil</b>	<b>Soil</b>	<b>Soil</b>	<b>Soil</b>
<b>Eurofins   mgt Sample No.</b>			<b>S18-No24227</b>	<b>S18-No24230</b>	<b>S18-No24231</b>	<b>S18-No24232</b>
<b>Date Sampled</b>			<b>Nov 17, 2018</b>	<b>Nov 17, 2018</b>	<b>Nov 17, 2018</b>	<b>Nov 17, 2018</b>
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Arsenic	2	mg/kg	< 2	< 2	< 2	< 2
Cadmium	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Chromium	5	mg/kg	32	< 5	< 5	< 5
Copper	5	mg/kg	12	< 5	16	< 5
Lead	5	mg/kg	11	< 5	65	< 5
Mercury	0.1	mg/kg	< 0.1	< 0.1	0.1	< 0.1
Nickel	5	mg/kg	30	< 5	< 5	< 5
Zinc	5	mg/kg	40	< 5	43	120
% Moisture	1	%	3.4	1.9	2.7	2.8

<b>Client Sample ID</b>			<b>TP16_0.1</b>	<b>TP16_0.8</b>	<b>TP17_0.5</b>	<b>TP18_0.1</b>
<b>Sample Matrix</b>			<b>Soil</b>	<b>Soil</b>	<b>Soil</b>	<b>Soil</b>
<b>Eurofins   mgt Sample No.</b>			<b>S18-No24233</b>	<b>S18-No24234</b>	<b>S18-No24236</b>	<b>S18-No24237</b>
<b>Date Sampled</b>			<b>Nov 17, 2018</b>	<b>Nov 17, 2018</b>	<b>Nov 17, 2018</b>	<b>Nov 17, 2018</b>
Test/Reference	LOR	Unit				
<b>Total Recoverable Hydrocarbons - 1999 NEPM Fractions</b>						
TRH C6-C9	20	mg/kg	< 20	< 20	< 20	< 20
TRH C10-C14	20	mg/kg	< 20	< 20	< 20	< 20
TRH C15-C28	50	mg/kg	< 50	< 50	< 50	< 50
TRH C29-C36	50	mg/kg	< 50	< 50	< 50	< 50
TRH C10-36 (Total)	50	mg/kg	< 50	< 50	< 50	< 50
<b>BTEX</b>						
Benzene	0.1	mg/kg	< 0.1	-	-	< 0.1
Toluene	0.1	mg/kg	< 0.1	-	-	< 0.1
Ethylbenzene	0.1	mg/kg	< 0.1	-	-	< 0.1
m&p-Xylenes	0.2	mg/kg	< 0.2	-	-	< 0.2
o-Xylene	0.1	mg/kg	< 0.1	-	-	< 0.1
Xylenes - Total	0.3	mg/kg	< 0.3	-	-	< 0.3
4-Bromofluorobenzene (surr.)	1	%	51	-	-	57
<b>Volatile Organics</b>						
1.1-Dichloroethane	0.5	mg/kg	-	< 0.5	< 0.5	-
1.1-Dichloroethene	0.5	mg/kg	-	< 0.5	< 0.5	-
1.1.1-Trichloroethane	0.5	mg/kg	-	< 0.5	< 0.5	-
1.1.1.2-Tetrachloroethane	0.5	mg/kg	-	< 0.5	< 0.5	-
1.1.2-Trichloroethane	0.5	mg/kg	-	< 0.5	< 0.5	-
1.1.2.2-Tetrachloroethane	0.5	mg/kg	-	< 0.5	< 0.5	-
1.2-Dibromoethane	0.5	mg/kg	-	< 0.5	< 0.5	-
1.2-Dichlorobenzene	0.5	mg/kg	-	< 0.5	< 0.5	-
1.2-Dichloroethane	0.5	mg/kg	-	< 0.5	< 0.5	-
1.2-Dichloropropane	0.5	mg/kg	-	< 0.5	< 0.5	-
1.2.3-Trichloropropane	0.5	mg/kg	-	< 0.5	< 0.5	-
1.2.4-Trimethylbenzene	0.5	mg/kg	-	< 0.5	< 0.5	-
1.3-Dichlorobenzene	0.5	mg/kg	-	< 0.5	< 0.5	-
1.3-Dichloropropane	0.5	mg/kg	-	< 0.5	< 0.5	-
1.3.5-Trimethylbenzene	0.5	mg/kg	-	< 0.5	< 0.5	-
1.4-Dichlorobenzene	0.5	mg/kg	-	< 0.5	< 0.5	-
2-Butanone (MEK)	0.5	mg/kg	-	< 0.5	< 0.5	-

Client Sample ID			TP16_0.1	TP16_0.8	TP17_0.5	TP18_0.1
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins   mgt Sample No.			S18-No24233	S18-No24234	S18-No24236	S18-No24237
Date Sampled			Nov 17, 2018	Nov 17, 2018	Nov 17, 2018	Nov 17, 2018
Test/Reference	LOR	Unit				
<b>Volatile Organics</b>						
2-Propanone (Acetone)	0.5	mg/kg	-	< 0.5	< 0.5	-
4-Chlorotoluene	0.5	mg/kg	-	< 0.5	< 0.5	-
4-Methyl-2-pentanone (MIBK)	0.5	mg/kg	-	< 0.5	< 0.5	-
Allyl chloride	0.5	mg/kg	-	< 0.5	< 0.5	-
Benzene	0.1	mg/kg	-	< 0.1	< 0.1	-
Bromobenzene	0.5	mg/kg	-	< 0.5	< 0.5	-
Bromochloromethane	0.5	mg/kg	-	< 0.5	< 0.5	-
Bromodichloromethane	0.5	mg/kg	-	< 0.5	< 0.5	-
Bromoform	0.5	mg/kg	-	< 0.5	< 0.5	-
Bromomethane	0.5	mg/kg	-	< 0.5	< 0.5	-
Carbon disulfide	0.5	mg/kg	-	< 0.5	< 0.5	-
Carbon Tetrachloride	0.5	mg/kg	-	< 0.5	< 0.5	-
Chlorobenzene	0.5	mg/kg	-	< 0.5	< 0.5	-
Chloroethane	0.5	mg/kg	-	< 0.5	< 0.5	-
Chloroform	0.5	mg/kg	-	< 0.5	< 0.5	-
Chloromethane	0.5	mg/kg	-	< 0.5	< 0.5	-
cis-1.2-Dichloroethene	0.5	mg/kg	-	< 0.5	< 0.5	-
cis-1.3-Dichloropropene	0.5	mg/kg	-	< 0.5	< 0.5	-
Dibromochloromethane	0.5	mg/kg	-	< 0.5	< 0.5	-
Dibromomethane	0.5	mg/kg	-	< 0.5	< 0.5	-
Dichlorodifluoromethane	0.5	mg/kg	-	< 0.5	< 0.5	-
Ethylbenzene	0.1	mg/kg	-	< 0.1	< 0.1	-
Iodomethane	0.5	mg/kg	-	< 0.5	< 0.5	-
Isopropyl benzene (Cumene)	0.5	mg/kg	-	< 0.5	< 0.5	-
m&p-Xylenes	0.2	mg/kg	-	< 0.2	< 0.2	-
Methylene Chloride	0.5	mg/kg	-	< 0.5	< 0.5	-
o-Xylene	0.1	mg/kg	-	< 0.1	< 0.1	-
Styrene	0.5	mg/kg	-	< 0.5	< 0.5	-
Tetrachloroethene	0.5	mg/kg	-	< 0.5	< 0.5	-
Toluene	0.1	mg/kg	-	< 0.1	< 0.1	-
trans-1.2-Dichloroethene	0.5	mg/kg	-	< 0.5	< 0.5	-
trans-1.3-Dichloropropene	0.5	mg/kg	-	< 0.5	< 0.5	-
Trichloroethene	0.5	mg/kg	-	< 0.5	< 0.5	-
Trichlorofluoromethane	0.5	mg/kg	-	< 0.5	< 0.5	-
Vinyl chloride	0.5	mg/kg	-	< 0.5	< 0.5	-
Xylenes - Total	0.3	mg/kg	-	< 0.3	< 0.3	-
Total MAH*	0.5	mg/kg	-	< 0.5	< 0.5	-
Vic EPA IWRG 621 CHC (Total)*	0.5	mg/kg	-	< 0.5	< 0.5	-
Vic EPA IWRG 621 Other CHC (Total)*	0.5	mg/kg	-	< 0.5	< 0.5	-
4-Bromofluorobenzene (surr.)	1	%	-	137	136	-
Toluene-d8 (surr.)	1	%	-	118	113	-
<b>Total Recoverable Hydrocarbons - 2013 NEPM Fractions</b>						
Naphthalene <sup>N02</sup>	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
TRH C6-C10	20	mg/kg	< 20	< 20	< 20	< 20
TRH C6-C10 less BTEX (F1) <sup>N04</sup>	20	mg/kg	< 20	< 20	< 20	< 20
TRH >C10-C16	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C10-C16 less Naphthalene (F2) <sup>N01</sup>	50	mg/kg	< 50	< 50	< 50	< 50
TRH >C16-C34	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C34-C40	100	mg/kg	< 100	< 100	< 100	< 100
TRH >C10-C40 (total)*	100	mg/kg	< 100	< 100	< 100	< 100

Client Sample ID			TP16_0.1	TP16_0.8	TP17_0.5	TP18_0.1
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins   mgt Sample No.			S18-No24233	S18-No24234	S18-No24236	S18-No24237
Date Sampled			Nov 17, 2018	Nov 17, 2018	Nov 17, 2018	Nov 17, 2018
Test/Reference	LOR	Unit				
<b>Polycyclic Aromatic Hydrocarbons</b>						
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6	0.6	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2	1.2	1.2
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(b&j)fluoranthene <sup>N07</sup>	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Chrysene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Fluorene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Indeno(1.2.3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Naphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
Total PAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	< 0.5
2-Fluorobiphenyl (surr.)	1	%	114	115	78	127
p-Terphenyl-d14 (surr.)	1	%	63	71	81	127
<b>Organochlorine Pesticides</b>						
Chlordanes - Total	0.1	mg/kg	-	-	-	< 0.1
4.4'-DDD	0.05	mg/kg	-	-	-	< 0.05
4.4'-DDE	0.05	mg/kg	-	-	-	< 0.05
4.4'-DDT	0.05	mg/kg	-	-	-	< 0.05
a-BHC	0.05	mg/kg	-	-	-	< 0.05
Aldrin	0.05	mg/kg	-	-	-	< 0.05
b-BHC	0.05	mg/kg	-	-	-	< 0.05
d-BHC	0.05	mg/kg	-	-	-	< 0.05
Dieldrin	0.05	mg/kg	-	-	-	0.05
Endosulfan I	0.05	mg/kg	-	-	-	< 0.05
Endosulfan II	0.05	mg/kg	-	-	-	< 0.05
Endosulfan sulphate	0.05	mg/kg	-	-	-	< 0.05
Endrin	0.05	mg/kg	-	-	-	< 0.05
Endrin aldehyde	0.05	mg/kg	-	-	-	< 0.05
Endrin ketone	0.05	mg/kg	-	-	-	< 0.05
g-BHC (Lindane)	0.05	mg/kg	-	-	-	< 0.05
Heptachlor	0.05	mg/kg	-	-	-	< 0.05
Heptachlor epoxide	0.05	mg/kg	-	-	-	< 0.05
Hexachlorobenzene	0.05	mg/kg	-	-	-	< 0.05
Methoxychlor	0.05	mg/kg	-	-	-	< 0.05
Toxaphene	1	mg/kg	-	-	-	< 1
Aldrin and Dieldrin (Total)*	0.05	mg/kg	-	-	-	0.05
DDT + DDE + DDD (Total)*	0.05	mg/kg	-	-	-	< 0.05
Vic EPA IWRG 621 OCP (Total)*	0.1	mg/kg	-	-	-	< 0.1
Vic EPA IWRG 621 Other OCP (Total)*	0.1	mg/kg	-	-	-	< 0.1
Dibutylchloroendate (surr.)	1	%	-	-	-	82
Tetrachloro-m-xylene (surr.)	1	%	-	-	-	80

Client Sample ID			TP16_0.1	TP16_0.8	TP17_0.5	TP18_0.1
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins   mgt Sample No.			S18-No24233	S18-No24234	S18-No24236	S18-No24237
Date Sampled			Nov 17, 2018	Nov 17, 2018	Nov 17, 2018	Nov 17, 2018
Test/Reference	LOR	Unit				
<b>Organophosphorus Pesticides</b>						
Azinphos-methyl	0.2	mg/kg	-	-	-	< 0.2
Bolstar	0.2	mg/kg	-	-	-	< 0.2
Chlorfenvinphos	0.2	mg/kg	-	-	-	< 0.2
Chlorpyrifos	0.2	mg/kg	-	-	-	< 0.2
Chlorpyrifos-methyl	0.2	mg/kg	-	-	-	< 0.2
Coumaphos	2	mg/kg	-	-	-	< 2
Demeton-S	0.2	mg/kg	-	-	-	< 0.2
Demeton-O	0.2	mg/kg	-	-	-	< 0.2
Diazinon	0.2	mg/kg	-	-	-	< 0.2
Dichlorvos	0.2	mg/kg	-	-	-	< 0.2
Dimethoate	0.2	mg/kg	-	-	-	< 0.2
Disulfoton	0.2	mg/kg	-	-	-	< 0.2
EPN	0.2	mg/kg	-	-	-	< 0.2
Ethion	0.2	mg/kg	-	-	-	< 0.2
Ethoprop	0.2	mg/kg	-	-	-	< 0.2
Ethyl parathion	0.2	mg/kg	-	-	-	< 0.2
Fenitrothion	0.2	mg/kg	-	-	-	< 0.2
Fensulfothion	0.2	mg/kg	-	-	-	< 0.2
Fenthion	0.2	mg/kg	-	-	-	< 0.2
Malathion	0.2	mg/kg	-	-	-	< 0.2
Merphos	0.2	mg/kg	-	-	-	< 0.2
Methyl parathion	0.2	mg/kg	-	-	-	< 0.2
Mevinphos	0.2	mg/kg	-	-	-	< 0.2
Monocrotophos	2	mg/kg	-	-	-	< 2
Naled	0.2	mg/kg	-	-	-	< 0.2
Omethoate	2	mg/kg	-	-	-	< 2
Phorate	0.2	mg/kg	-	-	-	< 0.2
Pirimiphos-methyl	0.2	mg/kg	-	-	-	< 0.2
Pyrazophos	0.2	mg/kg	-	-	-	< 0.2
Ronnel	0.2	mg/kg	-	-	-	< 0.2
Terbufos	0.2	mg/kg	-	-	-	< 0.2
Tetrachlorvinphos	0.2	mg/kg	-	-	-	< 0.2
Tokuthion	0.2	mg/kg	-	-	-	< 0.2
Trichloronate	0.2	mg/kg	-	-	-	< 0.2
Triphenylphosphate (surr.)	1	%	-	-	-	124
<b>Polychlorinated Biphenyls</b>						
Aroclor-1016	0.1	mg/kg	-	-	-	< 0.1
Aroclor-1221	0.1	mg/kg	-	-	-	< 0.1
Aroclor-1232	0.1	mg/kg	-	-	-	< 0.1
Aroclor-1242	0.1	mg/kg	-	-	-	< 0.1
Aroclor-1248	0.1	mg/kg	-	-	-	< 0.1
Aroclor-1254	0.1	mg/kg	-	-	-	< 0.1
Aroclor-1260	0.1	mg/kg	-	-	-	< 0.1
Total PCB*	0.1	mg/kg	-	-	-	< 0.1
Dibutylchlorendate (surr.)	1	%	-	-	-	82
Tetrachloro-m-xylene (surr.)	1	%	-	-	-	80



<b>Client Sample ID</b>			<b>TP16_0.1</b>	<b>TP16_0.8</b>	<b>TP17_0.5</b>	<b>TP18_0.1</b>
<b>Sample Matrix</b>			<b>Soil</b>	<b>Soil</b>	<b>Soil</b>	<b>Soil</b>
<b>Eurofins   mgt Sample No.</b>			<b>S18-No24233</b>	<b>S18-No24234</b>	<b>S18-No24236</b>	<b>S18-No24237</b>
<b>Date Sampled</b>			<b>Nov 17, 2018</b>	<b>Nov 17, 2018</b>	<b>Nov 17, 2018</b>	<b>Nov 17, 2018</b>
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Arsenic	2	mg/kg	< 2	< 2	< 2	< 2
Cadmium	0.4	mg/kg	< 0.4	< 0.4	< 0.4	< 0.4
Chromium	5	mg/kg	< 5	< 5	< 5	< 5
Copper	5	mg/kg	< 5	< 5	< 5	11
Lead	5	mg/kg	17	5.1	< 5	56
Mercury	0.1	mg/kg	< 0.1	< 0.1	< 0.1	< 0.1
Nickel	5	mg/kg	< 5	< 5	< 5	< 5
Zinc	5	mg/kg	18	8.3	< 5	130
% Moisture	1	%	1.6	2.7	< 1	1.4

<b>Client Sample ID</b>			<b>TP18_0.4</b>	<b>TP20_0.1</b>	<b>QA300</b>	<b>KYE_TB</b>
<b>Sample Matrix</b>			<b>Soil</b>	<b>Soil</b>	<b>Soil</b>	<b>Soil</b>
<b>Eurofins   mgt Sample No.</b>			<b>S18-No24238</b>	<b>S18-No24239</b>	<b>S18-No24240</b>	<b>S18-No24242</b>
<b>Date Sampled</b>			<b>Nov 17, 2018</b>	<b>Nov 17, 2018</b>	<b>Nov 17, 2018</b>	<b>Nov 17, 2018</b>
Test/Reference	LOR	Unit				
<b>Total Recoverable Hydrocarbons - 1999 NEPM Fractions</b>						
TRH C6-C9	20	mg/kg	< 20	< 20	< 20	-
TRH C10-C14	20	mg/kg	< 20	< 20	< 20	-
TRH C15-C28	50	mg/kg	< 50	< 50	< 50	-
TRH C29-C36	50	mg/kg	< 50	< 50	< 50	-
TRH C10-36 (Total)	50	mg/kg	< 50	< 50	< 50	-
<b>BTEX</b>						
Benzene	0.1	mg/kg	-	< 0.1	< 0.1	< 0.1
Toluene	0.1	mg/kg	-	< 0.1	< 0.1	< 0.1
Ethylbenzene	0.1	mg/kg	-	< 0.1	< 0.1	< 0.1
m&p-Xylenes	0.2	mg/kg	-	< 0.2	< 0.2	< 0.2
o-Xylene	0.1	mg/kg	-	< 0.1	< 0.1	< 0.1
Xylenes - Total	0.3	mg/kg	-	< 0.3	< 0.3	< 0.3
4-Bromofluorobenzene (surr.)	1	%	-	71	70	106
<b>Volatile Organics</b>						
1.1-Dichloroethane	0.5	mg/kg	< 0.5	-	-	-
1.1-Dichloroethene	0.5	mg/kg	< 0.5	-	-	-
1.1.1-Trichloroethane	0.5	mg/kg	< 0.5	-	-	-
1.1.1.2-Tetrachloroethane	0.5	mg/kg	< 0.5	-	-	-
1.1.2-Trichloroethane	0.5	mg/kg	< 0.5	-	-	-
1.1.2.2-Tetrachloroethane	0.5	mg/kg	< 0.5	-	-	-
1.2-Dibromoethane	0.5	mg/kg	< 0.5	-	-	-
1.2-Dichlorobenzene	0.5	mg/kg	< 0.5	-	-	-
1.2-Dichloroethane	0.5	mg/kg	< 0.5	-	-	-
1.2-Dichloropropane	0.5	mg/kg	< 0.5	-	-	-
1.2.3-Trichloropropane	0.5	mg/kg	< 0.5	-	-	-
1.2.4-Trimethylbenzene	0.5	mg/kg	< 0.5	-	-	-
1.3-Dichlorobenzene	0.5	mg/kg	< 0.5	-	-	-
1.3-Dichloropropane	0.5	mg/kg	< 0.5	-	-	-
1.3.5-Trimethylbenzene	0.5	mg/kg	< 0.5	-	-	-
1.4-Dichlorobenzene	0.5	mg/kg	< 0.5	-	-	-
2-Butanone (MEK)	0.5	mg/kg	< 0.5	-	-	-

Client Sample ID			TP18_0.4	TP20_0.1	QA300	KYE_TB
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins   mgt Sample No.			S18-No24238	S18-No24239	S18-No24240	S18-No24242
Date Sampled			Nov 17, 2018	Nov 17, 2018	Nov 17, 2018	Nov 17, 2018
Test/Reference	LOR	Unit				
<b>Volatile Organics</b>						
2-Propanone (Acetone)	0.5	mg/kg	< 0.5	-	-	-
4-Chlorotoluene	0.5	mg/kg	< 0.5	-	-	-
4-Methyl-2-pentanone (MIBK)	0.5	mg/kg	< 0.5	-	-	-
Allyl chloride	0.5	mg/kg	< 0.5	-	-	-
Benzene	0.1	mg/kg	< 0.1	-	-	-
Bromobenzene	0.5	mg/kg	< 0.5	-	-	-
Bromochloromethane	0.5	mg/kg	< 0.5	-	-	-
Bromodichloromethane	0.5	mg/kg	< 0.5	-	-	-
Bromoform	0.5	mg/kg	< 0.5	-	-	-
Bromomethane	0.5	mg/kg	< 0.5	-	-	-
Carbon disulfide	0.5	mg/kg	< 0.5	-	-	-
Carbon Tetrachloride	0.5	mg/kg	< 0.5	-	-	-
Chlorobenzene	0.5	mg/kg	< 0.5	-	-	-
Chloroethane	0.5	mg/kg	< 0.5	-	-	-
Chloroform	0.5	mg/kg	< 0.5	-	-	-
Chloromethane	0.5	mg/kg	< 0.5	-	-	-
cis-1.2-Dichloroethene	0.5	mg/kg	< 0.5	-	-	-
cis-1.3-Dichloropropene	0.5	mg/kg	< 0.5	-	-	-
Dibromochloromethane	0.5	mg/kg	< 0.5	-	-	-
Dibromomethane	0.5	mg/kg	< 0.5	-	-	-
Dichlorodifluoromethane	0.5	mg/kg	< 0.5	-	-	-
Ethylbenzene	0.1	mg/kg	< 0.1	-	-	-
Iodomethane	0.5	mg/kg	< 0.5	-	-	-
Isopropyl benzene (Cumene)	0.5	mg/kg	< 0.5	-	-	-
m&p-Xylenes	0.2	mg/kg	< 0.2	-	-	-
Methylene Chloride	0.5	mg/kg	< 0.5	-	-	-
o-Xylene	0.1	mg/kg	< 0.1	-	-	-
Styrene	0.5	mg/kg	< 0.5	-	-	-
Tetrachloroethene	0.5	mg/kg	< 0.5	-	-	-
Toluene	0.1	mg/kg	< 0.1	-	-	-
trans-1.2-Dichloroethene	0.5	mg/kg	< 0.5	-	-	-
trans-1.3-Dichloropropene	0.5	mg/kg	< 0.5	-	-	-
Trichloroethene	0.5	mg/kg	< 0.5	-	-	-
Trichlorofluoromethane	0.5	mg/kg	< 0.5	-	-	-
Vinyl chloride	0.5	mg/kg	< 0.5	-	-	-
Xylenes - Total	0.3	mg/kg	< 0.3	-	-	-
Total MAH*	0.5	mg/kg	< 0.5	-	-	-
Vic EPA IWRG 621 CHC (Total)*	0.5	mg/kg	< 0.5	-	-	-
Vic EPA IWRG 621 Other CHC (Total)*	0.5	mg/kg	< 0.5	-	-	-
4-Bromofluorobenzene (surr.)	1	%	132	-	-	-
Toluene-d8 (surr.)	1	%	117	-	-	-
<b>Total Recoverable Hydrocarbons - 2013 NEPM Fractions</b>						
Naphthalene <sup>N02</sup>	0.5	mg/kg	< 0.5	< 0.5	< 0.5	-
TRH C6-C10	20	mg/kg	< 20	< 20	< 20	-
TRH C6-C10 less BTEX (F1) <sup>N04</sup>	20	mg/kg	< 20	< 20	< 20	-
TRH >C10-C16	50	mg/kg	< 50	< 50	< 50	-
TRH >C10-C16 less Naphthalene (F2) <sup>N01</sup>	50	mg/kg	< 50	< 50	< 50	-
TRH >C16-C34	100	mg/kg	< 100	< 100	< 100	-
TRH >C34-C40	100	mg/kg	< 100	< 100	< 100	-
TRH >C10-C40 (total)*	100	mg/kg	< 100	< 100	< 100	-

Client Sample ID			TP18_0.4	TP20_0.1	QA300	KYE_TB
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins   mgt Sample No.			S18-No24238	S18-No24239	S18-No24240	S18-No24242
Date Sampled			Nov 17, 2018	Nov 17, 2018	Nov 17, 2018	Nov 17, 2018
Test/Reference	LOR	Unit				
<b>Polycyclic Aromatic Hydrocarbons</b>						
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5	< 0.5	-
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6	0.6	-
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2	1.2	-
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	-
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	-
Anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	-
Benzo(a)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	-
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	-
Benzo(b&j)fluoranthene <sup>N07</sup>	0.5	mg/kg	< 0.5	< 0.5	< 0.5	-
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	-
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	-
Chrysene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	-
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	-
Fluoranthene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	-
Fluorene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	-
Indeno(1.2.3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	-
Naphthalene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	-
Phenanthrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	-
Pyrene	0.5	mg/kg	< 0.5	< 0.5	< 0.5	-
Total PAH*	0.5	mg/kg	< 0.5	< 0.5	< 0.5	-
2-Fluorobiphenyl (surr.)	1	%	140	120	108	-
p-Terphenyl-d14 (surr.)	1	%	90	132	69	-
<b>Organochlorine Pesticides</b>						
Chlordanes - Total	0.1	mg/kg	-	< 0.1	-	-
4.4'-DDD	0.05	mg/kg	-	< 0.05	-	-
4.4'-DDE	0.05	mg/kg	-	< 0.05	-	-
4.4'-DDT	0.05	mg/kg	-	< 0.05	-	-
a-BHC	0.05	mg/kg	-	< 0.05	-	-
Aldrin	0.05	mg/kg	-	< 0.05	-	-
b-BHC	0.05	mg/kg	-	< 0.05	-	-
d-BHC	0.05	mg/kg	-	< 0.05	-	-
Dieldrin	0.05	mg/kg	-	< 0.05	-	-
Endosulfan I	0.05	mg/kg	-	< 0.05	-	-
Endosulfan II	0.05	mg/kg	-	< 0.05	-	-
Endosulfan sulphate	0.05	mg/kg	-	< 0.05	-	-
Endrin	0.05	mg/kg	-	< 0.05	-	-
Endrin aldehyde	0.05	mg/kg	-	< 0.05	-	-
Endrin ketone	0.05	mg/kg	-	< 0.05	-	-
g-BHC (Lindane)	0.05	mg/kg	-	< 0.05	-	-
Heptachlor	0.05	mg/kg	-	< 0.05	-	-
Heptachlor epoxide	0.05	mg/kg	-	< 0.05	-	-
Hexachlorobenzene	0.05	mg/kg	-	< 0.05	-	-
Methoxychlor	0.05	mg/kg	-	< 0.05	-	-
Toxaphene	1	mg/kg	-	< 1	-	-
Aldrin and Dieldrin (Total)*	0.05	mg/kg	-	< 0.05	-	-
DDT + DDE + DDD (Total)*	0.05	mg/kg	-	< 0.05	-	-
Vic EPA IWRG 621 OCP (Total)*	0.1	mg/kg	-	< 0.1	-	-
Vic EPA IWRG 621 Other OCP (Total)*	0.1	mg/kg	-	< 0.1	-	-
Dibutylchloroendate (surr.)	1	%	-	90	-	-
Tetrachloro-m-xylene (surr.)	1	%	-	85	-	-

Client Sample ID			TP18_0.4	TP20_0.1	QA300	KYE_TB
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins   mgt Sample No.			S18-No24238	S18-No24239	S18-No24240	S18-No24242
Date Sampled			Nov 17, 2018	Nov 17, 2018	Nov 17, 2018	Nov 17, 2018
Test/Reference	LOR	Unit				
<b>Organophosphorus Pesticides</b>						
Azinphos-methyl	0.2	mg/kg	-	< 0.2	-	-
Bolstar	0.2	mg/kg	-	< 0.2	-	-
Chlorfenvinphos	0.2	mg/kg	-	< 0.2	-	-
Chlorpyrifos	0.2	mg/kg	-	< 0.2	-	-
Chlorpyrifos-methyl	0.2	mg/kg	-	< 0.2	-	-
Coumaphos	2	mg/kg	-	< 2	-	-
Demeton-S	0.2	mg/kg	-	< 0.2	-	-
Demeton-O	0.2	mg/kg	-	< 0.2	-	-
Diazinon	0.2	mg/kg	-	< 0.2	-	-
Dichlorvos	0.2	mg/kg	-	< 0.2	-	-
Dimethoate	0.2	mg/kg	-	< 0.2	-	-
Disulfoton	0.2	mg/kg	-	< 0.2	-	-
EPN	0.2	mg/kg	-	< 0.2	-	-
Ethion	0.2	mg/kg	-	< 0.2	-	-
Ethoprop	0.2	mg/kg	-	< 0.2	-	-
Ethyl parathion	0.2	mg/kg	-	< 0.2	-	-
Fenitrothion	0.2	mg/kg	-	< 0.2	-	-
Fensulfothion	0.2	mg/kg	-	< 0.2	-	-
Fenthion	0.2	mg/kg	-	< 0.2	-	-
Malathion	0.2	mg/kg	-	< 0.2	-	-
Merphos	0.2	mg/kg	-	< 0.2	-	-
Methyl parathion	0.2	mg/kg	-	< 0.2	-	-
Mevinphos	0.2	mg/kg	-	< 0.2	-	-
Monocrotophos	2	mg/kg	-	< 2	-	-
Naled	0.2	mg/kg	-	< 0.2	-	-
Omethoate	2	mg/kg	-	< 2	-	-
Phorate	0.2	mg/kg	-	< 0.2	-	-
Pirimiphos-methyl	0.2	mg/kg	-	< 0.2	-	-
Pyrazophos	0.2	mg/kg	-	< 0.2	-	-
Ronnel	0.2	mg/kg	-	< 0.2	-	-
Terbufos	0.2	mg/kg	-	< 0.2	-	-
Tetrachlorvinphos	0.2	mg/kg	-	< 0.2	-	-
Tokuthion	0.2	mg/kg	-	< 0.2	-	-
Trichloronate	0.2	mg/kg	-	< 0.2	-	-
Triphenylphosphate (surr.)	1	%	-	110	-	-
<b>Polychlorinated Biphenyls</b>						
Aroclor-1016	0.1	mg/kg	-	< 0.1	-	-
Aroclor-1221	0.1	mg/kg	-	< 0.1	-	-
Aroclor-1232	0.1	mg/kg	-	< 0.1	-	-
Aroclor-1242	0.1	mg/kg	-	< 0.1	-	-
Aroclor-1248	0.1	mg/kg	-	< 0.1	-	-
Aroclor-1254	0.1	mg/kg	-	< 0.1	-	-
Aroclor-1260	0.1	mg/kg	-	< 0.1	-	-
Total PCB*	0.1	mg/kg	-	< 0.1	-	-
Dibutylchlorendate (surr.)	1	%	-	90	-	-
Tetrachloro-m-xylene (surr.)	1	%	-	85	-	-

<b>Client Sample ID</b>			<b>TP18_0.4</b>	<b>TP20_0.1</b>	<b>QA300</b>	<b>KYE_TB</b>
<b>Sample Matrix</b>			<b>Soil</b>	<b>Soil</b>	<b>Soil</b>	<b>Soil</b>
<b>Eurofins   mgt Sample No.</b>			<b>S18-No24238</b>	<b>S18-No24239</b>	<b>S18-No24240</b>	<b>S18-No24242</b>
<b>Date Sampled</b>			<b>Nov 17, 2018</b>	<b>Nov 17, 2018</b>	<b>Nov 17, 2018</b>	<b>Nov 17, 2018</b>
Test/Reference	LOR	Unit				
<b>Heavy Metals</b>						
Arsenic	2	mg/kg	< 2	< 2	< 2	-
Cadmium	0.4	mg/kg	< 0.4	< 0.4	< 0.4	-
Chromium	5	mg/kg	< 5	5.3	< 5	-
Copper	5	mg/kg	< 5	12	5.2	-
Lead	5	mg/kg	< 5	42	19	-
Mercury	0.1	mg/kg	< 0.1	< 0.1	< 0.1	-
Nickel	5	mg/kg	< 5	< 5	< 5	-
Zinc	5	mg/kg	< 5	66	20	-
% Moisture	1	%	3.4	3.1	1.6	-

<b>Client Sample ID</b>			<b>R20 KYE_TS</b>	<b>BH02_0.5</b>	<b>BH2_1.0</b>	<b>BH03_0.5</b>
<b>Sample Matrix</b>			<b>Soil</b>	<b>Soil</b>	<b>Soil</b>	<b>Soil</b>
<b>Eurofins   mgt Sample No.</b>			<b>S18-No24243</b>	<b>S18-No24245</b>	<b>S18-No24246</b>	<b>S18-No24247</b>
<b>Date Sampled</b>			<b>Nov 17, 2018</b>	<b>Nov 17, 2018</b>	<b>Nov 17, 2018</b>	<b>Nov 17, 2018</b>
Test/Reference	LOR	Unit				
<b>Total Recoverable Hydrocarbons - 1999 NEPM Fractions</b>						
TRH C6-C9	20	mg/kg	-	< 20	< 20	< 20
TRH C10-C14	20	mg/kg	-	< 20	< 20	< 20
TRH C15-C28	50	mg/kg	-	< 50	< 50	< 50
TRH C29-C36	50	mg/kg	-	< 50	< 50	< 50
TRH C10-36 (Total)	50	mg/kg	-	< 50	< 50	< 50
<b>BTEX</b>						
Benzene	0.1	mg/kg	83	< 0.1	-	< 0.1
Toluene	0.1	mg/kg	82	< 0.1	-	< 0.1
Ethylbenzene	0.1	mg/kg	82	< 0.1	-	< 0.1
m&p-Xylenes	0.2	mg/kg	83	< 0.2	-	< 0.2
o-Xylene	0.1	mg/kg	84	< 0.1	-	< 0.1
Xylenes - Total	0.3	mg/kg	84	< 0.3	-	< 0.3
4-Bromofluorobenzene (surr.)	1	%	101	64	-	66
<b>Volatile Organics</b>						
1.1-Dichloroethane	0.5	mg/kg	-	-	< 0.5	-
1.1-Dichloroethene	0.5	mg/kg	-	-	< 0.5	-
1.1.1-Trichloroethane	0.5	mg/kg	-	-	< 0.5	-
1.1.1.2-Tetrachloroethane	0.5	mg/kg	-	-	< 0.5	-
1.1.2-Trichloroethane	0.5	mg/kg	-	-	< 0.5	-
1.1.2.2-Tetrachloroethane	0.5	mg/kg	-	-	< 0.5	-
1.2-Dibromoethane	0.5	mg/kg	-	-	< 0.5	-
1.2-Dichlorobenzene	0.5	mg/kg	-	-	< 0.5	-
1.2-Dichloroethane	0.5	mg/kg	-	-	< 0.5	-
1.2-Dichloropropane	0.5	mg/kg	-	-	< 0.5	-
1.2.3-Trichloropropane	0.5	mg/kg	-	-	< 0.5	-
1.2.4-Trimethylbenzene	0.5	mg/kg	-	-	< 0.5	-
1.3-Dichlorobenzene	0.5	mg/kg	-	-	< 0.5	-
1.3-Dichloropropane	0.5	mg/kg	-	-	< 0.5	-
1.3.5-Trimethylbenzene	0.5	mg/kg	-	-	< 0.5	-
1.4-Dichlorobenzene	0.5	mg/kg	-	-	< 0.5	-
2-Butanone (MEK)	0.5	mg/kg	-	-	< 0.5	-



Client Sample ID			R20 KYE_TS	BH02_0.5	BH2_1.0	BH03_0.5
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins   mgt Sample No.			S18-No24243	S18-No24245	S18-No24246	S18-No24247
Date Sampled			Nov 17, 2018	Nov 17, 2018	Nov 17, 2018	Nov 17, 2018
Test/Reference	LOR	Unit				
<b>Volatile Organics</b>						
2-Propanone (Acetone)	0.5	mg/kg	-	-	< 0.5	-
4-Chlorotoluene	0.5	mg/kg	-	-	< 0.5	-
4-Methyl-2-pentanone (MIBK)	0.5	mg/kg	-	-	< 0.5	-
Allyl chloride	0.5	mg/kg	-	-	< 0.5	-
Benzene	0.1	mg/kg	-	-	< 0.1	-
Bromobenzene	0.5	mg/kg	-	-	< 0.5	-
Bromochloromethane	0.5	mg/kg	-	-	< 0.5	-
Bromodichloromethane	0.5	mg/kg	-	-	< 0.5	-
Bromoform	0.5	mg/kg	-	-	< 0.5	-
Bromomethane	0.5	mg/kg	-	-	< 0.5	-
Carbon disulfide	0.5	mg/kg	-	-	< 0.5	-
Carbon Tetrachloride	0.5	mg/kg	-	-	< 0.5	-
Chlorobenzene	0.5	mg/kg	-	-	< 0.5	-
Chloroethane	0.5	mg/kg	-	-	< 0.5	-
Chloroform	0.5	mg/kg	-	-	< 0.5	-
Chloromethane	0.5	mg/kg	-	-	< 0.5	-
cis-1.2-Dichloroethene	0.5	mg/kg	-	-	< 0.5	-
cis-1.3-Dichloropropene	0.5	mg/kg	-	-	< 0.5	-
Dibromochloromethane	0.5	mg/kg	-	-	< 0.5	-
Dibromomethane	0.5	mg/kg	-	-	< 0.5	-
Dichlorodifluoromethane	0.5	mg/kg	-	-	< 0.5	-
Ethylbenzene	0.1	mg/kg	-	-	< 0.1	-
Iodomethane	0.5	mg/kg	-	-	< 0.5	-
Isopropyl benzene (Cumene)	0.5	mg/kg	-	-	< 0.5	-
m&p-Xylenes	0.2	mg/kg	-	-	< 0.2	-
Methylene Chloride	0.5	mg/kg	-	-	< 0.5	-
o-Xylene	0.1	mg/kg	-	-	< 0.1	-
Styrene	0.5	mg/kg	-	-	< 0.5	-
Tetrachloroethene	0.5	mg/kg	-	-	< 0.5	-
Toluene	0.1	mg/kg	-	-	< 0.1	-
trans-1.2-Dichloroethene	0.5	mg/kg	-	-	< 0.5	-
trans-1.3-Dichloropropene	0.5	mg/kg	-	-	< 0.5	-
Trichloroethene	0.5	mg/kg	-	-	< 0.5	-
Trichlorofluoromethane	0.5	mg/kg	-	-	< 0.5	-
Vinyl chloride	0.5	mg/kg	-	-	< 0.5	-
Xylenes - Total	0.3	mg/kg	-	-	< 0.3	-
Total MAH*	0.5	mg/kg	-	-	< 0.5	-
Vic EPA IWRG 621 CHC (Total)*	0.5	mg/kg	-	-	< 0.5	-
Vic EPA IWRG 621 Other CHC (Total)*	0.5	mg/kg	-	-	< 0.5	-
4-Bromofluorobenzene (surr.)	1	%	-	-	130	-
Toluene-d8 (surr.)	1	%	-	-	109	-
<b>Total Recoverable Hydrocarbons - 2013 NEPM Fractions</b>						
Naphthalene <sup>N02</sup>	0.5	mg/kg	-	< 0.5	< 0.5	< 0.5
TRH C6-C10	20	mg/kg	-	< 20	< 20	< 20
TRH C6-C10 less BTEX (F1) <sup>N04</sup>	20	mg/kg	-	< 20	< 20	< 20
TRH >C10-C16	50	mg/kg	-	< 50	< 50	< 50
TRH >C10-C16 less Naphthalene (F2) <sup>N01</sup>	50	mg/kg	-	< 50	< 50	< 50
TRH >C16-C34	100	mg/kg	-	< 100	< 100	< 100
TRH >C34-C40	100	mg/kg	-	< 100	< 100	< 100
TRH >C10-C40 (total)*	100	mg/kg	-	< 100	< 100	< 100

Client Sample ID			R20 KYE_TS	BH02_0.5	BH2_1.0	BH03_0.5
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins   mgt Sample No.			S18-No24243	S18-No24245	S18-No24246	S18-No24247
Date Sampled			Nov 17, 2018	Nov 17, 2018	Nov 17, 2018	Nov 17, 2018
Test/Reference	LOR	Unit				
<b>Polycyclic Aromatic Hydrocarbons</b>						
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	-	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	-	0.6	0.6	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	-	1.2	1.2	1.2
Acenaphthene	0.5	mg/kg	-	< 0.5	< 0.5	< 0.5
Acenaphthylene	0.5	mg/kg	-	< 0.5	< 0.5	< 0.5
Anthracene	0.5	mg/kg	-	< 0.5	< 0.5	< 0.5
Benz(a)anthracene	0.5	mg/kg	-	< 0.5	< 0.5	< 0.5
Benzo(a)pyrene	0.5	mg/kg	-	< 0.5	< 0.5	< 0.5
Benzo(b&j)fluoranthene <sup>N07</sup>	0.5	mg/kg	-	< 0.5	< 0.5	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	-	< 0.5	< 0.5	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	-	< 0.5	< 0.5	< 0.5
Chrysene	0.5	mg/kg	-	< 0.5	< 0.5	< 0.5
Dibenz(a,h)anthracene	0.5	mg/kg	-	< 0.5	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	-	< 0.5	< 0.5	< 0.5
Fluorene	0.5	mg/kg	-	< 0.5	< 0.5	< 0.5
Indeno(1,2,3-cd)pyrene	0.5	mg/kg	-	< 0.5	< 0.5	< 0.5
Naphthalene	0.5	mg/kg	-	< 0.5	< 0.5	< 0.5
Phenanthrene	0.5	mg/kg	-	< 0.5	< 0.5	< 0.5
Pyrene	0.5	mg/kg	-	< 0.5	< 0.5	< 0.5
Total PAH*	0.5	mg/kg	-	< 0.5	< 0.5	< 0.5
2-Fluorobiphenyl (surr.)	1	%	-	98	105	124
p-Terphenyl-d14 (surr.)	1	%	-	79	82	96
<b>Heavy Metals</b>						
Arsenic	2	mg/kg	-	< 2	< 2	< 2
Cadmium	0.4	mg/kg	-	< 0.4	< 0.4	< 0.4
Chromium	5	mg/kg	-	< 5	< 5	< 5
Copper	5	mg/kg	-	< 5	5.6	< 5
Lead	5	mg/kg	-	9.8	12	7.0
Mercury	0.1	mg/kg	-	< 0.1	< 0.1	< 0.1
Nickel	5	mg/kg	-	< 5	< 5	< 5
Zinc	5	mg/kg	-	17	24	6.8
% Moisture	1	%	-	18	9.6	2.0

Client Sample ID			BH02_2.0-2.45	BH02_4.0-4.45	BH02_5.5-5.95	BH02_7.0-7.45
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins   mgt Sample No.			S18-No24248	S18-No24249	S18-No24250	S18-No24251
Date Sampled			Nov 17, 2018	Nov 17, 2018	Nov 17, 2018	Nov 17, 2018
Test/Reference	LOR	Unit				
<b>Acid Sulfate Soils Field pH Test</b>						
pH-F (Field pH test)*	0.1	pH Units	7.8	6.8	9.6	8.8
pH-FOX (Field pH Peroxide test)*	0.1	pH Units	6.1	5.2	7.5	6.2
Reaction Ratings* <sup>S05</sup>		comment	1.0	1.0	1.0	4.0

<b>Client Sample ID</b>			<b>BH02_8.5-8.95</b>	<b>BH02_10.0-10.45</b>	<b>BH02_11.5-11.95</b>	<b>BH02_13.0-13.45</b>
<b>Sample Matrix</b>			<b>Soil</b>	<b>Soil</b>	<b>Soil</b>	<b>Soil</b>
<b>Eurofins   mgt Sample No.</b>			<b>S18-No24252</b>	<b>S18-No24253</b>	<b>S18-No24254</b>	<b>S18-No24255</b>
<b>Date Sampled</b>			<b>Nov 17, 2018</b>	<b>Nov 17, 2018</b>	<b>Nov 17, 2018</b>	<b>Nov 17, 2018</b>
Test/Reference	LOR	Unit				
<b>Acid Sulfate Soils Field pH Test</b>						
pH-F (Field pH test)*	0.1	pH Units	8.6	9.1	9.0	8.2
pH-FOX (Field pH Peroxide test)*	0.1	pH Units	5.9	5.1	4.5	7.9
Reaction Ratings* <sup>S05</sup>		comment	4.0	4.0	4.0	4.0

<b>Client Sample ID</b>			<b>BH02_14.5-14.95</b>	<b>BH02_16.0-16.45</b>	<b>BH02_17.5-17.95</b>	<b>BH03_1.0-1.1</b>
<b>Sample Matrix</b>			<b>Soil</b>	<b>Soil</b>	<b>Soil</b>	<b>Soil</b>
<b>Eurofins   mgt Sample No.</b>			<b>S18-No24256</b>	<b>S18-No24257</b>	<b>S18-No24258</b>	<b>S18-No24259</b>
<b>Date Sampled</b>			<b>Nov 17, 2018</b>	<b>Nov 17, 2018</b>	<b>Nov 17, 2018</b>	<b>Nov 17, 2018</b>
Test/Reference	LOR	Unit				
<b>Acid Sulfate Soils Field pH Test</b>						
pH-F (Field pH test)*	0.1	pH Units	8.8	6.9	6.2	6.4
pH-FOX (Field pH Peroxide test)*	0.1	pH Units	6.7	6.4	5.6	5.0
Reaction Ratings* <sup>S05</sup>		comment	1.0	4.0	4.0	1.0

<b>Client Sample ID</b>			<b>BH03_2.5-2.95</b>	<b>BH03_4.0-4.45</b>	<b>BH03_5.5-5.95</b>	<b>BH03_7.0-7.45</b>
<b>Sample Matrix</b>			<b>Soil</b>	<b>Soil</b>	<b>Soil</b>	<b>Soil</b>
<b>Eurofins   mgt Sample No.</b>			<b>S18-No24260</b>	<b>S18-No24261</b>	<b>S18-No24262</b>	<b>S18-No24263</b>
<b>Date Sampled</b>			<b>Nov 17, 2018</b>	<b>Nov 17, 2018</b>	<b>Nov 17, 2018</b>	<b>Nov 17, 2018</b>
Test/Reference	LOR	Unit				
<b>Acid Sulfate Soils Field pH Test</b>						
pH-F (Field pH test)*	0.1	pH Units	6.8	9.3	9.4	9.0
pH-FOX (Field pH Peroxide test)*	0.1	pH Units	5.0	7.4	7.5	7.0
Reaction Ratings* <sup>S05</sup>		comment	2.0	1.0	1.0	2.0

<b>Client Sample ID</b>			<b>BH03_8.5-8.95</b>	<b>BH03_10.0-10.45</b>	<b>BH03_11.5-11.95</b>	<b>BH03_13.0-13.45</b>
<b>Sample Matrix</b>			<b>Soil</b>	<b>Soil</b>	<b>Soil</b>	<b>Soil</b>
<b>Eurofins   mgt Sample No.</b>			<b>S18-No24264</b>	<b>S18-No24265</b>	<b>S18-No24266</b>	<b>S18-No24267</b>
<b>Date Sampled</b>			<b>Nov 17, 2018</b>	<b>Nov 17, 2018</b>	<b>Nov 17, 2018</b>	<b>Nov 17, 2018</b>
Test/Reference	LOR	Unit				
<b>Acid Sulfate Soils Field pH Test</b>						
pH-F (Field pH test)*	0.1	pH Units	9.1	8.9	8.1	8.3
pH-FOX (Field pH Peroxide test)*	0.1	pH Units	6.2	2.3	4.4	6.1
Reaction Ratings* <sup>S05</sup>		comment	4.0	4.0	2.0	2.0

## Sample History

Where samples are submitted/analysed over several days, the last date of extraction and analysis is reported.  
A recent review of our LIMS has resulted in the correction or clarification of some method identifications. Due to this, some of the method reference information on reports has changed. However, no substantive change has been made to our laboratory methods, and as such there is no change in the validity of current or previous results (regarding both quality and NATA accreditation).

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

Description	Testing Site	Extracted	Holding Time
<b>Eurofins   mgt Suite B8</b>			
Total Recoverable Hydrocarbons - 1999 NEPM Fractions	Melbourne	Nov 23, 2018	14 Day
- Method: LTM-ORG-2010 TRH C6-C40			
Volatile Organics	Melbourne	Nov 23, 2018	7 Days
- Method: LTM-ORG-2150 VOCs in Soils Liquid and other Aqueous Matrices			
Total Recoverable Hydrocarbons - 2013 NEPM Fractions	Melbourne	Nov 23, 2018	14 Day
- Method: LTM-ORG-2010 TRH C6-C40			
Total Recoverable Hydrocarbons - 2013 NEPM Fractions	Melbourne	Nov 23, 2018	14 Day
- Method: LTM-ORG-2010 TRH C6-C40			
Polycyclic Aromatic Hydrocarbons	Melbourne	Nov 23, 2018	14 Day
- Method: LTM-ORG-2130 PAH and Phenols in Soil and Water			
Metals M8	Melbourne	Nov 23, 2018	28 Days
- Method: LTM-MET-3040 Metals in Waters, Soils & Sediments by ICP-MS			
<b>Eurofins   mgt Suite B7</b>			
BTEX	Melbourne	Nov 23, 2018	14 Day
- Method: LTM-ORG-2150 VOCs in Soils Liquid and other Aqueous Matrices			
<b>Eurofins   mgt Suite B15</b>			
Organochlorine Pesticides	Melbourne	Nov 23, 2018	14 Day
- Method: LTM-ORG-2220 OCP & PCB in Soil and Water			
Organophosphorus Pesticides	Melbourne	Nov 23, 2018	14 Day
- Method: LTM-ORG-2200 Organophosphorus Pesticides by GC-MS			
Polychlorinated Biphenyls	Melbourne	Nov 23, 2018	28 Days
- Method: LTM-ORG-2220 OCP & PCB in Soil and Water			
Acid Sulfate Soils Field pH Test	Brisbane	Nov 19, 2018	7 Days
- Method: LTM-GEN-7060 Determination of field pH (pHF) and field pH peroxide (pHFOX) tests			
% Moisture	Melbourne	Nov 19, 2018	14 Day
- Method: LTM-GEN-7080 Moisture			

**Company Name:** Cardno (NSW/ACT) Pty Ltd  
**Address:** Level 9, 203 Pacific Highway  
St Leonards  
NSW 2065

**Project Name:** KYEEMAGH INFANTS SCHOOL  
**Project ID:** 80818157

**Order No.:**  
**Report #:** 628416  
**Phone:** 0294967700  
**Fax:** 02 9499 3902

**Received:** Nov 19, 2018 2:52 PM  
**Due:** Nov 26, 2018  
**Priority:** 5 Day  
**Contact Name:** Ben Withnall

**Eurofins | mgt Analytical Services Manager : Nibha Vaidya**

Sample Detail						Asbestos - WA guidelines	Asbestos Absence / Presence	HOLD	HOLD	Acid Sulfate Soils Field pH Test	BTEX	Eurofins   mgt Suite B15	Volatile Organics	TRH (after Silica Gel cleanup)	Moisture Set	Total Recoverable Hydrocarbons	Eurofins   mgt Suite B7	Eurofins   mgt Suite B8
Melbourne Laboratory - NATA Site # 1254 & 14271								X				X	X	X	X	X	X	X
Sydney Laboratory - NATA Site # 18217						X	X				X					X	X	X
Brisbane Laboratory - NATA Site # 20794									X	X								
Perth Laboratory - NATA Site # 23736																		
External Laboratory																		
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID													
1	TP13_0.1	Nov 17, 2018		Soil	S18-No24227	X						X	X		X		X	
2	TP13_0.4	Nov 17, 2018		Soil	S18-No24228	X												
3	TP14_0.1	Nov 17, 2018		Soil	S18-No24229	X												
4	TP14_0.7	Nov 17, 2018		Soil	S18-No24230										X			X
5	TP15_0.1	Nov 17, 2018		Soil	S18-No24231										X		X	
6	TP15_0.6	Nov 17, 2018		Soil	S18-No24232							X			X			X
7	TP16_0.1	Nov 17, 2018		Soil	S18-No24233										X		X	
8	TP16_0.8	Nov 17, 2018		Soil	S18-No24234										X			X
9	TP17_0.1	Nov 17, 2018		Soil	S18-No24235	X												



**Company Name:** Cardno (NSW/ACT) Pty Ltd  
**Address:** Level 9, 203 Pacific Highway  
St Leonards  
NSW 2065

**Project Name:** KYEEMAGH INFANTS SCHOOL  
**Project ID:** 80818157

**Order No.:**  
**Report #:** 628416  
**Phone:** 0294967700  
**Fax:** 02 9499 3902

**Received:** Nov 19, 2018 2:52 PM  
**Due:** Nov 26, 2018  
**Priority:** 5 Day  
**Contact Name:** Ben Withnall

**Eurofins | mgt Analytical Services Manager : Nibha Vaidya**

Sample Detail						Asbestos - WA guidelines	Asbestos Absence / Presence	HOLD	HOLD	Acid Sulfate Soils Field pH Test	BTEX	Eurofins   mgt Suite B15	Volatile Organics	TRH (after Silica Gel cleanup)	Moisture Set	Total Recoverable Hydrocarbons	Eurofins   mgt Suite B7	Eurofins   mgt Suite B8
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>								X				X	X	X	X	X	X	X
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X				X					X	X	X
<b>Brisbane Laboratory - NATA Site # 20794</b>									X	X								
<b>Perth Laboratory - NATA Site # 23736</b>																		
10	TP17_0.5	Nov 17, 2018		Soil	S18-No24236										X			X
11	TP18_0.1	Nov 17, 2018		Soil	S18-No24237	X						X			X		X	
12	TP18_0.4	Nov 17, 2018		Soil	S18-No24238										X			X
13	TP20_0.1	Nov 17, 2018		Soil	S18-No24239	X						X			X		X	
14	QA300	Nov 17, 2018		Soil	S18-No24240										X		X	
15	ASB2	Nov 17, 2018		Building Materials	S18-No24241		X											
16	KYE_TB	Nov 17, 2018		Soil	S18-No24242						X							
17	KYE_TS	Nov 17, 2018		Soil	S18-No24243						X							
18	BH02_0.5	Nov 17, 2018		Soil	S18-No24245	X									X		X	
19	BH2_1.0	Nov 17, 2018		Soil	S18-No24246										X			X
20	BH03_0.5	Nov 17, 2018		Soil	S18-No24247	X									X		X	

**Company Name:** Cardno (NSW/ACT) Pty Ltd  
**Address:** Level 9, 203 Pacific Highway  
St Leonards  
NSW 2065

**Project Name:** KYEEMAGH INFANTS SCHOOL  
**Project ID:** 80818157

**Order No.:**  
**Report #:** 628416  
**Phone:** 0294967700  
**Fax:** 02 9499 3902

**Received:** Nov 19, 2018 2:52 PM  
**Due:** Nov 26, 2018  
**Priority:** 5 Day  
**Contact Name:** Ben Withnall

**Eurofins | mgt Analytical Services Manager : Nibha Vaidya**

Sample Detail						Asbestos - WA guidelines	Asbestos Absence / Presence	HOLD	HOLD	Acid Sulfate Soils Field pH Test	BTEX	Eurofins   mgt Suite B15	Volatile Organics	TRH (after Silica Gel cleanup)	Moisture Set	Total Recoverable Hydrocarbons	Eurofins   mgt Suite B7	Eurofins   mgt Suite B8
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>								X				X	X	X	X	X	X	X
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X				X					X	X	X
<b>Brisbane Laboratory - NATA Site # 20794</b>									X	X								
<b>Perth Laboratory - NATA Site # 23736</b>																		
21	BH02_2.0-2.45	Nov 17, 2018		Soil	S18-No24248					X								
22	BH02_4.0-4.45	Nov 17, 2018		Soil	S18-No24249					X								
23	BH02_5.5-5.95	Nov 17, 2018		Soil	S18-No24250					X								
24	BH02_7.0-7.45	Nov 17, 2018		Soil	S18-No24251					X								
25	BH02_8.5-8.95	Nov 17, 2018		Soil	S18-No24252					X								
26	BH02_10.0-10.45	Nov 17, 2018		Soil	S18-No24253					X								
27	BH02_11.5-11.95	Nov 17, 2018		Soil	S18-No24254					X								
28	BH02_13.0-13.45	Nov 17, 2018		Soil	S18-No24255					X								
29	BH02_14.5-14.95	Nov 17, 2018		Soil	S18-No24256					X								

**Company Name:** Cardno (NSW/ACT) Pty Ltd  
**Address:** Level 9, 203 Pacific Highway  
St Leonards  
NSW 2065

**Project Name:** KYEEMAGH INFANTS SCHOOL  
**Project ID:** 80818157

**Order No.:**  
**Report #:** 628416  
**Phone:** 0294967700  
**Fax:** 02 9499 3902

**Received:** Nov 19, 2018 2:52 PM  
**Due:** Nov 26, 2018  
**Priority:** 5 Day  
**Contact Name:** Ben Withnall

**Eurofins | mgt Analytical Services Manager : Nibha Vaidya**

Sample Detail						Asbestos - WA guidelines	Asbestos Absence / Presence	HOLD	HOLD	Acid Sulfate Soils Field pH Test	BTEX	Eurofins   mgt Suite B15	Volatile Organics	TRH (after Silica Gel cleanup)	Moisture Set	Total Recoverable Hydrocarbons	Eurofins   mgt Suite B7	Eurofins   mgt Suite B8
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>								X				X	X	X	X	X	X	X
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X				X					X	X	X
<b>Brisbane Laboratory - NATA Site # 20794</b>									X	X								
<b>Perth Laboratory - NATA Site # 23736</b>																		
30	BH02_16.0-16.45	Nov 17, 2018		Soil	S18-No24257					X								
31	BH02_17.5-17.95	Nov 17, 2018		Soil	S18-No24258					X								
32	BH03_1.0-1.1	Nov 17, 2018		Soil	S18-No24259					X								
33	BH03_2.5-2.95	Nov 17, 2018		Soil	S18-No24260					X								
34	BH03_4.0-4.45	Nov 17, 2018		Soil	S18-No24261					X								
35	BH03_5.5-5.95	Nov 17, 2018		Soil	S18-No24262					X								
36	BH03_7.0-7.45	Nov 17, 2018		Soil	S18-No24263					X								
37	BH03_8.5-8.95	Nov 17, 2018		Soil	S18-No24264					X								
38	BH03_10.0-10.45	Nov 17, 2018		Soil	S18-No24265					X								
39	BH03_11.5-	Nov 17, 2018		Soil	S18-No24266					X								

**Company Name:** Cardno (NSW/ACT) Pty Ltd  
**Address:** Level 9, 203 Pacific Highway  
St Leonards  
NSW 2065

**Project Name:** KYEEMAGH INFANTS SCHOOL  
**Project ID:** 80818157

**Order No.:**  
**Report #:** 628416  
**Phone:** 0294967700  
**Fax:** 02 9499 3902

**Received:** Nov 19, 2018 2:52 PM  
**Due:** Nov 26, 2018  
**Priority:** 5 Day  
**Contact Name:** Ben Withnall

**Eurofins | mgt Analytical Services Manager : Nibha Vaidya**

Sample Detail						Asbestos - WA guidelines	Asbestos Absence /Presence	HOLD	HOLD	Acid Sulfate Soils Field pH Test	BTEX	Eurofins   mgt Suite B15	Volatile Organics	TRH (after Silica Gel cleanup)	Moisture Set	Total Recoverable Hydrocarbons	Eurofins   mgt Suite B7	Eurofins   mgt Suite B8
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>								X				X	X	X	X	X	X	X
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X				X					X	X	X
<b>Brisbane Laboratory - NATA Site # 20794</b>									X	X								
<b>Perth Laboratory - NATA Site # 23736</b>																		
	11.95																	
40	BH03_13.0-13.45	Nov 17, 2018		Soil	S18-No24267					X								
41	TP20_0.4	Nov 17, 2018		Soil	S18-No24268			X										
42	KYE_GUM	Nov 17, 2018		Water	S18-No24269									X		X		
43	BH02_2.0	Nov 17, 2018		Soil	S18-No24270				X									
44	KYE_RIN	Nov 17, 2018		Water	S18-No24271													X
<b>Test Counts</b>						8	1	2	2	20	2	4	1	1	14	1	8	7

## Internal Quality Control Review and Glossary

### General

1. Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples are included in this QC report where applicable. Additional QC data may be available on request.
2. All soil results are reported on a dry basis, unless otherwise stated.
3. All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
4. Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
5. Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
6. SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
7. Samples were analysed on an 'as received' basis.
8. This report replaces any interim results previously issued.

### Holding Times

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

**\*\*NOTE:** pH duplicates are reported as a range NOT as RPD

### Units

**mg/kg:** milligrams per kilogram

**mg/L:** milligrams per litre

**ug/L:** micrograms per litre

**ppm:** Parts per million

**ppb:** Parts per billion

**%:** Percentage

**org/100mL:** Organisms per 100 millilitres

**NTU:** Nephelometric Turbidity Units

**MPN/100mL:** Most Probable Number of organisms per 100 millilitres

### Terms

<b>Dry</b>	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
<b>LOR</b>	Limit of Reporting.
<b>SPIKE</b>	Addition of the analyte to the sample and reported as percentage recovery.
<b>RPD</b>	Relative Percent Difference between two Duplicate pieces of analysis.
<b>LCS</b>	Laboratory Control Sample - reported as percent recovery.
<b>CRM</b>	Certified Reference Material - reported as percent recovery.
<b>Method Blank</b>	In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water.
<b>Surr - Surrogate</b>	The addition of a like compound to the analyte target and reported as percentage recovery.
<b>Duplicate</b>	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
<b>USEPA</b>	United States Environmental Protection Agency
<b>APHA</b>	American Public Health Association
<b>TCLP</b>	Toxicity Characteristic Leaching Procedure
<b>COC</b>	Chain of Custody
<b>SRA</b>	Sample Receipt Advice
<b>QSM</b>	Quality Systems Manual ver 5.1 US Department of Defense
<b>CP</b>	Client Parent - QC was performed on samples pertaining to this report
<b>NCP</b>	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within.
<b>TEQ</b>	Toxic Equivalency Quotient

### QC - Acceptance Criteria

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR : No Limit

Results between 10-20 times the LOR : RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

Surrogate Recoveries: Recoveries must lie between 50-150%-Phenols & PFASs

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.1 where no positive PFAS results have been reported have been reviewed and no data was affected.

WA DWER (n=10): PFBA, PFPa, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA

### QC Data General Comments

1. Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
2. Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
3. Organochlorine Pesticide analysis - where reporting LCS data, Toxaphene & Chlordane are not added to the LCS.
4. Organochlorine Pesticide analysis - where reporting Spike data, Toxaphene is not added to the Spike.
5. Total Recoverable Hydrocarbons - where reporting Spike & LCS data, a single spike of commercial Hydrocarbon products in the range of C12-C30 is added and it's Total Recovery is reported in the C10-C14 cell of the Report.
6. pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
7. Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of Recovery the term "INT" appears against that analyte.
8. Polychlorinated Biphenyls are spiked only using Aroclor 1260 in Matrix Spikes and LCS.
9. For Matrix Spikes and LCS results a dash " - " in the report means that the specific analyte was not added to the QC sample.
10. Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.



## Quality Control Results

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
<b>Method Blank</b>							
<b>Total Recoverable Hydrocarbons - 1999 NEPM Fractions</b>							
TRH C6-C9	mg/kg	< 20			20	Pass	
TRH C10-C14	mg/kg	< 20			20	Pass	
TRH C15-C28	mg/kg	< 50			50	Pass	
TRH C29-C36	mg/kg	< 50			50	Pass	
<b>Method Blank</b>							
<b>BTEX</b>							
Benzene	mg/kg	< 0.1			0.1	Pass	
Toluene	mg/kg	< 0.1			0.1	Pass	
Ethylbenzene	mg/kg	< 0.1			0.1	Pass	
m&p-Xylenes	mg/kg	< 0.2			0.2	Pass	
o-Xylene	mg/kg	< 0.1			0.1	Pass	
Xylenes - Total	mg/kg	< 0.3			0.3	Pass	
<b>Method Blank</b>							
<b>Volatile Organics</b>							
1.1-Dichloroethane	mg/kg	< 0.5			0.5	Pass	
1.1-Dichloroethene	mg/kg	< 0.5			0.5	Pass	
1.1.1-Trichloroethane	mg/kg	< 0.5			0.5	Pass	
1.1.1.2-Tetrachloroethane	mg/kg	< 0.5			0.5	Pass	
1.1.2-Trichloroethane	mg/kg	< 0.5			0.5	Pass	
1.1.2.2-Tetrachloroethane	mg/kg	< 0.5			0.5	Pass	
1.2-Dibromoethane	mg/kg	< 0.5			0.5	Pass	
1.2-Dichlorobenzene	mg/kg	< 0.5			0.5	Pass	
1.2-Dichloroethane	mg/kg	< 0.5			0.5	Pass	
1.2-Dichloropropane	mg/kg	< 0.5			0.5	Pass	
1.2.3-Trichloropropane	mg/kg	< 0.5			0.5	Pass	
1.2.4-Trimethylbenzene	mg/kg	< 0.5			0.5	Pass	
1.3-Dichlorobenzene	mg/kg	< 0.5			0.5	Pass	
1.3-Dichloropropane	mg/kg	< 0.5			0.5	Pass	
1.3.5-Trimethylbenzene	mg/kg	< 0.5			0.5	Pass	
1.4-Dichlorobenzene	mg/kg	< 0.5			0.5	Pass	
2-Butanone (MEK)	mg/kg	< 0.5			0.5	Pass	
2-Propanone (Acetone)	mg/kg	< 0.5			0.5	Pass	
4-Chlorotoluene	mg/kg	< 0.5			0.5	Pass	
4-Methyl-2-pentanone (MIBK)	mg/kg	< 0.5			0.5	Pass	
Allyl chloride	mg/kg	< 0.5			0.5	Pass	
Benzene	mg/kg	< 0.1			0.1	Pass	
Bromobenzene	mg/kg	< 0.5			0.5	Pass	
Bromochloromethane	mg/kg	< 0.5			0.5	Pass	
Bromodichloromethane	mg/kg	< 0.5			0.5	Pass	
Bromoform	mg/kg	< 0.5			0.5	Pass	
Bromomethane	mg/kg	< 0.5			0.5	Pass	
Carbon disulfide	mg/kg	< 0.5			0.5	Pass	
Carbon Tetrachloride	mg/kg	< 0.5			0.5	Pass	
Chlorobenzene	mg/kg	< 0.5			0.5	Pass	
Chloroethane	mg/kg	< 0.5			0.5	Pass	
Chloroform	mg/kg	< 0.5			0.5	Pass	
Chloromethane	mg/kg	< 0.5			0.5	Pass	
cis-1.2-Dichloroethene	mg/kg	< 0.5			0.5	Pass	
cis-1.3-Dichloropropene	mg/kg	< 0.5			0.5	Pass	
Dibromochloromethane	mg/kg	< 0.5			0.5	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Dibromomethane	mg/kg	< 0.5			0.5	Pass	
Dichlorodifluoromethane	mg/kg	< 0.5			0.5	Pass	
Ethylbenzene	mg/kg	< 0.1			0.1	Pass	
Iodomethane	mg/kg	< 0.5			0.5	Pass	
Isopropyl benzene (Cumene)	mg/kg	< 0.5			0.5	Pass	
m&p-Xylenes	mg/kg	< 0.2			0.2	Pass	
Methylene Chloride	mg/kg	< 0.5			0.5	Pass	
o-Xylene	mg/kg	< 0.1			0.1	Pass	
Styrene	mg/kg	< 0.5			0.5	Pass	
Tetrachloroethene	mg/kg	< 0.5			0.5	Pass	
Toluene	mg/kg	< 0.1			0.1	Pass	
trans-1,2-Dichloroethene	mg/kg	< 0.5			0.5	Pass	
trans-1,3-Dichloropropene	mg/kg	< 0.5			0.5	Pass	
Trichloroethene	mg/kg	< 0.5			0.5	Pass	
Trichlorofluoromethane	mg/kg	< 0.5			0.5	Pass	
Vinyl chloride	mg/kg	< 0.5			0.5	Pass	
Xylenes - Total	mg/kg	< 0.3			0.3	Pass	
<b>Method Blank</b>							
<b>Total Recoverable Hydrocarbons - 2013 NEPM Fractions</b>							
Naphthalene	mg/kg	< 0.5			0.5	Pass	
TRH C6-C10	mg/kg	< 20			20	Pass	
TRH >C10-C16	mg/kg	< 50			50	Pass	
TRH >C16-C34	mg/kg	< 100			100	Pass	
TRH >C34-C40	mg/kg	< 100			100	Pass	
<b>Method Blank</b>							
<b>Polycyclic Aromatic Hydrocarbons</b>							
Acenaphthene	mg/kg	< 0.5			0.5	Pass	
Acenaphthylene	mg/kg	< 0.5			0.5	Pass	
Anthracene	mg/kg	< 0.5			0.5	Pass	
Benz(a)anthracene	mg/kg	< 0.5			0.5	Pass	
Benzo(a)pyrene	mg/kg	< 0.5			0.5	Pass	
Benzo(b&j)fluoranthene	mg/kg	< 0.5			0.5	Pass	
Benzo(g,h,i)perylene	mg/kg	< 0.5			0.5	Pass	
Benzo(k)fluoranthene	mg/kg	< 0.5			0.5	Pass	
Chrysene	mg/kg	< 0.5			0.5	Pass	
Dibenz(a,h)anthracene	mg/kg	< 0.5			0.5	Pass	
Fluoranthene	mg/kg	< 0.5			0.5	Pass	
Fluorene	mg/kg	< 0.5			0.5	Pass	
Indeno(1,2,3-cd)pyrene	mg/kg	< 0.5			0.5	Pass	
Naphthalene	mg/kg	< 0.5			0.5	Pass	
Phenanthrene	mg/kg	< 0.5			0.5	Pass	
Pyrene	mg/kg	< 0.5			0.5	Pass	
<b>Method Blank</b>							
<b>Organochlorine Pesticides</b>							
Chlordanes - Total	mg/kg	< 0.1			0.1	Pass	
4,4'-DDD	mg/kg	< 0.05			0.05	Pass	
4,4'-DDE	mg/kg	< 0.05			0.05	Pass	
4,4'-DDT	mg/kg	< 0.05			0.05	Pass	
a-BHC	mg/kg	< 0.05			0.05	Pass	
Aldrin	mg/kg	< 0.05			0.05	Pass	
b-BHC	mg/kg	< 0.05			0.05	Pass	
d-BHC	mg/kg	< 0.05			0.05	Pass	
Dieldrin	mg/kg	< 0.05			0.05	Pass	
Endosulfan I	mg/kg	< 0.05			0.05	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Endosulfan II	mg/kg	< 0.05			0.05	Pass	
Endosulfan sulphate	mg/kg	< 0.05			0.05	Pass	
Endrin	mg/kg	< 0.05			0.05	Pass	
Endrin aldehyde	mg/kg	< 0.05			0.05	Pass	
Endrin ketone	mg/kg	< 0.05			0.05	Pass	
g-BHC (Lindane)	mg/kg	< 0.05			0.05	Pass	
Heptachlor	mg/kg	< 0.05			0.05	Pass	
Heptachlor epoxide	mg/kg	< 0.05			0.05	Pass	
Hexachlorobenzene	mg/kg	< 0.05			0.05	Pass	
Methoxychlor	mg/kg	< 0.05			0.05	Pass	
Toxaphene	mg/kg	< 1			1	Pass	
<b>Method Blank</b>							
<b>Organophosphorus Pesticides</b>							
Azinphos-methyl	mg/kg	< 0.2			0.2	Pass	
Bolstar	mg/kg	< 0.2			0.2	Pass	
Chlorfenvinphos	mg/kg	< 0.2			0.2	Pass	
Chlorpyrifos	mg/kg	< 0.2			0.2	Pass	
Chlorpyrifos-methyl	mg/kg	< 0.2			0.2	Pass	
Coumaphos	mg/kg	< 2			2	Pass	
Demeton-S	mg/kg	< 0.2			0.2	Pass	
Demeton-O	mg/kg	< 0.2			0.2	Pass	
Diazinon	mg/kg	< 0.2			0.2	Pass	
Dichlorvos	mg/kg	< 0.2			0.2	Pass	
Dimethoate	mg/kg	< 0.2			0.2	Pass	
Disulfoton	mg/kg	< 0.2			0.2	Pass	
EPN	mg/kg	< 0.2			0.2	Pass	
Ethion	mg/kg	< 0.2			0.2	Pass	
Ethoprop	mg/kg	< 0.2			0.2	Pass	
Ethyl parathion	mg/kg	< 0.2			0.2	Pass	
Fenitrothion	mg/kg	< 0.2			0.2	Pass	
Fensulfothion	mg/kg	< 0.2			0.2	Pass	
Fenthion	mg/kg	< 0.2			0.2	Pass	
Malathion	mg/kg	< 0.2			0.2	Pass	
Merphos	mg/kg	< 0.2			0.2	Pass	
Methyl parathion	mg/kg	< 0.2			0.2	Pass	
Mevinphos	mg/kg	< 0.2			0.2	Pass	
Monocrotophos	mg/kg	< 2			2	Pass	
Naled	mg/kg	< 0.2			0.2	Pass	
Omethoate	mg/kg	< 2			2	Pass	
Phorate	mg/kg	< 0.2			0.2	Pass	
Pirimiphos-methyl	mg/kg	< 0.2			0.2	Pass	
Pyrazophos	mg/kg	< 0.2			0.2	Pass	
Ronnel	mg/kg	< 0.2			0.2	Pass	
Terbufos	mg/kg	< 0.2			0.2	Pass	
Tetrachlorvinphos	mg/kg	< 0.2			0.2	Pass	
Tokuthion	mg/kg	< 0.2			0.2	Pass	
Trichloronate	mg/kg	< 0.2			0.2	Pass	
<b>Method Blank</b>							
<b>Polychlorinated Biphenyls</b>							
Aroclor-1016	mg/kg	< 0.1			0.1	Pass	
Aroclor-1221	mg/kg	< 0.1			0.1	Pass	
Aroclor-1232	mg/kg	< 0.1			0.1	Pass	
Aroclor-1242	mg/kg	< 0.1			0.1	Pass	
Aroclor-1248	mg/kg	< 0.1			0.1	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Aroclor-1254	mg/kg	< 0.1			0.1	Pass	
Aroclor-1260	mg/kg	< 0.1			0.1	Pass	
Total PCB*	mg/kg	< 0.1			0.1	Pass	
<b>Method Blank</b>							
<b>Heavy Metals</b>							
Arsenic	mg/kg	< 2			2	Pass	
Cadmium	mg/kg	< 0.4			0.4	Pass	
Chromium	mg/kg	< 5			5	Pass	
Copper	mg/kg	< 5			5	Pass	
Lead	mg/kg	< 5			5	Pass	
Mercury	mg/kg	< 0.1			0.1	Pass	
Nickel	mg/kg	< 5			5	Pass	
Zinc	mg/kg	< 5			5	Pass	
<b>LCS - % Recovery</b>							
<b>Total Recoverable Hydrocarbons - 1999 NEPM Fractions</b>							
TRH C6-C9	%	75			70-130	Pass	
TRH C10-C14	%	79			70-130	Pass	
<b>LCS - % Recovery</b>							
<b>BTEX</b>							
Benzene	%	85			70-130	Pass	
Toluene	%	83			70-130	Pass	
Ethylbenzene	%	78			70-130	Pass	
m&p-Xylenes	%	82			70-130	Pass	
o-Xylene	%	81			70-130	Pass	
Xylenes - Total	%	82			70-130	Pass	
<b>LCS - % Recovery</b>							
<b>Volatile Organics</b>							
1.1-Dichloroethene	%	77			70-130	Pass	
1.1.1-Trichloroethane	%	117			70-130	Pass	
1.2-Dichlorobenzene	%	104			70-130	Pass	
1.2-Dichloroethane	%	116			70-130	Pass	
Trichloroethene	%	105			70-130	Pass	
<b>LCS - % Recovery</b>							
<b>Total Recoverable Hydrocarbons - 2013 NEPM Fractions</b>							
Naphthalene	%	86			70-130	Pass	
TRH C6-C10	%	103			70-130	Pass	
TRH >C10-C16	%	78			70-130	Pass	
<b>LCS - % Recovery</b>							
<b>Polycyclic Aromatic Hydrocarbons</b>							
Acenaphthene	%	103			70-130	Pass	
Acenaphthylene	%	113			70-130	Pass	
Anthracene	%	108			70-130	Pass	
Benz(a)anthracene	%	105			70-130	Pass	
Benzo(a)pyrene	%	91			70-130	Pass	
Benzo(b&j)fluoranthene	%	118			70-130	Pass	
Benzo(g,h,i)perylene	%	108			70-130	Pass	
Benzo(k)fluoranthene	%	99			70-130	Pass	
Chrysene	%	101			70-130	Pass	
Dibenz(a,h)anthracene	%	107			70-130	Pass	
Fluoranthene	%	100			70-130	Pass	
Fluorene	%	111			70-130	Pass	
Indeno(1.2.3-cd)pyrene	%	104			70-130	Pass	
Naphthalene	%	103			70-130	Pass	
Phenanthrene	%	109			70-130	Pass	

Test			Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Pyrene			%	97			70-130	Pass	
<b>LCS - % Recovery</b>									
<b>Organochlorine Pesticides</b>									
4.4'-DDD			%	118			70-130	Pass	
4.4'-DDE			%	120			70-130	Pass	
4.4'-DDT			%	77			70-130	Pass	
a-BHC			%	96			70-130	Pass	
Aldrin			%	111			70-130	Pass	
b-BHC			%	107			70-130	Pass	
d-BHC			%	106			70-130	Pass	
Dieldrin			%	108			70-130	Pass	
Endosulfan I			%	109			70-130	Pass	
Endosulfan II			%	97			70-130	Pass	
Endosulfan sulphate			%	91			70-130	Pass	
Endrin			%	104			70-130	Pass	
Endrin aldehyde			%	103			70-130	Pass	
Endrin ketone			%	96			70-130	Pass	
g-BHC (Lindane)			%	104			70-130	Pass	
Heptachlor			%	104			70-130	Pass	
Heptachlor epoxide			%	109			70-130	Pass	
Hexachlorobenzene			%	90			70-130	Pass	
Methoxychlor			%	83			70-130	Pass	
<b>LCS - % Recovery</b>									
<b>Organophosphorus Pesticides</b>									
Diazinon			%	80			70-130	Pass	
Dimethoate			%	94			70-130	Pass	
Ethion			%	118			70-130	Pass	
Fenitrothion			%	88			70-130	Pass	
Methyl parathion			%	98			70-130	Pass	
Mevinphos			%	88			70-130	Pass	
<b>LCS - % Recovery</b>									
<b>Polychlorinated Biphenyls</b>									
Aroclor-1260			%	114			70-130	Pass	
<b>LCS - % Recovery</b>									
<b>Heavy Metals</b>									
Arsenic			%	105			80-120	Pass	
Cadmium			%	103			80-120	Pass	
Chromium			%	109			80-120	Pass	
Copper			%	112			80-120	Pass	
Lead			%	106			80-120	Pass	
Mercury			%	87			75-125	Pass	
Nickel			%	109			80-120	Pass	
Zinc			%	104			80-120	Pass	
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
<b>Spike - % Recovery</b>									
<b>Polycyclic Aromatic Hydrocarbons</b>				Result 1					
Acenaphthene	S18-No21893	NCP	%	100			70-130	Pass	
Acenaphthylene	S18-No21893	NCP	%	106			70-130	Pass	
Anthracene	S18-No21893	NCP	%	101			70-130	Pass	
Benz(a)anthracene	S18-No21893	NCP	%	115			70-130	Pass	
Benzo(a)pyrene	S18-No21893	NCP	%	97			70-130	Pass	
Benzo(b&j)fluoranthene	S18-No21893	NCP	%	110			70-130	Pass	
Benzo(g,h,i)perylene	S18-No21893	NCP	%	114			70-130	Pass	
Benzo(k)fluoranthene	S18-No21893	NCP	%	110			70-130	Pass	



Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Chrysene	S18-No21893	NCP	%	110			70-130	Pass	
Dibenz(a,h)anthracene	S18-No21893	NCP	%	119			70-130	Pass	
Fluoranthene	S18-No21893	NCP	%	104			70-130	Pass	
Fluorene	S18-No21893	NCP	%	108			70-130	Pass	
Indeno(1,2,3-cd)pyrene	S18-No21893	NCP	%	113			70-130	Pass	
Naphthalene	S18-No21893	NCP	%	101			70-130	Pass	
Phenanthrene	S18-No21893	NCP	%	102			70-130	Pass	
Pyrene	S18-No21893	NCP	%	105			70-130	Pass	
<b>Spike - % Recovery</b>									
<b>Organochlorine Pesticides</b>				Result 1					
4,4'-DDD	M18-No24980	NCP	%	100			70-130	Pass	
4,4'-DDE	M18-No24980	NCP	%	113			70-130	Pass	
4,4'-DDT	M18-No24980	NCP	%	130			70-130	Pass	
a-BHC	M18-No24980	NCP	%	88			70-130	Pass	
Aldrin	M18-No24980	NCP	%	100			70-130	Pass	
b-BHC	M18-No24980	NCP	%	97			70-130	Pass	
d-BHC	M18-No24980	NCP	%	102			70-130	Pass	
Dieldrin	M18-No24980	NCP	%	98			70-130	Pass	
Endosulfan I	M18-No24980	NCP	%	99			70-130	Pass	
Endosulfan II	M18-No24980	NCP	%	93			70-130	Pass	
Endosulfan sulphate	M18-No24980	NCP	%	101			70-130	Pass	
Endrin	M18-No24980	NCP	%	110			70-130	Pass	
Endrin aldehyde	M18-No24980	NCP	%	103			70-130	Pass	
Endrin ketone	M18-No24980	NCP	%	105			70-130	Pass	
g-BHC (Lindane)	M18-No24980	NCP	%	96			70-130	Pass	
Heptachlor	M18-No24980	NCP	%	113			70-130	Pass	
Heptachlor epoxide	M18-No24980	NCP	%	98			70-130	Pass	
Hexachlorobenzene	M18-No24980	NCP	%	82			70-130	Pass	
Methoxychlor	M18-No24980	NCP	%	127			70-130	Pass	
<b>Spike - % Recovery</b>									
<b>Organophosphorus Pesticides</b>				Result 1					
Diazinon	M18-No28383	NCP	%	95			70-130	Pass	
Dimethoate	M18-No28383	NCP	%	78			70-130	Pass	
Ethion	M18-No28383	NCP	%	122			70-130	Pass	
Fenitrothion	M18-No28383	NCP	%	79			70-130	Pass	
Methyl parathion	M18-No28383	NCP	%	72			70-130	Pass	
Mevinphos	M18-No28383	NCP	%	88			70-130	Pass	
<b>Spike - % Recovery</b>									
<b>Polychlorinated Biphenyls</b>				Result 1					
Aroclor-1260	M18-No23231	NCP	%	75			70-130	Pass	
<b>Spike - % Recovery</b>									
<b>Total Recoverable Hydrocarbons - 1999 NEPM Fractions</b>				Result 1					
TRH C6-C9	S18-No24236	CP	%	114			70-130	Pass	
TRH C10-C14	S18-No24236	CP	%	106			70-130	Pass	
<b>Spike - % Recovery</b>									
<b>BTEX</b>				Result 1					
Benzene	S18-No24236	CP	%	101			70-130	Pass	
Toluene	S18-No24236	CP	%	108			70-130	Pass	
Ethylbenzene	S18-No24236	CP	%	119			70-130	Pass	
m&p-Xylenes	S18-No24236	CP	%	113			70-130	Pass	
o-Xylene	S18-No24236	CP	%	112			70-130	Pass	
Xylenes - Total	S18-No24236	CP	%	113			70-130	Pass	
<b>Spike - % Recovery</b>									
<b>Volatile Organics</b>				Result 1					

Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
1.1-Dichloroethene	S18-No24236	CP	%	83			70-130	Pass	
1.1.1-Trichloroethane	S18-No24236	CP	%	99			70-130	Pass	
1.2-Dichlorobenzene	S18-No24236	CP	%	113			70-130	Pass	
1.2-Dichloroethane	S18-No24236	CP	%	98			70-130	Pass	
Trichloroethene	S18-No24236	CP	%	98			70-130	Pass	
<b>Spike - % Recovery</b>									
<b>Total Recoverable Hydrocarbons - 2013 NEPM Fractions</b>				Result 1					
Naphthalene	S18-No24236	CP	%	94			70-130	Pass	
TRH C6-C10	S18-No24236	CP	%	108			70-130	Pass	
TRH >C10-C16	S18-No24236	CP	%	104			70-130	Pass	
<b>Spike - % Recovery</b>									
<b>Heavy Metals</b>				Result 1					
Arsenic	S18-No24236	CP	%	113			75-125	Pass	
Cadmium	S18-No24236	CP	%	112			75-125	Pass	
Chromium	S18-No24236	CP	%	117			75-125	Pass	
Copper	S18-No24236	CP	%	122			75-125	Pass	
Lead	S18-No24236	CP	%	113			75-125	Pass	
Mercury	S18-No24236	CP	%	91			70-130	Pass	
Nickel	S18-No24236	CP	%	118			75-125	Pass	
Zinc	S18-No24236	CP	%	110			75-125	Pass	
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
<b>Duplicate</b>									
<b>Organochlorine Pesticides</b>				Result 1	Result 2	RPD			
Chlordanes - Total	Z18-No25216	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass	
4,4'-DDD	Z18-No25216	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass	
4,4'-DDE	Z18-No25216	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass	
4,4'-DDT	Z18-No25216	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass	
a-BHC	Z18-No25216	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass	
Aldrin	Z18-No25216	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass	
b-BHC	Z18-No25216	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass	
d-BHC	Z18-No25216	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass	
Dieldrin	Z18-No25216	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass	
Endosulfan I	Z18-No25216	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass	
Endosulfan II	Z18-No25216	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass	
Endosulfan sulphate	Z18-No25216	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass	
Endrin	Z18-No25216	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass	
Endrin aldehyde	Z18-No25216	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass	
Endrin ketone	Z18-No25216	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass	
g-BHC (Lindane)	Z18-No25216	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass	
Heptachlor	Z18-No25216	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass	
Heptachlor epoxide	Z18-No25216	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass	
Hexachlorobenzene	Z18-No25216	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass	
Methoxychlor	Z18-No25216	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass	
Toxaphene	Z18-No25216	NCP	mg/kg	< 1	< 1	<1	30%	Pass	
<b>Duplicate</b>									
<b>Polychlorinated Biphenyls</b>				Result 1	Result 2	RPD			
Aroclor-1016	Z18-No25216	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass	
Aroclor-1221	Z18-No25216	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass	
Aroclor-1232	Z18-No25216	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass	
Aroclor-1242	Z18-No25216	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass	
Aroclor-1248	Z18-No25216	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass	
Aroclor-1254	Z18-No25216	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass	
Aroclor-1260	Z18-No25216	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass	
Total PCB*	Z18-No25216	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass	

Duplicate								
				Result 1	Result 2	RPD		
% Moisture	S18-No24369	NCP	%	7.8	8.5	8.0	30%	Pass
Duplicate								
Total Recoverable Hydrocarbons - 1999 NEPM Fractions				Result 1	Result 2	RPD		
TRH C6-C9	S18-No24234	CP	mg/kg	< 20	< 20	<1	30%	Pass
TRH C10-C14	S18-No24234	CP	mg/kg	< 20	< 20	<1	30%	Pass
TRH C15-C28	S18-No24234	CP	mg/kg	< 50	< 50	<1	30%	Pass
TRH C29-C36	S18-No24234	CP	mg/kg	< 50	< 50	<1	30%	Pass
Duplicate								
BTEX				Result 1	Result 2	RPD		
Benzene	S18-No24234	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Toluene	S18-No24234	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Ethylbenzene	S18-No24234	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
m&p-Xylenes	S18-No24234	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
o-Xylene	S18-No24234	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Xylenes - Total	S18-No24234	CP	mg/kg	< 0.3	< 0.3	<1	30%	Pass
Duplicate								
Volatile Organics				Result 1	Result 2	RPD		
1.1-Dichloroethane	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.1-Dichloroethene	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.1.1-Trichloroethane	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.1.1.2-Tetrachloroethane	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.1.2-Trichloroethane	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.1.2.2-Tetrachloroethane	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.2-Dibromoethane	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.2-Dichlorobenzene	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.2-Dichloroethane	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.2-Dichloropropane	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.2.3-Trichloropropane	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.2.4-Trimethylbenzene	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.3-Dichlorobenzene	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.3-Dichloropropane	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.3.5-Trimethylbenzene	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
1.4-Dichlorobenzene	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2-Butanone (MEK)	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
2-Propanone (Acetone)	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
4-Chlorotoluene	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
4-Methyl-2-pentanone (MIBK)	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Allyl chloride	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Bromobenzene	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Bromochloromethane	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Bromodichloromethane	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Bromoform	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Bromomethane	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Carbon disulfide	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Carbon Tetrachloride	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chlorobenzene	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chloroethane	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chloroform	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chloromethane	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
cis-1.2-Dichloroethene	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
cis-1.3-Dichloropropene	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Dibromochloromethane	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Dibromomethane	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Dichlorodifluoromethane	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass

Duplicate								
Volatile Organics				Result 1	Result 2	RPD		
Iodomethane	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Isopropyl benzene (Cumene)	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Methylene Chloride	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Styrene	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Tetrachloroethene	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
trans-1,2-Dichloroethene	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
trans-1,3-Dichloropropene	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Trichloroethene	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Trichlorofluoromethane	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Vinyl chloride	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Duplicate								
Total Recoverable Hydrocarbons - 2013 NEPM Fractions				Result 1	Result 2	RPD		
Naphthalene	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
TRH C6-C10	S18-No24234	CP	mg/kg	< 20	< 20	<1	30%	Pass
TRH >C10-C16	S18-No24234	CP	mg/kg	< 50	< 50	<1	30%	Pass
TRH >C16-C34	S18-No24234	CP	mg/kg	< 100	< 100	<1	30%	Pass
TRH >C34-C40	S18-No24234	CP	mg/kg	< 100	< 100	<1	30%	Pass
Duplicate								
Polycyclic Aromatic Hydrocarbons				Result 1	Result 2	RPD		
Acenaphthene	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Acenaphthylene	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Anthracene	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benz(a)anthracene	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benzo(a)pyrene	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benzo(b&j)fluoranthene	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benzo(g,h,i)perylene	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Benzo(k)fluoranthene	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Chrysene	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Dibenz(a,h)anthracene	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Fluoranthene	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Fluorene	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Indeno(1,2,3-cd)pyrene	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Naphthalene	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Phenanthrene	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Pyrene	S18-No24234	CP	mg/kg	< 0.5	< 0.5	<1	30%	Pass
Duplicate								
Organophosphorus Pesticides				Result 1	Result 2	RPD		
Azinphos-methyl	S18-No24234	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Bolstar	S18-No24234	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Chlorfenvinphos	S18-No24234	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Chlorpyrifos	S18-No24234	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Chlorpyrifos-methyl	S18-No24234	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Coumaphos	S18-No24234	CP	mg/kg	< 2	< 2	<1	30%	Pass
Demeton-S	S18-No24234	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Demeton-O	S18-No24234	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Diazinon	S18-No24234	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Dichlorvos	S18-No24234	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Dimethoate	S18-No24234	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Disulfoton	S18-No24234	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
EPN	S18-No24234	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Ethion	S18-No24234	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Ethoprop	S18-No24234	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Ethyl parathion	S18-No24234	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Fenitrothion	S18-No24234	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass

Duplicate								
Organophosphorus Pesticides				Result 1	Result 2	RPD		
Fensulfothion	S18-No24234	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Fenthion	S18-No24234	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Malathion	S18-No24234	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Merphos	S18-No24234	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Methyl parathion	S18-No24234	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Mevinphos	S18-No24234	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Monocrotophos	S18-No24234	CP	mg/kg	< 2	< 2	<1	30%	Pass
Naled	S18-No24234	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Omethoate	S18-No24234	CP	mg/kg	< 2	< 2	<1	30%	Pass
Phorate	S18-No24234	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Pirimiphos-methyl	S18-No24234	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Pyrazophos	S18-No24234	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Ronnel	S18-No24234	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Terbufos	S18-No24234	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Tetrachlorvinphos	S18-No24234	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Tokuthion	S18-No24234	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Trichloronate	S18-No24234	CP	mg/kg	< 0.2	< 0.2	<1	30%	Pass
Duplicate								
Heavy Metals				Result 1	Result 2	RPD		
Arsenic	S18-No24234	CP	mg/kg	< 2	< 2	<1	30%	Pass
Cadmium	S18-No24234	CP	mg/kg	< 0.4	< 0.4	<1	30%	Pass
Chromium	S18-No24234	CP	mg/kg	< 5	< 5	<1	30%	Pass
Copper	S18-No24234	CP	mg/kg	< 5	< 5	<1	30%	Pass
Lead	S18-No24234	CP	mg/kg	5.1	< 5	12	30%	Pass
Mercury	S18-No24234	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Nickel	S18-No24234	CP	mg/kg	< 5	< 5	<1	30%	Pass
Zinc	S18-No24234	CP	mg/kg	8.3	7.4	12	30%	Pass
Duplicate								
Heavy Metals				Result 1	Result 2	RPD		
Arsenic	S18-No24236	CP	mg/kg	< 2	< 2	<1	30%	Pass
Cadmium	S18-No24236	CP	mg/kg	< 0.4	< 0.4	<1	30%	Pass
Chromium	S18-No24236	CP	mg/kg	< 5	< 5	<1	30%	Pass
Copper	S18-No24236	CP	mg/kg	< 5	< 5	<1	30%	Pass
Lead	S18-No24236	CP	mg/kg	< 5	< 5	<1	30%	Pass
Mercury	S18-No24236	CP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Nickel	S18-No24236	CP	mg/kg	< 5	< 5	<1	30%	Pass
Zinc	S18-No24236	CP	mg/kg	< 5	< 5	<1	30%	Pass
Duplicate								
Acid Sulfate Soils Field pH Test				Result 1	Result 2	RPD		
pH-F (Field pH test)*	S18-No24248	CP	pH Units	7.8	7.8	pass	30%	Pass
Reaction Ratings*	S18-No24248	CP	comment	1.0	1.0	pass	30%	Pass
Duplicate								
Acid Sulfate Soils Field pH Test				Result 1	Result 2	RPD		
pH-F (Field pH test)*	S18-No24257	CP	pH Units	6.9	7.0	pass	30%	Pass
Reaction Ratings*	S18-No24257	CP	comment	4.0	4.0	pass	30%	Pass



## Comments

Eurofins | mgt accreditation number 1261, corporate site 1254 is currently in progress of a controlled transition to a new custom built location at 6 Monterey Road, Dandenong South, Victoria 3175. All results on this report denoted as being performed by Eurofins | mgt 2-5 Kingston Town Close, Oakleigh Victoria 3166 corporate site 1254, will have been performed on either Oakleigh or new Dandenong South site.

## Sample Integrity

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	Yes
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

## Qualifier Codes/Comments

Code	Description
N01	F2 is determined by arithmetically subtracting the "naphthalene" value from the ">C10-C16" value. The naphthalene value used in this calculation is obtained from volatiles (Purge & Trap analysis).
N02	Where we have reported both volatile (P&T GCMS) and semivolatile (GCMS) naphthalene data, results may not be identical. Provided correct sample handling protocols have been followed, any observed differences in results are likely to be due to procedural differences within each methodology. Results determined by both techniques have passed all QAQC acceptance criteria, and are entirely technically valid.
N04	F1 is determined by arithmetically subtracting the "Total BTEX" value from the "C6-C10" value. The "Total BTEX" value is obtained by summing the concentrations of BTEX analytes. The "C6-C10" value is obtained by quantitating against a standard of mixed aromatic/aliphatic analytes.
N07	Please note:- These two PAH isomers closely co-elute using the most contemporary analytical methods and both the reported concentration (and the TEQ) apply specifically to the total of the two co-eluting PAHs
R20	This sample is a Trip Spike and therefore all results are reported as a percentage
S05	Field Screen uses the following fizz rating to classify the rate the samples reacted to the peroxide: 1.0; No reaction to slight. 2.0; Moderate reaction. 3.0; Strong reaction with persistent froth. 4.0; Extreme reaction.

## Authorised By

Nibha Vaidya	Analytical Services Manager
Chris Bennett	Senior Analyst-Metal (VIC)
Harry Bacalis	Senior Analyst-Volatile (VIC)
Joseph Edouard	Senior Analyst-Organic (VIC)
Myles Clark	Senior Analyst-SPOCAS (QLD)
Nibha Vaidya	Senior Analyst-Asbestos (NSW)



## Glenn Jackson General Manager

Final report - this Report replaces any previously issued Report

- Indicates Not Requested

\* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins | mgt shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins | mgt be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.

# Certificate of Analysis



**NATA Accredited**  
**Accreditation Number 1261**  
**Site Number 18217**

Accredited for compliance with ISO/IEC 17025-Testing  
 The results of the tests, calibrations and/or  
 measurements included in this document are traceable  
 to Australian/national standards.

**Cardno (NSW/ACT) Pty Ltd**  
**Level 9, 203 Pacific Highway**  
**St Leonards**  
**NSW 2065**

**Attention:** Ben Withnall  
**Report** 628416-AID  
**Project Name** KYEEMAGH INFANTS SCHOOL  
**Project ID** 80818157  
**Received Date** Nov 19, 2018  
**Date Reported** Nov 27, 2018

## Methodology:

Asbestos Fibre  
 Identification

Conducted in accordance with the Australian Standard AS 4964 – 2004: Method for the Qualitative Identification of Asbestos in Bulk Samples and in-house Method LTM-ASB-8020 by polarised light microscopy (PLM) and dispersion staining (DS) techniques.

*NOTE: Positive Trace Analysis results indicate the sample contains detectable respirable fibres.*

Unknown Mineral  
 Fibres

Mineral fibres of unknown type, as determined by PLM with DS, may require another analytical technique, such as Electron Microscopy, to confirm unequivocal identity.

*NOTE: While Actinolite, Anthophyllite and Tremolite asbestos may be detected by PLM with DS, due to variability in the optical properties of these materials, AS4964 requires that these are reported as UMF unless confirmed by an independent technique.*

Subsampling Soil  
 Samples

The whole sample submitted is first dried and then passed through a 10mm sieve followed by a 2mm sieve. All fibrous matter greater than 10mm, greater than 2mm as well as the material passing through the 2mm sieve are retained and analysed for the presence of asbestos. If the sub 2mm fraction is greater than approximately 30 to 60g then a sub-sampling routine based on ISO 3082:2009(E) is employed.

*NOTE: Depending on the nature and size of the soil sample, the sub-2 mm residue material may need to be sub-sampled for trace analysis, in accordance with AS 4964-2004.*

Bonded asbestos-  
 containing material  
 (ACM)

The material is first examined and any fibres isolated for identification by PLM and DS. Where required, interfering matrices may be removed by disintegration using a range of heat, chemical or physical treatments, possibly in combination. The resultant material is then further examined in accordance with AS 4964 - 2004.

*NOTE: Even after disintegration it may be difficult to detect the presence of asbestos in some asbestos-containing bulk materials using PLM and DS. This is due to the low grade or small length or diameter of the asbestos fibres present in the material, or to the fact that very fine fibres have been distributed intimately throughout the materials. Vinyl/asbestos floor tiles, some asbestos-containing sealants and mastics, asbestos-containing epoxy resins and some ore samples are examples of these types of material, which are difficult to analyse.*

Limit of Reporting

The performance limitation of the AS 4964 (2004) method for non-homogeneous samples is around 0.1 g/kg (equivalent to 0.01% (w/w)). Where no asbestos is found by PLM and DS, including Trace Analysis, this is considered to be at the nominal reporting limit of 0.01% (w/w).

The NEPM screening level of 0.001% (w/w) is intended as an on-site determination, not a laboratory Limit of Reporting (LOR), per se. Examination of a large sample size (e.g. 500 mL) may improve the likelihood of detecting asbestos, particularly AF, to aid assessment against the NEPM criteria. Gravimetric determinations to this level of accuracy are outside of AS 4964 and hence NATA Accreditation does not cover the performance of this service (non-NATA results shown with an asterisk).

*NOTE: NATA News March 2014, p.7, states in relation to AS 4964: "This is a qualitative method with a nominal reporting limit of 0.01 % " and that currently in Australia "there is no validated method available for the quantification of asbestos". This report is consistent with the analytical procedures and reporting recommendations in the NEPM and the WA DoH.*

**Project Name** KYEEMAGH INFANTS SCHOOL  
**Project ID** 80818157  
**Date Sampled** Nov 17, 2018  
**Report** 628416-AID

Client Sample ID	Eurofins   mgt Sample No.	Date Sampled	Sample Description	Result
TP13_0.1	18-No24227	Nov 17, 2018	Approximate Sample 958g Sample consisted of: Grey fine-grained sandy soil	No asbestos detected at the reporting limit of 0.001% w/w.* Organic fibre detected. No respirable fibres detected.
TP13_0.4	18-No24228	Nov 17, 2018	Approximate Sample 810g Sample consisted of: Grey fine-grained sandy soil and organic debris	No asbestos detected at the reporting limit of 0.001% w/w.* Organic fibre detected. No respirable fibres detected.
TP14_0.1	18-No24229	Nov 17, 2018	Approximate Sample 729g Sample consisted of: Grey fine-grained sandy soil and organic debris	No asbestos detected at the reporting limit of 0.001% w/w.* Organic fibre detected. No respirable fibres detected.
TP17_0.1	18-No24235	Nov 17, 2018	Approximate Sample 705g Sample consisted of: Grey fine-grained sandy soil and organic debris	No asbestos detected at the reporting limit of 0.001% w/w.* Organic fibre detected. No respirable fibres detected.
TP18_0.1	18-No24237	Nov 17, 2018	Approximate Sample 686g Sample consisted of: Grey fine-grained sandy soil	No asbestos detected at the reporting limit of 0.001% w/w.* Organic fibre detected. No respirable fibres detected.
TP20_0.1	18-No24239	Nov 17, 2018	Approximate Sample 727g Sample consisted of: Grey fine-grained sandy soil	No asbestos detected at the reporting limit of 0.001% w/w.* Organic fibre detected. No respirable fibres detected.
ASB2	18-No24241	Nov 17, 2018	Approximate Sample 22g / 90x40x5mm Sample consisted of: Grey fibre cement fragments	Chrysotile, amosite and crocidolite asbestos detected.
BH02_0.5	18-No24245	Nov 17, 2018	Approximate Sample 553g Sample consisted of: Grey fine-grained sandy soil	No asbestos detected at the reporting limit of 0.001% w/w.* Organic fibre detected. No respirable fibres detected.

Client Sample ID	Eurofins   mgt Sample No.	Date Sampled	Sample Description	Result
BH03_0.5	18-No24247	Nov 17, 2018	Approximate Sample 383g Sample consisted of: Brown fine-grained sandy soil	No asbestos detected at the reporting limit of 0.001% w/w.* Organic fibre detected. No respirable fibres detected.

### Sample History

Where samples are submitted/analysed over several days, the last date of extraction and analysis is reported. A recent review of our LIMS has resulted in the correction or clarification of some method identifications. Due to this, some of the method reference information on reports has changed. However, no substantive change has been made to our laboratory methods, and as such there is no change in the validity of current or previous results (regarding both quality and NATA accreditation).

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

Description	Testing Site	Extracted	Holding Time
Asbestos - LTM-ASB-8020	Sydney	Nov 19, 2018	Indefinite
Asbestos - LTM-ASB-8020	Sydney	Nov 19, 2018	Indefinite



**Company Name:** Cardno (NSW/ACT) Pty Ltd  
**Address:** Level 9, 203 Pacific Highway  
St Leonards  
NSW 2065

**Project Name:** KYEEMAGH INFANTS SCHOOL  
**Project ID:** 80818157

**Order No.:**  
**Report #:** 628416  
**Phone:** 0294967700  
**Fax:** 02 9499 3902

**Received:** Nov 19, 2018 2:52 PM  
**Due:** Nov 26, 2018  
**Priority:** 5 Day  
**Contact Name:** Ben Withnall

**Eurofins | mgt Analytical Services Manager : Nibha Vaidya**

Sample Detail						Asbestos - WA guidelines	Asbestos Absence / Presence	HOLD	HOLD	Acid Sulfate Soils Field pH Test	BTEX	Eurofins   mgt Suite B15	Volatile Organics	TRH (after Silica Gel cleanup)	Moisture Set	Total Recoverable Hydrocarbons	Eurofins   mgt Suite B7	Eurofins   mgt Suite B8
Melbourne Laboratory - NATA Site # 1254 & 14271								X				X	X	X	X	X	X	X
Sydney Laboratory - NATA Site # 18217						X	X				X					X	X	X
Brisbane Laboratory - NATA Site # 20794									X	X								
Perth Laboratory - NATA Site # 23736																		
External Laboratory																		
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID													
1	TP13_0.1	Nov 17, 2018		Soil	S18-No24227	X						X	X		X		X	
2	TP13_0.4	Nov 17, 2018		Soil	S18-No24228	X												
3	TP14_0.1	Nov 17, 2018		Soil	S18-No24229	X												
4	TP14_0.7	Nov 17, 2018		Soil	S18-No24230										X			X
5	TP15_0.1	Nov 17, 2018		Soil	S18-No24231										X		X	
6	TP15_0.6	Nov 17, 2018		Soil	S18-No24232							X			X			X
7	TP16_0.1	Nov 17, 2018		Soil	S18-No24233										X		X	
8	TP16_0.8	Nov 17, 2018		Soil	S18-No24234										X			X
9	TP17_0.1	Nov 17, 2018		Soil	S18-No24235	X												

**Company Name:** Cardno (NSW/ACT) Pty Ltd  
**Address:** Level 9, 203 Pacific Highway  
St Leonards  
NSW 2065

**Project Name:** KYEEMAGH INFANTS SCHOOL  
**Project ID:** 80818157

**Order No.:**  
**Report #:** 628416  
**Phone:** 0294967700  
**Fax:** 02 9499 3902

**Received:** Nov 19, 2018 2:52 PM  
**Due:** Nov 26, 2018  
**Priority:** 5 Day  
**Contact Name:** Ben Withnall

**Eurofins | mgt Analytical Services Manager : Nibha Vaidya**

Sample Detail						Asbestos - WA guidelines	Asbestos Absence / Presence	HOLD	HOLD	Acid Sulfate Soils Field pH Test	BTEX	Eurofins   mgt Suite B15	Volatile Organics	TRH (after Silica Gel cleanup)	Moisture Set	Total Recoverable Hydrocarbons	Eurofins   mgt Suite B7	Eurofins   mgt Suite B8
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>								X				X	X	X	X	X	X	X
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X				X					X	X	X
<b>Brisbane Laboratory - NATA Site # 20794</b>									X	X								
<b>Perth Laboratory - NATA Site # 23736</b>																		
10	TP17_0.5	Nov 17, 2018		Soil	S18-No24236										X			X
11	TP18_0.1	Nov 17, 2018		Soil	S18-No24237	X						X			X		X	
12	TP18_0.4	Nov 17, 2018		Soil	S18-No24238										X			X
13	TP20_0.1	Nov 17, 2018		Soil	S18-No24239	X						X			X		X	
14	QA300	Nov 17, 2018		Soil	S18-No24240										X		X	
15	ASB2	Nov 17, 2018		Building Materials	S18-No24241		X											
16	KYE_TB	Nov 17, 2018		Soil	S18-No24242						X							
17	KYE_TS	Nov 17, 2018		Soil	S18-No24243						X							
18	BH02_0.5	Nov 17, 2018		Soil	S18-No24245	X									X		X	
19	BH2_1.0	Nov 17, 2018		Soil	S18-No24246										X			X
20	BH03_0.5	Nov 17, 2018		Soil	S18-No24247	X									X		X	

**Company Name:** Cardno (NSW/ACT) Pty Ltd  
**Address:** Level 9, 203 Pacific Highway  
St Leonards  
NSW 2065

**Project Name:** KYEEMAGH INFANTS SCHOOL  
**Project ID:** 80818157

**Order No.:**  
**Report #:** 628416  
**Phone:** 0294967700  
**Fax:** 02 9499 3902

**Received:** Nov 19, 2018 2:52 PM  
**Due:** Nov 26, 2018  
**Priority:** 5 Day  
**Contact Name:** Ben Withnall

**Eurofins | mgt Analytical Services Manager : Nibha Vaidya**

Sample Detail						Asbestos - WA guidelines	Asbestos Absence / Presence	HOLD	HOLD	Acid Sulfate Soils Field pH Test	BTEX	Eurofins   mgt Suite B15	Volatile Organics	TRH (after Silica Gel cleanup)	Moisture Set	Total Recoverable Hydrocarbons	Eurofins   mgt Suite B7	Eurofins   mgt Suite B8
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>								X				X	X	X	X	X	X	X
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X				X					X	X	X
<b>Brisbane Laboratory - NATA Site # 20794</b>									X	X								
<b>Perth Laboratory - NATA Site # 23736</b>																		
21	BH02_2.0-2.45	Nov 17, 2018		Soil	S18-No24248					X								
22	BH02_4.0-4.45	Nov 17, 2018		Soil	S18-No24249					X								
23	BH02_5.5-5.95	Nov 17, 2018		Soil	S18-No24250					X								
24	BH02_7.0-7.45	Nov 17, 2018		Soil	S18-No24251					X								
25	BH02_8.5-8.95	Nov 17, 2018		Soil	S18-No24252					X								
26	BH02_10.0-10.45	Nov 17, 2018		Soil	S18-No24253					X								
27	BH02_11.5-11.95	Nov 17, 2018		Soil	S18-No24254					X								
28	BH02_13.0-13.45	Nov 17, 2018		Soil	S18-No24255					X								
29	BH02_14.5-14.95	Nov 17, 2018		Soil	S18-No24256					X								

**Company Name:** Cardno (NSW/ACT) Pty Ltd  
**Address:** Level 9, 203 Pacific Highway  
St Leonards  
NSW 2065

**Project Name:** KYEEMAGH INFANTS SCHOOL  
**Project ID:** 80818157

**Order No.:**  
**Report #:** 628416  
**Phone:** 0294967700  
**Fax:** 02 9499 3902

**Received:** Nov 19, 2018 2:52 PM  
**Due:** Nov 26, 2018  
**Priority:** 5 Day  
**Contact Name:** Ben Withnall

**Eurofins | mgt Analytical Services Manager : Nibha Vaidya**

Sample Detail						Asbestos - WA guidelines	Asbestos Absence / Presence	HOLD	HOLD	Acid Sulfate Soils Field pH Test	BTEX	Eurofins   mgt Suite B15	Volatile Organics	TRH (after Silica Gel cleanup)	Moisture Set	Total Recoverable Hydrocarbons	Eurofins   mgt Suite B7	Eurofins   mgt Suite B8
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>								X				X	X	X	X	X	X	X
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X				X					X	X	X
<b>Brisbane Laboratory - NATA Site # 20794</b>									X	X								
<b>Perth Laboratory - NATA Site # 23736</b>																		
30	BH02_16.0-16.45	Nov 17, 2018		Soil	S18-No24257					X								
31	BH02_17.5-17.95	Nov 17, 2018		Soil	S18-No24258					X								
32	BH03_1.0-1.1	Nov 17, 2018		Soil	S18-No24259					X								
33	BH03_2.5-2.95	Nov 17, 2018		Soil	S18-No24260					X								
34	BH03_4.0-4.45	Nov 17, 2018		Soil	S18-No24261					X								
35	BH03_5.5-5.95	Nov 17, 2018		Soil	S18-No24262					X								
36	BH03_7.0-7.45	Nov 17, 2018		Soil	S18-No24263					X								
37	BH03_8.5-8.95	Nov 17, 2018		Soil	S18-No24264					X								
38	BH03_10.0-10.45	Nov 17, 2018		Soil	S18-No24265					X								
39	BH03_11.5-	Nov 17, 2018		Soil	S18-No24266					X								

**Company Name:** Cardno (NSW/ACT) Pty Ltd  
**Address:** Level 9, 203 Pacific Highway  
St Leonards  
NSW 2065

**Project Name:** KYEEMAGH INFANTS SCHOOL  
**Project ID:** 80818157

**Order No.:**  
**Report #:** 628416  
**Phone:** 0294967700  
**Fax:** 02 9499 3902

**Received:** Nov 19, 2018 2:52 PM  
**Due:** Nov 26, 2018  
**Priority:** 5 Day  
**Contact Name:** Ben Withnall

**Eurofins | mgt Analytical Services Manager : Nibha Vaidya**

Sample Detail						Asbestos - WA guidelines	Asbestos Absence / Presence	HOLD	HOLD	Acid Sulfate Soils Field pH Test	BTEX	Eurofins   mgt Suite B15	Volatile Organics	TRH (after Silica Gel cleanup)	Moisture Set	Total Recoverable Hydrocarbons	Eurofins   mgt Suite B7	Eurofins   mgt Suite B8
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>								X				X	X	X	X	X	X	X
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X				X					X	X	X
<b>Brisbane Laboratory - NATA Site # 20794</b>									X	X								
<b>Perth Laboratory - NATA Site # 23736</b>																		
	11.95																	
40	BH03_13.0-13.45	Nov 17, 2018		Soil	S18-No24267					X								
41	TP20_0.4	Nov 17, 2018		Soil	S18-No24268			X										
42	KYE_GUM	Nov 17, 2018		Water	S18-No24269									X		X		
43	BH02_2.0	Nov 17, 2018		Soil	S18-No24270				X									
44	KYE_RIN	Nov 17, 2018		Water	S18-No24271													X
<b>Test Counts</b>						8	1	2	2	20	2	4	1	1	14	1	8	7



## Internal Quality Control Review and Glossary

### General

1. QC data may be available on request.
2. All soil results are reported on a dry basis, unless otherwise stated.
3. Samples were analysed on an 'as received' basis.
4. This report replaces any interim results previously issued.

### Holding Times

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the Sample Receipt Advice.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

### Units

% w/w: weight for weight basis	grams per kilogram
Filter loading:	fibres/100 graticule areas
Reported Concentration:	fibres/mL
Flowrate:	L/min

### Terms

<b>Dry</b>	Sample is dried by heating prior to analysis
<b>LOR</b>	Limit of Reporting
<b>COC</b>	Chain of Custody
<b>SRA</b>	Sample Receipt Advice
<b>ISO</b>	International Standards Organisation
<b>AS</b>	Australian Standards
<b>WA DOH</b>	Reference document for the NEPM. Government of Western Australia, Guidelines for the Assessment, Remediation and Management of Asbestos-Contaminated Sites in Western Australia (2009), including supporting document Recommended Procedures for Laboratory Analysis of Asbestos in Soil (2011)
<b>NEPM</b>	National Environment Protection (Assessment of Site Contamination) Measure, 2013 (as amended)
<b>ACM</b>	Asbestos Containing Materials. Asbestos contained within a non-asbestos matrix, typically presented in bonded and/or sound condition. For the purposes of the NEPM, ACM is generally restricted to those materials that do not pass a 7mm x 7mm sieve.
<b>AF</b>	Asbestos Fines. Asbestos containing materials, including friable, weathered and bonded materials, able to pass a 7mm x 7mm sieve. Considered under the NEPM as equivalent to "non-bonded / friable".
<b>FA</b>	Fibrous Asbestos. Asbestos containing materials in a friable and/or severely weathered condition. For the purposes of the NEPM, FA is generally restricted to those materials that do not pass a 7mm x 7mm sieve.
<b>Friable</b>	Asbestos-containing materials of any size that may be broken or crumbled by hand pressure. For the purposes of the NEPM, this includes both AF and FA. It is outside of the laboratory's remit to assess degree of friability.
<b>Trace Analysis</b>	Analytical procedure used to detect the presence of respirable fibres in the matrix.

## Comments

No24247: Sample received was less than the nominal 500mL as recommended in Section 4.10 of the NEPM Schedule B1 - Guideline on Investigation Levels for Soil and Groundwater.

Eurofins | mgt accreditation number 1261, corporate site 1254 is currently in progress of a controlled transition to a new custom built location at 6 Monterey Road, Dandenong South, Victoria 3175. All results on this report denoted as being performed by Eurofins | mgt 2-5 Kingston Town Close, Oakleigh Victoria 3166 corporate site 1254, will have been performed on either Oakleigh or new Dandenong South site.

## Sample Integrity

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	Yes
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

## Qualifier Codes/Comments

Code	Description
N/A	Not applicable

## Asbestos Counter/Identifier:

## Authorised by:

Sayed Abu                      Senior Analyst-Asbestos (NSW)



**Glenn Jackson**  
**General Manager**

Final Report – this report replaces any previously issued Report

- Indicates Not Requested

\* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins | mgt shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins | mgt be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.

## Certificate of Analysis

**Cardno (NSW/ACT) Pty Ltd**  
**Level 9, 203 Pacific Highway**  
**St Leonards**  
**NSW 2065**



**NATA Accredited**  
**Accreditation Number 1261**  
**Site Number 18217**

Accredited for compliance with ISO/IEC 17025 – Testing  
 The results of the tests, calibrations and/or  
 measurements included in this document are traceable  
 to Australian/national standards.

**Attention:** **Ben Withnall**

**Report** **628416-W**  
 Project name KYEEMAGH INFANTS SCHOOL  
 Project ID 80818157  
 Received Date Nov 19, 2018

Client Sample ID			KYE_GUM	KYE_RIN
Sample Matrix			Water	Water
Eurofins   mgt Sample No.			S18-No24269	S18-No24271
Date Sampled			Nov 17, 2018	Nov 17, 2018
Test/Reference	LOR	Unit		
<b>Total Recoverable Hydrocarbons - 1999 NEPM Fractions</b>				
TRH C6-C9	0.02	mg/L	< 0.02	< 0.02
TRH C10-C14	0.05	mg/L	< 0.05	< 0.05
TRH C15-C28	0.1	mg/L	< 0.1	< 0.1
TRH C29-C36	0.1	mg/L	< 0.1	< 0.1
TRH C10-36 (Total)	0.1	mg/L	< 0.1	< 0.1
<b>Volatile Organics</b>				
1.1-Dichloroethane	0.001	mg/L	-	< 0.001
1.1-Dichloroethene	0.001	mg/L	-	< 0.001
1.1.1-Trichloroethane	0.001	mg/L	-	< 0.001
1.1.1.2-Tetrachloroethane	0.001	mg/L	-	< 0.001
1.1.2-Trichloroethane	0.001	mg/L	-	< 0.001
1.1.2.2-Tetrachloroethane	0.001	mg/L	-	< 0.001
1.2-Dibromoethane	0.001	mg/L	-	< 0.001
1.2-Dichlorobenzene	0.001	mg/L	-	< 0.001
1.2-Dichloroethane	0.001	mg/L	-	< 0.001
1.2-Dichloropropane	0.001	mg/L	-	< 0.001
1.2.3-Trichloropropane	0.001	mg/L	-	< 0.001
1.2.4-Trimethylbenzene	0.001	mg/L	-	< 0.001
1.3-Dichlorobenzene	0.001	mg/L	-	< 0.001
1.3-Dichloropropane	0.001	mg/L	-	< 0.001
1.3.5-Trimethylbenzene	0.001	mg/L	-	< 0.001
1.4-Dichlorobenzene	0.001	mg/L	-	< 0.001
2-Butanone (MEK)	0.001	mg/L	-	< 0.001
2-Propanone (Acetone)	0.001	mg/L	-	< 0.001
4-Chlorotoluene	0.001	mg/L	-	< 0.001
4-Methyl-2-pentanone (MIBK)	0.001	mg/L	-	< 0.001
Allyl chloride	0.001	mg/L	-	< 0.001
Benzene	0.001	mg/L	-	< 0.001
Bromobenzene	0.001	mg/L	-	< 0.001
Bromochloromethane	0.001	mg/L	-	< 0.001
Bromodichloromethane	0.001	mg/L	-	< 0.001
Bromoform	0.001	mg/L	-	< 0.001
Bromomethane	0.001	mg/L	-	< 0.001
Carbon disulfide	0.001	mg/L	-	< 0.001
Carbon Tetrachloride	0.001	mg/L	-	< 0.001

Client Sample ID			KYE_GUM	KYE_RIN
Sample Matrix			Water	Water
Eurofins   mgt Sample No.			S18-No24269	S18-No24271
Date Sampled			Nov 17, 2018	Nov 17, 2018
Test/Reference	LOR	Unit		
<b>Volatile Organics</b>				
Chlorobenzene	0.001	mg/L	-	< 0.001
Chloroethane	0.001	mg/L	-	< 0.001
Chloroform	0.005	mg/L	-	< 0.005
Chloromethane	0.001	mg/L	-	< 0.001
cis-1.2-Dichloroethene	0.001	mg/L	-	< 0.001
cis-1.3-Dichloropropene	0.001	mg/L	-	< 0.001
Dibromochloromethane	0.001	mg/L	-	< 0.001
Dibromomethane	0.001	mg/L	-	< 0.001
Dichlorodifluoromethane	0.001	mg/L	-	< 0.001
Ethylbenzene	0.001	mg/L	-	< 0.001
Iodomethane	0.001	mg/L	-	< 0.001
Isopropyl benzene (Cumene)	0.001	mg/L	-	< 0.001
m&p-Xylenes	0.002	mg/L	-	< 0.002
Methylene Chloride	0.001	mg/L	-	< 0.001
o-Xylene	0.001	mg/L	-	< 0.001
Styrene	0.001	mg/L	-	< 0.001
Tetrachloroethene	0.001	mg/L	-	< 0.001
Toluene	0.001	mg/L	-	< 0.001
trans-1.2-Dichloroethene	0.001	mg/L	-	< 0.001
trans-1.3-Dichloropropene	0.001	mg/L	-	< 0.001
Trichloroethene	0.001	mg/L	-	< 0.001
Trichlorofluoromethane	0.001	mg/L	-	< 0.001
Vinyl chloride	0.001	mg/L	-	< 0.001
Xylenes - Total	0.003	mg/L	-	< 0.003
Total MAH*	0.003	mg/L	-	< 0.003
Vic EPA IWRG 621 CHC (Total)*	0.005	mg/L	-	< 0.005
Vic EPA IWRG 621 Other CHC (Total)*	0.005	mg/L	-	< 0.005
4-Bromofluorobenzene (surr.)	1	%	-	109
Toluene-d8 (surr.)	1	%	-	115
<b>Total Recoverable Hydrocarbons - 2013 NEPM Fractions</b>				
Naphthalene <sup>N02</sup>	0.01	mg/L	< 0.01	< 0.01
TRH C6-C10	0.02	mg/L	< 0.02	< 0.02
TRH C6-C10 less BTEX (F1) <sup>N04</sup>	0.02	mg/L	< 0.02	< 0.02
TRH >C10-C16	0.05	mg/L	< 0.05	< 0.05
TRH >C10-C16 less Naphthalene (F2) <sup>N01</sup>	0.05	mg/L	< 0.05	< 0.05
TRH >C16-C34	0.1	mg/L	< 0.1	< 0.1
TRH >C34-C40	0.1	mg/L	< 0.1	< 0.1
TRH >C10-C40 (total)*	0.1	mg/L	< 0.1	< 0.1
<b>Polycyclic Aromatic Hydrocarbons</b>				
Acenaphthene	0.001	mg/L	-	< 0.001
Acenaphthylene	0.001	mg/L	-	< 0.001
Anthracene	0.001	mg/L	-	< 0.001
Benz(a)anthracene	0.001	mg/L	-	< 0.001
Benzo(a)pyrene	0.001	mg/L	-	< 0.001
Benzo(b&j)fluoranthene <sup>N07</sup>	0.001	mg/L	-	< 0.001
Benzo(g,h,i)perylene	0.001	mg/L	-	< 0.001
Benzo(k)fluoranthene	0.001	mg/L	-	< 0.001
Chrysene	0.001	mg/L	-	< 0.001
Dibenz(a,h)anthracene	0.001	mg/L	-	< 0.001

<b>Client Sample ID</b>			<b>KYE_GUM</b>	<b>KYE_RIN</b>
<b>Sample Matrix</b>			<b>Water</b>	<b>Water</b>
<b>Eurofins   mgt Sample No.</b>			<b>S18-No24269</b>	<b>S18-No24271</b>
<b>Date Sampled</b>			<b>Nov 17, 2018</b>	<b>Nov 17, 2018</b>
Test/Reference	LOR	Unit		
<b>Polycyclic Aromatic Hydrocarbons</b>				
Fluoranthene	0.001	mg/L	-	< 0.001
Fluorene	0.001	mg/L	-	< 0.001
Indeno(1.2.3-cd)pyrene	0.001	mg/L	-	< 0.001
Naphthalene	0.001	mg/L	-	< 0.001
Phenanthrene	0.001	mg/L	-	< 0.001
Pyrene	0.001	mg/L	-	< 0.001
Total PAH*	0.001	mg/L	-	< 0.001
2-Fluorobiphenyl (surr.)	1	%	-	79
p-Terphenyl-d14 (surr.)	1	%	-	55
<b>TRH - 2013 NEPM Fractions (after silica gel clean-up)</b>				
TRH >C10-C16 (after silica gel clean-up)	0.05	mg/L	< 0.05	-
TRH >C16-C34 (after silica gel clean-up)	0.1	mg/L	< 0.1	-
TRH >C34-C40 (after silica gel clean-up)	0.1	mg/L	< 0.1	-
<b>TRH - 1999 NEPM Fractions (after silica gel clean-up)</b>				
TRH C10-C36 (Total) (after silica gel clean-up)	0.1	mg/L	< 0.1	-
TRH C10-C14 (after silica gel clean-up)	0.05	mg/L	< 0.05	-
TRH C15-C28 (after silica gel clean-up)	0.1	mg/L	< 0.1	-
TRH C29-C36 (after silica gel clean-up)	0.1	mg/L	< 0.1	-
<b>Heavy Metals</b>				
Arsenic	0.001	mg/L	-	< 0.001
Cadmium	0.0002	mg/L	-	< 0.0002
Chromium	0.001	mg/L	-	< 0.001
Copper	0.001	mg/L	-	< 0.001
Lead	0.001	mg/L	-	< 0.001
Mercury	0.0001	mg/L	-	< 0.0001
Nickel	0.001	mg/L	-	< 0.001
Zinc	0.005	mg/L	-	< 0.005



## Sample History

Where samples are submitted/analysed over several days, the last date of extraction and analysis is reported.

A recent review of our LIMS has resulted in the correction or clarification of some method identifications. Due to this, some of the method reference information on reports has changed. However, no substantive change has been made to our laboratory methods, and as such there is no change in the validity of current or previous results (regarding both quality and NATA accreditation).

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

Description	Testing Site	Extracted	Holding Time
<b>Eurofins   mgt Suite B8</b>			
Total Recoverable Hydrocarbons - 1999 NEPM Fractions	Melbourne	Nov 21, 2018	7 Day
- Method: LTM-ORG-2010 TRH C6-C40			
Volatile Organics	Melbourne	Nov 21, 2018	7 Days
- Method: LTM-ORG-2150 VOCs in Soils Liquid and other Aqueous Matrices			
Total Recoverable Hydrocarbons - 2013 NEPM Fractions	Melbourne	Nov 21, 2018	7 Day
- Method: LTM-ORG-2010 TRH C6-C40			
Total Recoverable Hydrocarbons - 2013 NEPM Fractions	Melbourne	Nov 21, 2018	7 Day
- Method: LTM-ORG-2010 TRH C6-C40			
Polycyclic Aromatic Hydrocarbons	Melbourne	Nov 21, 2018	7 Day
- Method: LTM-ORG-2130 PAH and Phenols in Soil and Water			
Metals M8	Melbourne	Nov 21, 2018	28 Days
- Method: LTM-MET-3040 Metals in Waters, Soils & Sediments by ICP-MS			
TRH - 2013 NEPM Fractions (after silica gel clean-up)	Melbourne	Nov 26, 2018	7 Day
- Method: LTM-ORG-2010 TRH C6-C40			
TRH - 1999 NEPM Fractions (after silica gel clean-up)	Melbourne	Nov 26, 2018	7 Day
- Method: TRH C6-C36 (Silica Gel Cleanup) - MGT 100A			

**Company Name:** Cardno (NSW/ACT) Pty Ltd  
**Address:** Level 9, 203 Pacific Highway  
St Leonards  
NSW 2065

**Project Name:** KYEEMAGH INFANTS SCHOOL  
**Project ID:** 80818157

**Order No.:**  
**Report #:** 628416  
**Phone:** 0294967700  
**Fax:** 02 9499 3902

**Received:** Nov 19, 2018 2:52 PM  
**Due:** Nov 26, 2018  
**Priority:** 5 Day  
**Contact Name:** Ben Withnall

**Eurofins | mgt Analytical Services Manager : Nibha Vaidya**

Sample Detail						Asbestos - WA guidelines	Asbestos Absence / Presence	HOLD	HOLD	Acid Sulfate Soils Field pH Test	BTEX	Eurofins   mgt Suite B15	Volatile Organics	TRH (after Silica Gel cleanup)	Moisture Set	Total Recoverable Hydrocarbons	Eurofins   mgt Suite B7	Eurofins   mgt Suite B8
Melbourne Laboratory - NATA Site # 1254 & 14271								X				X	X	X	X	X	X	X
Sydney Laboratory - NATA Site # 18217						X	X				X					X	X	X
Brisbane Laboratory - NATA Site # 20794									X	X								
Perth Laboratory - NATA Site # 23736																		
External Laboratory																		
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID													
1	TP13_0.1	Nov 17, 2018		Soil	S18-No24227	X						X	X		X		X	
2	TP13_0.4	Nov 17, 2018		Soil	S18-No24228	X												
3	TP14_0.1	Nov 17, 2018		Soil	S18-No24229	X												
4	TP14_0.7	Nov 17, 2018		Soil	S18-No24230										X			X
5	TP15_0.1	Nov 17, 2018		Soil	S18-No24231										X		X	
6	TP15_0.6	Nov 17, 2018		Soil	S18-No24232							X			X			X
7	TP16_0.1	Nov 17, 2018		Soil	S18-No24233										X		X	
8	TP16_0.8	Nov 17, 2018		Soil	S18-No24234										X			X
9	TP17_0.1	Nov 17, 2018		Soil	S18-No24235	X												

**Company Name:** Cardno (NSW/ACT) Pty Ltd  
**Address:** Level 9, 203 Pacific Highway  
St Leonards  
NSW 2065

**Project Name:** KYEEMAGH INFANTS SCHOOL  
**Project ID:** 80818157

**Order No.:**  
**Report #:** 628416  
**Phone:** 0294967700  
**Fax:** 02 9499 3902

**Received:** Nov 19, 2018 2:52 PM  
**Due:** Nov 26, 2018  
**Priority:** 5 Day  
**Contact Name:** Ben Withnall

**Eurofins | mgt Analytical Services Manager : Nibha Vaidya**

Sample Detail						Asbestos - WA guidelines	Asbestos Absence /Presence	HOLD	HOLD	Acid Sulfate Soils Field pH Test	BTEX	Eurofins   mgt Suite B15	Volatile Organics	TRH (after Silica Gel cleanup)	Moisture Set	Total Recoverable Hydrocarbons	Eurofins   mgt Suite B7	Eurofins   mgt Suite B8
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>								X				X	X	X	X	X	X	X
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X				X					X	X	X
<b>Brisbane Laboratory - NATA Site # 20794</b>									X	X								
<b>Perth Laboratory - NATA Site # 23736</b>																		
10	TP17_0.5	Nov 17, 2018		Soil	S18-No24236										X			X
11	TP18_0.1	Nov 17, 2018		Soil	S18-No24237	X						X			X		X	
12	TP18_0.4	Nov 17, 2018		Soil	S18-No24238										X			X
13	TP20_0.1	Nov 17, 2018		Soil	S18-No24239	X						X			X		X	
14	QA300	Nov 17, 2018		Soil	S18-No24240										X		X	
15	ASB2	Nov 17, 2018		Building Materials	S18-No24241		X											
16	KYE_TB	Nov 17, 2018		Soil	S18-No24242						X							
17	KYE_TS	Nov 17, 2018		Soil	S18-No24243						X							
18	BH02_0.5	Nov 17, 2018		Soil	S18-No24245	X									X		X	
19	BH2_1.0	Nov 17, 2018		Soil	S18-No24246										X			X
20	BH03_0.5	Nov 17, 2018		Soil	S18-No24247	X									X		X	

**Company Name:** Cardno (NSW/ACT) Pty Ltd  
**Address:** Level 9, 203 Pacific Highway  
St Leonards  
NSW 2065  
**Project Name:** KYEEMAGH INFANTS SCHOOL  
**Project ID:** 80818157

**Order No.:**  
**Report #:** 628416  
**Phone:** 0294967700  
**Fax:** 02 9499 3902

**Received:** Nov 19, 2018 2:52 PM  
**Due:** Nov 26, 2018  
**Priority:** 5 Day  
**Contact Name:** Ben Withnall

**Eurofins | mgt Analytical Services Manager : Nibha Vaidya**

Sample Detail						Asbestos - WA guidelines	Asbestos Absence / Presence	HOLD	HOLD	Acid Sulfate Soils Field pH Test	BTEX	Eurofins   mgt Suite B15	Volatile Organics	TRH (after Silica Gel cleanup)	Moisture Set	Total Recoverable Hydrocarbons	Eurofins   mgt Suite B7	Eurofins   mgt Suite B8
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>								X				X	X	X	X	X	X	X
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X				X					X	X	X
<b>Brisbane Laboratory - NATA Site # 20794</b>									X	X								
<b>Perth Laboratory - NATA Site # 23736</b>																		
21	BH02_2.0-2.45	Nov 17, 2018		Soil	S18-No24248					X								
22	BH02_4.0-4.45	Nov 17, 2018		Soil	S18-No24249					X								
23	BH02_5.5-5.95	Nov 17, 2018		Soil	S18-No24250					X								
24	BH02_7.0-7.45	Nov 17, 2018		Soil	S18-No24251					X								
25	BH02_8.5-8.95	Nov 17, 2018		Soil	S18-No24252					X								
26	BH02_10.0-10.45	Nov 17, 2018		Soil	S18-No24253					X								
27	BH02_11.5-11.95	Nov 17, 2018		Soil	S18-No24254					X								
28	BH02_13.0-13.45	Nov 17, 2018		Soil	S18-No24255					X								
29	BH02_14.5-14.95	Nov 17, 2018		Soil	S18-No24256					X								

**Company Name:** Cardno (NSW/ACT) Pty Ltd  
**Address:** Level 9, 203 Pacific Highway  
St Leonards  
NSW 2065

**Project Name:** KYEEMAGH INFANTS SCHOOL  
**Project ID:** 80818157

**Order No.:**  
**Report #:** 628416  
**Phone:** 0294967700  
**Fax:** 02 9499 3902

**Received:** Nov 19, 2018 2:52 PM  
**Due:** Nov 26, 2018  
**Priority:** 5 Day  
**Contact Name:** Ben Withnall

**Eurofins | mgt Analytical Services Manager : Nibha Vaidya**

Sample Detail						Asbestos - WA guidelines	Asbestos Absence / Presence	HOLD	HOLD	Acid Sulfate Soils Field pH Test	BTEX	Eurofins   mgt Suite B15	Volatile Organics	TRH (after Silica Gel cleanup)	Moisture Set	Total Recoverable Hydrocarbons	Eurofins   mgt Suite B7	Eurofins   mgt Suite B8
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>								X				X	X	X	X	X	X	X
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X				X					X	X	X
<b>Brisbane Laboratory - NATA Site # 20794</b>									X	X								
<b>Perth Laboratory - NATA Site # 23736</b>																		
30	BH02_16.0-16.45	Nov 17, 2018		Soil	S18-No24257					X								
31	BH02_17.5-17.95	Nov 17, 2018		Soil	S18-No24258					X								
32	BH03_1.0-1.1	Nov 17, 2018		Soil	S18-No24259					X								
33	BH03_2.5-2.95	Nov 17, 2018		Soil	S18-No24260					X								
34	BH03_4.0-4.45	Nov 17, 2018		Soil	S18-No24261					X								
35	BH03_5.5-5.95	Nov 17, 2018		Soil	S18-No24262					X								
36	BH03_7.0-7.45	Nov 17, 2018		Soil	S18-No24263					X								
37	BH03_8.5-8.95	Nov 17, 2018		Soil	S18-No24264					X								
38	BH03_10.0-10.45	Nov 17, 2018		Soil	S18-No24265					X								
39	BH03_11.5-	Nov 17, 2018		Soil	S18-No24266					X								



**Company Name:** Cardno (NSW/ACT) Pty Ltd  
**Address:** Level 9, 203 Pacific Highway  
St Leonards  
NSW 2065

**Project Name:** KYEEMAGH INFANTS SCHOOL  
**Project ID:** 80818157

**Order No.:**  
**Report #:** 628416  
**Phone:** 0294967700  
**Fax:** 02 9499 3902

**Received:** Nov 19, 2018 2:52 PM  
**Due:** Nov 26, 2018  
**Priority:** 5 Day  
**Contact Name:** Ben Withnall

**Eurofins | mgt Analytical Services Manager : Nibha Vaidya**

Sample Detail						Asbestos - WA guidelines	Asbestos Absence /Presence	HOLD	HOLD	Acid Sulfate Soils Field pH Test	BTEX	Eurofins   mgt Suite B15	Volatile Organics	TRH (after Silica Gel cleanup)	Moisture Set	Total Recoverable Hydrocarbons	Eurofins   mgt Suite B7	Eurofins   mgt Suite B8
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>								X				X	X	X	X	X	X	X
<b>Sydney Laboratory - NATA Site # 18217</b>						X	X				X					X	X	X
<b>Brisbane Laboratory - NATA Site # 20794</b>									X	X								
<b>Perth Laboratory - NATA Site # 23736</b>																		
	11.95																	
40	BH03_13.0-13.45	Nov 17, 2018		Soil	S18-No24267					X								
41	TP20_0.4	Nov 17, 2018		Soil	S18-No24268			X										
42	KYE_GUM	Nov 17, 2018		Water	S18-No24269									X		X		
43	BH02_2.0	Nov 17, 2018		Soil	S18-No24270				X									
44	KYE_RIN	Nov 17, 2018		Water	S18-No24271													X
<b>Test Counts</b>						8	1	2	2	20	2	4	1	1	14	1	8	7

## Internal Quality Control Review and Glossary

### General

1. Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples are included in this QC report where applicable. Additional QC data may be available on request.
2. All soil results are reported on a dry basis, unless otherwise stated.
3. All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
4. Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
5. Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
6. SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
7. Samples were analysed on an 'as received' basis.
8. This report replaces any interim results previously issued.

### Holding Times

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

**\*\*NOTE:** pH duplicates are reported as a range NOT as RPD

### Units

**mg/kg:** milligrams per kilogram

**mg/L:** milligrams per litre

**ug/L:** micrograms per litre

**ppm:** Parts per million

**ppb:** Parts per billion

**%:** Percentage

**org/100mL:** Organisms per 100 millilitres

**NTU:** Nephelometric Turbidity Units

**MPN/100mL:** Most Probable Number of organisms per 100 millilitres

### Terms

<b>Dry</b>	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
<b>LOR</b>	Limit of Reporting.
<b>SPIKE</b>	Addition of the analyte to the sample and reported as percentage recovery.
<b>RPD</b>	Relative Percent Difference between two Duplicate pieces of analysis.
<b>LCS</b>	Laboratory Control Sample - reported as percent recovery.
<b>CRM</b>	Certified Reference Material - reported as percent recovery.
<b>Method Blank</b>	In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water.
<b>Surr - Surrogate</b>	The addition of a like compound to the analyte target and reported as percentage recovery.
<b>Duplicate</b>	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
<b>USEPA</b>	United States Environmental Protection Agency
<b>APHA</b>	American Public Health Association
<b>TCLP</b>	Toxicity Characteristic Leaching Procedure
<b>COC</b>	Chain of Custody
<b>SRA</b>	Sample Receipt Advice
<b>QSM</b>	Quality Systems Manual ver 5.1 US Department of Defense
<b>CP</b>	Client Parent - QC was performed on samples pertaining to this report
<b>NCP</b>	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within.
<b>TEQ</b>	Toxic Equivalency Quotient

### QC - Acceptance Criteria

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR : No Limit

Results between 10-20 times the LOR : RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

Surrogate Recoveries: Recoveries must lie between 50-150%-Phenols & PFASs

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.1 where no positive PFAS results have been reported have been reviewed and no data was affected.

WA DWER (n=10): PFBA, PFPa, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA

### QC Data General Comments

1. Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
2. Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
3. Organochlorine Pesticide analysis - where reporting LCS data, Toxaphene & Chlordane are not added to the LCS.
4. Organochlorine Pesticide analysis - where reporting Spike data, Toxaphene is not added to the Spike.
5. Total Recoverable Hydrocarbons - where reporting Spike & LCS data, a single spike of commercial Hydrocarbon products in the range of C12-C30 is added and it's Total Recovery is reported in the C10-C14 cell of the Report.
6. pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
7. Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of Recovery the term "INT" appears against that analyte.
8. Polychlorinated Biphenyls are spiked only using Aroclor 1260 in Matrix Spikes and LCS.
9. For Matrix Spikes and LCS results a dash " - " in the report means that the specific analyte was not added to the QC sample.
10. Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.

## Quality Control Results

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
<b>Method Blank</b>							
<b>Total Recoverable Hydrocarbons - 1999 NEPM Fractions</b>							
TRH C6-C9	mg/L	< 0.02			0.02	Pass	
TRH C10-C14	mg/L	< 0.05			0.05	Pass	
TRH C15-C28	mg/L	< 0.1			0.1	Pass	
TRH C29-C36	mg/L	< 0.1			0.1	Pass	
<b>Method Blank</b>							
<b>Volatile Organics</b>							
1.1-Dichloroethane	mg/L	< 0.001			0.001	Pass	
1.1-Dichloroethene	mg/L	< 0.001			0.001	Pass	
1.1.1-Trichloroethane	mg/L	< 0.001			0.001	Pass	
1.1.1.2-Tetrachloroethane	mg/L	< 0.001			0.001	Pass	
1.1.2-Trichloroethane	mg/L	< 0.001			0.001	Pass	
1.1.2.2-Tetrachloroethane	mg/L	< 0.001			0.001	Pass	
1.2-Dibromoethane	mg/L	< 0.001			0.001	Pass	
1.2-Dichlorobenzene	mg/L	< 0.001			0.001	Pass	
1.2-Dichloroethane	mg/L	< 0.001			0.001	Pass	
1.2-Dichloropropane	mg/L	< 0.001			0.001	Pass	
1.2.3-Trichloropropane	mg/L	< 0.001			0.001	Pass	
1.2.4-Trimethylbenzene	mg/L	< 0.001			0.001	Pass	
1.3-Dichlorobenzene	mg/L	< 0.001			0.001	Pass	
1.3-Dichloropropane	mg/L	< 0.001			0.001	Pass	
1.3.5-Trimethylbenzene	mg/L	< 0.001			0.001	Pass	
1.4-Dichlorobenzene	mg/L	< 0.001			0.001	Pass	
2-Butanone (MEK)	mg/L	< 0.001			0.001	Pass	
2-Propanone (Acetone)	mg/L	< 0.001			0.001	Pass	
4-Chlorotoluene	mg/L	< 0.001			0.001	Pass	
4-Methyl-2-pentanone (MIBK)	mg/L	< 0.001			0.001	Pass	
Allyl chloride	mg/L	< 0.001			0.001	Pass	
Benzene	mg/L	< 0.001			0.001	Pass	
Bromobenzene	mg/L	< 0.001			0.001	Pass	
Bromochloromethane	mg/L	< 0.001			0.001	Pass	
Bromodichloromethane	mg/L	< 0.001			0.001	Pass	
Bromoform	mg/L	< 0.001			0.001	Pass	
Bromomethane	mg/L	< 0.001			0.001	Pass	
Carbon disulfide	mg/L	< 0.001			0.001	Pass	
Carbon Tetrachloride	mg/L	< 0.001			0.001	Pass	
Chlorobenzene	mg/L	< 0.001			0.001	Pass	
Chloroethane	mg/L	< 0.001			0.001	Pass	
Chloroform	mg/L	< 0.005			0.005	Pass	
Chloromethane	mg/L	< 0.001			0.001	Pass	
cis-1.2-Dichloroethene	mg/L	< 0.001			0.001	Pass	
cis-1.3-Dichloropropene	mg/L	< 0.001			0.001	Pass	
Dibromochloromethane	mg/L	< 0.001			0.001	Pass	
Dibromomethane	mg/L	< 0.001			0.001	Pass	
Dichlorodifluoromethane	mg/L	< 0.001			0.001	Pass	
Ethylbenzene	mg/L	< 0.001			0.001	Pass	
Iodomethane	mg/L	< 0.001			0.001	Pass	
Isopropyl benzene (Cumene)	mg/L	< 0.001			0.001	Pass	
m&p-Xylenes	mg/L	< 0.002			0.002	Pass	
Methylene Chloride	mg/L	< 0.001			0.001	Pass	
o-Xylene	mg/L	< 0.001			0.001	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Styrene	mg/L	< 0.001			0.001	Pass	
Tetrachloroethene	mg/L	< 0.001			0.001	Pass	
Toluene	mg/L	< 0.001			0.001	Pass	
trans-1,2-Dichloroethene	mg/L	< 0.001			0.001	Pass	
trans-1,3-Dichloropropene	mg/L	< 0.001			0.001	Pass	
Trichloroethene	mg/L	< 0.001			0.001	Pass	
Trichlorofluoromethane	mg/L	< 0.001			0.001	Pass	
Vinyl chloride	mg/L	< 0.001			0.001	Pass	
Xylenes - Total	mg/L	< 0.003			0.003	Pass	
<b>Method Blank</b>							
<b>Total Recoverable Hydrocarbons - 2013 NEPM Fractions</b>							
Naphthalene	mg/L	< 0.01			0.01	Pass	
TRH C6-C10	mg/L	< 0.02			0.02	Pass	
TRH >C10-C16	mg/L	< 0.05			0.05	Pass	
TRH >C16-C34	mg/L	< 0.1			0.1	Pass	
TRH >C34-C40	mg/L	< 0.1			0.1	Pass	
<b>Method Blank</b>							
<b>Polycyclic Aromatic Hydrocarbons</b>							
Acenaphthene	mg/L	< 0.001			0.001	Pass	
Acenaphthylene	mg/L	< 0.001			0.001	Pass	
Anthracene	mg/L	< 0.001			0.001	Pass	
Benz(a)anthracene	mg/L	< 0.001			0.001	Pass	
Benzo(a)pyrene	mg/L	< 0.001			0.001	Pass	
Benzo(b&j)fluoranthene	mg/L	< 0.001			0.001	Pass	
Benzo(g,h,i)perylene	mg/L	< 0.001			0.001	Pass	
Benzo(k)fluoranthene	mg/L	< 0.001			0.001	Pass	
Chrysene	mg/L	< 0.001			0.001	Pass	
Dibenz(a,h)anthracene	mg/L	< 0.001			0.001	Pass	
Fluoranthene	mg/L	< 0.001			0.001	Pass	
Fluorene	mg/L	< 0.001			0.001	Pass	
Indeno(1,2,3-cd)pyrene	mg/L	< 0.001			0.001	Pass	
Naphthalene	mg/L	< 0.001			0.001	Pass	
Phenanthrene	mg/L	< 0.001			0.001	Pass	
Pyrene	mg/L	< 0.001			0.001	Pass	
<b>Method Blank</b>							
<b>Heavy Metals</b>							
Arsenic	mg/L	< 0.001			0.001	Pass	
Cadmium	mg/L	< 0.0002			0.0002	Pass	
Chromium	mg/L	< 0.001			0.001	Pass	
Copper	mg/L	< 0.001			0.001	Pass	
Lead	mg/L	< 0.001			0.001	Pass	
Mercury	mg/L	< 0.0001			0.0001	Pass	
Nickel	mg/L	< 0.001			0.001	Pass	
Zinc	mg/L	< 0.005			0.005	Pass	
<b>LCS - % Recovery</b>							
<b>Total Recoverable Hydrocarbons - 1999 NEPM Fractions</b>							
TRH C6-C9	%	113			70-130	Pass	
TRH C10-C14	%	90			70-130	Pass	
<b>LCS - % Recovery</b>							
<b>Volatile Organics</b>							
1,1-Dichloroethene	%	85			70-130	Pass	
1,1,1-Trichloroethane	%	93			70-130	Pass	
1,2-Dichlorobenzene	%	104			70-130	Pass	
1,2-Dichloroethane	%	98			70-130	Pass	

Test			Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Benzene			%	94			70-130	Pass	
Ethylbenzene			%	102			70-130	Pass	
m&p-Xylenes			%	101			70-130	Pass	
Toluene			%	102			70-130	Pass	
Trichloroethene			%	87			70-130	Pass	
Xylenes - Total			%	100			70-130	Pass	
LCS - % Recovery									
Total Recoverable Hydrocarbons - 2013 NEPM Fractions									
Naphthalene			%	111			70-130	Pass	
TRH C6-C10			%	118			70-130	Pass	
TRH >C10-C16			%	93			70-130	Pass	
LCS - % Recovery									
Polycyclic Aromatic Hydrocarbons									
Acenaphthene			%	90			70-130	Pass	
Acenaphthylene			%	92			70-130	Pass	
Anthracene			%	87			70-130	Pass	
Benz(a)anthracene			%	79			70-130	Pass	
Benzo(a)pyrene			%	93			70-130	Pass	
Benzo(b&j)fluoranthene			%	91			70-130	Pass	
Benzo(g.h.i)perylene			%	101			70-130	Pass	
Benzo(k)fluoranthene			%	107			70-130	Pass	
Chrysene			%	97			70-130	Pass	
Dibenz(a.h)anthracene			%	95			70-130	Pass	
Fluoranthene			%	84			70-130	Pass	
Fluorene			%	95			70-130	Pass	
Indeno(1.2.3-cd)pyrene			%	85			70-130	Pass	
Naphthalene			%	91			70-130	Pass	
Phenanthrene			%	87			70-130	Pass	
Pyrene			%	87			70-130	Pass	
LCS - % Recovery									
Heavy Metals									
Arsenic			%	100			80-120	Pass	
Cadmium			%	96			80-120	Pass	
Chromium			%	100			80-120	Pass	
Copper			%	102			80-120	Pass	
Lead			%	101			80-120	Pass	
Mercury			%	91			75-125	Pass	
Nickel			%	98			80-120	Pass	
Zinc			%	100			80-120	Pass	
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Spike - % Recovery									
Total Recoverable Hydrocarbons - 1999 NEPM Fractions				Result 1					
TRH C6-C9	M18-No23495	NCP	%	127			70-130	Pass	
TRH C10-C14	M18-No24798	NCP	%	114			70-130	Pass	
Spike - % Recovery									
Total Recoverable Hydrocarbons - 2013 NEPM Fractions				Result 1					
Naphthalene	M18-No23495	NCP	%	113			70-130	Pass	
TRH C6-C10	M18-No23495	NCP	%	128			70-130	Pass	
TRH >C10-C16	M18-No24798	NCP	%	123			70-130	Pass	
Spike - % Recovery									
Volatile Organics				Result 1					
1.1-Dichloroethene	M18-No23495	NCP	%	96			70-130	Pass	
1.1.1-Trichloroethane	M18-No23495	NCP	%	99			70-130	Pass	
1.2-Dichlorobenzene	M18-No23495	NCP	%	102			70-130	Pass	



Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
1,2-Dichloroethane	M18-No23495	NCP	%	98			70-130	Pass	
Benzene	M18-No23495	NCP	%	100			70-130	Pass	
Ethylbenzene	M18-No23495	NCP	%	108			70-130	Pass	
m&p-Xylenes	M18-No23495	NCP	%	106			70-130	Pass	
o-Xylene	M18-No23495	NCP	%	103			70-130	Pass	
Toluene	M18-No23495	NCP	%	112			70-130	Pass	
Trichloroethene	M18-No23495	NCP	%	95			70-130	Pass	
Xylenes - Total	M18-No23495	NCP	%	105			70-130	Pass	
<b>Spike - % Recovery</b>									
<b>Polycyclic Aromatic Hydrocarbons</b>				Result 1					
Acenaphthene	M18-No25533	NCP	%	91			70-130	Pass	
Acenaphthylene	M18-No25533	NCP	%	94			70-130	Pass	
Anthracene	M18-No25533	NCP	%	90			70-130	Pass	
Benz(a)anthracene	M18-No25533	NCP	%	86			70-130	Pass	
Benzo(a)pyrene	M18-No25533	NCP	%	92			70-130	Pass	
Benzo(b&j)fluoranthene	M18-No25533	NCP	%	83			70-130	Pass	
Benzo(g,h,i)perylene	M18-No25533	NCP	%	99			70-130	Pass	
Benzo(k)fluoranthene	M18-No25533	NCP	%	97			70-130	Pass	
Chrysene	M18-No25533	NCP	%	103			70-130	Pass	
Dibenz(a,h)anthracene	M18-No25533	NCP	%	90			70-130	Pass	
Fluoranthene	M18-No25533	NCP	%	101			70-130	Pass	
Fluorene	M18-No25533	NCP	%	97			70-130	Pass	
Indeno(1,2,3-cd)pyrene	M18-No25533	NCP	%	89			70-130	Pass	
Naphthalene	M18-No25533	NCP	%	87			70-130	Pass	
Phenanthrene	M18-No25533	NCP	%	97			70-130	Pass	
Pyrene	M18-No25533	NCP	%	103			70-130	Pass	
<b>Spike - % Recovery</b>									
<b>Heavy Metals</b>				Result 1					
Arsenic	M18-No30209	NCP	%	101			75-125	Pass	
Cadmium	M18-No30209	NCP	%	98			75-125	Pass	
Chromium	M18-No30209	NCP	%	101			75-125	Pass	
Copper	M18-No30209	NCP	%	104			75-125	Pass	
Lead	M18-No30209	NCP	%	103			75-125	Pass	
Mercury	M18-No30209	NCP	%	89			70-130	Pass	
Nickel	M18-No30209	NCP	%	98			75-125	Pass	
Zinc	M18-No30209	NCP	%	99			75-125	Pass	
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
<b>Duplicate</b>									
<b>Total Recoverable Hydrocarbons - 1999 NEPM Fractions</b>				Result 1	Result 2	RPD			
TRH C6-C9	M18-No22029	NCP	mg/L	< 0.02	< 0.02	<1	30%	Pass	
TRH C10-C14	M18-No27374	NCP	mg/L	< 0.05	< 0.05	<1	30%	Pass	
TRH C15-C28	M18-No27374	NCP	mg/L	< 0.1	< 0.1	<1	30%	Pass	
TRH C29-C36	M18-No27374	NCP	mg/L	< 0.1	< 0.1	<1	30%	Pass	
<b>Duplicate</b>									
<b>Total Recoverable Hydrocarbons - 2013 NEPM Fractions</b>				Result 1	Result 2	RPD			
Naphthalene	M18-No22029	NCP	mg/L	< 0.01	< 0.01	<1	30%	Pass	
TRH C6-C10	M18-No22029	NCP	mg/L	< 0.02	< 0.02	<1	30%	Pass	
TRH >C10-C16	M18-No27374	NCP	mg/L	< 0.05	< 0.05	<1	30%	Pass	
TRH >C16-C34	M18-No27374	NCP	mg/L	< 0.1	< 0.1	<1	30%	Pass	
TRH >C34-C40	M18-No27374	NCP	mg/L	< 0.1	< 0.1	<1	30%	Pass	

Duplicate								
Volatile Organics				Result 1	Result 2	RPD		
Benzene	M18-No22029	NCP	mg/L	< 0.001	< 0.001	<1	30%	Pass
Ethylbenzene	M18-No22029	NCP	mg/L	< 0.001	< 0.001	<1	30%	Pass
m&p-Xylenes	M18-No22029	NCP	mg/L	< 0.002	< 0.002	<1	30%	Pass
o-Xylene	M18-No22029	NCP	mg/L	< 0.001	< 0.001	<1	30%	Pass
Toluene	M18-No22029	NCP	mg/L	< 0.001	< 0.001	<1	30%	Pass
Xylenes - Total	M18-No22029	NCP	mg/L	< 0.003	< 0.003	<1	30%	Pass
Duplicate								
Polycyclic Aromatic Hydrocarbons				Result 1	Result 2	RPD		
Acenaphthene	M18-No25532	NCP	mg/L	< 0.001	< 0.001	<1	30%	Pass
Acenaphthylene	M18-No25532	NCP	mg/L	< 0.001	< 0.001	<1	30%	Pass
Anthracene	M18-No25532	NCP	mg/L	< 0.001	< 0.001	<1	30%	Pass
Benz(a)anthracene	M18-No25532	NCP	mg/L	< 0.001	< 0.001	<1	30%	Pass
Benzo(a)pyrene	M18-No25532	NCP	mg/L	< 0.001	< 0.001	<1	30%	Pass
Benzo(b&j)fluoranthene	M18-No25532	NCP	mg/L	< 0.001	< 0.001	<1	30%	Pass
Benzo(g,h,i)perylene	M18-No25532	NCP	mg/L	< 0.001	< 0.001	<1	30%	Pass
Benzo(k)fluoranthene	M18-No25532	NCP	mg/L	< 0.001	< 0.001	<1	30%	Pass
Chrysene	M18-No25532	NCP	mg/L	< 0.001	< 0.001	<1	30%	Pass
Dibenz(a,h)anthracene	M18-No25532	NCP	mg/L	< 0.001	< 0.001	<1	30%	Pass
Fluoranthene	M18-No25532	NCP	mg/L	< 0.001	< 0.001	<1	30%	Pass
Fluorene	M18-No25532	NCP	mg/L	< 0.001	< 0.001	<1	30%	Pass
Indeno(1,2,3-cd)pyrene	M18-No25532	NCP	mg/L	< 0.001	< 0.001	<1	30%	Pass
Naphthalene	M18-No25532	NCP	mg/L	< 0.001	< 0.001	<1	30%	Pass
Phenanthrene	M18-No25532	NCP	mg/L	< 0.001	< 0.001	<1	30%	Pass
Pyrene	M18-No25532	NCP	mg/L	< 0.001	< 0.001	<1	30%	Pass
Duplicate								
Heavy Metals				Result 1	Result 2	RPD		
Arsenic	M18-No30209	NCP	mg/L	< 0.001	< 0.001	<1	30%	Pass
Cadmium	M18-No30209	NCP	mg/L	< 0.0002	< 0.0002	<1	30%	Pass
Chromium	M18-No30209	NCP	mg/L	< 0.001	< 0.001	<1	30%	Pass
Copper	M18-No30209	NCP	mg/L	0.019	0.021	7.0	30%	Pass
Lead	M18-No30209	NCP	mg/L	< 0.001	< 0.001	<1	30%	Pass
Mercury	M18-No30209	NCP	mg/L	< 0.0001	< 0.0001	<1	30%	Pass
Nickel	M18-No30209	NCP	mg/L	< 0.001	< 0.001	<1	30%	Pass
Zinc	M18-No30209	NCP	mg/L	< 0.005	0.006	53	30%	Fail

Q15

## Comments

Eurofins | mgt accreditation number 1261, corporate site 1254 is currently in progress of a controlled transition to a new custom built location at 6 Monterey Road, Dandenong South, Victoria 3175. All results on this report denoted as being performed by Eurofins | mgt 2-5 Kingston Town Close, Oakleigh Victoria 3166 corporate site 1254, will have been performed on either Oakleigh or new Dandenong South site.

## Sample Integrity

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	Yes
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

## Qualifier Codes/Comments

Code	Description
N01	F2 is determined by arithmetically subtracting the "naphthalene" value from the ">C10-C16" value. The naphthalene value used in this calculation is obtained from volatiles (Purge & Trap analysis).
N02	Where we have reported both volatile (P&T GCMS) and semivolatile (GCMS) naphthalene data, results may not be identical. Provided correct sample handling protocols have been followed, any observed differences in results are likely to be due to procedural differences within each methodology. Results determined by both techniques have passed all QAQC acceptance criteria, and are entirely technically valid.
N04	F1 is determined by arithmetically subtracting the "Total BTEX" value from the "C6-C10" value. The "Total BTEX" value is obtained by summing the concentrations of BTEX analytes. The "C6-C10" value is obtained by quantitating against a standard of mixed aromatic/aliphatic analytes.
N07	Please note:- These two PAH isomers closely co-elute using the most contemporary analytical methods and both the reported concentration (and the TEQ) apply specifically to the total of the two co-eluting PAHs
Q15	The RPD reported passes Eurofins   mgt's QC - Acceptance Criteria as defined in the Internal Quality Control Review and Glossary page of this report.

## Authorised By

Nibha Vaidya	Analytical Services Manager
Chris Bennett	Senior Analyst-Metal (VIC)
Harry Bacalis	Senior Analyst-Volatile (VIC)
Joseph Edouard	Senior Analyst-Organic (VIC)



## Glenn Jackson General Manager

Final report - this Report replaces any previously issued Report

- Indicates Not Requested

\* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins | mgt shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins | mgt be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.



# CHAIN OF CUSTODY AND ANALYSIS REQUEST

Page 1 of 1

Contact Person:	Ben Withnall	Project Name:	Kyeemagh Infants School
Telephone Number:	9495 8188	Project Number:	80818157
Alternative Contact:	Joel Griffiths	PO No.:	
Telephone Number:	9495 7673	Project Specific Quote No.:	181029CAR_1
Sampler:	Joel Griffiths	Date results required:	Standard TAT
Email Address (results and invoice):	ben.withnall@cardno.com.au, joel.griffiths@cardno.com.au	Report format:	Electronic
Address: Level 9 - The Forum, 203 Pacific Highway, St Leonards, New South Wales 2065			

Sample Information						Analysis Required										Comments
Cardno Sample ID	Laboratory Sample ID	No. Containers	Preservation	Date sampled	Matrix	B7-1 - TRHBTXNPAH/Metals 8	B15-1 - OCPOPP/PCB	B8-1 TRH, VOC, PAH, Metals (8)	pH Field Screen (pH and pHlox)	Asbestos (ww%)	Asbestos Presence / Absence	BTEX	HOLD			
tp13_0.1		2	Ice	17/11/2018	Soil	X	X	X		X						
tp13_0.4		2	Ice	17/11/2018	Soil					X						
tp14_0.1		2	Ice	17/11/2018	Soil					X						
tp14_0.7		2	Ice	17/11/2018	Soil			X								
tp15_0.1		2	Ice	17/11/2018	Soil	X										
tp15_0.6		2	Ice	17/11/2018	Soil		X	X								
tp16_0.1		1	Ice	17/11/2018	Soil	X										
tp16_0.8		2	Ice	17/11/2018	Soil			X								
tp17_0.1		2	Ice	17/11/2018	Soil					X						
tp17_0.5		2	Ice	17/11/2018	Soil			X								
tp18_0.1		2	Ice	17/11/2018	Soil	X	X			X						
tp18_0.4		2	Ice	17/11/2018	Soil			X								
tp20_0.1		2	Ice	17/11/2018	Soil	X	X			X						
tp20_0.4		2	Ice	17/11/2018	Soil								X			
QA300		1	Ice	17/11/2018	Soil	X										
QA400		1	Ice	17/11/2018	Soil	X										Please forward to ALS
KYE_GUM		4	Ice	17/11/2018	Water								X			
asb2		1	Ice	17/11/2018	Fibre Cement						X					
KYE_TB/TS		2	Ice	17/11/2018	Soil							X				
BH02_0.5		2	Ice	17/11/2018	Soil	X				X						
BH02_1.0		1	Ice	17/11/2018	Soil			X								
BH03_0.5		2	Ice	17/11/2018	Soil	X				X						
BH02_2.0		1	Frozen	17/11/2018	Soil								X			
BH02_2.0-2.45		1	Frozen	17/11/2018	Soil				X							
BH02_4.0-4.45		1	Frozen	17/11/2018	Soil				X							
BH02_5.5-5.95		1	Frozen	17/11/2018	Soil				X							
BH02_7.0-7.45		1	Frozen	17/11/2018	Soil				X							
BH02_8.5-8.95		1	Frozen	17/11/2018	Soil				X							
BH02_10.0-10.45		1	Frozen	17/11/2018	Soil				X							
BH02_11.5-11.95		1	Frozen	17/11/2018	Soil				X							
BH02_13.0-13.45		1	Frozen	17/11/2018	Soil				X							
BH02_14.5-14.95		1	Frozen	17/11/2018	Soil				X							
BH02_16.0-16.45		1	Frozen	17/11/2018	Soil				X							
BH02_17.5-17.95		1	Frozen	17/11/2018	Soil				X							
BH03_1.0-1.1		1	Frozen	17/11/2018	Soil				X							
BH03_2.5-2.95		1	Frozen	17/11/2018	Soil				X							
BH03_4.0-4.45		1	Frozen	17/11/2018	Soil				X							
BH03_5.5-5.95		1	Frozen	17/11/2018	Soil				X							
BH03_7.0-7.45		1	Frozen	17/11/2018	Soil				X							
BH03_8.5-8.95		1	Frozen	17/11/2018	Soil				X							
BH03_10.0-10.45		1	Frozen	17/11/2018	Soil				X							
BH03_11.5-11.95		1	Frozen	17/11/2018	Soil				X							
BH03_13.0-13.45		1	Frozen	17/11/2018	Soil				X							

Relinquished by:	Joel Griffiths	Received by:	Luca D. EUCARIS MCT	Relinquished by:		Received by:		Relinquished by:	
(name / company)	Cardno	(name / company)		(name / company)		(name / company)		(name / company)	
Date & Time:	19/11/18 13:00	Date & Time:	19/11/18 2:52 PM	Date & Time:		Date & Time:		Date & Time:	
Signature:	JG	Signature:	[Signature]	Signature:		Signature:		Signature:	
Received by:		Relinquished by:		Received by:		Relinquished by:		Lab use:	
(name / company)		(name / company)		(name / company)		(name / company)		Samples Received: Cool or Ambient (circle one)	
Date & Time:		Date & Time:		Date & Time:		Date & Time:		Temperature Received at: (if applicable)	
Signature:		Signature:		Signature:		Signature:		Transported by: Hand delivered / courier	

#628416

# CHAIN OF CUSTODY AND ANALYSIS REQUEST

Page 1 of 1

Contact Person:	Ben Withall	Project Name:	Kyeemagh Infants School
Telephone Number:	0405 8185	Project Number:	80818157
Alternative Contact:	Joel Griffiths	PQ No.:	
Telephone Number:	0408 7873	Project Specific Quote No.:	181028CAR_1
Sampler:	Joel Griffiths	Date results required:	Standard TAT
Email Address (results and invoice):	ben.withall@cardno.com.au; joel.griffiths@cardno.com.au	Report format:	Electronic
Address: Level 9 - The Forum, 203 Pacific Highway, St Leonards, New South Wales 2005			

Sample Information						Analysis Required												Comments
Cardno Sample ID	Laboratory Sample ID	No. Containers	Preservation	Date sampled	Matrix	B7-1 - TRH/TEX/PAH/Metals 8	B15-1 - OC/PAH/PCB	B8-1 TRH, VOC, PAH, Metals 8	pH Field Screen (pH and pH/ox)	Asbestos (wt/wt)	Asbestos Presence / Absence	ETEX	HOLD	TRH / TRH Silica Gel Cleanup				
tp13_0.1		2	Ice	17/11/2018	Soil	X	X	X		X								
tp13_0.4		2	Ice	17/11/2018	Soil					X								
tp14_0.1		2	Ice	17/11/2018	Soil													
tp14_0.7		2	Ice	17/11/2018	Soil			X										
tp15_0.1		2	Ice	17/11/2018	Soil	X												
tp15_0.6		2	Ice	17/11/2018	Soil		X	X										
tp16_0.1		1	Ice	17/11/2018	Soil	X												
tp16_0.8		2	Ice	17/11/2018	Soil			X										
tp17_0.1		2	Ice	17/11/2018	Soil					X								
tp17_0.5		2	Ice	17/11/2018	Soil			X										
tp18_0.1		2	Ice	17/11/2018	Soil	X	X			X								
tp18_0.4		2	Ice	17/11/2018	Soil			X										
tp20_0.1		2	Ice	17/11/2018	Soil	X	X			X								
tp20_0.4		2	Ice	17/11/2018	Soil								X					
QA300		1	Ice	17/11/2018	Soil	X												
QA400		1	Ice	17/11/2018	Soil	X												
KYE_GUM		4	Ice	17/11/2018	Water									X				Please forward to ALS
as2		1	Ice	17/11/2018	Fibre Cement						X							
KYE_TB/TS		2	Ice	17/11/2018	Soil							X						
BH02_0.5		2	Ice	17/11/2018	Soil	X				X								
BH02_1.0		1	Ice	17/11/2018	Soil			X										
BH03_0.5		2	Ice	17/11/2018	Soil	X				X								
BH02_2.0		1	Frozen	17/11/2018	Soil								X					
BH02_2.0-2.45		1	Frozen	17/11/2018	Soil				X									
BH02_4.0-4.45		1	Frozen	17/11/2018	Soil				X									
BH02_5.5-5.95		1	Frozen	17/11/2018	Soil				X									
BH02_7.0-7.45		1	Frozen	17/11/2018	Soil				X									
BH02_8.5-8.95		1	Frozen	17/11/2018	Soil				X									
BH02_10.0-10.45		1	Frozen	17/11/2018	Soil				X									
BH02_11.5-11.95		1	Frozen	17/11/2018	Soil				X									
BH02_13.0-13.45		1	Frozen	17/11/2018	Soil				X									
BH02_14.5-14.95		1	Frozen	17/11/2018	Soil				X									
BH02_16.0-16.45		1	Frozen	17/11/2018	Soil				X									
BH02_17.5-17.95		1	Frozen	17/11/2018	Soil				X									
BH03_1.0-1.1		1	Frozen	17/11/2018	Soil				X									
BH03_2.5-2.95		1	Frozen	17/11/2018	Soil				X									
BH03_4.0-4.45		1	Frozen	17/11/2018	Soil				X									
BH03_5.5-5.95		1	Frozen	17/11/2018	Soil				X									
BH03_7.0-7.45		1	Frozen	17/11/2018	Soil				X									
BH03_8.5-8.95		1	Frozen	17/11/2018	Soil				X									
BH03_10.0-10.45		1	Frozen	17/11/2018	Soil				X									
BH03_11.5-11.95		1	Frozen	17/11/2018	Soil				X									
BH03_13.0-13.45		1	Frozen	17/11/2018	Soil				X									

Relinquished by:	Joel Griffiths	Received by:	<i>W. H. W.</i>	Relinquished by:		Received by:		Relinquished by:	
(name / company)	Cardno	(name / company)		(name / company)		(name / company)		(name / company)	
Date & Time:	16/11/18, 13:00	Date & Time:	20/11/18-39	Date & Time:		Date & Time:		Date & Time:	
Signature:	JG	Signature:		Signature:		Signature:		Signature:	
Received by:		Relinquished by:		Received by:		Relinquished by:		Lab use:	
(name / company)		(name / company)		(name / company)		(name / company)		Samples Received: Cool or Ambient (circle one)	
Date & Time:		Date & Time:		Date & Time:		Date & Time:		Temperature Received at: (if applicable)	
Signature:		Signature:		Signature:		Signature:		Transported by: Hand delivered / courier	





## CHAIN OF CUSTODY AND ANALYSIS REQUEST

[illegible]

## Sample Receipt Advice

Company name: **Cardno (NSW/ACT) Pty Ltd**  
Contact name: **Ben Withnall**  
Project name: **KYEEMAGH INFANTS SCHOOL**  
Project ID: **80818157**  
COC number: **Not provided**  
Turn around time: **5 Day**  
Date/Time received: **Nov 19, 2018 2:52 PM**  
Eurofins | mgt reference: **628416**

### Sample information

- ☒ A detailed list of analytes logged into our LIMS, is included in the attached summary table.
- ☒ All samples have been received as described on the above COC.
- ☒ COC has been completed correctly.
- ☒ Attempt to chill was evident.
- ☒ Appropriately preserved sample containers have been used.
- ☒ All samples were received in good condition.
- ☒ Samples have been provided with adequate time to commence analysis in accordance with the relevant holding times.
- ☒ Appropriate sample containers have been used.
- ☒ Sample containers for volatile analysis received with zero headspace.
- ☒ Split sample sent to requested external lab.
- ☒ Some samples have been subcontracted.

N/A Custody Seals intact (if used).

### Notes

Sample QA400 forwarded to ALS.

### Contact notes

If you have any questions with respect to these samples please contact:

Nibha Vaidya on Phone : +61 (2) 9900 8415 or by e.mail: NibhaVaidya@eurofins.com

Results will be delivered electronically via e.mail to Ben Withnall - ben.withnall@cardno.com.au.

*Note: A copy of these results will also be delivered to the general Cardno (NSW/ACT) Pty Ltd email address.*

## CERTIFICATE OF ANALYSIS

**Work Order** : **ES1834552**  
**Client** : **CARDNO (NSW/ACT) PTY LTD**  
**Contact** : **MR BEN WITHNALL**  
**Address** : **Level 9 The Forum 203 Pacific Highway**  
**St Leonards NSW 2065**  
**Telephone** : **+61 2 9495 8188**  
**Project** : **80818157 Kyeemagh Infants School**  
**Order number** :  
**C-O-C number** :  
**Sampler** : **JOEL GRIFFITHS**  
**Site** :  
**Quote number** : **EN/222 - Secondary Work**  
**No. of samples received** : **1**  
**No. of samples analysed** : **1**

**Page** : 1 of 6  
**Laboratory** : Environmental Division Sydney  
**Contact** : Customer Services ES  
**Address** : 277-289 Woodpark Road Smithfield NSW Australia 2164  
**Telephone** : +61-2-8784 8555  
**Date Samples Received** : 20-Nov-2018 12:12  
**Date Analysis Commenced** : 22-Nov-2018  
**Issue Date** : 27-Nov-2018 15:29



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results
- Surrogate Control Limits

**Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.**

### Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Edwandy Fadjar	Organic Coordinator	Sydney Inorganics, Smithfield, NSW
Edwandy Fadjar	Organic Coordinator	Sydney Organics, Smithfield, NSW
Ivan Taylor	Analyst	Sydney Inorganics, Smithfield, NSW



## General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

LOR = Limit of reporting

^ = This result is computed from individual analyte detections at or above the level of reporting

Ø = ALS is not NATA accredited for these tests.

~ = Indicates an estimated value.

- Benzo(a)pyrene Toxicity Equivalent Quotient (TEQ) is the sum total of the concentration of the eight carcinogenic PAHs multiplied by their Toxicity Equivalence Factor (TEF) relative to Benzo(a)pyrene. TEF values are provided in brackets as follows: Benz(a)anthracene (0.1), Chrysene (0.01), Benzo(b+j) & Benzo(k)fluoranthene (0.1), Benzo(a)pyrene (1.0), Indeno(1.2.3.cd)pyrene (0.1), Dibenzo(a,h)anthracene (1.0), Benzo(g,h,i)perylene (0.01). Less than LOR results for 'TEQ Zero' are treated as zero, for 'TEQ 1/2LOR' are treated as half the reported LOR, and for 'TEQ LOR' are treated as being equal to the reported LOR.  
Note: TEQ 1/2LOR and TEQ LOR will calculate as 0.6mg/Kg and 1.2mg/Kg respectively for samples with non-detects for all of the eight TEQ PAHs.



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)			Client sample ID	QA400	----	----	----	----
Client sampling date / time				17-Nov-2018 00:00	----	----	----	----
Compound	CAS Number	LOR	Unit	ES1834552-001	-----	-----	-----	-----
Result				----	----	----	----	----
<b>EA055: Moisture Content (Dried @ 105-110°C)</b>								
Moisture Content	----	1.0	%	1.6	----	----	----	----
<b>EG005T: Total Metals by ICP-AES</b>								
Arsenic	7440-38-2	5	mg/kg	<5	----	----	----	----
Cadmium	7440-43-9	1	mg/kg	<1	----	----	----	----
Chromium	7440-47-3	2	mg/kg	<2	----	----	----	----
Copper	7440-50-8	5	mg/kg	5	----	----	----	----
Lead	7439-92-1	5	mg/kg	21	----	----	----	----
Nickel	7440-02-0	2	mg/kg	<2	----	----	----	----
Zinc	7440-66-6	5	mg/kg	22	----	----	----	----
<b>EG035T: Total Recoverable Mercury by FIMS</b>								
Mercury	7439-97-6	0.1	mg/kg	<0.1	----	----	----	----
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>								
Naphthalene	91-20-3	0.5	mg/kg	<0.5	----	----	----	----
Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	----	----	----	----
Acenaphthene	83-32-9	0.5	mg/kg	<0.5	----	----	----	----
Fluorene	86-73-7	0.5	mg/kg	<0.5	----	----	----	----
Phenanthrene	85-01-8	0.5	mg/kg	<0.5	----	----	----	----
Anthracene	120-12-7	0.5	mg/kg	<0.5	----	----	----	----
Fluoranthene	206-44-0	0.5	mg/kg	<0.5	----	----	----	----
Pyrene	129-00-0	0.5	mg/kg	<0.5	----	----	----	----
Benzo(a)anthracene	56-55-3	0.5	mg/kg	<0.5	----	----	----	----
Chrysene	218-01-9	0.5	mg/kg	<0.5	----	----	----	----
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	<0.5	----	----	----	----
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	<0.5	----	----	----	----
Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	----	----	----	----
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	----	----	----	----
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	<0.5	----	----	----	----
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	<0.5	----	----	----	----
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	----	----	----	----
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	----	----	----	----
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	0.6	----	----	----	----
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	1.2	----	----	----	----
<b>EP080/071: Total Petroleum Hydrocarbons</b>								
C6 - C9 Fraction	----	10	mg/kg	<10	----	----	----	----





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	QA400	----	----	----	----
Client sampling date / time					17-Nov-2018 00:00	----	----	----	----
Compound	CAS Number	LOR	Unit		ES1834552-001	-----	-----	-----	-----
				Result	----	----	----	----	----
EP080/071: Total Petroleum Hydrocarbons - Continued									
C10 - C14 Fraction	----	50	mg/kg		<50	----	----	----	----
C15 - C28 Fraction	----	100	mg/kg		<100	----	----	----	----
C29 - C36 Fraction	----	100	mg/kg		<100	----	----	----	----
^ C10 - C36 Fraction (sum)	----	50	mg/kg		<50	----	----	----	----
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions									
C6 - C10 Fraction	C6_C10	10	mg/kg		<10	----	----	----	----
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg		<10	----	----	----	----
>C10 - C16 Fraction	----	50	mg/kg		<50	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		<100	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		<100	----	----	----	----
^ >C10 - C40 Fraction (sum)	----	50	mg/kg		<50	----	----	----	----
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg		<50	----	----	----	----
EP080: BTEXN									
Benzene	71-43-2	0.2	mg/kg		<0.2	----	----	----	----
Toluene	108-88-3	0.5	mg/kg		<0.5	----	----	----	----
Ethylbenzene	100-41-4	0.5	mg/kg		<0.5	----	----	----	----
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg		<0.5	----	----	----	----
ortho-Xylene	95-47-6	0.5	mg/kg		<0.5	----	----	----	----
^ Sum of BTEX	----	0.2	mg/kg		<0.2	----	----	----	----
^ Total Xylenes	----	0.5	mg/kg		<0.5	----	----	----	----
Naphthalene	91-20-3	1	mg/kg		<1	----	----	----	----
EP075(SIM)S: Phenolic Compound Surrogates									
Phenol-d6	13127-88-3	0.5	%		98.2	----	----	----	----
2-Chlorophenol-D4	93951-73-6	0.5	%		95.2	----	----	----	----
2,4,6-Tribromophenol	118-79-6	0.5	%		56.0	----	----	----	----
EP075(SIM)T: PAH Surrogates									
2-Fluorobiphenyl	321-60-8	0.5	%		90.2	----	----	----	----
Anthracene-d10	1719-06-8	0.5	%		112	----	----	----	----
4-Terphenyl-d14	1718-51-0	0.5	%		98.5	----	----	----	----
EP080S: TPH(V)/BTEX Surrogates									
1,2-Dichloroethane-D4	17060-07-0	0.2	%		95.9	----	----	----	----
Toluene-D8	2037-26-5	0.2	%		106	----	----	----	----

Page : 5 of 6  
 Work Order : ES1834552  
 Client : CARDNO (NSW/ACT) PTY LTD  
 Project : 80818157 Kyeemagh Infants School



## Analytical Results

Sub-Matrix: <b>SOIL</b> (Matrix: <b>SOIL</b> )				Client sample ID	QA400	----	----	----	----
				Client sampling date / time	17-Nov-2018 00:00	----	----	----	----
Compound	CAS Number	LOR	Unit		ES1834552-001	-----	-----	-----	-----
				Result		----	----	----	----
EP080S: TPH(V)/BTEX Surrogates - Continued									
4-Bromofluorobenzene	460-00-4	0.2	%		103	----	----	----	----



## Surrogate Control Limits

Sub-Matrix: SOIL		Recovery Limits (%)	
Compound	CAS Number	Low	High
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>			
Phenol-d6	13127-88-3	63	123
2-Chlorophenol-D4	93951-73-6	66	122
2,4,6-Tribromophenol	118-79-6	40	138
<b>EP075(SIM)T: PAH Surrogates</b>			
2-Fluorobiphenyl	321-60-8	70	122
Anthracene-d10	1719-06-8	66	128
4-Terphenyl-d14	1718-51-0	65	129
<b>EP080S: TPH(V)/BTEX Surrogates</b>			
1,2-Dichloroethane-D4	17060-07-0	73	133
Toluene-D8	2037-26-5	74	132
4-Bromofluorobenzene	460-00-4	72	130

## QUALITY CONTROL REPORT

<b>Work Order</b>	<b>: ES1834552</b>	<b>Page</b>	<b>: 1 of 7</b>
<b>Client</b>	<b>: CARDNO (NSW/ACT) PTY LTD</b>	<b>Laboratory</b>	<b>: Environmental Division Sydney</b>
<b>Contact</b>	<b>: MR BEN WITHNALL</b>	<b>Contact</b>	<b>: Customer Services ES</b>
<b>Address</b>	<b>: Level 9 The Forum 203 Pacific Highway St Leonards NSW 2065</b>	<b>Address</b>	<b>: 277-289 Woodpark Road Smithfield NSW Australia 2164</b>
<b>Telephone</b>	<b>: +61 2 9495 8188</b>	<b>Telephone</b>	<b>: +61-2-8784 8555</b>
<b>Project</b>	<b>: 80818157 Kyeemagh Infants School</b>	<b>Date Samples Received</b>	<b>: 20-Nov-2018</b>
<b>Order number</b>	<b>:</b>	<b>Date Analysis Commenced</b>	<b>: 22-Nov-2018</b>
<b>C-O-C number</b>	<b>: ----</b>	<b>Issue Date</b>	<b>: 27-Nov-2018</b>
<b>Sampler</b>	<b>: JOEL GRIFFITHS</b>		
<b>Site</b>	<b>: ----</b>		
<b>Quote number</b>	<b>: EN/222 - Secondary Work</b>		
<b>No. of samples received</b>	<b>: 1</b>		
<b>No. of samples analysed</b>	<b>: 1</b>		



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percentage Difference (RPD) and Acceptance Limits
- Method Blank (MB) and Laboratory Control Spike (LCS) Report; Recovery and Acceptance Limits
- Matrix Spike (MS) Report; Recovery and Acceptance Limits

### Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Edwandy Fadjjar	Organic Coordinator	Sydney Inorganics, Smithfield, NSW
Edwandy Fadjjar	Organic Coordinator	Sydney Organics, Smithfield, NSW
Ivan Taylor	Analyst	Sydney Inorganics, Smithfield, NSW



## General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis. Where the LOR of a reported result differs from standard LOR, this may be due to high

Key :  
 Anonymous = Refers to samples which are not specifically part of this work order but formed part of the QC process lot  
 CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
 LOR = Limit of reporting  
 RPD = Relative Percentage Difference  
 # = Indicates failed QC

## Laboratory Duplicate (DUP) Report

The quality control term Laboratory Duplicate refers to a randomly selected intralaboratory split. Laboratory duplicates provide information regarding method precision and sample heterogeneity. The permitted ranges for the Relative Percent Deviation (RPD) of Laboratory Duplicates are specified in ALS Method QWI-EN/38 and are dependent on the magnitude of results in comparison to the level of reporting: Result < 10 times LOR: No Limit; Result between 10 and 20 times LOR: 0% - 50%; Result > 20 times LOR: 0% - 20%.

Sub-Matrix: **SOIL**

Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
EA055: Moisture Content (Dried @ 105-110°C) (QC Lot: 2051490)									
ES1834530-001	Anonymous	EA055: Moisture Content	----	0.1	%	6.9	7.3	4.91	No Limit
ES1834551-004	Anonymous	EA055: Moisture Content	----	0.1	%	7.8	7.5	3.09	No Limit
EG005T: Total Metals by ICP-AES (QC Lot: 2055623)									
ES1834537-032	Anonymous	EG005T: Cadmium	7440-43-9	1	mg/kg	<1	<1	0.00	No Limit
		EG005T: Chromium	7440-47-3	2	mg/kg	22	23	0.00	0% - 50%
		EG005T: Nickel	7440-02-0	2	mg/kg	12	13	0.00	No Limit
		EG005T: Arsenic	7440-38-2	5	mg/kg	<5	<5	0.00	No Limit
		EG005T: Copper	7440-50-8	5	mg/kg	14	14	0.00	No Limit
		EG005T: Lead	7439-92-1	5	mg/kg	9	9	0.00	No Limit
		EG005T: Zinc	7440-66-6	5	mg/kg	13	12	0.00	No Limit
ES1834740-007	Anonymous	EG005T: Cadmium	7440-43-9	1	mg/kg	<1	<1	0.00	No Limit
		EG005T: Chromium	7440-47-3	2	mg/kg	24	24	0.00	0% - 50%
		EG005T: Nickel	7440-02-0	2	mg/kg	17	17	0.00	No Limit
		EG005T: Arsenic	7440-38-2	5	mg/kg	12	13	0.00	No Limit
		EG005T: Copper	7440-50-8	5	mg/kg	20	20	0.00	No Limit
		EG005T: Lead	7439-92-1	5	mg/kg	18	18	0.00	No Limit
		EG005T: Zinc	7440-66-6	5	mg/kg	68	68	0.00	0% - 50%
EG035T: Total Recoverable Mercury by FIMS (QC Lot: 2055622)									
ES1834537-032	Anonymous	EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	0.00	No Limit
ES1834740-007	Anonymous	EG035T: Mercury	7439-97-6	0.1	mg/kg	0.1	0.1	0.00	No Limit
EP075(SIM)B: Polynuclear Aromatic Hydrocarbons (QC Lot: 2050269)									
ES1834551-001	Anonymous	EP075(SIM): Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	0.00	No Limit





Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
EP075(SIM)B: Polynuclear Aromatic Hydrocarbons (QC Lot: 2050269) - continued									
ES1834551-001	Anonymous	EP075(SIM): Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(b+j)fluoranthene	205-99-2	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
			205-82-3						
		EP075(SIM): Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
ES1834786-001	Anonymous	EP075(SIM): Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(b+j)fluoranthene	205-99-2	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
			205-82-3						
		EP075(SIM): Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080/071: Total Petroleum Hydrocarbons (QC Lot: 2050270)							
ES1834551-001	Anonymous	EP071: C15 - C28 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit
		EP071: C29 - C36 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit

Page : 4 of 7  
 Work Order : ES1834552  
 Client : CARDNO (NSW/ACT) PTY LTD  
 Project : 80818157 Kyeemagh Infants School



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
EP080/071: Total Petroleum Hydrocarbons (QC Lot: 2050270) - continued									
ES1834551-001	Anonymous	EP071: C10 - C14 Fraction	----	50	mg/kg	<50	<50	0.00	No Limit
ES1834786-001	Anonymous	EP071: C15 - C28 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit
		EP071: C29 - C36 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit
		EP071: C10 - C14 Fraction	----	50	mg/kg	<50	<50	0.00	No Limit
EP080/071: Total Petroleum Hydrocarbons (QC Lot: 2050742)									
ES1834537-032	Anonymous	EP080: C6 - C9 Fraction	----	10	mg/kg	<10	<10	0.00	No Limit
ES1834786-001	Anonymous	EP080: C6 - C9 Fraction	----	10	mg/kg	<10	<10	0.00	No Limit
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QC Lot: 2050270)									
ES1834551-001	Anonymous	EP071: >C16 - C34 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit
		EP071: >C34 - C40 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit
		EP071: >C10 - C16 Fraction	----	50	mg/kg	<50	<50	0.00	No Limit
ES1834786-001	Anonymous	EP071: >C16 - C34 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit
		EP071: >C34 - C40 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit
		EP071: >C10 - C16 Fraction	----	50	mg/kg	<50	<50	0.00	No Limit
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QC Lot: 2050742)									
ES1834537-032	Anonymous	EP080: C6 - C10 Fraction	C6_C10	10	mg/kg	<10	<10	0.00	No Limit
ES1834786-001	Anonymous	EP080: C6 - C10 Fraction	C6_C10	10	mg/kg	<10	<10	0.00	No Limit
EP080: BTEXN (QC Lot: 2050742)									
ES1834537-032	Anonymous	EP080: Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	0.00	No Limit
		EP080: Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: meta- & para-Xylene	108-38-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
			106-42-3						
		EP080: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
ES1834786-001	Anonymous	EP080: Naphthalene	91-20-3	1	mg/kg	<1	<1	0.00	No Limit
		EP080: Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	0.00	No Limit
		EP080: Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: meta- & para-Xylene	108-38-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
			106-42-3						
		EP080: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: Naphthalene	91-20-3	1	mg/kg	<1	<1	0.00	No Limit

The quality control term Method / Laboratory Blank refers to an analyte free matrix to which all reagents are added in the same volumes or proportions as used in standard sample preparation. The purpose of this QC parameter is to monitor potential laboratory contamination. The quality control term Laboratory Control Spike (LCS) refers to a certified reference material, or a known interference free matrix spiked with target analytes. The purpose of this QC parameter is to monitor method precision and accuracy independent of sample matrix. Dynamic Recovery Limits are based on statistical evaluation of processed LCS.

Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
	Spike Concentration	Spike Recovery (%)	Recovery Limits (%)		
		LCS	Low	High	
Result					
<5	21.7 mg/kg	96.1	86	126	
<1	4.64 mg/kg	97.7	83	113	
<2	43.9 mg/kg	88.7	76	128	
<5	32 mg/kg	99.9	86	120	
<5	40 mg/kg	95.7	80	114	
<2	55 mg/kg	98.5	87	123	
<5	60.8 mg/kg	101	80	122	
<0.1	2.57 mg/kg	81.5	70	105	
<0.5	6 mg/kg	93.4	77	125	
<0.5	6 mg/kg	95.5	72	124	
<0.5	6 mg/kg	90.7	73	127	
<0.5	6 mg/kg	91.0	72	126	
<0.5	6 mg/kg	89.3	75	127	
<0.5	6 mg/kg	90.7	77	127	
<0.5	6 mg/kg	92.3	73	127	
<0.5	6 mg/kg	90.7	74	128	
<0.5	6 mg/kg	93.6	69	123	
<0.5	6 mg/kg	90.1	75	127	
<0.5	6 mg/kg	95.0	68	116	
<0.5	6 mg/kg	93.4	74	126	
<0.5	6 mg/kg	91.5	70	126	
<0.5	6 mg/kg	86.5	61	121	
<0.5	6 mg/kg	85.7	62	118	
<0.5	6 mg/kg	93.7	63	121	
<50	300 mg/kg	108	75	129	
<100	450 mg/kg	113	77	131	
<100	300 mg/kg	108	71	129	
<10	26 mg/kg	97.7	68	128	



Sub-Matrix: SOIL				Method Blank (MB) Report	Laboratory Control Spike (LCS) Report			
					Spike Concentration	Spike Recovery (%) LCS	Recovery Limits (%) Low High	
Method: Compound	CAS Number	LOR	Unit	Result				
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 2050270) - continued								
EP071: >C10 - C16 Fraction	----	50	mg/kg	<50	375 mg/kg	110	77	125
EP071: >C16 - C34 Fraction	----	100	mg/kg	<100	525 mg/kg	114	74	138
EP071: >C34 - C40 Fraction	----	100	mg/kg	<100	225 mg/kg	83.5	63	131
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 2050742)								
EP080: C6 - C10 Fraction	C6_C10	10	mg/kg	<10	31 mg/kg	104	68	128
EP080: BTEXN (QCLot: 2050742)								
EP080: Benzene	71-43-2	0.2	mg/kg	<0.2	1 mg/kg	98.0	62	116
EP080: Toluene	108-88-3	0.5	mg/kg	<0.5	1 mg/kg	105	67	121
EP080: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	1 mg/kg	99.5	65	117
EP080: meta- & para-Xylene	108-38-3	0.5	mg/kg	<0.5	2 mg/kg	101	66	118
	106-42-3							
EP080: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	1 mg/kg	98.4	68	120
EP080: Naphthalene	91-20-3	1	mg/kg	<1	1 mg/kg	89.8	63	119

## Matrix Spike (MS) Report

The quality control term Matrix Spike (MS) refers to an intralaboratory split sample spiked with a representative set of target analytes. The purpose of this QC parameter is to monitor potential matrix effects on analyte recoveries. Static Recovery Limits as per laboratory Data Quality Objectives (DQOs). Ideal recovery ranges stated may be waived in the event of sample matrix interference.

Sub-Matrix: <b>SOIL</b>				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Recovery Limits (%)	
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
EG005T: Total Metals by ICP-AES (QCLot: 2055623)							
ES1834537-032	Anonymous	EG005T: Arsenic	7440-38-2	50 mg/kg	90.6	70	130
		EG005T: Cadmium	7440-43-9	50 mg/kg	96.8	70	130
		EG005T: Chromium	7440-47-3	50 mg/kg	98.8	70	130
		EG005T: Copper	7440-50-8	250 mg/kg	96.2	70	130
		EG005T: Lead	7439-92-1	250 mg/kg	94.3	70	130
		EG005T: Nickel	7440-02-0	50 mg/kg	98.3	70	130
		EG005T: Zinc	7440-66-6	250 mg/kg	100	70	130
EG035T: Total Recoverable Mercury by FIMS (QCLot: 2055622)							
ES1834537-032	Anonymous	EG035T: Mercury	7439-97-6	5 mg/kg	103	70	130
EP075(SIM)B: Polynuclear Aromatic Hydrocarbons (QCLot: 2050269)							
ES1834551-001	Anonymous	EP075(SIM): Acenaphthene	83-32-9	10 mg/kg	91.8	70	130
		EP075(SIM): Pyrene	129-00-0	10 mg/kg	93.4	70	130
EP080/071: Total Petroleum Hydrocarbons (QCLot: 2050270)							
ES1834551-001	Anonymous	EP071: C10 - C14 Fraction	----	523 mg/kg	97.7	73	137
		EP071: C15 - C28 Fraction	----	2319 mg/kg	114	53	131

Page : 7 of 7  
 Work Order : ES1834552  
 Client : CARDNO (NSW/ACT) PTY LTD  
 Project : 80818157 Kyeemagh Infants School



Sub-Matrix: **SOIL**

Sub-Matrix: SOIL				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Recovery Limits (%)	
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
EP080/071: Total Petroleum Hydrocarbons (QCLot: 2050270) - continued							
ES1834551-001	Anonymous	EP071: C29 - C36 Fraction	----	1714 mg/kg	125	52	132
EP080/071: Total Petroleum Hydrocarbons (QCLot: 2050742)							
ES1834537-032	Anonymous	EP080: C6 - C9 Fraction	----	32.5 mg/kg	117	70	130
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 2050270)							
ES1834551-001	Anonymous	EP071: >C10 - C16 Fraction	----	860 mg/kg	100	73	137
		EP071: >C16 - C34 Fraction	----	3223 mg/kg	117	53	131
		EP071: >C34 - C40 Fraction	----	1058 mg/kg	116	52	132
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 2050742)							
ES1834537-032	Anonymous	EP080: C6 - C10 Fraction	C6_C10	37.5 mg/kg	121	70	130
EP080: BTEXN (QCLot: 2050742)							
ES1834537-032	Anonymous	EP080: Benzene	71-43-2	2.5 mg/kg	111	70	130
		EP080: Toluene	108-88-3	2.5 mg/kg	115	70	130
		EP080: Ethylbenzene	100-41-4	2.5 mg/kg	110	70	130
		EP080: meta- & para-Xylene	108-38-3	2.5 mg/kg	109	70	130
			106-42-3				
		EP080: ortho-Xylene	95-47-6	2.5 mg/kg	106	70	130
		EP080: Napthalene	91-20-3	2.5 mg/kg	89.7	70	130



## QA/QC Compliance Assessment to assist with Quality Review

Work Order	: ES1834552	Page	: 1 of 4
Client	: CARDNO (NSW/ACT) PTY LTD	Laboratory	: Environmental Division Sydney
Contact	: MR BEN WITHNALL	Telephone	: +61-2-8784 8555
Project	: 80818157 Kyeemagh Infants School	Date Samples Received	: 20-Nov-2018
Site	: ----	Issue Date	: 27-Nov-2018
Sampler	: JOEL GRIFFITHS	No. of samples received	: 1
Order number	:	No. of samples analysed	: 1

This report is automatically generated by the ALS LIMS through interpretation of the ALS Quality Control Report and several Quality Assurance parameters measured by ALS. This automated reporting highlights any non-conformances, facilitates faster and more accurate data validation and is designed to assist internal expert and external Auditor review. Many components of this report contribute to the overall DQO assessment and reporting for guideline compliance.

Brief method summaries and references are also provided to assist in traceability.

### Summary of Outliers

#### Outliers : Quality Control Samples

This report highlights outliers flagged in the Quality Control (QC) Report.

- **NO** Method Blank value outliers occur.
- **NO** Duplicate outliers occur.
- **NO** Laboratory Control outliers occur.
- **NO** Matrix Spike outliers occur.
- For all regular sample matrices, **NO** surrogate recovery outliers occur.

#### Outliers : Analysis Holding Time Compliance

- **NO** Analysis Holding Time Outliers exist.

#### Outliers : Frequency of Quality Control Samples

- **NO** Quality Control Sample Frequency Outliers exist.



## Analysis Holding Time Compliance

If samples are identified below as having been analysed or extracted outside of recommended holding times, this should be taken into consideration when interpreting results.

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times (referencing USEPA SW 846, APHA, AS and NEPM) based on the sample container provided. Dates reported represent first date of extraction or analysis and preclude subsequent dilutions and reruns. A listing of breaches (if any) is provided herein.

Holding time for leachate methods (e.g. TCLP) vary according to the analytes reported. Assessment compares the leach date with the shortest analyte holding time for the equivalent soil method. These are: organics 14 days, mercury 28 days & other metals 180 days. A recorded breach does not guarantee a breach for all non-volatile parameters.

Holding times for VOC in soils vary according to analytes of interest. Vinyl Chloride and Styrene holding time is 7 days; others 14 days. A recorded breach does not guarantee a breach for all VOC analytes and should be verified in case the reported breach is a false positive or Vinyl Chloride and Styrene are not key analytes of interest/concern.

Matrix: **SOIL**

Evaluation: ✖ = Holding time breach ; ✔ = Within holding time.

Method	Sample Date	Extraction / Preparation			Analysis		
Container / Client Sample ID(s)		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation
EA055: Moisture Content (Dried @ 105-110°C)							
Soil Glass Jar - Unpreserved (EA055) QA400	17-Nov-2018	----	----	----	22-Nov-2018	01-Dec-2018	✓
EG005T: Total Metals by ICP-AES							
Soil Glass Jar - Unpreserved (EG005T) QA400	17-Nov-2018	24-Nov-2018	16-May-2019	✓	26-Nov-2018	16-May-2019	✓
EG035T: Total Recoverable Mercury by FIMS							
Soil Glass Jar - Unpreserved (EG035T) QA400	17-Nov-2018	24-Nov-2018	15-Dec-2018	✓	26-Nov-2018	15-Dec-2018	✓
EP075(SIM)B: Polynuclear Aromatic Hydrocarbons							
Soil Glass Jar - Unpreserved (EP075(SIM)) QA400	17-Nov-2018	22-Nov-2018	01-Dec-2018	✓	23-Nov-2018	01-Jan-2019	✓
EP080/071: Total Petroleum Hydrocarbons							
Soil Glass Jar - Unpreserved (EP071) QA400	17-Nov-2018	22-Nov-2018	01-Dec-2018	✓	23-Nov-2018	01-Jan-2019	✓
Soil Glass Jar - Unpreserved (EP080) QA400	17-Nov-2018	22-Nov-2018	01-Dec-2018	✓	26-Nov-2018	01-Dec-2018	✓
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions							
Soil Glass Jar - Unpreserved (EP071) QA400	17-Nov-2018	22-Nov-2018	01-Dec-2018	✓	23-Nov-2018	01-Jan-2019	✓
Soil Glass Jar - Unpreserved (EP080) QA400	17-Nov-2018	22-Nov-2018	01-Dec-2018	✓	26-Nov-2018	01-Dec-2018	✓
EP080: BTEXN							
Soil Glass Jar - Unpreserved (EP080) QA400	17-Nov-2018	22-Nov-2018	01-Dec-2018	✓	26-Nov-2018	01-Dec-2018	✓



## Quality Control Parameter Frequency Compliance

The following report summarises the frequency of laboratory QC samples analysed within the analytical lot(s) in which the submitted sample(s) was(were) processed. Actual rate should be greater than or equal to the expected rate. A listing of breaches is provided in the Summary of Outliers.

Matrix: **SOIL**

Evaluation: ✖ = Quality Control frequency not within specification ; ✔ = Quality Control frequency within specification.

Quality Control Sample Type		Count		Rate (%)			Quality Control Specification
Analytical Methods	Method	QC	Regular	Actual	Expected	Evaluation	
Laboratory Duplicates (DUP)							
Moisture Content	EA055	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
PAH/Phenols (SIM)	EP075(SIM)	2	18	11.11	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071	2	19	10.53	10.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH Volatiles/BTEX	EP080	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Laboratory Control Samples (LCS)							
PAH/Phenols (SIM)	EP075(SIM)	1	18	5.56	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071	1	19	5.26	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH Volatiles/BTEX	EP080	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Method Blanks (MB)							
PAH/Phenols (SIM)	EP075(SIM)	1	18	5.56	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071	1	19	5.26	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH Volatiles/BTEX	EP080	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Matrix Spikes (MS)							
PAH/Phenols (SIM)	EP075(SIM)	1	18	5.56	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071	1	19	5.26	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH Volatiles/BTEX	EP080	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard



## Brief Method Summaries

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the US EPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request. The following report provides brief descriptions of the analytical procedures employed for results reported in the Certificate of Analysis. Sources from which ALS methods have been developed are provided within the Method Descriptions.

Analytical Methods	Method	Matrix	Method Descriptions
Moisture Content	EA055	SOIL	In house: A gravimetric procedure based on weight loss over a 12 hour drying period at 105-110 degrees C. This method is compliant with NEPM (2013) Schedule B(3) Section 7.1 and Table 1 (14 day holding time).
Total Metals by ICP-AES	EG005T	SOIL	In house: Referenced to APHA 3120; USEPA SW 846 - 6010. Metals are determined following an appropriate acid digestion of the soil. The ICPAES technique ionises samples in a plasma, emitting a characteristic spectrum based on metals present. Intensities at selected wavelengths are compared against those of matrix matched standards. This method is compliant with NEPM (2013) Schedule B(3)
Total Mercury by FIMS	EG035T	SOIL	In house: Referenced to AS 3550, APHA 3112 Hg - B (Flow-injection (SnCl <sub>2</sub> ) (Cold Vapour generation) AAS) FIM-AAS is an automated flameless atomic absorption technique. Mercury in solids are determined following an appropriate acid digestion. Ionic mercury is reduced online to atomic mercury vapour by SnCl <sub>2</sub> which is then purged into a heated quartz cell. Quantification is by comparing absorbance against a calibration curve. This method is compliant with NEPM (2013) Schedule B(3)
TRH - Semivolatile Fraction	EP071	SOIL	In house: Referenced to USEPA SW 846 - 8015A Sample extracts are analysed by Capillary GC/FID and quantified against alkane standards over the range C10 - C40. Compliant with NEPM amended 2013.
PAH/Phenols (SIM)	EP075(SIM)	SOIL	In house: Referenced to USEPA SW 846 - 8270D. Extracts are analysed by Capillary GC/MS in Selective Ion Mode (SIM) and quantification is by comparison against an established 5 point calibration curve. This method is compliant with NEPM (2013) Schedule B(3) (Method 502 and 507)
TRH Volatiles/BTEX	EP080	SOIL	In house: Referenced to USEPA SW 846 - 8260B. Extracts are analysed by Purge and Trap, Capillary GC/MS. Quantification is by comparison against an established 5 point calibration curve. Compliant with NEPM amended 2013.
Preparation Methods	Method	Matrix	Method Descriptions
Hot Block Digest for metals in soils sediments and sludges	EN69	SOIL	In house: Referenced to USEPA 200.2. Hot Block Acid Digestion 1.0g of sample is heated with Nitric and Hydrochloric acids, then cooled. Peroxide is added and samples heated and cooled again before being filtered and bulked to volume for analysis. Digest is appropriate for determination of selected metals in sludge, sediments, and soils. This method is compliant with NEPM (2013) Schedule B(3) (Method 202)
Methanolic Extraction of Soils for Purge and Trap	ORG16	SOIL	In house: Referenced to USEPA SW 846 - 5030A. 5g of solid is shaken with surrogate and 10mL methanol prior to analysis by Purge and Trap - GC/MS.
Tumbler Extraction of Solids	ORG17	SOIL	In house: Mechanical agitation (tumbler). 10g of sample, Na <sub>2</sub> SO <sub>4</sub> and surrogate are extracted with 30mL 1:1 DCM/Acetone by end over end tumble. The solvent is decanted, dehydrated and concentrated (by KD) to the desired volume for analysis.



## Comments

**Telephone : +61-2-8784 8555**

**Environmental Division**  
**Sydney**  
Work Order Reference  
**ES1834552**

Samples Received: Cool or Ambient (circle one)

Temperature Received at: (If applicable)





CHAIN OF CUSTODY AND ANALYSIS REQUEST

Contract Person:	Ben Whitall	Project Name:	Kernan's Mining School
Tracking Number:	9978 9 188	Project Number:	00113157
Alternative Contact:	Jodi Griffin	PO No.:	
Telephone Number:	540-703	Project Specific Chain No.:	18-030426_1
Sample:	Jodi Griffin	Date results received:	5/2/2018
Send Address (include and include):	benwhitall@cardno.com, jodi.griffin@cardno.com, AU	Send to:	Electronic
Address: Level 0 - The Forum, 200 Pacific Highway, St Leonards, New South Wales 2055			

Sample Information					Analysis Required					Comments
Cardno Sample ID	Laboratory Sample ID	No. Containers	Preservation	Date sampled	Metric	37° - TRH/BTEX/N/PAH/Metals 6	35° - OCP/OPPCB	35° - TRH, VOC, PAH, Metals (6)	pH Field Screen (pH and pH-log)	
BH03_01		2	Ice	17/11/2018	Soil	X				
BH03_02		2	Ice	17/11/2018	Soil	X				
BH03_03		2	Ice	17/11/2018	Soil					
BH03_04		2	Ice	17/11/2018	Soil					
BH03_05		2	Ice	17/11/2018	Soil					
BH03_06		2	Ice	17/11/2018	Soil					
BH03_07		2	Ice	17/11/2018	Soil					
BH03_08		2	Ice	17/11/2018	Soil					
BH03_09		2	Ice	17/11/2018	Soil					
BH03_10		2	Ice	17/11/2018	Soil					
BH03_11		2	Ice	17/11/2018	Soil					
BH03_12		2	Ice	17/11/2018	Soil					
BH03_13		2	Ice	17/11/2018	Soil					
BH03_14		2	Ice	17/11/2018	Soil					
BH03_15		2	Ice	17/11/2018	Soil					
BH03_16		2	Ice	17/11/2018	Soil					
BH03_17		2	Ice	17/11/2018	Soil					
BH03_18		2	Ice	17/11/2018	Soil					
BH03_19		2	Ice	17/11/2018	Soil					
BH03_20		2	Ice	17/11/2018	Soil					
BH03_21		2	Ice	17/11/2018	Soil					
BH03_22		2	Ice	17/11/2018	Soil					
BH03_23		2	Ice	17/11/2018	Soil					
BH03_24		2	Ice	17/11/2018	Soil					
BH03_25		2	Ice	17/11/2018	Soil					
BH03_26		2	Ice	17/11/2018	Soil					
BH03_27		2	Ice	17/11/2018	Soil					
BH03_28		2	Ice	17/11/2018	Soil					
BH03_29		2	Ice	17/11/2018	Soil					
BH03_30		2	Ice	17/11/2018	Soil					
BH03_31		2	Ice	17/11/2018	Soil					
BH03_32		2	Ice	17/11/2018	Soil					
BH03_33		2	Ice	17/11/2018	Soil					
BH03_34		2	Ice	17/11/2018	Soil					
BH03_35		2	Ice	17/11/2018	Soil					
BH03_36		2	Ice	17/11/2018	Soil					
BH03_37		2	Ice	17/11/2018	Soil					
BH03_38		2	Ice	17/11/2018	Soil					
BH03_39		2	Ice	17/11/2018	Soil					
BH03_40		2	Ice	17/11/2018	Soil					
BH03_41		2	Ice	17/11/2018	Soil					
BH03_42		2	Ice	17/11/2018	Soil					
BH03_43		2	Ice	17/11/2018	Soil					
BH03_44		2	Ice	17/11/2018	Soil					
BH03_45		2	Ice	17/11/2018	Soil					
BH03_46		2	Ice	17/11/2018	Soil					
BH03_47		2	Ice	17/11/2018	Soil					
BH03_48		2	Ice	17/11/2018	Soil					
BH03_49		2	Ice	17/11/2018	Soil					
BH03_50		2	Ice	17/11/2018	Soil					
BH03_51		2	Ice	17/11/2018	Soil					
BH03_52		2	Ice	17/11/2018	Soil					
BH03_53		2	Ice	17/11/2018	Soil					
BH03_54		2	Ice	17/11/2018	Soil					
BH03_55		2	Ice	17/11/2018	Soil					
BH03_56		2	Ice	17/11/2018	Soil					
BH03_57		2	Ice	17/11/2018	Soil					
BH03_58		2	Ice	17/11/2018	Soil					
BH03_59		2	Ice	17/11/2018	Soil					
BH03_60		2	Ice	17/11/2018	Soil					
BH03_61		2	Ice	17/11/2018	Soil					
BH03_62		2	Ice	17/11/2018	Soil					
BH03_63		2	Ice	17/11/2018	Soil					
BH03_64		2	Ice	17/11/2018	Soil					
BH03_65		2	Ice	17/11/2018	Soil					
BH03_66		2	Ice	17/11/2018	Soil					
BH03_67		2	Ice	17/11/2018	Soil					
BH03_68		2	Ice	17/11/2018	Soil					
BH03_69		2	Ice	17/11/2018	Soil					
BH03_70		2	Ice	17/11/2018	Soil					
BH03_71		2	Ice	17/11/2018	Soil					
BH03_72		2	Ice	17/11/2018	Soil					
BH03_73		2	Ice	17/11/2018	Soil					
BH03_74		2	Ice	17/11/2018	Soil					
BH03_75		2	Ice	17/11/2018	Soil					
BH03_76		2	Ice	17/11/2018	Soil					
BH03_77		2	Ice	17/11/2018	Soil					
BH03_78		2	Ice	17/11/2018	Soil					
BH03_79		2	Ice	17/11/2018	Soil					
BH03_80		2	Ice	17/11/2018	Soil					
BH03_81		2	Ice	17/11/2018	Soil					
BH03_82		2	Ice	17/11/2018	Soil					
BH03_83		2	Ice	17/11/2018	Soil					
BH03_84		2	Ice	17/11/2018	Soil					
BH03_85		2	Ice	17/11/2018	Soil					
BH03_86		2	Ice	17/11/2018	Soil					
BH03_87		2	Ice	17/11/2018	Soil					
BH03_88		2	Ice	17/11/2018	Soil					
BH03_89		2	Ice	17/11/2018	Soil					
BH03_90		2	Ice	17/11/2018	Soil					
BH03_91		2	Ice	17/11/2018	Soil					
BH03_92		2	Ice	17/11/2018	Soil					
BH03_93		2	Ice	17/11/2018	Soil					
BH03_94		2	Ice	17/11/2018	Soil					
BH03_95		2	Ice	17/11/2018	Soil					
BH03_96		2	Ice	17/11/2018	Soil					
BH03_97		2	Ice	17/11/2018	Soil					
BH03_98		2	Ice	17/11/2018	Soil					
BH03_99		2	Ice	17/11/2018	Soil					
BH03_100		2	Ice	17/11/2018	Soil					

ES1834552  
WO # Assigned at  
ALS Crows Nest

Requested by:	Jodi Griffin	Received by:	LUCAS D. ELWOOD
(Name / Company)	Cardno	(Name / Company)	ALS
Date & Time:	10/11/18 10:00	Date & Time:	19/11/18 2:52 PM
Signature:		Signature:	
Received by:	Jodi Griffin	Received by:	MS
(Name / Company)	Cardno	(Name / Company)	ALS
Date & Time:	10/11/18 12:02 PM	Date & Time:	19/11/18 3:00 PM
Signature:		Signature:	
Received by:	Jodi Griffin	Received by:	MS
(Name / Company)	Cardno	(Name / Company)	ALS
Date & Time:	10/11/18 12:02 PM	Date & Time:	19/11/18 3:00 PM
Signature:		Signature:	
Received by:	Jodi Griffin	Received by:	MS
(Name / Company)	Cardno	(Name / Company)	ALS
Date & Time:	10/11/18 12:02 PM	Date & Time:	19/11/18 3:00 PM
Signature:		Signature:	
Received by:	Jodi Griffin	Received by:	MS
(Name / Company)	Cardno	(Name / Company)	ALS
Date & Time:	10/11/18 12:02 PM	Date & Time:	19/11/18 3:00 PM
Signature:		Signature:	
Received by:	Jodi Griffin	Received by:	MS
(Name / Company)	Cardno	(Name / Company)	ALS
Date & Time:	10/11/18 12:02 PM	Date & Time:	19/11/18 3:00 PM
Signature:		Signature:	
Received by:	Jodi Griffin	Received by:	MS
(Name / Company)	Cardno	(Name / Company)	ALS
Date & Time:	10/11/18 12:02 PM	Date & Time:	19/11/18 3:00 PM
Signature:		Signature:	
Received by:	Jodi Griffin	Received by:	MS
(Name / Company)	Cardno	(Name / Company)	ALS
Date & Time:	10/11/18 12:02 PM	Date & Time:	19/11/18 3:00 PM
Signature:		Signature:	
Received by:	Jodi Griffin	Received by:	MS
(Name / Company)	Cardno	(Name / Company)	ALS
Date & Time:	10/11/18 12:02 PM	Date & Time:	19/11/18 3:00 PM
Signature:		Signature:	
Received by:	Jodi Griffin	Received by:	MS
(Name / Company)	Cardno	(Name / Company)	ALS
Date & Time:	10/11/18 12:02 PM	Date & Time:	19/11/18 3:00 PM
Signature:		Signature:	
Received by:	Jodi Griffin	Received by:	MS
(Name / Company)	Cardno	(Name / Company)	ALS
Date & Time:	10/11/18 12:02 PM	Date & Time:	19/11/18 3:00 PM
Signature:		Signature:	
Received by:	Jodi Griffin	Received by:	MS
(Name / Company)	Cardno	(Name / Company)	ALS
Date & Time:	10/11/18 12:02 PM	Date & Time:	19/11/18 3:00 PM
Signature:		Signature:	
Received by:	Jodi Griffin	Received by:	MS
(Name / Company)	Cardno	(Name / Company)	ALS
Date & Time:	10/11/18 12:02 PM	Date & Time:	19/11/18 3:00 PM
Signature:		Signature:	
Received by:	Jodi Griffin	Received by:	MS
(Name / Company)	Cardno	(Name / Company)	ALS
Date & Time:	10/11/18 12:02 PM	Date & Time:	19/11/18 3:00 PM
Signature:		Signature:	
Received by:	Jodi Griffin	Received by:	MS
(Name / Company)	Cardno	(Name / Company)	ALS
Date & Time:	10/11/18 12:02 PM	Date & Time:	19/11/18 3:00 PM
Signature:		Signature:	
Received by:	Jodi Griffin	Received by:	MS
(Name / Company)	Cardno	(Name / Company)	ALS
Date & Time:	10/11/18 12:02 PM	Date & Time:	19/11/18 3:00 PM
Signature:		Signature:	
Received by:	Jodi Griffin	Received by:	MS
(Name / Company)	Cardno	(Name / Company)	ALS
Date & Time:	10/11/18 12:02 PM	Date & Time:	19/11/18 3:00 PM
Signature:		Signature:	
Received by:	Jodi Griffin	Received by:	MS
(Name / Company)	Cardno	(Name / Company)	ALS
Date & Time:	10/11/18 12:02 PM	Date & Time:	19/11/18 3:00 PM
Signature:		Signature:	
Received by:	Jodi Griffin	Received by:	MS
(Name / Company)	Cardno	(Name / Company)	ALS
Date & Time:	10/11/18 12:02 PM	Date & Time:	19/11/18 3:00 PM
Signature:		Signature:	
Received by:	Jodi Griffin	Received by:	MS
(Name / Company)	Cardno	(Name / Company)	ALS
Date & Time:	10/11/18 12:02 PM	Date & Time:	19/11/18 3:00 PM
Signature:		Signature:	
Received by:	Jodi Griffin	Received by:	MS
(Name / Company)	Cardno	(Name / Company)	ALS
Date & Time:	10/11/18 12:02 PM	Date & Time:	19/11/18 3:00 PM
Signature:		Signature:	
Received by:	Jodi Griffin	Received by:	MS
(Name / Company)	Cardno	(Name / Company)	ALS
Date & Time:	10/11/18 12:02 PM	Date & Time:	19/11/18 3:00 PM
Signature:		Signature:	
Received by:	Jodi Griffin	Received by:	MS
(Name / Company)	Cardno	(Name / Company)	ALS
Date & Time:	10/11/18 12:02 PM	Date & Time:	19/11/18 3:00 PM
Signature:		Signature:	
Received by:	Jodi Griffin	Received by:	MS
(Name / Company)	Cardno	(Name / Company)	ALS
Date & Time:	10/11/18 12:02 PM	Date & Time:	19/11/18 3:00 PM
Signature:		Signature:	
Received by:	Jodi Griffin	Received by:	MS
(Name / Company)	Cardno	(Name / Company)	ALS
Date & Time:	10/11/18 12:02 PM	Date & Time:	19/11/18 3:00 PM
Signature:		Signature:	
Received by:	Jodi Griffin	Received by:	MS
(Name / Company)	Cardno	(Name / Company)	ALS
Date & Time:	10/11/18 12:02 PM	Date & Time:	19/11/18 3:00 PM
Signature:		Signature:	
Received by:	Jodi Griffin	Received by:	MS
(Name / Company)	Cardno	(Name / Company)	ALS
Date & Time:	10/11/18 12:02 PM	Date & Time:	19/11/18 3:00 PM
Signature:		Signature:	
Received by:	Jodi Griffin	Received by:	MS
(Name / Company)	Cardno	(Name / Company)	ALS
Date & Time:	10/11/18 12:02 PM	Date & Time:	19/11/18 3:00 PM
Signature:		Signature:	
Received by:	Jodi Griffin	Received by:	MS
(Name / Company)	Cardno	(Name / Company)	ALS
Date & Time:	10/11/18 12:02		

Cardno (NSW/ACT) Pty Ltd  
Level 9, 203 Pacific Highway  
St Leonards  
NSW 2065



NATA Accredited  
Accreditation Number 1261  
Site Number 20794

Accredited for compliance with ISO/IEC 17025 – Testing  
The results of the tests, calibrations and/or  
measurements included in this document are traceable  
to Australian/national standards.

Attention: Ben Withnall

Report 630561-S  
Project name KYEEMAGH INFANTS SCHOOL  
Project ID 80818157  
Received Date Nov 28, 2018

Client Sample ID			BH02_4.0-4.45	BH02_7.0-7.45	BH02_11.5-11.95	BH03_8.5-8.95
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins   mgt Sample No.			B18-No41456	B18-No41457	B18-No41458	B18-No41459
Date Sampled			Nov 17, 2018	Nov 17, 2018	Nov 17, 2018	Nov 17, 2018
Test/Reference	LOR	Unit				
<b>SPOCAS Suite</b>						
pH-KCL	0.1	pH Units	5.9	9.1	9.3	9.3
pH-OX	0.1	pH Units	7.2	7.2	7.4	7.5
Acid trail - Titratable Actual Acidity	2	mol H+/t	< 2	< 2	< 2	< 2
Acid trail - Titratable Peroxide Acidity	2	mol H+/t	< 2	< 2	< 2	< 2
Acid trail - Titratable Sulfidic Acidity	2	mol H+/t	< 2	< 2	< 2	< 2
sulfidic - TAA equiv. S% pyrite	0.02	% pyrite S	< 0.02	< 0.02	< 0.02	< 0.02
sulfidic - TPA equiv. S% pyrite	0.02	% pyrite S	< 0.02	< 0.02	< 0.02	< 0.02
sulfidic - TSA equiv. S% pyrite	0.02	% pyrite S	< 0.02	< 0.02	< 0.02	< 0.02
Sulfur - KCl Extractable	0.02	% S	< 0.02	0.05	< 0.02	0.02
Sulfur - Peroxide	0.02	% S	0.24	0.10	0.09	0.37
Sulfur - Peroxide Oxidisable Sulfur	0.02	% S	0.24	0.06	0.09	0.35
acidity - Peroxide Oxidisable Sulfur	10	mol H+/t	150	34	54	220
HCl Extractable Sulfur	0.02	% S	n/a	n/a	n/a	n/a
Net Acid soluble sulfur	0.02	% S	n/a	n/a	n/a	n/a
Net Acid soluble sulfur - acidity units	10	mol H+/t	n/a	n/a	n/a	n/a
Net Acid soluble sulfur - equivalent S% pyrite <sup>S02</sup>	0.02	% S	n/a	n/a	n/a	n/a
Calcium - KCl Extractable	0.02	% Ca	< 0.02	0.19	0.10	0.15
Calcium - Peroxide	0.02	% Ca	0.60	0.25	0.24	0.69
Acid Reacted Calcium	0.02	% Ca	0.60	0.06	0.13	0.54
acidity - Acid Reacted Calcium	10	mol H+/t	300	28	67	270
sulfidic - Acid Reacted Ca equiv. S% pyrite	0.02	% S	0.48	0.04	0.11	0.43
Magnesium - KCl Extractable	0.02	% Mg	< 0.02	< 0.02	< 0.02	0.04
Magnesium - Peroxide	0.02	% Mg	< 0.02	0.03	0.02	0.08
Acid Reacted Magnesium	0.02	% Mg	< 0.02	0.03	0.02	0.04
acidity - Acid Reacted Magnesium	10	mol H+/t	< 10	23	20	33
sulfidic - Acid Reacted Mg equiv. S% pyrite	0.02	% S	< 0.02	0.04	0.03	0.05
Acid Neutralising Capacity (ANCE)	0.02	%CaCO3	0.42	0.21	0.24	0.38
Acid Neutralising Capacity - Acidity units (a-ANCE)	10	mol H+/t	84	42	47	77
Acid Neutralising Capacity - equivalent S% pyrite(s-ANCE)	0.02	% S	0.13	0.07	0.08	0.12
ANC Fineness Factor		factor	1.5	1.5	1.5	1.5
SPOCAS - Net Acidity (Sulfur Units)	0.02	% S	0.24	< 0.02	< 0.02	0.03
SPOCAS - Net Acidity (Acidity Units)	10	mol H+/t	150	< 10	< 10	22
SPOCAS - Liming rate	1	kg CaCO3/t	11	< 1	< 1	2.0

Client Sample ID			BH02_4.0-4.45	BH02_7.0-7.45	BH02_11.5-11.95	BH03_8.5-8.95
Sample Matrix			Soil	Soil	Soil	Soil
Eurofins   mgt Sample No.			B18-No41456	B18-No41457	B18-No41458	B18-No41459
Date Sampled			Nov 17, 2018	Nov 17, 2018	Nov 17, 2018	Nov 17, 2018
Test/Reference	LOR	Unit				
<b>Chromium Suite</b>						
pH-KCL	0.1	pH Units	5.9	9.1	9.3	9.3
Acid trail - Titratable Actual Acidity	2	mol H+/t	< 2	< 2	< 2	< 2
sulfidic - TAA equiv. S% pyrite	0.02	% pyrite S	< 0.02	< 0.02	< 0.02	< 0.02
Chromium Reducible Sulfur <sup>S04</sup>	0.005	% S	< 0.005	0.13	0.082	0.29
Chromium Reducible Sulfur -acidity units	3	mol H+/t	< 3	81	51	180
Sulfur - KCl Extractable	0.02	% S	< 0.02	0.05	< 0.02	0.02
HCl Extractable Sulfur	0.02	% S	n/a	n/a	n/a	n/a
Net Acid soluble sulfur	0.02	% S	n/a	n/a	n/a	n/a
Net Acid soluble sulfur - acidity units	10	mol H+/t	n/a	n/a	n/a	n/a
Net Acid soluble sulfur - equivalent S% pyrite <sup>S02</sup>	0.02	% S	n/a	n/a	n/a	n/a
Acid Neutralising Capacity (ANCbt)	0.01	%CaCO3	n/a	1.8	0.98	3.3
Acid Neutralising Capacity - acidity (a-ANCbt)	2	mol H+/t	n/a	350	200	650
Acid Neutralising Capacity - equivalent S% pyrite (s-ANCbt) <sup>S03</sup>	0.02	% S	n/a	0.56	0.31	1.0
ANC Fineness Factor		factor	1.5	1.5	1.5	1.5
CRS Suite - Net Acidity (Sulfur Units)	0.02	% S	< 0.02	< 0.02	< 0.02	< 0.02
CRS Suite - Net Acidity (Acidity Units)	10	mol H+/t	< 10	< 10	< 10	< 10
CRS Suite - Liming Rate <sup>S01</sup>	1	kg CaCO3/t	< 1	< 1	< 1	< 1
<b>Extraneous Material</b>						
<2mm Fraction	0.005	g	56	71	63	70
>2mm Fraction	0.005	g	< 0.005	< 0.005	2.3	0.79
Analysed Material	0.1	%	100	100	97	99
Extraneous Material	0.1	%	< 0.1	< 0.1	3.4	1.1
% Moisture	1	%	17	24	17	22

Client Sample ID			BH03_10.0-10.45
Sample Matrix			Soil
Eurofins   mgt Sample No.			B18-No41460
Date Sampled			Nov 17, 2018
Test/Reference	LOR	Unit	
<b>SPOCAS Suite</b>			
pH-KCL	0.1	pH Units	8.2
pH-OX	0.1	pH Units	2.6
Acid trail - Titratable Actual Acidity	2	mol H+/t	< 2
Acid trail - Titratable Peroxide Acidity	2	mol H+/t	210
Acid trail - Titratable Sulfidic Acidity	2	mol H+/t	210
sulfidic - TAA equiv. S% pyrite	0.02	% pyrite S	< 0.02
sulfidic - TPA equiv. S% pyrite	0.02	% pyrite S	0.34
sulfidic - TSA equiv. S% pyrite	0.02	% pyrite S	0.34
Sulfur - KCl Extractable	0.02	% S	< 0.02
Sulfur - Peroxide	0.02	% S	0.48
Sulfur - Peroxide Oxidisable Sulfur	0.02	% S	0.48
acidity - Peroxide Oxidisable Sulfur	10	mol H+/t	300
HCl Extractable Sulfur	0.02	% S	n/a
Net Acid soluble sulfur	0.02	% S	n/a
Net Acid soluble sulfur - acidity units	10	mol H+/t	n/a

<b>Client Sample ID</b>			<b>BH03_10.0-10.45</b>
<b>Sample Matrix</b>			<b>Soil</b>
<b>Eurofins   mgt Sample No.</b>			<b>B18-No41460</b>
<b>Date Sampled</b>			<b>Nov 17, 2018</b>
Test/Reference	LOR	Unit	
<b>SPOCAS Suite</b>			
Net Acid soluble sulfur - equivalent S% pyrite <sup>S02</sup>	0.02	% S	n/a
Calcium - KCl Extractable	0.02	% Ca	0.07
Calcium - Peroxide	0.02	% Ca	0.10
Acid Reacted Calcium	0.02	% Ca	0.02
acidity - Acid Reacted Calcium	10	mol H+/t	12
sulfidic - Acid Reacted Ca equiv. S% pyrite	0.02	% S	0.02
Magnesium - KCl Extractable	0.02	% Mg	0.03
Magnesium - Peroxide	0.02	% Mg	0.08
Acid Reacted Magnesium	0.02	% Mg	0.05
acidity - Acid Reacted Magnesium	10	mol H+/t	40
sulfidic - Acid Reacted Mg equiv. S% pyrite	0.02	% S	0.06
Acid Neutralising Capacity (ANCE)	0.02	%CaCO3	n/a
Acid Neutralising Capacity - Acidity units (a-ANCE)	10	mol H+/t	n/a
Acid Neutralising Capacity - equivalent S% pyrite(s-ANCE)	0.02	% S	n/a
ANC Fineness Factor		factor	1.5
SPOCAS - Net Acidity (Sulfur Units)	0.02	% S	0.39
SPOCAS - Net Acidity (Acidity Units)	10	mol H+/t	240
SPOCAS - Liming rate	1	kg CaCO3/t	18
<b>Chromium Suite</b>			
pH-KCL	0.1	pH Units	8.2
Acid trail - Titratable Actual Acidity	2	mol H+/t	< 2
sulfidic - TAA equiv. S% pyrite	0.02	% pyrite S	< 0.02
Chromium Reducible Sulfur <sup>S04</sup>	0.005	% S	0.35
Chromium Reducible Sulfur -acidity units	3	mol H+/t	220
Sulfur - KCl Extractable	0.02	% S	< 0.02
HCl Extractable Sulfur	0.02	% S	n/a
Net Acid soluble sulfur	0.02	% S	n/a
Net Acid soluble sulfur - acidity units	10	mol H+/t	n/a
Net Acid soluble sulfur - equivalent S% pyrite <sup>S02</sup>	0.02	% S	n/a
Acid Neutralising Capacity (ANCbt)	0.01	%CaCO3	0.75
Acid Neutralising Capacity - acidity (a-ANCbt)	2	mol H+/t	150
Acid Neutralising Capacity - equivalent S% pyrite (s-ANCbt) <sup>S03</sup>	0.02	% S	0.24
ANC Fineness Factor		factor	1.5
CRS Suite - Net Acidity (Sulfur Units)	0.02	% S	0.19
CRS Suite - Net Acidity (Acidity Units)	10	mol H+/t	120
CRS Suite - Liming Rate <sup>S01</sup>	1	kg CaCO3/t	8.8
<b>Extraneous Material</b>			
<2mm Fraction	0.005	g	61
>2mm Fraction	0.005	g	< 0.005
Analysed Material	0.1	%	100
Extraneous Material	0.1	%	< 0.1
% Moisture	1	%	19

### Sample History

Where samples are submitted/analysed over several days, the last date of extraction and analysis is reported.  
A recent review of our LIMS has resulted in the correction or clarification of some method identifications. Due to this, some of the method reference information on reports has changed. However, no substantive change has been made to our laboratory methods, and as such there is no change in the validity of current or previous results (regarding both quality and NATA accreditation).

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

Description	Testing Site	Extracted	Holding Time
SPOCAS Suite			
SPOCAS Suite	Brisbane	Dec 05, 2018	6 Week
- Method: LTM-GEN-7050			
Chromium Reducible Sulfur Suite			
Chromium Suite	Brisbane	Dec 05, 2018	6 Week
- Method: LTM-GEN-7070			
Extraneous Material	Brisbane	Dec 05, 2018	6 Week
- Method: LTM-GEN-7050/7070			
% Moisture	Brisbane	Nov 30, 2018	14 Day
- Method: LTM-GEN-7080 Moisture			



**Company Name:** Cardno (NSW/ACT) Pty Ltd  
**Address:** Level 9, 203 Pacific Highway  
St Leonards  
NSW 2065  
**Project Name:** KYEEMAGH INFANTS SCHOOL  
**Project ID:** 80818157

**Order No.:**  
**Report #:** 630561  
**Phone:** 0294967700  
**Fax:** 02 9499 3902

**Received:** Nov 28, 2018 3:45 PM  
**Due:** Dec 5, 2018  
**Priority:** 5 Day  
**Contact Name:** Ben Withnall

**Eurofins | mgt Analytical Services Manager : Nibha Vaidya**

Sample Detail						SPOCAS Suite	Chromium Reducible Sulfur Suite	Moisture Set
Melbourne Laboratory - NATA Site # 1254 & 14271								
Sydney Laboratory - NATA Site # 18217								
Brisbane Laboratory - NATA Site # 20794						X	X	X
Perth Laboratory - NATA Site # 23736								
External Laboratory								
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID			
1	BH02_4.0-4.45	Nov 17, 2018		Soil	B18-No41456	X	X	X
2	BH02_7.0-7.45	Nov 17, 2018		Soil	B18-No41457	X	X	X
3	BH02_11.5-11.95	Nov 17, 2018		Soil	B18-No41458	X	X	X
4	BH03_8.5-8.95	Nov 17, 2018		Soil	B18-No41459	X	X	X
5	BH03_10.0-10.45	Nov 17, 2018		Soil	B18-No41460	X	X	X
Test Counts						5	5	5

## Internal Quality Control Review and Glossary

### General

1. Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples are included in this QC report where applicable. Additional QC data may be available on request.
2. All soil results are reported on a dry basis, unless otherwise stated.
3. All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
4. Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
5. Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
6. SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
7. Samples were analysed on an 'as received' basis.
8. This report replaces any interim results previously issued.

### Holding Times

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

**\*\*NOTE:** pH duplicates are reported as a range NOT as RPD

### Units

**mg/kg:** milligrams per kilogram

**mg/L:** milligrams per litre

**ug/L:** micrograms per litre

**ppm:** Parts per million

**ppb:** Parts per billion

**%:** Percentage

**org/100mL:** Organisms per 100 millilitres

**NTU:** Nephelometric Turbidity Units

**MPN/100mL:** Most Probable Number of organisms per 100 millilitres

### Terms

<b>Dry</b>	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
<b>LOR</b>	Limit of Reporting.
<b>SPIKE</b>	Addition of the analyte to the sample and reported as percentage recovery.
<b>RPD</b>	Relative Percent Difference between two Duplicate pieces of analysis.
<b>LCS</b>	Laboratory Control Sample - reported as percent recovery.
<b>CRM</b>	Certified Reference Material - reported as percent recovery.
<b>Method Blank</b>	In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water.
<b>Surr - Surrogate</b>	The addition of a like compound to the analyte target and reported as percentage recovery.
<b>Duplicate</b>	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
<b>USEPA</b>	United States Environmental Protection Agency
<b>APHA</b>	American Public Health Association
<b>TCLP</b>	Toxicity Characteristic Leaching Procedure
<b>COC</b>	Chain of Custody
<b>SRA</b>	Sample Receipt Advice
<b>QSM</b>	Quality Systems Manual ver 5.1 US Department of Defense
<b>CP</b>	Client Parent - QC was performed on samples pertaining to this report
<b>NCP</b>	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within.
<b>TEQ</b>	Toxic Equivalency Quotient

### QC - Acceptance Criteria

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR : No Limit

Results between 10-20 times the LOR : RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

Surrogate Recoveries: Recoveries must lie between 50-150%-Phenols & PFASs

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.1 where no positive PFAS results have been reported have been reviewed and no data was affected.

WA DWER (n=10): PFBA, PFPeA, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA

### QC Data General Comments

1. Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
2. Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
3. Organochlorine Pesticide analysis - where reporting LCS data, Toxaphene & Chlordane are not added to the LCS.
4. Organochlorine Pesticide analysis - where reporting Spike data, Toxaphene is not added to the Spike.
5. Total Recoverable Hydrocarbons - where reporting Spike & LCS data, a single spike of commercial Hydrocarbon products in the range of C12-C30 is added and it's Total Recovery is reported in the C10-C14 cell of the Report.
6. pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
7. Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of Recovery the term "INT" appears against that analyte.
8. Polychlorinated Biphenyls are spiked only using Aroclor 1260 in Matrix Spikes and LCS.
9. For Matrix Spikes and LCS results a dash " - " in the report means that the specific analyte was not added to the QC sample.
10. Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.

## Quality Control Results

Test				Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
<b>LCS - % Recovery</b>										
<b>Chromium Suite</b>										
Chromium Reducible Sulfur				%	99			70-130	Pass	
Acid Neutralising Capacity (ANCbt)				%	98			70-130	Pass	
Test	Lab Sample ID	QA Source	Units	Result 1				Acceptance Limits	Pass Limits	Qualifying Code
<b>Duplicate</b>										
<b>SPOCAS Suite</b>					Result 1	Result 2	RPD			
pH-KCL	B18-No41456	CP	pH Units	5.9	5.9	1.0	30%	Pass		
pH-OX	B18-No41456	CP	pH Units	7.2	7.2	1.0	30%	Pass		
Acid trail - Titratable Actual Acidity	B18-No41456	CP	mol H+/t	< 2	< 2	<1	30%	Pass		
Acid trail - Titratable Peroxide Acidity	B18-No41456	CP	mol H+/t	< 2	< 2	<1	30%	Pass		
Acid trail - Titratable Sulfidic Acidity	B18-No41456	CP	mol H+/t	< 2	< 2	<1	30%	Pass		
sulfidic - TAA equiv. S% pyrite	B18-No41456	CP	% pyrite S	< 0.02	< 0.02	<1	30%	Pass		
sulfidic - TPA equiv. S% pyrite	B18-No41456	CP	% pyrite S	< 0.02	< 0.02	<1	30%	Pass		
sulfidic - TSA equiv. S% pyrite	B18-No41456	CP	% pyrite S	< 0.02	< 0.02	<1	30%	Pass		
Sulfur - KCl Extractable	B18-No41456	CP	% S	< 0.02	< 0.02	<1	30%	Pass		
Sulfur - Peroxide	B18-No41456	CP	% S	0.24	0.25	3.0	30%	Pass		
Sulfur - Peroxide Oxidisable Sulfur	B18-No41456	CP	% S	0.24	0.25	3.0	30%	Pass		
acidity - Peroxide Oxidisable Sulfur	B18-No41456	CP	mol H+/t	150	150	3.0	30%	Pass		
Calcium - KCl Extractable	B18-No41456	CP	% Ca	< 0.02	< 0.02	<1	30%	Pass		
Calcium - Peroxide	B18-No41456	CP	% Ca	0.60	0.63	5.0	30%	Pass		
Acid Reacted Calcium	B18-No41456	CP	% Ca	0.60	0.63	5.0	30%	Pass		
acidity - Acid Reacted Calcium	B18-No41456	CP	mol H+/t	300	310	5.0	30%	Pass		
sulfidic - Acid Reacted Ca equiv. S% pyrite	B18-No41456	CP	% S	0.48	0.50	5.0	30%	Pass		
Magnesium - KCl Extractable	B18-No41456	CP	% Mg	< 0.02	< 0.02	<1	30%	Pass		
Magnesium - Peroxide	B18-No41456	CP	% Mg	< 0.02	< 0.02	<1	30%	Pass		
Acid Reacted Magnesium	B18-No41456	CP	% Mg	< 0.02	< 0.02	<1	30%	Pass		
acidity - Acid Reacted Magnesium	B18-No41456	CP	mol H+/t	< 10	< 10	<1	30%	Pass		
sulfidic - Acid Reacted Mg equiv. S% pyrite	B18-No41456	CP	% S	< 0.02	< 0.02	<1	30%	Pass		
Acid Neutralising Capacity (ANCE)	B18-No41456	CP	%CaCO3	0.42	0.40	4.0	30%	Pass		
Acid Neutralising Capacity - Acidity units (a-ANCE)	B18-No41456	CP	mol H+/t	84	80	4.0	30%	Pass		
ANC Fineness Factor	B18-No41456	CP	factor	1.5	1.5	<1	30%	Pass		
SPOCAS - Liming rate	B18-No41456	CP	kg CaCO3/t	11	12	3.0	30%	Pass		
<b>Duplicate</b>										
<b>Chromium Suite</b>					Result 1	Result 2	RPD			
Chromium Reducible Sulfur	B18-No41456	CP	% S	< 0.005	< 0.005	<1	30%	Pass		
Chromium Reducible Sulfur -acidity units	B18-No41456	CP	mol H+/t	< 3	< 3	<1	30%	Pass		
Acid Neutralising Capacity (ANCbt)	B18-No41456	CP	%CaCO3	n/a	n/a	n/a	30%	Pass		
Acid Neutralising Capacity - equivalent S% pyrite (s-ANCbt)	B18-No41456	CP	% S	n/a	n/a	n/a	30%	Pass		
CRS Suite - Net Acidity (Sulfur Units)	B18-No41456	CP	% S	< 0.02	< 0.02	<1	30%	Pass		
CRS Suite - Net Acidity (Acidity Units)	B18-No41456	CP	mol H+/t	< 10	< 10	<1	30%	Pass		
CRS Suite - Liming Rate	B18-No41456	CP	kg CaCO3/t	< 1	< 1	<1	30%	Pass		
<b>Duplicate</b>										
					Result 1	Result 2	RPD			
% Moisture	B18-No15557	NCP	%	< 1	< 1	<1	30%	Pass		

## Comments

Eurofins | mgt accreditation number 1261, corporate site 1254 is currently in progress of a controlled transition to a new custom built location at 6 Monterey Road, Dandenong South, Victoria 3175. All results on this report denoted as being performed by Eurofins | mgt 2-5 Kingston Town Close, Oakleigh Victoria 3166 corporate site 1254, will have been performed on either Oakleigh or new Dandenong South site.

## Sample Integrity

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	Yes
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

## Qualifier Codes/Comments

Code	Description
S01	Liming rate is calculated and reported on a dry weight basis assuming use of fine agricultural lime (CaCO <sub>3</sub> ) and using a safety factor of 1.5 to allow for non-homogeneous mixing and poor reactivity of lime. For conversion of Liming Rate from 'kg/t dry weight' to 'kg/m <sup>3</sup> in-situ soil' multiply 'reported results' x 'wet bulk density of soil in t/m <sup>3</sup> '
S02	Retained Acidity is Reported when the pHKCl is less than pH 4.5
S03	Acid Neutralising Capacity is only required if the pHKCl is greater than or equal to pH 6.5
S04	Acid Sulfate Soil Samples have a 24 hour holding time unless frozen or dried within that period

## Authorised By

Nibha Vaidya	Analytical Services Manager
Myles Clark	Senior Analyst-SPOCAS (QLD)



## Glenn Jackson General Manager

Final report - this Report replaces any previously issued Report

- Indicates Not Requested

\* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins | mgt shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins | mgt be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.



**Cardno<sup>®</sup>**  
Examining the Future

## CHAIN OF CUSTODY AND ANALYSIS REQUEST

4

[illegible]

## Sample Receipt Advice

Company name: **Cardno (NSW/ACT) Pty Ltd**  
Contact name: **Ben Withnall**  
Project name: **KYEEMAGH INFANTS SCHOOL**  
Project ID: **80818157**  
COC number: **Not provided**  
Turn around time: **5 Day**  
Date/Time received: **Nov 28, 2018 3:45 PM**  
Eurofins | mgt reference: **630561**

### Sample information

- ☒ A detailed list of analytes logged into our LIMS, is included in the attached summary table.
- ☒ All samples have been received as described on the above COC.
- ☒ COC has been completed correctly.
- ☒ Attempt to chill was evident.
- ☒ Appropriately preserved sample containers have been used.
- ☒ All samples were received in good condition.
- ☒ Samples have been provided with adequate time to commence analysis in accordance with the relevant holding times.
- ☒ Appropriate sample containers have been used.
- ☐ Split sample sent to requested external lab.
- ☐ Some samples have been subcontracted.
- N/A Custody Seals intact (if used).

### Contact notes

If you have any questions with respect to these samples please contact:

Nibha Vaidya on Phone : +61 (2) 9900 8415 or by e.mail: NibhaVaidya@eurofins.com

Results will be delivered electronically via e.mail to Ben Withnall - ben.withnall@cardno.com.au.

*Note: A copy of these results will also be delivered to the general Cardno (NSW/ACT) Pty Ltd email address.*



Cardno (NSW/ACT) Pty Ltd  
Level 9, 203 Pacific Highway  
St Leonards  
NSW 2065



NATA Accredited  
Accreditation Number 1261  
Site Number 20794

Accredited for compliance with ISO/IEC 17025 – Testing  
The results of the tests, calibrations and/or  
measurements included in this document are traceable  
to Australian/national standards.

Attention: Ben Withnall

Report 629911-S  
Project name KYEEMAGH INFANTS SCHOOL  
Project ID 80818157  
Received Date Nov 23, 2018

Client Sample ID			BH01_1.0-1.45 Soil	BH01_8.5-8.95 Soil	BH01_10.0-10.45 Soil	BH01_16.0-16.45 Soil
Sample Matrix			B18-No36075	B18-No36076	B18-No36077	B18-No36078
Eurofins   mgt Sample No.			Not Provided	Not Provided	Not Provided	Not Provided
Date Sampled						
Test/Reference	LOR	Unit				
<b>SPOCAS Suite</b>						
pH-KCL	0.1	pH Units	5.8	9.0	9.2	5.5
pH-OX	0.1	pH Units	4.8	7.3	7.0	4.4
Acid trail - Titratable Actual Acidity	2	mol H+/t	3.0	< 2	< 2	7.0
Acid trail - Titratable Peroxide Acidity	2	mol H+/t	< 2	< 2	< 2	47
Acid trail - Titratable Sulfidic Acidity	2	mol H+/t	< 2	< 2	< 2	40
sulfidic - TAA equiv. S% pyrite	0.02	% pyrite S	< 0.02	< 0.02	< 0.02	< 0.02
sulfidic - TPA equiv. S% pyrite	0.02	% pyrite S	< 0.02	< 0.02	< 0.02	0.08
sulfidic - TSA equiv. S% pyrite	0.02	% pyrite S	< 0.02	< 0.02	< 0.02	0.06
Sulfur - KCl Extractable	0.02	% S	< 0.02	0.05	0.04	< 0.02
Sulfur - Peroxide	0.02	% S	< 0.02	0.45	0.19	0.06
Sulfur - Peroxide Oxidisable Sulfur	0.02	% S	< 0.02	0.40	0.15	0.07
acidity - Peroxide Oxidisable Sulfur	10	mol H+/t	< 10	250	95	40
HCl Extractable Sulfur	0.02	% S	n/a	n/a	n/a	n/a
Net Acid soluble sulfur	0.02	% S	n/a	n/a	n/a	n/a
Net Acid soluble sulfur - acidity units	10	mol H+/t	n/a	n/a	n/a	n/a
Net Acid soluble sulfur - equivalent S% pyrite <sup>S02</sup>	0.02	% S	n/a	n/a	n/a	n/a
Calcium - KCl Extractable	0.02	% Ca	< 0.02	0.20	0.13	0.03
Calcium - Peroxide	0.02	% Ca	< 0.02	0.70	0.29	0.03
Acid Reacted Calcium	0.02	% Ca	< 0.02	0.50	0.16	< 0.02
acidity - Acid Reacted Calcium	10	mol H+/t	< 10	250	80	< 10
sulfidic - Acid Reacted Ca equiv. S% pyrite	0.02	% S	< 0.02	0.40	0.13	< 0.02
Magnesium - KCl Extractable	0.02	% Mg	< 0.02	0.05	0.02	0.03
Magnesium - Peroxide	0.02	% Mg	< 0.02	0.12	0.06	0.04
Acid Reacted Magnesium	0.02	% Mg	< 0.02	0.07	0.04	< 0.02
acidity - Acid Reacted Magnesium	10	mol H+/t	< 10	56	33	< 10
sulfidic - Acid Reacted Mg equiv. S% pyrite	0.02	% S	< 0.02	0.09	0.05	< 0.02
Acid Neutralising Capacity (ANCE)	0.02	%CaCO3	n/a	0.90	0.28	n/a
Acid Neutralising Capacity - Acidity units (a-ANCE)	10	mol H+/t	n/a	180	55	n/a
Acid Neutralising Capacity - equivalent S% pyrite(s-ANCE)	0.02	% S	n/a	0.29	0.09	n/a
ANC Fineness Factor		factor	1.5	1.5	1.5	1.5
SPOCAS - Net Acidity (Sulfur Units)	0.02	% S	< 0.02	< 0.02	< 0.02	0.08
SPOCAS - Net Acidity (Acidity Units)	10	mol H+/t	< 10	< 10	< 10	48
SPOCAS - Liming rate	1	kg CaCO3/t	< 1	< 1	< 1	4.0

Client Sample ID			BH01_1.0-1.45 Soil	BH01_8.5-8.95 Soil	BH01_10.0-10.45 Soil	BH01_16.0-16.45 Soil
Sample Matrix			B18-No36075	B18-No36076	B18-No36077	B18-No36078
Eurofins   mgt Sample No.			Not Provided	Not Provided	Not Provided	Not Provided
Date Sampled						
Test/Reference	LOR	Unit				
<b>Chromium Suite</b>						
pH-KCL	0.1	pH Units	5.8	9.0	9.2	5.5
Acid trail - Titratable Actual Acidity	2	mol H+/t	3.0	< 2	< 2	7.0
sulfidic - TAA equiv. S% pyrite	0.02	% pyrite S	< 0.02	< 0.02	< 0.02	< 0.02
Chromium Reducible Sulfur <sup>S04</sup>	0.005	% S	< 0.005	0.34	0.16	0.050
Chromium Reducible Sulfur -acidity units	3	mol H+/t	< 3	210	97	31
Sulfur - KCl Extractable	0.02	% S	< 0.02	0.05	0.04	< 0.02
HCl Extractable Sulfur	0.02	% S	n/a	n/a	n/a	n/a
Net Acid soluble sulfur	0.02	% S	n/a	n/a	n/a	n/a
Net Acid soluble sulfur - acidity units	10	mol H+/t	n/a	n/a	n/a	n/a
Net Acid soluble sulfur - equivalent S% pyrite <sup>S02</sup>	0.02	% S	n/a	n/a	n/a	n/a
Acid Neutralising Capacity (ANCbt)	0.01	%CaCO3	n/a	2.5	1.2	n/a
Acid Neutralising Capacity - acidity (a-ANCbt)	2	mol H+/t	n/a	500	250	n/a
Acid Neutralising Capacity - equivalent S% pyrite (s-ANCbt) <sup>S03</sup>	0.02	% S	n/a	0.81	0.40	n/a
ANC Fineness Factor		factor	1.5	1.5	1.5	1.5
CRS Suite - Net Acidity (Sulfur Units)	0.02	% S	< 0.02	< 0.02	< 0.02	0.06
CRS Suite - Net Acidity (Acidity Units)	10	mol H+/t	< 10	< 10	< 10	38
CRS Suite - Liming Rate <sup>S01</sup>	1	kg CaCO3/t	< 1	< 1	< 1	2.9
<b>Extraneous Material</b>						
<2mm Fraction	0.005	g	42	49	39	40
>2mm Fraction	0.005	g	< 0.005	0.10	1.4	< 0.005
Analysed Material	0.1	%	100	100	96	100
Extraneous Material	0.1	%	< 0.1	0.2	3.5	< 0.1
% Moisture	1	%	3.9	23	20	15

Client Sample ID			BH04_0.5-0.95 Soil	BH04_2.0-2.45 Soil	BH05_1.5-1.95 Soil
Sample Matrix			B18-No36079	B18-No36080	B18-No36081
Eurofins   mgt Sample No.			Not Provided	Not Provided	Not Provided
Date Sampled					
Test/Reference	LOR	Unit			
<b>SPOCAS Suite</b>					
pH-KCL	0.1	pH Units	6.7	5.7	5.7
pH-OX	0.1	pH Units	4.9	4.4	4.9
Acid trail - Titratable Actual Acidity	2	mol H+/t	< 2	3.0	3.0
Acid trail - Titratable Peroxide Acidity	2	mol H+/t	< 2	< 2	< 2
Acid trail - Titratable Sulfidic Acidity	2	mol H+/t	< 2	< 2	< 2
sulfidic - TAA equiv. S% pyrite	0.02	% pyrite S	< 0.02	< 0.02	< 0.02
sulfidic - TPA equiv. S% pyrite	0.02	% pyrite S	< 0.02	< 0.02	< 0.02
sulfidic - TSA equiv. S% pyrite	0.02	% pyrite S	< 0.02	< 0.02	< 0.02
Sulfur - KCl Extractable	0.02	% S	< 0.02	< 0.02	< 0.02
Sulfur - Peroxide	0.02	% S	< 0.02	< 0.02	< 0.02
Sulfur - Peroxide Oxidisable Sulfur	0.02	% S	< 0.02	< 0.02	< 0.02
acidity - Peroxide Oxidisable Sulfur	10	mol H+/t	< 10	< 10	< 10
HCl Extractable Sulfur	0.02	% S	n/a	n/a	n/a
Net Acid soluble sulfur	0.02	% S	n/a	n/a	n/a
Net Acid soluble sulfur - acidity units	10	mol H+/t	n/a	n/a	n/a
Net Acid soluble sulfur - equivalent S% pyrite <sup>S02</sup>	0.02	% S	n/a	n/a	n/a

Client Sample ID			BH04_0.5-0.95	BH04_2.0-2.45	BH05_1.5-1.95
Sample Matrix			Soil	Soil	Soil
Eurofins   mgt Sample No.			B18-No36079	B18-No36080	B18-No36081
Date Sampled			Not Provided	Not Provided	Not Provided
Test/Reference	LOR	Unit			
<b>SPOCAS Suite</b>					
Calcium - KCl Extractable	0.02	% Ca	< 0.02	< 0.02	< 0.02
Calcium - Peroxide	0.02	% Ca	< 0.02	< 0.02	< 0.02
Acid Reacted Calcium	0.02	% Ca	< 0.02	< 0.02	< 0.02
acidity - Acid Reacted Calcium	10	mol H+/t	< 10	< 10	< 10
sulfidic - Acid Reacted Ca equiv. S% pyrite	0.02	% S	< 0.02	< 0.02	< 0.02
Magnesium - KCl Extractable	0.02	% Mg	< 0.02	< 0.02	< 0.02
Magnesium - Peroxide	0.02	% Mg	< 0.02	< 0.02	< 0.02
Acid Reacted Magnesium	0.02	% Mg	< 0.02	< 0.02	< 0.02
acidity - Acid Reacted Magnesium	10	mol H+/t	< 10	< 10	< 10
sulfidic - Acid Reacted Mg equiv. S% pyrite	0.02	% S	< 0.02	< 0.02	< 0.02
Acid Neutralising Capacity (ANCE)	0.02	%CaCO <sub>3</sub>	n/a	n/a	n/a
Acid Neutralising Capacity - Acidity units (a-ANCE)	10	mol H+/t	n/a	n/a	n/a
Acid Neutralising Capacity - equivalent S% pyrite(s-ANCE)	0.02	% S	n/a	n/a	n/a
ANC Fineness Factor		factor	1.5	1.5	1.5
SPOCAS - Net Acidity (Sulfur Units)	0.02	% S	< 0.02	< 0.02	< 0.02
SPOCAS - Net Acidity (Acidity Units)	10	mol H+/t	< 10	< 10	< 10
SPOCAS - Liming rate	1	kg CaCO <sub>3</sub> /t	< 1	< 1	< 1
<b>Chromium Suite</b>					
pH-KCL	0.1	pH Units	6.7	5.7	5.7
Acid trail - Titratable Actual Acidity	2	mol H+/t	< 2	3.0	3.0
sulfidic - TAA equiv. S% pyrite	0.02	% pyrite S	< 0.02	< 0.02	< 0.02
Chromium Reducible Sulfur <sup>S04</sup>	0.005	% S	< 0.005	< 0.005	< 0.005
Chromium Reducible Sulfur -acidity units	3	mol H+/t	< 3	< 3	< 3
Sulfur - KCl Extractable	0.02	% S	< 0.02	< 0.02	< 0.02
HCl Extractable Sulfur	0.02	% S	n/a	n/a	n/a
Net Acid soluble sulfur	0.02	% S	n/a	n/a	n/a
Net Acid soluble sulfur - acidity units	10	mol H+/t	n/a	n/a	n/a
Net Acid soluble sulfur - equivalent S% pyrite <sup>S02</sup>	0.02	% S	n/a	n/a	n/a
Acid Neutralising Capacity (ANCbt)	0.01	%CaCO <sub>3</sub>	0.28	n/a	n/a
Acid Neutralising Capacity - acidity (a-ANCbt)	2	mol H+/t	56	n/a	n/a
Acid Neutralising Capacity - equivalent S% pyrite (s-ANCbt) <sup>S03</sup>	0.02	% S	0.09	n/a	n/a
ANC Fineness Factor		factor	1.5	1.5	1.5
CRS Suite - Net Acidity (Sulfur Units)	0.02	% S	< 0.02	< 0.02	< 0.02
CRS Suite - Net Acidity (Acidity Units)	10	mol H+/t	< 10	< 10	< 10
CRS Suite - Liming Rate <sup>S01</sup>	1	kg CaCO <sub>3</sub> /t	< 1	< 1	< 1
<b>Extraneous Material</b>					
<2mm Fraction	0.005	g	41	51	46
>2mm Fraction	0.005	g	11	< 0.005	< 0.005
Analysed Material	0.1	%	78	100	100
Extraneous Material	0.1	%	22	< 0.1	< 0.1
% Moisture	1	%	< 1	< 1	3.0

### Sample History

Where samples are submitted/analysed over several days, the last date of extraction and analysis is reported.  
 A recent review of our LIMS has resulted in the correction or clarification of some method identifications. Due to this, some of the method reference information on reports has changed. However, no substantive change has been made to our laboratory methods, and as such there is no change in the validity of current or previous results (regarding both quality and NATA accreditation).

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

Description	Testing Site	Extracted	Holding Time
SPOCAS Suite			
SPOCAS Suite	Brisbane	Nov 28, 2018	6 Week
- Method: LTM-GEN-7050			
Chromium Reducible Sulfur Suite			
Chromium Suite	Brisbane	Nov 28, 2018	6 Week
- Method: LTM-GEN-7070			
Extraneous Material	Brisbane	Nov 28, 2018	6 Week
- Method: LTM-GEN-7050/7070			
% Moisture	Brisbane	Nov 27, 2018	14 Day
- Method: LTM-GEN-7080 Moisture			

**Company Name:** Cardno (NSW/ACT) Pty Ltd  
**Address:** Level 9, 203 Pacific Highway  
St Leonards  
NSW 2065

**Project Name:** KYEEMAGH INFANTS SCHOOL  
**Project ID:** 80818157

**Order No.:**  
**Report #:** 629911  
**Phone:** 0294967700  
**Fax:** 02 9499 3902

**Received:** Nov 23, 2018 12:00 PM  
**Due:** Nov 30, 2018  
**Priority:** 5 Day  
**Contact Name:** Ben Withnall

**Eurofins | mgt Analytical Services Manager : Nibha Vaidya**

Sample Detail						SPOCAS Suite	Chromium Reducible Sulfur Suite	Moisture Set
Melbourne Laboratory - NATA Site # 1254 & 14271								
Sydney Laboratory - NATA Site # 18217								
Brisbane Laboratory - NATA Site # 20794						X	X	X
Perth Laboratory - NATA Site # 23736								
External Laboratory								
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID			
1	BH01_1.0-1.45	Not Provided		Soil	B18-No36075	X	X	X
2	BH01_8.5-8.95	Not Provided		Soil	B18-No36076	X	X	X
3	BH01_10.0-10.45	Not Provided		Soil	B18-No36077	X	X	X
4	BH01_16.0-16.45	Not Provided		Soil	B18-No36078	X	X	X
5	BH04_0.5-0.95	Not Provided		Soil	B18-No36079	X	X	X
6	BH04_2.0-2.45	Not Provided		Soil	B18-No36080	X	X	X
7	BH05_1.5-1.95	Not Provided		Soil	B18-No36081	X	X	X
Test Counts						7	7	7

## Internal Quality Control Review and Glossary

### General

1. Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples are included in this QC report where applicable. Additional QC data may be available on request.
2. All soil results are reported on a dry basis, unless otherwise stated.
3. All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
4. Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
5. Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
6. SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
7. Samples were analysed on an 'as received' basis.
8. This report replaces any interim results previously issued.

### Holding Times

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

**\*\*NOTE:** pH duplicates are reported as a range NOT as RPD

### Units

**mg/kg:** milligrams per kilogram

**mg/L:** milligrams per litre

**ug/L:** micrograms per litre

**ppm:** Parts per million

**ppb:** Parts per billion

**%:** Percentage

**org/100mL:** Organisms per 100 millilitres

**NTU:** Nephelometric Turbidity Units

**MPN/100mL:** Most Probable Number of organisms per 100 millilitres

### Terms

<b>Dry</b>	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
<b>LOR</b>	Limit of Reporting.
<b>SPIKE</b>	Addition of the analyte to the sample and reported as percentage recovery.
<b>RPD</b>	Relative Percent Difference between two Duplicate pieces of analysis.
<b>LCS</b>	Laboratory Control Sample - reported as percent recovery.
<b>CRM</b>	Certified Reference Material - reported as percent recovery.
<b>Method Blank</b>	In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water.
<b>Surr - Surrogate</b>	The addition of a like compound to the analyte target and reported as percentage recovery.
<b>Duplicate</b>	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
<b>USEPA</b>	United States Environmental Protection Agency
<b>APHA</b>	American Public Health Association
<b>TCLP</b>	Toxicity Characteristic Leaching Procedure
<b>COC</b>	Chain of Custody
<b>SRA</b>	Sample Receipt Advice
<b>QSM</b>	Quality Systems Manual ver 5.1 US Department of Defense
<b>CP</b>	Client Parent - QC was performed on samples pertaining to this report
<b>NCP</b>	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within.
<b>TEQ</b>	Toxic Equivalency Quotient

### QC - Acceptance Criteria

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR : No Limit

Results between 10-20 times the LOR : RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

Surrogate Recoveries: Recoveries must lie between 50-150%-Phenols & PFASs

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.1 where no positive PFAS results have been reported have been reviewed and no data was affected.

WA DWER (n=10): PFBA, PFPa, PFHx, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA

### QC Data General Comments

1. Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
2. Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
3. Organochlorine Pesticide analysis - where reporting LCS data, Toxaphene & Chlordane are not added to the LCS.
4. Organochlorine Pesticide analysis - where reporting Spike data, Toxaphene is not added to the Spike.
5. Total Recoverable Hydrocarbons - where reporting Spike & LCS data, a single spike of commercial Hydrocarbon products in the range of C12-C30 is added and it's Total Recovery is reported in the C10-C14 cell of the Report.
6. pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
7. Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of Recovery the term "INT" appears against that analyte.
8. Polychlorinated Biphenyls are spiked only using Aroclor 1260 in Matrix Spikes and LCS.
9. For Matrix Spikes and LCS results a dash " - " in the report means that the specific analyte was not added to the QC sample.
10. Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.



## Quality Control Results

Test	Lab Sample ID	QA Source	Units	Result 1	Result 2	RPD	Acceptance Limits	Pass Limits	Qualifying Code
<b>Duplicate</b>									
<b>SPOCAS Suite</b>				Result 1	Result 2	RPD			
pH-KCL	B18-No36075	CP	pH Units	5.8	5.8	<1	30%	Pass	
pH-OX	B18-No36075	CP	pH Units	4.8	4.8	1.5	30%	Pass	
Acid trail - Titratable Actual Acidity	B18-No36075	CP	mol H+/t	3.0	3.0	1.6	30%	Pass	
Acid trail - Titratable Peroxide Acidity	B18-No36075	CP	mol H+/t	< 2	< 2	<1	30%	Pass	
Acid trail - Titratable Sulfidic Acidity	B18-No36075	CP	mol H+/t	< 2	< 2	<1	30%	Pass	
sulfidic - TAA equiv. S% pyrite	B18-No36075	CP	% pyrite S	< 0.02	< 0.02	<1	30%	Pass	
sulfidic - TPA equiv. S% pyrite	B18-No36075	CP	% pyrite S	< 0.02	< 0.02	<1	30%	Pass	
sulfidic - TSA equiv. S% pyrite	B18-No36075	CP	% pyrite S	< 0.02	< 0.02	<1	30%	Pass	
Sulfur - KCl Extractable	B18-No36075	CP	% S	< 0.02	< 0.02	<1	30%	Pass	
Sulfur - Peroxide	B18-No36075	CP	% S	< 0.02	< 0.02	<1	30%	Pass	
Sulfur - Peroxide Oxidisable Sulfur	B18-No36075	CP	% S	< 0.02	< 0.02	<1	30%	Pass	
acidity - Peroxide Oxidisable Sulfur	B18-No36075	CP	mol H+/t	< 10	< 10	<1	30%	Pass	
HCl Extractable Sulfur	B18-No36075	CP	% S	n/a	n/a	n/a	30%	Pass	
Net Acid soluble sulfur	B18-No36075	CP	% S	n/a	n/a	n/a	30%	Pass	
Net Acid soluble sulfur - acidity units	B18-No36075	CP	mol H+/t	n/a	n/a	n/a	30%	Pass	
Net Acid soluble sulfur - equivalent S% pyrite	B18-No36075	CP	% S	n/a	n/a	n/a	30%	Pass	
Calcium - KCl Extractable	B18-No36075	CP	% Ca	< 0.02	< 0.02	<1	30%	Pass	
Calcium - Peroxide	B18-No36075	CP	% Ca	< 0.02	< 0.02	<1	30%	Pass	
Acid Reacted Calcium	B18-No36075	CP	% Ca	< 0.02	< 0.02	<1	30%	Pass	
acidity - Acid Reacted Calcium	B18-No36075	CP	mol H+/t	< 10	< 10	<1	30%	Pass	
sulfidic - Acid Reacted Ca equiv. S% pyrite	B18-No36075	CP	% S	< 0.02	< 0.02	<1	30%	Pass	
Magnesium - KCl Extractable	B18-No36075	CP	% Mg	< 0.02	< 0.02	<1	30%	Pass	
Magnesium - Peroxide	B18-No36075	CP	% Mg	< 0.02	< 0.02	<1	30%	Pass	
Acid Reacted Magnesium	B18-No36075	CP	% Mg	< 0.02	< 0.02	<1	30%	Pass	
acidity - Acid Reacted Magnesium	B18-No36075	CP	mol H+/t	< 10	< 10	<1	30%	Pass	
sulfidic - Acid Reacted Mg equiv. S% pyrite	B18-No36075	CP	% S	< 0.02	< 0.02	<1	30%	Pass	
Acid Neutralising Capacity (ANCE)	B18-No36075	CP	%CaCO3	n/a	n/a	n/a	30%	Pass	
Acid Neutralising Capacity - Acidity units (a-ANCE)	B18-No36075	CP	mol H+/t	n/a	n/a	n/a	30%	Pass	
ANC Fineness Factor	B18-No36075	CP	factor	1.5	1.5	<1	30%	Pass	
SPOCAS - Net Acidity (Sulfur Units)	B18-No36075	CP	% S	< 0.02	< 0.02	<1	30%	Pass	
SPOCAS - Net Acidity (Acidity Units)	B18-No36075	CP	mol H+/t	< 10	< 10	<1	30%	Pass	
SPOCAS - Liming rate	B18-No36075	CP	kg CaCO3/t	< 1	< 1	<1	30%	Pass	
<b>Duplicate</b>									
<b>Chromium Suite</b>				Result 1	Result 2	RPD			
Chromium Reducible Sulfur	B18-No36075	CP	% S	< 0.005	< 0.005	<1	30%	Pass	
Chromium Reducible Sulfur -acidity units	B18-No36075	CP	mol H+/t	< 3	< 3	<1	30%	Pass	
Acid Neutralising Capacity (ANCbt)	B18-No36075	CP	%CaCO3	n/a	n/a	n/a	30%	Pass	
Acid Neutralising Capacity - equivalent S% pyrite (s-ANCbt)	B18-No36075	CP	% S	n/a	n/a	n/a	30%	Pass	
CRS Suite - Net Acidity (Sulfur Units)	B18-No36075	CP	% S	< 0.02	< 0.02	<1	30%	Pass	
CRS Suite - Net Acidity (Acidity Units)	B18-No36075	CP	mol H+/t	< 10	< 10	<1	30%	Pass	
CRS Suite - Liming Rate	B18-No36075	CP	kg CaCO3/t	< 1	< 1	<1	30%	Pass	

Duplicate								
				Result 1	Result 2	RPD		
% Moisture	B18-Oc34425	NCP	%	14	15	7.0	30%	Pass

## Comments

Eurofins | mgt accreditation number 1261, corporate site 1254 is currently in progress of a controlled transition to a new custom built location at 6 Monterey Road, Dandenong South, Victoria 3175. All results on this report denoted as being performed by Eurofins | mgt 2-5 Kingston Town Close, Oakleigh Victoria 3166 corporate site 1254, will have been performed on either Oakleigh or new Dandenong South site.

## Sample Integrity

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	Yes
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

## Qualifier Codes/Comments

Code	Description
S01	Liming rate is calculated and reported on a dry weight basis assuming use of fine agricultural lime (CaCO <sub>3</sub> ) and using a safety factor of 1.5 to allow for non-homogeneous mixing and poor reactivity of lime. For conversion of Liming Rate from 'kg/t dry weight' to 'kg/m <sup>3</sup> in-situ soil' multiply 'reported results' x 'wet bulk density of soil in t/m <sup>3</sup> '
S02	Retained Acidity is Reported when the pHKCl is less than pH 4.5
S03	Acid Neutralising Capacity is only required if the pHKCl is greater than or equal to pH 6.5
S04	Acid Sulfate Soil Samples have a 24 hour holding time unless frozen or dried within that period

## Authorised By

Nibha Vaidya	Analytical Services Manager
Myles Clark	Senior Analyst-SPOCAS (QLD)



## Glenn Jackson General Manager

Final report - this Report replaces any previously issued Report

- Indicates Not Requested

\* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins | mgt shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins | mgt be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.

## Enviro Sample Bris

**From:** Nibha Vaidya  
**Sent:** Friday, 23 November 2018 10:28 AM  
**To:** Enviro Sample Bris  
**Subject:** 5 DAY TAT - FW: 62789 Acid Sulfate Request  
**Attachments:** 80818157\_101118\_Soil\_CRS\_COC.xlsx

**Follow Up Flag:** Follow up  
**Flag Status:** Flagged

**Categories:** Printed - awaiting completion

Kind Regards,

Nibha Vaidya  
Phone : +61 2 9900 8415  
Mobile : +61 499 900 805  
Email : [NibhaVaidya@eurofins.com](mailto:NibhaVaidya@eurofins.com)

*Handwritten signature*  
23/11/18  
12:00pm

---

**From:** Ben Withnall [<mailto:ben.withnall@cardno.com.au>]  
**Sent:** Friday, 23 November 2018 9:48 AM  
**To:** Nibha Vaidya  
**Cc:** Joel Griffiths  
**Subject:** 62789 Acid Sulfate Request

EXTERNAL EMAIL\*

Hi Nibha,

Happy Friday! For lab report 627289 for our job 80818157 Kyeemagh I've attached an additional analysis request for SPOCAS and CRS on some samples we had pHFOX done on.

Thanks very much.

Ben Withnall  
ENVIRONMENTAL SCIENTIST  
CARDNO



Phone Fax +61 2 9439 5170 Direct +61 2 9495 8188  
Address Level 9, The Forum, 203 Pacific Highway, St Leonards, New South Wales 2065 Australia

Email [ben.withnall@cardno.com.au](mailto:ben.withnall@cardno.com.au) Web [www.cardno.com](http://www.cardno.com)

CONNECT WITH CARDNO    

Cardno's management systems are certified to ISO9001 (quality) and AS4801/OHSAS18001 (occupational health and safety)

This email and its attachments may contain confidential and/or privileged information for the sole use of the intended recipient(s). All electronically supplied data must be checked against an applicable hardcopy version which shall be the only document which Cardno warrants accuracy. If you are not the intended recipient, any use, distribution or copying of the information contained in this email and its attachments is strictly prohibited. If you have received this email in

## Sample Receipt Advice

Company name: **Cardno (NSW/ACT) Pty Ltd**  
Contact name: **Ben Withnall**  
Project name: **KYEEMAGH INFANTS SCHOOL**  
Project ID: **80818157**  
COC number: **Not provided**  
Turn around time: **5 Day**  
Date/Time received: **Nov 23, 2018 12:00 PM**  
Eurofins | mgt reference: **629911**

### Sample information

- ☒ A detailed list of analytes logged into our LIMS, is included in the attached summary table.
- ☒ All samples have been received as described on the above COC.
- ☒ COC has been completed correctly.
- ☒ Attempt to chill was evident.
- ☒ Appropriately preserved sample containers have been used.
- ☒ All samples were received in good condition.
- ☒ Samples have been provided with adequate time to commence analysis in accordance with the relevant holding times.
- ☒ Appropriate sample containers have been used.
- ☐ Split sample sent to requested external lab.
- ☐ Some samples have been subcontracted.
- N/A Custody Seals intact (if used).

### Contact notes

If you have any questions with respect to these samples please contact:

Nibha Vaidya on Phone : +61 (2) 9900 8415 or by e.mail: NibhaVaidya@eurofins.com

Results will be delivered electronically via e.mail to Ben Withnall - ben.withnall@cardno.com.au.

*Note: A copy of these results will also be delivered to the general Cardno (NSW/ACT) Pty Ltd email address.*

Cardno (NSW/ACT) Pty Ltd  
Level 9, 203 Pacific Highway  
St Leonards  
NSW 2065



NATA Accredited  
Accreditation Number 1261  
Site Number 18217

Accredited for compliance with ISO/IEC 17025 – Testing  
The results of the tests, calibrations and/or  
measurements included in this document are traceable  
to Australian/national standards.

Attention: Ben Withnall

Report 629653-W  
Project name KYEEMAGH INFANTS SCHOOL  
Project ID 80818157  
Received Date Nov 23, 2018

Client Sample ID			MW01 Water	MW02 Water	MW03 Water	QA100 Water
Sample Matrix			S18-No34063	S18-No34064	S18-No34065	S18-No34066
Eurofins   mgt Sample No.			Nov 23, 2018	Nov 23, 2018	Nov 23, 2018	Nov 23, 2018
Date Sampled						
Test/Reference	LOR	Unit				
<b>Total Recoverable Hydrocarbons - 1999 NEPM Fractions</b>						
TRH C6-C9	0.02	mg/L	< 0.02	< 0.02	< 0.02	< 0.02
TRH C10-C14	0.05	mg/L	< 0.05	< 0.05	< 0.05	< 0.05
TRH C15-C28	0.1	mg/L	< 0.1	< 0.1	< 0.1	< 0.1
TRH C29-C36	0.1	mg/L	< 0.1	< 0.1	< 0.1	< 0.1
TRH C10-36 (Total)	0.1	mg/L	< 0.1	< 0.1	< 0.1	< 0.1
<b>Volatile Organics</b>						
1.1-Dichloroethane	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
1.1-Dichloroethene	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
1.1.1-Trichloroethane	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
1.1.1.2-Tetrachloroethane	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
1.1.2-Trichloroethane	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
1.1.2.2-Tetrachloroethane	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
1.2-Dibromoethane	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
1.2-Dichlorobenzene	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
1.2-Dichloroethane	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
1.2-Dichloropropane	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
1.2.3-Trichloropropane	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
1.2.4-Trimethylbenzene	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
1.3-Dichlorobenzene	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
1.3-Dichloropropane	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
1.3.5-Trimethylbenzene	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
1.4-Dichlorobenzene	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
2-Butanone (MEK)	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
2-Propanone (Acetone)	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
4-Chlorotoluene	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
4-Methyl-2-pentanone (MIBK)	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
Allyl chloride	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
Benzene	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
Bromobenzene	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
Bromochloromethane	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
Bromodichloromethane	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
Bromoform	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
Bromomethane	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
Carbon disulfide	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
Carbon Tetrachloride	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001



Client Sample ID			MW01 Water	MW02 Water	MW03 Water	QA100 Water
Sample Matrix			S18-No34063	S18-No34064	S18-No34065	S18-No34066
Eurofins   mgt Sample No.			Nov 23, 2018	Nov 23, 2018	Nov 23, 2018	Nov 23, 2018
Date Sampled						
Test/Reference	LOR	Unit				
<b>Volatile Organics</b>						
Chlorobenzene	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
Chloroethane	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
Chloroform	0.005	mg/L	< 0.005	< 0.005	< 0.005	< 0.005
Chloromethane	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
cis-1.2-Dichloroethene	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
cis-1.3-Dichloropropene	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
Dibromochloromethane	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
Dibromomethane	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
Dichlorodifluoromethane	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
Ethylbenzene	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
Iodomethane	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
Isopropyl benzene (Cumene)	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
m&p-Xylenes	0.002	mg/L	< 0.002	< 0.002	< 0.002	< 0.002
Methylene Chloride	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
o-Xylene	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
Styrene	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
Tetrachloroethene	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
Toluene	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
trans-1.2-Dichloroethene	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
trans-1.3-Dichloropropene	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
Trichloroethene	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
Trichlorofluoromethane	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
Vinyl chloride	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
Xylenes - Total	0.003	mg/L	< 0.003	< 0.003	< 0.003	< 0.003
Total MAH*	0.003	mg/L	< 0.003	< 0.003	< 0.003	< 0.003
Vic EPA IWRG 621 CHC (Total)*	0.005	mg/L	< 0.005	< 0.005	< 0.005	< 0.005
Vic EPA IWRG 621 Other CHC (Total)*	0.005	mg/L	< 0.005	< 0.005	< 0.005	< 0.005
4-Bromofluorobenzene (surr.)	1	%	89	88	85	80
Toluene-d8 (surr.)	1	%	78	90	78	67
<b>Total Recoverable Hydrocarbons - 2013 NEPM Fractions</b>						
Naphthalene <sup>N02</sup>	0.01	mg/L	< 0.01	< 0.01	< 0.01	< 0.01
TRH C6-C10	0.02	mg/L	< 0.02	< 0.02	< 0.02	< 0.02
TRH C6-C10 less BTEX (F1) <sup>N04</sup>	0.02	mg/L	< 0.02	< 0.02	< 0.02	< 0.02
TRH >C10-C16	0.05	mg/L	< 0.05	< 0.05	< 0.05	< 0.05
TRH >C10-C16 less Naphthalene (F2) <sup>N01</sup>	0.05	mg/L	< 0.05	< 0.05	< 0.05	< 0.05
TRH >C16-C34	0.1	mg/L	< 0.1	< 0.1	< 0.1	< 0.1
TRH >C34-C40	0.1	mg/L	< 0.1	< 0.1	< 0.1	< 0.1
TRH >C10-C40 (total)*	0.1	mg/L	< 0.1	< 0.1	< 0.1	< 0.1
<b>Polycyclic Aromatic Hydrocarbons</b>						
Acenaphthene	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
Acenaphthylene	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
Anthracene	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
Benz(a)anthracene	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
Benzo(a)pyrene	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
Benzo(b&j)fluoranthene <sup>N07</sup>	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
Benzo(g,h,i)perylene	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
Benzo(k)fluoranthene	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
Chrysene	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
Dibenz(a,h)anthracene	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001

Client Sample ID			MW01	MW02	MW03	QA100
Sample Matrix			Water	Water	Water	Water
Eurofins   mgt Sample No.			S18-No34063	S18-No34064	S18-No34065	S18-No34066
Date Sampled			Nov 23, 2018	Nov 23, 2018	Nov 23, 2018	Nov 23, 2018
Test/Reference	LOR	Unit				
<b>Polycyclic Aromatic Hydrocarbons</b>						
Fluoranthene	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
Fluorene	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
Indeno(1.2.3-cd)pyrene	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
Naphthalene	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
Phenanthrene	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
Pyrene	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
Total PAH*	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
2-Fluorobiphenyl (surr.)	1	%	72	67	71	77
p-Terphenyl-d14 (surr.)	1	%	84	73	76	84
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>						
Perfluorobutanoic acid (PFBA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Perfluoropentanoic acid (PFPeA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanoic acid (PFHxA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroheptanoic acid (PFHpA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanoic acid (PFOA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorononanoic acid (PFNA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanoic acid (PFDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoroundecanoic acid (PFUnDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorododecanoic acid (PFDoDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotridecanoic acid (PFTTrDA) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorotetradecanoic acid (PFTeDA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C4-PFBA (surr.)	1	%	103	107	109	107
13C5-PFPeA (surr.)	1	%	102	105	108	107
13C5-PFHxA (surr.)	1	%	120	123	122	123
13C4-PFHpA (surr.)	1	%	114	116	114	115
13C8-PFOA (surr.)	1	%	106	109	104	106
13C5-PFNA (surr.)	1	%	128	136	135	133
13C6-PFDA (surr.)	1	%	133	135	139	137
13C2-PFUnDA (surr.)	1	%	100	99	103	96
13C2-PFDoDA (surr.)	1	%	74	78	86	75
13C2-PFTeDA (surr.)	1	%	52	64	70	54
<b>Perfluoroalkyl sulfonamido substances</b>						
Perfluorooctane sulfonamide (FOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
13C8-FOSA (surr.)	1	%	67	60	67	65
D3-N-MeFOSA (surr.)	1	%	INT	11	18	12
D5-N-EtFOSA (surr.)	1	%	INT	10	18	INT
D7-N-MeFOSE (surr.)	1	%	19	30	34	22
D9-N-EtFOSE (surr.)	1	%	18	29	31	22
D5-N-EtFOSAA (surr.)	1	%	38	61	51	45
D3-N-MeFOSAA (surr.)	1	%	33	57	42	42

Client Sample ID			MW01 Water	MW02 Water	MW03 Water	QA100 Water
Sample Matrix			S18-No34063	S18-No34064	S18-No34065	S18-No34066
Eurofins   mgt Sample No.			Nov 23, 2018	Nov 23, 2018	Nov 23, 2018	Nov 23, 2018
Date Sampled						
Test/Reference	LOR	Unit				
<b>Perfluoroalkyl sulfonic acids (PFASs)</b>						
Perfluorobutanesulfonic acid (PFBS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluoropentanesulfonic acid (PFPeS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorohexanesulfonic acid (PFHxS) <sup>N11</sup>	0.01	ug/L	<sup>N09</sup> 0.02	< 0.01	<sup>N09</sup> 0.01	< 0.01
Perfluoroheptanesulfonic acid (PFHpS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorooctanesulfonic acid (PFOS) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Perfluorodecanesulfonic acid (PFDS) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C3-PFBS (surr.)	1	%	129	134	130	132
18O2-PFHxS (surr.)	1	%	128	130	127	129
13C8-PFOS (surr.)	1	%	128	125	127	130
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA)</b>						
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) <sup>N11</sup>	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) <sup>N11</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) <sup>N15</sup>	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
13C2-4:2 FTSA (surr.)	1	%	105	106	104	105
13C2-6:2 FTSA (surr.)	1	%	137	140	132	133
13C2-8:2 FTSA (surr.)	1	%	165	162	174	164
<b>PFASs Summations</b>						
Sum (PFHxS + PFOS)*	0.01	ug/L	0.02	< 0.01	0.01	< 0.01
Sum of US EPA PFAS (PFOS + PFOA)*	0.01	ug/L	< 0.01	< 0.01	< 0.01	< 0.01
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	0.01	ug/L	0.02	< 0.01	0.01	< 0.01
Sum of WA DWER PFAS (n=10)*	0.05	ug/L	< 0.05	< 0.05	< 0.05	< 0.05
Sum of PFASs (n=28)*	0.1	ug/L	< 0.1	< 0.1	< 0.1	< 0.1
<b>Heavy Metals</b>						
Arsenic (filtered)	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
Cadmium (filtered)	0.0002	mg/L	< 0.0002	< 0.0002	< 0.0002	< 0.0002
Chromium (filtered)	0.001	mg/L	0.002	< 0.001	0.002	< 0.001
Copper (filtered)	0.001	mg/L	0.002	< 0.001	0.001	< 0.001
Lead (filtered)	0.001	mg/L	< 0.001	< 0.001	< 0.001	< 0.001
Mercury (filtered)	0.0001	mg/L	< 0.0001	< 0.0001	< 0.0001	< 0.0001
Nickel (filtered)	0.001	mg/L	< 0.001	0.001	0.004	0.002
Zinc (filtered)	0.005	mg/L	< 0.005	< 0.005	0.006	< 0.005

## Sample History

Where samples are submitted/analysed over several days, the last date of extraction and analysis is reported.  
A recent review of our LIMS has resulted in the correction or clarification of some method identifications. Due to this, some of the method reference information on reports has changed. However, no substantive change has been made to our laboratory methods, and as such there is no change in the validity of current or previous results (regarding both quality and NATA accreditation).

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

Description	Testing Site	Extracted	Holding Time
<b>Eurofins   mgt Suite B8 (filtered metals)</b>			
Total Recoverable Hydrocarbons - 1999 NEPM Fractions	Sydney	Nov 26, 2018	7 Day
- Method: LTM-ORG-2010 TRH C6-C40			
Volatile Organics	Sydney	Nov 26, 2018	7 Days
- Method: LTM-ORG-2150 VOCs in Soils Liquid and other Aqueous Matrices			
Total Recoverable Hydrocarbons - 2013 NEPM Fractions	Sydney	Nov 26, 2018	7 Day
- Method: LTM-ORG-2010 TRH C6-C40			
Total Recoverable Hydrocarbons - 2013 NEPM Fractions	Sydney	Nov 26, 2018	7 Day
- Method: LTM-ORG-2010 TRH C6-C40			
Polycyclic Aromatic Hydrocarbons	Sydney	Nov 26, 2018	7 Days
- Method: LTM-ORG-2130 PAH and Phenols in Soil and Water			
Metals M8 filtered	Sydney	Nov 26, 2018	28 Day
- Method: LTM-MET-3040 Metals in Waters, Soils & Sediments by ICP-MS			
<b>Per- and Polyfluoroalkyl Substances (PFASs)</b>			
Perfluoroalkyl carboxylic acids (PFCAs)	Brisbane	Nov 28, 2018	14 Day
- Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)			
Perfluoroalkyl sulfonamido substances	Brisbane	Nov 28, 2018	14 Day
- Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)			
Perfluoroalkyl sulfonic acids (PFASs)	Brisbane	Nov 28, 2018	14 Day
- Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)			
n:2 Fluorotelomer sulfonic acids (n:2 FTSAs)	Brisbane	Nov 28, 2018	14 Day
- Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)			

**Company Name:** Cardno (NSW/ACT) Pty Ltd  
**Address:** Level 9, 203 Pacific Highway  
St Leonards  
NSW 2065

**Project Name:** KYEEMAGH INFANTS SCHOOL  
**Project ID:** 80818157

**Order No.:**  
**Report #:** 629653  
**Phone:** 0294967700  
**Fax:** 02 9499 3902

**Received:** Nov 23, 2018 5:43 PM  
**Due:** Nov 30, 2018  
**Priority:** 5 Day  
**Contact Name:** Ben Withnall

**Eurofins | mgt Analytical Services Manager : Nibha Vaidya**

Sample Detail						Eurofins   mgt Suite B8 (filtered metals)	Per- and Polyfluoralkyl Substances (PFASs)
Melbourne Laboratory - NATA Site # 1254 & 14271							
Sydney Laboratory - NATA Site # 18217						X	
Brisbane Laboratory - NATA Site # 20794							X
Perth Laboratory - NATA Site # 23736							
External Laboratory							
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID		
1	MW01	Nov 23, 2018		Water	S18-No34063	X	X
2	MW02	Nov 23, 2018		Water	S18-No34064	X	X
3	MW03	Nov 23, 2018		Water	S18-No34065	X	X
4	QA100	Nov 23, 2018		Water	S18-No34066	X	X
Test Counts						4	4

## Internal Quality Control Review and Glossary

### General

1. Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples are included in this QC report where applicable. Additional QC data may be available on request.
2. All soil results are reported on a dry basis, unless otherwise stated.
3. All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
4. Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
5. Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
6. SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
7. Samples were analysed on an 'as received' basis.
8. This report replaces any interim results previously issued.

### Holding Times

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

**\*\*NOTE:** pH duplicates are reported as a range NOT as RPD

### Units

**mg/kg:** milligrams per kilogram

**mg/L:** milligrams per litre

**ug/L:** micrograms per litre

**ppm:** Parts per million

**ppb:** Parts per billion

**%:** Percentage

**org/100mL:** Organisms per 100 millilitres

**NTU:** Nephelometric Turbidity Units

**MPN/100mL:** Most Probable Number of organisms per 100 millilitres

### Terms

<b>Dry</b>	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
<b>LOR</b>	Limit of Reporting.
<b>SPIKE</b>	Addition of the analyte to the sample and reported as percentage recovery.
<b>RPD</b>	Relative Percent Difference between two Duplicate pieces of analysis.
<b>LCS</b>	Laboratory Control Sample - reported as percent recovery.
<b>CRM</b>	Certified Reference Material - reported as percent recovery.
<b>Method Blank</b>	In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water.
<b>Surr - Surrogate</b>	The addition of a like compound to the analyte target and reported as percentage recovery.
<b>Duplicate</b>	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
<b>USEPA</b>	United States Environmental Protection Agency
<b>APHA</b>	American Public Health Association
<b>TCLP</b>	Toxicity Characteristic Leaching Procedure
<b>COC</b>	Chain of Custody
<b>SRA</b>	Sample Receipt Advice
<b>QSM</b>	Quality Systems Manual ver 5.1 US Department of Defense
<b>CP</b>	Client Parent - QC was performed on samples pertaining to this report
<b>NCP</b>	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within.
<b>TEQ</b>	Toxic Equivalency Quotient

### QC - Acceptance Criteria

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR : No Limit

Results between 10-20 times the LOR : RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

Surrogate Recoveries: Recoveries must lie between 50-150%-Phenols & PFASs

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.1 where no positive PFAS results have been reported have been reviewed and no data was affected.

WA DWER (n=10): PFBA, PFPa, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA

### QC Data General Comments

1. Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
2. Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
3. Organochlorine Pesticide analysis - where reporting LCS data, Toxaphene & Chlordane are not added to the LCS.
4. Organochlorine Pesticide analysis - where reporting Spike data, Toxaphene is not added to the Spike.
5. Total Recoverable Hydrocarbons - where reporting Spike & LCS data, a single spike of commercial Hydrocarbon products in the range of C12-C30 is added and it's Total Recovery is reported in the C10-C14 cell of the Report.
6. pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
7. Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of Recovery the term "INT" appears against that analyte.
8. Polychlorinated Biphenyls are spiked only using Aroclor 1260 in Matrix Spikes and LCS.
9. For Matrix Spikes and LCS results a dash " - " in the report means that the specific analyte was not added to the QC sample.
10. Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.



## Quality Control Results

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
<b>Method Blank</b>							
<b>Total Recoverable Hydrocarbons - 1999 NEPM Fractions</b>							
TRH C6-C9	mg/L	< 0.02			0.02	Pass	
TRH C10-C14	mg/L	< 0.05			0.05	Pass	
TRH C15-C28	mg/L	< 0.1			0.1	Pass	
TRH C29-C36	mg/L	< 0.1			0.1	Pass	
<b>Method Blank</b>							
<b>Volatile Organics</b>							
1.1-Dichloroethane	mg/L	< 0.001			0.001	Pass	
1.1-Dichloroethene	mg/L	< 0.001			0.001	Pass	
1.1.1-Trichloroethane	mg/L	< 0.001			0.001	Pass	
1.1.1.2-Tetrachloroethane	mg/L	< 0.001			0.001	Pass	
1.1.2-Trichloroethane	mg/L	< 0.001			0.001	Pass	
1.1.2.2-Tetrachloroethane	mg/L	< 0.001			0.001	Pass	
1.2-Dibromoethane	mg/L	< 0.001			0.001	Pass	
1.2-Dichlorobenzene	mg/L	< 0.001			0.001	Pass	
1.2-Dichloroethane	mg/L	< 0.001			0.001	Pass	
1.2-Dichloropropane	mg/L	< 0.001			0.001	Pass	
1.2.3-Trichloropropane	mg/L	< 0.001			0.001	Pass	
1.2.4-Trimethylbenzene	mg/L	< 0.001			0.001	Pass	
1.3-Dichlorobenzene	mg/L	< 0.001			0.001	Pass	
1.3-Dichloropropane	mg/L	< 0.001			0.001	Pass	
1.3.5-Trimethylbenzene	mg/L	< 0.001			0.001	Pass	
1.4-Dichlorobenzene	mg/L	< 0.001			0.001	Pass	
2-Butanone (MEK)	mg/L	< 0.001			0.001	Pass	
2-Propanone (Acetone)	mg/L	< 0.001			0.001	Pass	
4-Chlorotoluene	mg/L	< 0.001			0.001	Pass	
4-Methyl-2-pentanone (MIBK)	mg/L	< 0.001			0.001	Pass	
Allyl chloride	mg/L	< 0.001			0.001	Pass	
Benzene	mg/L	< 0.001			0.001	Pass	
Bromobenzene	mg/L	< 0.001			0.001	Pass	
Bromochloromethane	mg/L	< 0.001			0.001	Pass	
Bromodichloromethane	mg/L	< 0.001			0.001	Pass	
Bromoform	mg/L	< 0.001			0.001	Pass	
Bromomethane	mg/L	< 0.001			0.001	Pass	
Carbon disulfide	mg/L	< 0.001			0.001	Pass	
Carbon Tetrachloride	mg/L	< 0.001			0.001	Pass	
Chlorobenzene	mg/L	< 0.001			0.001	Pass	
Chloroethane	mg/L	< 0.001			0.001	Pass	
Chloroform	mg/L	< 0.005			0.005	Pass	
Chloromethane	mg/L	< 0.001			0.001	Pass	
cis-1.2-Dichloroethene	mg/L	< 0.001			0.001	Pass	
cis-1.3-Dichloropropene	mg/L	< 0.001			0.001	Pass	
Dibromochloromethane	mg/L	< 0.001			0.001	Pass	
Dibromomethane	mg/L	< 0.001			0.001	Pass	
Dichlorodifluoromethane	mg/L	< 0.001			0.001	Pass	
Ethylbenzene	mg/L	< 0.001			0.001	Pass	
Iodomethane	mg/L	< 0.001			0.001	Pass	
Isopropyl benzene (Cumene)	mg/L	< 0.001			0.001	Pass	
m&p-Xylenes	mg/L	< 0.002			0.002	Pass	
Methylene Chloride	mg/L	< 0.001			0.001	Pass	
o-Xylene	mg/L	< 0.001			0.001	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Styrene	mg/L	< 0.001			0.001	Pass	
Tetrachloroethene	mg/L	< 0.001			0.001	Pass	
Toluene	mg/L	< 0.001			0.001	Pass	
trans-1,2-Dichloroethene	mg/L	< 0.001			0.001	Pass	
trans-1,3-Dichloropropene	mg/L	< 0.001			0.001	Pass	
Trichloroethene	mg/L	< 0.001			0.001	Pass	
Trichlorofluoromethane	mg/L	< 0.001			0.001	Pass	
Vinyl chloride	mg/L	< 0.001			0.001	Pass	
Xylenes - Total	mg/L	< 0.003			0.003	Pass	
<b>Method Blank</b>							
<b>Total Recoverable Hydrocarbons - 2013 NEPM Fractions</b>							
Naphthalene	mg/L	< 0.01			0.01	Pass	
TRH C6-C10	mg/L	< 0.02			0.02	Pass	
TRH >C10-C16	mg/L	< 0.05			0.05	Pass	
TRH >C16-C34	mg/L	< 0.1			0.1	Pass	
TRH >C34-C40	mg/L	< 0.1			0.1	Pass	
<b>Method Blank</b>							
<b>Polycyclic Aromatic Hydrocarbons</b>							
Acenaphthene	mg/L	< 0.001			0.001	Pass	
Acenaphthylene	mg/L	< 0.001			0.001	Pass	
Anthracene	mg/L	< 0.001			0.001	Pass	
Benz(a)anthracene	mg/L	< 0.001			0.001	Pass	
Benzo(a)pyrene	mg/L	< 0.001			0.001	Pass	
Benzo(b&j)fluoranthene	mg/L	< 0.001			0.001	Pass	
Benzo(g,h,i)perylene	mg/L	< 0.001			0.001	Pass	
Benzo(k)fluoranthene	mg/L	< 0.001			0.001	Pass	
Chrysene	mg/L	< 0.001			0.001	Pass	
Dibenz(a,h)anthracene	mg/L	< 0.001			0.001	Pass	
Fluoranthene	mg/L	< 0.001			0.001	Pass	
Fluorene	mg/L	< 0.001			0.001	Pass	
Indeno(1,2,3-cd)pyrene	mg/L	< 0.001			0.001	Pass	
Naphthalene	mg/L	< 0.001			0.001	Pass	
Phenanthrene	mg/L	< 0.001			0.001	Pass	
Pyrene	mg/L	< 0.001			0.001	Pass	
<b>Method Blank</b>							
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>							
Perfluorobutanoic acid (PFBA)	ug/L	< 0.05			0.05	Pass	
Perfluoropentanoic acid (PFPeA)	ug/L	< 0.01			0.01	Pass	
Perfluorohexanoic acid (PFHxA)	ug/L	< 0.01			0.01	Pass	
Perfluoroheptanoic acid (PFHpA)	ug/L	< 0.01			0.01	Pass	
Perfluorooctanoic acid (PFOA)	ug/L	< 0.01			0.01	Pass	
Perfluorononanoic acid (PFNA)	ug/L	< 0.01			0.01	Pass	
Perfluorodecanoic acid (PFDA)	ug/L	< 0.01			0.01	Pass	
Perfluoroundecanoic acid (PFUnDA)	ug/L	< 0.01			0.01	Pass	
Perfluorododecanoic acid (PFDoDA)	ug/L	< 0.01			0.01	Pass	
Perfluorotridecanoic acid (PFTTrDA)	ug/L	< 0.01			0.01	Pass	
Perfluorotetradecanoic acid (PFTeDA)	ug/L	< 0.01			0.01	Pass	
<b>Method Blank</b>							
<b>Perfluoroalkyl sulfonamido substances</b>							
Perfluorooctane sulfonamide (FOSA)	ug/L	< 0.05			0.05	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	ug/L	< 0.05			0.05	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	ug/L	< 0.05			0.05	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	ug/L	< 0.05			0.05	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	ug/L	< 0.05			0.05	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	ug/L	< 0.05			0.05	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	ug/L	< 0.05			0.05	Pass	
<b>Method Blank</b>							
<b>Perfluoroalkyl sulfonic acids (PFSA's)</b>							
Perfluorobutanesulfonic acid (PFBS)	ug/L	< 0.01			0.01	Pass	
Perfluoropentanesulfonic acid (PFPeS)	ug/L	< 0.01			0.01	Pass	
Perfluorohexanesulfonic acid (PFHxS)	ug/L	< 0.01			0.01	Pass	
Perfluoroheptanesulfonic acid (PFHpS)	ug/L	< 0.01			0.01	Pass	
Perfluorooctanesulfonic acid (PFOS)	ug/L	< 0.01			0.01	Pass	
Perfluorodecanesulfonic acid (PFDS)	ug/L	< 0.01			0.01	Pass	
<b>Method Blank</b>							
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA's)</b>							
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	ug/L	< 0.01			0.01	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	ug/L	< 0.05			0.05	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	ug/L	< 0.01			0.01	Pass	
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	ug/L	< 0.01			0.01	Pass	
<b>Method Blank</b>							
<b>Heavy Metals</b>							
Arsenic (filtered)	mg/L	< 0.001			0.001	Pass	
Cadmium (filtered)	mg/L	< 0.0002			0.0002	Pass	
Chromium (filtered)	mg/L	< 0.001			0.001	Pass	
Copper (filtered)	mg/L	< 0.001			0.001	Pass	
Lead (filtered)	mg/L	< 0.001			0.001	Pass	
Mercury (filtered)	mg/L	< 0.0001			0.0001	Pass	
Nickel (filtered)	mg/L	< 0.001			0.001	Pass	
Zinc (filtered)	mg/L	< 0.005			0.005	Pass	
<b>LCS - % Recovery</b>							
<b>Total Recoverable Hydrocarbons - 1999 NEPM Fractions</b>							
TRH C6-C9	%	90			70-130	Pass	
TRH C10-C14	%	110			70-130	Pass	
<b>LCS - % Recovery</b>							
<b>Volatile Organics</b>							
1.1-Dichloroethene	%	107			70-130	Pass	
1.1.1-Trichloroethane	%	93			70-130	Pass	
1.2-Dichlorobenzene	%	102			70-130	Pass	
1.2-Dichloroethane	%	96			70-130	Pass	
Benzene	%	94			70-130	Pass	
Ethylbenzene	%	104			70-130	Pass	
m&p-Xylenes	%	100			70-130	Pass	
o-Xylene	%	97			70-130	Pass	
Toluene	%	89			70-130	Pass	
Trichloroethene	%	88			70-130	Pass	
Xylenes - Total	%	99			70-130	Pass	
<b>LCS - % Recovery</b>							
<b>Total Recoverable Hydrocarbons - 2013 NEPM Fractions</b>							
Naphthalene	%	102			70-130	Pass	
TRH C6-C10	%	90			70-130	Pass	
TRH >C10-C16	%	119			70-130	Pass	
<b>LCS - % Recovery</b>							
<b>Polycyclic Aromatic Hydrocarbons</b>							
Acenaphthene	%	75			70-130	Pass	
Acenaphthylene	%	79			70-130	Pass	
Anthracene	%	85			70-130	Pass	
Benz(a)anthracene	%	87			70-130	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Benzo(a)pyrene	%	89			70-130	Pass	
Benzo(b&j)fluoranthene	%	89			70-130	Pass	
Benzo(g,h,i)perylene	%	93			70-130	Pass	
Benzo(k)fluoranthene	%	92			70-130	Pass	
Chrysene	%	90			70-130	Pass	
Dibenz(a,h)anthracene	%	85			70-130	Pass	
Fluoranthene	%	90			70-130	Pass	
Fluorene	%	79			70-130	Pass	
Indeno(1,2,3-cd)pyrene	%	93			70-130	Pass	
Naphthalene	%	72			70-130	Pass	
Phenanthrene	%	84			70-130	Pass	
Pyrene	%	89			70-130	Pass	
<b>LCS - % Recovery</b>							
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>							
Perfluorobutanoic acid (PFBA)	%	108			50-150	Pass	
Perfluoropentanoic acid (PFPeA)	%	118			50-150	Pass	
Perfluorohexanoic acid (PFHxA)	%	107			50-150	Pass	
Perfluoroheptanoic acid (PFHpA)	%	128			50-150	Pass	
Perfluorooctanoic acid (PFOA)	%	113			50-150	Pass	
Perfluorononanoic acid (PFNA)	%	118			50-150	Pass	
Perfluorodecanoic acid (PFDA)	%	117			50-150	Pass	
Perfluoroundecanoic acid (PFUnDA)	%	93			50-150	Pass	
Perfluorododecanoic acid (PFDoDA)	%	117			50-150	Pass	
Perfluorotridecanoic acid (PFTTrDA)	%	111			50-150	Pass	
Perfluorotetradecanoic acid (PFTeDA)	%	124			50-150	Pass	
<b>LCS - % Recovery</b>							
<b>Perfluoroalkyl sulfonamido substances</b>							
Perfluorooctane sulfonamide (FOSA)	%	126			50-150	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	%	125			50-150	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	%	82			50-150	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	%	125			50-150	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	%	122			50-150	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	%	113			50-150	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	%	72			50-150	Pass	
<b>LCS - % Recovery</b>							
<b>Perfluoroalkyl sulfonic acids (PFSA's)</b>							
Perfluorobutanesulfonic acid (PFBS)	%	115			50-150	Pass	
Perfluoropentanesulfonic acid (PFPeS)	%	115			50-150	Pass	
Perfluorohexanesulfonic acid (PFHxS)	%	105			50-150	Pass	
Perfluoroheptanesulfonic acid (PFHpS)	%	118			50-150	Pass	
Perfluorooctanesulfonic acid (PFOS)	%	105			50-150	Pass	
Perfluorodecanesulfonic acid (PFDS)	%	113			50-150	Pass	
<b>LCS - % Recovery</b>							
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA's)</b>							
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	%	121			50-150	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	%	126			50-150	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	%	131			50-150	Pass	
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	%	124			50-150	Pass	
<b>LCS - % Recovery</b>							
<b>Heavy Metals</b>							
Arsenic (filtered)	%	102			70-130	Pass	
Cadmium (filtered)	%	102			70-130	Pass	
Chromium (filtered)	%	101			70-130	Pass	
Copper (filtered)	%	100			70-130	Pass	

Test			Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Lead (filtered)			%	101			70-130	Pass	
Mercury (filtered)			%	101			70-130	Pass	
Nickel (filtered)			%	101			70-130	Pass	
Zinc (filtered)			%	100			70-130	Pass	
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
<b>Spike - % Recovery</b>									
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>				Result 1					
Perfluorobutanoic acid (PFBA)	M18-No39789	NCP	%	107			50-150	Pass	
Perfluoropentanoic acid (PFPeA)	M18-No39789	NCP	%	109			50-150	Pass	
Perfluorohexanoic acid (PFHxA)	M18-No39789	NCP	%	97			50-150	Pass	
Perfluoroheptanoic acid (PFHpA)	M18-No39789	NCP	%	117			50-150	Pass	
Perfluorooctanoic acid (PFOA)	M18-No39789	NCP	%	109			50-150	Pass	
Perfluorononanoic acid (PFNA)	M18-No39789	NCP	%	118			50-150	Pass	
Perfluorodecanoic acid (PFDA)	M18-No39789	NCP	%	109			50-150	Pass	
Perfluoroundecanoic acid (PFUnDA)	M18-No39789	NCP	%	84			50-150	Pass	
Perfluorododecanoic acid (PFDoDA)	M18-No39789	NCP	%	113			50-150	Pass	
Perfluorotridecanoic acid (PFTrDA)	M18-No39789	NCP	%	79			50-150	Pass	
Perfluorotetradecanoic acid (PFTeDA)	M18-No39789	NCP	%	98			50-150	Pass	
<b>Spike - % Recovery</b>									
<b>Perfluoroalkyl sulfonamido substances</b>				Result 1					
Perfluorooctane sulfonamide (FOSA)	M18-No39789	NCP	%	113			50-150	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	M18-No39789	NCP	%	118			50-150	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	M18-No39789	NCP	%	77			50-150	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	M18-No39789	NCP	%	136			50-150	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	M18-No39789	NCP	%	121			50-150	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	M18-No39789	NCP	%	89			50-150	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	M18-No39789	NCP	%	114			50-150	Pass	
<b>Spike - % Recovery</b>									
<b>Perfluoroalkyl sulfonic acids (PFSA's)</b>				Result 1					
Perfluorobutanesulfonic acid (PFBS)	M18-No39789	NCP	%	101			50-150	Pass	
Perfluoropentanesulfonic acid (PFPeS)	M18-No39789	NCP	%	113			50-150	Pass	
Perfluorohexanesulfonic acid (PFHxS)	M18-No39789	NCP	%	107			50-150	Pass	
Perfluoroheptanesulfonic acid (PFHpS)	M18-No39789	NCP	%	115			50-150	Pass	
Perfluorooctanesulfonic acid (PFOS)	M18-No39789	NCP	%	85			50-150	Pass	
Perfluorodecanesulfonic acid (PFDS)	M18-No39789	NCP	%	83			50-150	Pass	
<b>Spike - % Recovery</b>									
<b>n:2 Fluorotelomer sulfonic acids (n:2 FTSA's)</b>				Result 1					
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	M18-No39789	NCP	%	117			50-150	Pass	

Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	M18-No39789	NCP	%	122			50-150	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	M18-No39789	NCP	%	142			50-150	Pass	
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	M18-No39789	NCP	%	123			50-150	Pass	
<b>Spike - % Recovery</b>									
<b>Heavy Metals</b>				Result 1					
Mercury (filtered)	M18-No28785	NCP	%	97			70-130	Pass	
<b>Spike - % Recovery</b>									
<b>Total Recoverable Hydrocarbons - 1999 NEPM Fractions</b>				Result 1					
TRH C6-C9	S18-No34065	CP	%	83			70-130	Pass	
<b>Spike - % Recovery</b>									
<b>Volatile Organics</b>				Result 1					
Benzene	S18-No34065	CP	%	84			70-130	Pass	
Ethylbenzene	S18-No34065	CP	%	82			70-130	Pass	
m&p-Xylenes	S18-No34065	CP	%	83			70-130	Pass	
o-Xylene	S18-No34065	CP	%	83			70-130	Pass	
Toluene	S18-No34065	CP	%	81			70-130	Pass	
Xylenes - Total	S18-No34065	CP	%	83			70-130	Pass	
<b>Spike - % Recovery</b>									
<b>Total Recoverable Hydrocarbons - 2013 NEPM Fractions</b>				Result 1					
Naphthalene	S18-No34065	CP	%	73			70-130	Pass	
TRH C6-C10	S18-No34065	CP	%	81			70-130	Pass	
<b>Spike - % Recovery</b>									
<b>Heavy Metals</b>				Result 1					
Arsenic (filtered)	S18-No34066	CP	%	103			70-130	Pass	
Cadmium (filtered)	S18-No34066	CP	%	103			70-130	Pass	
Chromium (filtered)	S18-No34066	CP	%	104			70-130	Pass	
Copper (filtered)	S18-No34066	CP	%	101			70-130	Pass	
Lead (filtered)	S18-No34066	CP	%	95			70-130	Pass	
Nickel (filtered)	S18-No34066	CP	%	100			70-130	Pass	
Zinc (filtered)	S18-No34066	CP	%	99			70-130	Pass	
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
<b>Duplicate</b>									
<b>Perfluoroalkyl carboxylic acids (PFCAs)</b>				Result 1	Result 2	RPD			
Perfluorobutanoic acid (PFBA)	B18-No35802	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass	
Perfluoropentanoic acid (PFPeA)	B18-No35802	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorohexanoic acid (PFHxA)	B18-No35802	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluoroheptanoic acid (PFHpA)	B18-No35802	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorooctanoic acid (PFOA)	B18-No35802	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorononanoic acid (PFNA)	B18-No35802	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorodecanoic acid (PFDA)	B18-No35802	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluoroundecanoic acid (PFUnDA)	B18-No35802	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorododecanoic acid (PFDoDA)	B18-No35802	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorotridecanoic acid (PFTTrDA)	B18-No35802	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	
Perfluorotetradecanoic acid (PFTeDA)	B18-No35802	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass	



Duplicate								
Perfluoroalkyl sulfonamido substances				Result 1	Result 2	RPD		
Perfluorooctane sulfonamide (FOSA)	B18-No35802	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	B18-No35802	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	B18-No35802	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	B18-No35802	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	B18-No35802	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	B18-No35802	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	B18-No35802	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass
Duplicate								
Perfluoroalkyl sulfonic acids (PFSA's)				Result 1	Result 2	RPD		
Perfluorobutanesulfonic acid (PFBS)	B18-No35802	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoropentanesulfonic acid (PFPeS)	B18-No35802	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorohexanesulfonic acid (PFHxS)	B18-No35802	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluoroheptanesulfonic acid (PFHpS)	B18-No35802	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorooctanesulfonic acid (PFOS)	B18-No35802	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Perfluorodecanesulfonic acid (PFDS)	B18-No35802	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Duplicate								
n:2 Fluorotelomer sulfonic acids (n:2 FTSA's)				Result 1	Result 2	RPD		
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	B18-No35802	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	B18-No35802	NCP	ug/L	< 0.05	< 0.05	<1	30%	Pass
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	B18-No35802	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	B18-No35802	NCP	ug/L	< 0.01	< 0.01	<1	30%	Pass
Duplicate								
Heavy Metals				Result 1	Result 2	RPD		
Chromium (filtered)	S18-No34063	CP	mg/L	0.002	0.002	1.0	30%	Pass
Copper (filtered)	S18-No34063	CP	mg/L	0.002	0.002	12	30%	Pass
Lead (filtered)	M18-No28784	NCP	mg/L	< 0.001	< 0.001	<1	30%	Pass
Mercury (filtered)	S18-No34063	CP	mg/L	< 0.0001	< 0.0001	<1	30%	Pass
Nickel (filtered)	S18-No34063	CP	mg/L	< 0.001	< 0.001	<1	30%	Pass
Zinc (filtered)	S18-No34063	CP	mg/L	< 0.005	< 0.005	<1	30%	Pass

## Comments

Eurofins | mgt accreditation number 1261, corporate site 1254 is currently in progress of a controlled transition to a new custom built location at 6 Monterey Road, Dandenong South, Victoria 3175. All results on this report denoted as being performed by Eurofins | mgt 2-5 Kingston Town Close, Oakleigh Victoria 3166 corporate site 1254, will have been performed on either Oakleigh or new Dandenong South site.

## Sample Integrity

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	Yes
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

## Qualifier Codes/Comments

Code	Description
N01	F2 is determined by arithmetically subtracting the "naphthalene" value from the ">C10-C16" value. The naphthalene value used in this calculation is obtained from volatiles (Purge & Trap analysis).  Where we have reported both volatile (P&T GCMS) and semivolatile (GCMS) naphthalene data, results may not be identical. Provided correct sample handling protocols have been followed, any observed differences in results are likely to be due to procedural differences within each methodology. Results determined by both techniques have passed all QAQC acceptance criteria, and are entirely technically valid.
N02	
N04	F1 is determined by arithmetically subtracting the "Total BTEX" value from the "C6-C10" value. The "Total BTEX" value is obtained by summing the concentrations of BTEX analytes. The "C6-C10" value is obtained by quantitating against a standard of mixed aromatic/aliphatic analytes.
N07	Please note:- These two PAH isomers closely co-elute using the most contemporary analytical methods and both the reported concentration (and the TEQ) apply specifically to the total of the two co-eluting PAHs
N09	Quantification of linear and branched isomers has been conducted as a single total response using the relative response factor for the corresponding linear/branched standard.
N11	Isotope dilution is used for calibration of each native compound for which an exact labelled analogue is available (Isotope Dilution Quantitation). The isotopically labelled analogues allow identification and recovery correction of the concentration of the associated native PFAS compounds.
N15	Where the native PFAS compound does not have labelled analogue then the quantification is made using the Extracted Internal Standard Analyte with the closest retention time to the analyte and no recovery correction has been made (Internal Standard Quantitation).

## Authorised By

Nibha Vaidya	Analytical Services Manager
Andrew Sullivan	Senior Analyst-Organic (NSW)
Gabriele Cordero	Senior Analyst-Metal (NSW)
Jonathon Angell	Senior Analyst-Organic (QLD)



## Glenn Jackson General Manager

Final report - this Report replaces any previously issued Report

- Indicates Not Requested

\* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins | mgt shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins | mgt be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.



## CHAIN OF CUSTODY AND ANALYSIS REQUEST

[illegible]

## Sample Receipt Advice

Company name: **Cardno (NSW/ACT) Pty Ltd**  
Contact name: **Ben Withnall**  
Project name: **KYEEMAGH INFANTS SCHOOL**  
Project ID: **80818157**  
COC number: **Not provided**  
Turn around time: **5 Day**  
Date/Time received: **Nov 23, 2018 5:43 PM**  
Eurofins | mgt reference: **629653**

### Sample information

- ☒ A detailed list of analytes logged into our LIMS, is included in the attached summary table.
- ☒ All samples have been received as described on the above COC.
- ☒ COC has been completed correctly.
- ☒ Attempt to chill was evident.
- ☒ Appropriately preserved sample containers have been used.
- ☒ All samples were received in good condition.
- ☒ Samples have been provided with adequate time to commence analysis in accordance with the relevant holding times.
- ☒ Appropriate sample containers have been used.
- ☒ Sample containers for volatile analysis received with zero headspace.
- ☒ Split sample sent to requested external lab.
- ☒ Some samples have been subcontracted.

N/A Custody Seals intact (if used).

### Notes

QA200 forwarded to ALS

### Contact notes

If you have any questions with respect to these samples please contact:

Nibha Vaidya on Phone : +61 (2) 9900 8415 or by e.mail: NibhaVaidya@eurofins.com

Results will be delivered electronically via e.mail to Ben Withnall - ben.withnall@cardno.com.au.

*Note: A copy of these results will also be delivered to the general Cardno (NSW/ACT) Pty Ltd email address.*

## CERTIFICATE OF ANALYSIS

**Work Order** : **ES1835239**  
**Client** : **CARDNO (NSW/ACT) PTY LTD**  
**Contact** : **MR BEN WITHNALL**  
**Address** : **Level 9 The Forum 203 Pacific Highway**  
**St Leonards NSW 2065**  
**Telephone** : **+61 2 9495 8188**  
**Project** : **KYEEMAGH INFANTS SCHOOL 80818157**  
**Order number** :  
**C-O-C number** :  
**Sampler** : **JOEL GRIFFITHS**  
**Site** :  
**Quote number** : **EN/222 - Secondary Work**  
**No. of samples received** : **1**  
**No. of samples analysed** : **1**

**Page** : 1 of 9  
**Laboratory** : Environmental Division Sydney  
**Contact** : Customer Services ES  
**Address** : 277-289 Woodpark Road Smithfield NSW Australia 2164  
**Telephone** : +61-2-8784 8555  
**Date Samples Received** : 26-Nov-2018 14:55  
**Date Analysis Commenced** : 27-Nov-2018  
**Issue Date** : 03-Dec-2018 10:39



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results
- Surrogate Control Limits

**Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.**

### Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

Signatories	Position	Accreditation Category
Celine Conceicao	Senior Spectroscopist	Sydney Inorganics, Smithfield, NSW
Edwandy Fadjjar	Organic Coordinator	Sydney Organics, Smithfield, NSW
Franco Lentini		Sydney Organics, Smithfield, NSW



## General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

LOR = Limit of reporting

^ = This result is computed from individual analyte detections at or above the level of reporting

Ø = ALS is not NATA accredited for these tests.

~ = Indicates an estimated value.

- Benzo(a)pyrene Toxicity Equivalent Quotient (TEQ) is the sum total of the concentration of the eight carcinogenic PAHs multiplied by their Toxicity Equivalence Factor (TEF) relative to Benzo(a)pyrene. TEF values are provided in brackets as follows: Benz(a)anthracene (0.1), Chrysene (0.01), Benzo(b+j) & Benzo(k)fluoranthene (0.1), Benzo(a)pyrene (1.0), Indeno(1.2.3.cd)pyrene (0.1), Dibenz(a,h)anthracene (1.0), Benzo(g,h,i)perylene (0.01). Less than LOR results for 'TEQ Zero' are treated as zero.





## Analytical Results

Sub-Matrix: **WATER**  
 (Matrix: **WATER**)

Client sample ID

				QA200	----	----	----	----
Client sampling date / time				23-Nov-2018 00:00	----	----	----	----
Compound	CAS Number	LOR	Unit	ES1835239-001	-----	-----	-----	-----
				Result	----	----	----	----
<b>EG020F: Dissolved Metals by ICP-MS</b>								
Arsenic	7440-38-2	0.001	mg/L	<0.001	----	----	----	----
Cadmium	7440-43-9	0.0001	mg/L	<0.0001	----	----	----	----
Chromium	7440-47-3	0.001	mg/L	<0.001	----	----	----	----
Copper	7440-50-8	0.001	mg/L	<b>0.001</b>	----	----	----	----
Lead	7439-92-1	0.001	mg/L	<0.001	----	----	----	----
Nickel	7440-02-0	0.001	mg/L	<b>0.001</b>	----	----	----	----
Zinc	7440-66-6	0.005	mg/L	<0.005	----	----	----	----
<b>EG035F: Dissolved Mercury by FIMS</b>								
Mercury	7439-97-6	0.0001	mg/L	<0.0001	----	----	----	----
<b>EP074A: Monocyclic Aromatic Hydrocarbons</b>								
Styrene	100-42-5	5	µg/L	<5	----	----	----	----
Isopropylbenzene	98-82-8	5	µg/L	<5	----	----	----	----
n-Propylbenzene	103-65-1	5	µg/L	<5	----	----	----	----
1,3,5-Trimethylbenzene	108-67-8	5	µg/L	<5	----	----	----	----
sec-Butylbenzene	135-98-8	5	µg/L	<5	----	----	----	----
1,2,4-Trimethylbenzene	95-63-6	5	µg/L	<5	----	----	----	----
tert-Butylbenzene	98-06-6	5	µg/L	<5	----	----	----	----
p-Isopropyltoluene	99-87-6	5	µg/L	<5	----	----	----	----
n-Butylbenzene	104-51-8	5	µg/L	<5	----	----	----	----
<b>EP074B: Oxygenated Compounds</b>								
Vinyl Acetate	108-05-4	50	µg/L	<50	----	----	----	----
2-Butanone (MEK)	78-93-3	50	µg/L	<50	----	----	----	----
4-Methyl-2-pentanone (MIBK)	108-10-1	50	µg/L	<50	----	----	----	----
2-Hexanone (MBK)	591-78-6	50	µg/L	<50	----	----	----	----
<b>EP074C: Sulfonated Compounds</b>								
Carbon disulfide	75-15-0	5	µg/L	<5	----	----	----	----
<b>EP074D: Fumigants</b>								
2,2-Dichloropropane	594-20-7	5	µg/L	<5	----	----	----	----
1,2-Dichloropropane	78-87-5	5	µg/L	<5	----	----	----	----
cis-1,3-Dichloropropylene	10061-01-5	5	µg/L	<5	----	----	----	----
trans-1,3-Dichloropropylene	10061-02-6	5	µg/L	<5	----	----	----	----
1,2-Dibromoethane (EDB)	106-93-4	5	µg/L	<5	----	----	----	----
<b>EP074E: Halogenated Aliphatic Compounds</b>								
Dichlorodifluoromethane	75-71-8	50	µg/L	<50	----	----	----	----



## Analytical Results

Sub-Matrix: <b>WATER</b> (Matrix: <b>WATER</b> )				Client sample ID	QA200	----	----	----	----
Client sampling date / time					23-Nov-2018 00:00	----	----	----	----
Compound	CAS Number	LOR	Unit		ES1835239-001	-----	-----	-----	-----
					Result	----	----	----	----
<b>EP074E: Halogenated Aliphatic Compounds - Continued</b>									
Chloromethane	74-87-3	50	µg/L		<50	----	----	----	----
Vinyl chloride	75-01-4	50	µg/L		<50	----	----	----	----
Bromomethane	74-83-9	50	µg/L		<50	----	----	----	----
Chloroethane	75-00-3	50	µg/L		<50	----	----	----	----
Trichlorofluoromethane	75-69-4	50	µg/L		<50	----	----	----	----
1,1-Dichloroethene	75-35-4	5	µg/L		<5	----	----	----	----
Iodomethane	74-88-4	5	µg/L		<5	----	----	----	----
trans-1,2-Dichloroethene	156-60-5	5	µg/L		<5	----	----	----	----
1,1-Dichloroethane	75-34-3	5	µg/L		<5	----	----	----	----
cis-1,2-Dichloroethene	156-59-2	5	µg/L		<5	----	----	----	----
1,1,1-Trichloroethane	71-55-6	5	µg/L		<5	----	----	----	----
1,1-Dichloropropylene	563-58-6	5	µg/L		<5	----	----	----	----
Carbon Tetrachloride	56-23-5	5	µg/L		<5	----	----	----	----
1,2-Dichloroethane	107-06-2	5	µg/L		<5	----	----	----	----
Trichloroethene	79-01-6	5	µg/L		<5	----	----	----	----
Dibromomethane	74-95-3	5	µg/L		<5	----	----	----	----
1,1,2-Trichloroethane	79-00-5	5	µg/L		<5	----	----	----	----
1,3-Dichloropropane	142-28-9	5	µg/L		<5	----	----	----	----
Tetrachloroethene	127-18-4	5	µg/L		<5	----	----	----	----
1,1,1,2-Tetrachloroethane	630-20-6	5	µg/L		<5	----	----	----	----
trans-1,4-Dichloro-2-butene	110-57-6	5	µg/L		<5	----	----	----	----
cis-1,4-Dichloro-2-butene	1476-11-5	5	µg/L		<5	----	----	----	----
1,1,2,2-Tetrachloroethane	79-34-5	5	µg/L		<5	----	----	----	----
1,2,3-Trichloropropane	96-18-4	5	µg/L		<5	----	----	----	----
Pentachloroethane	76-01-7	5	µg/L		<5	----	----	----	----
1,2-Dibromo-3-chloropropane	96-12-8	5	µg/L		<5	----	----	----	----
Hexachlorobutadiene	87-68-3	5	µg/L		<5	----	----	----	----
<b>EP074F: Halogenated Aromatic Compounds</b>									
Chlorobenzene	108-90-7	5	µg/L		<5	----	----	----	----
Bromobenzene	108-86-1	5	µg/L		<5	----	----	----	----
2-Chlorotoluene	95-49-8	5	µg/L		<5	----	----	----	----
4-Chlorotoluene	106-43-4	5	µg/L		<5	----	----	----	----
1,3-Dichlorobenzene	541-73-1	5	µg/L		<5	----	----	----	----
1,4-Dichlorobenzene	106-46-7	5	µg/L		<5	----	----	----	----
1,2-Dichlorobenzene	95-50-1	5	µg/L		<5	----	----	----	----



## Analytical Results

Sub-Matrix: <b>WATER</b> (Matrix: <b>WATER</b> )				Client sample ID	QA200	----	----	----	----
Client sampling date / time					23-Nov-2018 00:00	----	----	----	----
Compound	CAS Number	LOR	Unit		ES1835239-001	-----	-----	-----	-----
				Result	----	----	----	----	----
<b>EP074F: Halogenated Aromatic Compounds - Continued</b>									
1,2,4-Trichlorobenzene	120-82-1	5	µg/L	<5	----	----	----	----	----
1,2,3-Trichlorobenzene	87-61-6	5	µg/L	<5	----	----	----	----	----
<b>EP074G: Trihalomethanes</b>									
Chloroform	67-66-3	5	µg/L	<5	----	----	----	----	----
Bromodichloromethane	75-27-4	5	µg/L	<5	----	----	----	----	----
Dibromochloromethane	124-48-1	5	µg/L	<5	----	----	----	----	----
Bromoform	75-25-2	5	µg/L	<5	----	----	----	----	----
<b>EP074H: Naphthalene</b>									
Naphthalene	91-20-3	5	µg/L	<5	----	----	----	----	----
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	1.0	µg/L	<1.0	----	----	----	----	----
Acenaphthylene	208-96-8	1.0	µg/L	<1.0	----	----	----	----	----
Acenaphthene	83-32-9	1.0	µg/L	<1.0	----	----	----	----	----
Fluorene	86-73-7	1.0	µg/L	<1.0	----	----	----	----	----
Phenanthrene	85-01-8	1.0	µg/L	<1.0	----	----	----	----	----
Anthracene	120-12-7	1.0	µg/L	<1.0	----	----	----	----	----
Fluoranthene	206-44-0	1.0	µg/L	<1.0	----	----	----	----	----
Pyrene	129-00-0	1.0	µg/L	<1.0	----	----	----	----	----
Benz(a)anthracene	56-55-3	1.0	µg/L	<1.0	----	----	----	----	----
Chrysene	218-01-9	1.0	µg/L	<1.0	----	----	----	----	----
Benzo(b+j)fluoranthene	205-99-2 205-82-3	1.0	µg/L	<1.0	----	----	----	----	----
Benzo(k)fluoranthene	207-08-9	1.0	µg/L	<1.0	----	----	----	----	----
Benzo(a)pyrene	50-32-8	0.5	µg/L	<0.5	----	----	----	----	----
Indeno(1,2,3.cd)pyrene	193-39-5	1.0	µg/L	<1.0	----	----	----	----	----
Dibenz(a,h)anthracene	53-70-3	1.0	µg/L	<1.0	----	----	----	----	----
Benzo(g,h,i)perylene	191-24-2	1.0	µg/L	<1.0	----	----	----	----	----
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	µg/L	<0.5	----	----	----	----	----
^ Benzo(a)pyrene TEQ (zero)	----	0.5	µg/L	<0.5	----	----	----	----	----
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	20	µg/L	<20	----	----	----	----	----
C10 - C14 Fraction	----	50	µg/L	<50	----	----	----	----	----
C15 - C28 Fraction	----	100	µg/L	<100	----	----	----	----	----
C29 - C36 Fraction	----	50	µg/L	<50	----	----	----	----	----
^ C10 - C36 Fraction (sum)	----	50	µg/L	<50	----	----	----	----	----



## Analytical Results

Sub-Matrix: <b>WATER</b> (Matrix: <b>WATER</b> )				Client sample ID	QA200	----	----	----	----
Client sampling date / time					23-Nov-2018 00:00	----	----	----	----
Compound	CAS Number	LOR	Unit		ES1835239-001	-----	-----	-----	-----
					Result	----	----	----	----
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	20	µg/L		<20	----	----	----	----
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	20	µg/L		<20	----	----	----	----
>C10 - C16 Fraction	----	100	µg/L		<100	----	----	----	----
>C16 - C34 Fraction	----	100	µg/L		<100	----	----	----	----
>C34 - C40 Fraction	----	100	µg/L		<100	----	----	----	----
^ >C10 - C40 Fraction (sum)	----	100	µg/L		<100	----	----	----	----
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	100	µg/L		<100	----	----	----	----
<b>EP080: BTEXN</b>									
Benzene	71-43-2	1	µg/L		<1	----	----	----	----
Toluene	108-88-3	2	µg/L		<2	----	----	----	----
Ethylbenzene	100-41-4	2	µg/L		<2	----	----	----	----
meta- & para-Xylene	108-38-3 106-42-3	2	µg/L		<2	----	----	----	----
ortho-Xylene	95-47-6	2	µg/L		<2	----	----	----	----
^ Total Xylenes	----	2	µg/L		<2	----	----	----	----
^ Sum of BTEX	----	1	µg/L		<1	----	----	----	----
Naphthalene	91-20-3	5	µg/L		<5	----	----	----	----
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L		<0.02	----	----	----	----
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L		<0.02	----	----	----	----
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.02	µg/L		<0.02	----	----	----	----
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L		<0.02	----	----	----	----
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L		<0.01	----	----	----	----
Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L		<0.02	----	----	----	----
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L		<0.1	----	----	----	----
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L		<0.02	----	----	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L		<0.02	----	----	----	----



## Analytical Results

Sub-Matrix: <b>WATER</b> (Matrix: <b>WATER</b> )				Client sample ID	QA200	----	----	----	----
Client sampling date / time					23-Nov-2018 00:00	----	----	----	----
Compound	CAS Number	LOR	Unit		ES1835239-001	-----	-----	-----	-----
					Result	----	----	----	----
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L		<0.02	----	----	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L		<0.01	----	----	----	----
Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L		<0.02	----	----	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L		<0.02	----	----	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L		<0.02	----	----	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L		<0.02	----	----	----	----
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L		<0.02	----	----	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L		<0.05	----	----	----	----
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L		<0.02	----	----	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L		<0.05	----	----	----	----
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L		<0.05	----	----	----	----
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L		<0.05	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L		<0.05	----	----	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L		<0.02	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L		<0.02	----	----	----	----
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L		<0.05	----	----	----	----
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L		<0.05	----	----	----	----
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L		<0.05	----	----	----	----



## Analytical Results

Sub-Matrix: <b>WATER</b> (Matrix: <b>WATER</b> )				Client sample ID	QA200	----	----	----	----
Client sampling date / time					23-Nov-2018 00:00	----	----	----	----
Compound	CAS Number	LOR	Unit		ES1835239-001	-----	-----	-----	-----
					Result	----	----	----	----
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L		<0.05	----	----	----	----
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.01	µg/L		<0.01	----	----	----	----
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L		<0.01	----	----	----	----
Sum of PFAS (WA DER List)	----	0.01	µg/L		<0.01	----	----	----	----
<b>EP074S: VOC Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	5	%		124	----	----	----	----
Toluene-D8	2037-26-5	5	%		98.4	----	----	----	----
4-Bromofluorobenzene	460-00-4	5	%		99.1	----	----	----	----
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	1.0	%		19.9	----	----	----	----
2-Chlorophenol-D4	93951-73-6	1.0	%		42.7	----	----	----	----
2,4,6-Tribromophenol	118-79-6	1.0	%		51.9	----	----	----	----
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	1.0	%		78.0	----	----	----	----
Anthracene-d10	1719-06-8	1.0	%		70.7	----	----	----	----
4-Terphenyl-d14	1718-51-0	1.0	%		92.3	----	----	----	----
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	2	%		125	----	----	----	----
Toluene-D8	2037-26-5	2	%		95.3	----	----	----	----
4-Bromofluorobenzene	460-00-4	2	%		92.4	----	----	----	----
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.02	%		97.6	----	----	----	----
13C8-PFOA	----	0.02	%		116	----	----	----	----





## Surrogate Control Limits

Sub-Matrix: WATER		Recovery Limits (%)	
Compound	CAS Number	Low	High
<b>EP074S: VOC Surrogates</b>			
1,2-Dichloroethane-D4	17060-07-0	78	133
Toluene-D8	2037-26-5	79	129
4-Bromofluorobenzene	460-00-4	81	124
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>			
Phenol-d6	13127-88-3	10	44
2-Chlorophenol-D4	93951-73-6	14	94
2,4,6-Tribromophenol	118-79-6	17	125
<b>EP075(SIM)T: PAH Surrogates</b>			
2-Fluorobiphenyl	321-60-8	20	104
Anthracene-d10	1719-06-8	27	113
4-Terphenyl-d14	1718-51-0	32	112
<b>EP080S: TPH(V)/BTEX Surrogates</b>			
1,2-Dichloroethane-D4	17060-07-0	71	137
Toluene-D8	2037-26-5	79	131
4-Bromofluorobenzene	460-00-4	70	128
<b>EP231S: PFAS Surrogate</b>			
13C4-PFOS	----	60	120
13C8-PFOA	----	60	120

## QUALITY CONTROL REPORT

<b>Work Order</b>	<b>: ES1835239</b>	<b>Page</b>	<b>: 1 of 16</b>
<b>Client</b>	<b>: CARDNO (NSW/ACT) PTY LTD</b>	<b>Laboratory</b>	<b>: Environmental Division Sydney</b>
<b>Contact</b>	<b>: MR BEN WITHNALL</b>	<b>Contact</b>	<b>: Customer Services ES</b>
<b>Address</b>	<b>: Level 9 The Forum 203 Pacific Highway St Leonards NSW 2065</b>	<b>Address</b>	<b>: 277-289 Woodpark Road Smithfield NSW Australia 2164</b>
<b>Telephone</b>	<b>: +61 2 9495 8188</b>	<b>Telephone</b>	<b>: +61-2-8784 8555</b>
<b>Project</b>	<b>: KYEEMAGH INFANTS SCHOOL 80818157</b>	<b>Date Samples Received</b>	<b>: 26-Nov-2018</b>
<b>Order number</b>	<b>: ----</b>	<b>Date Analysis Commenced</b>	<b>: 27-Nov-2018</b>
<b>C-O-C number</b>	<b>: ----</b>	<b>Issue Date</b>	<b>: 03-Dec-2018</b>
<b>Sampler</b>	<b>: JOEL GRIFFITHS</b>		
<b>Site</b>	<b>: ----</b>		
<b>Quote number</b>	<b>: EN/222 - Secondary Work</b>		
<b>No. of samples received</b>	<b>: 1</b>		
<b>No. of samples analysed</b>	<b>: 1</b>		



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percentage Difference (RPD) and Acceptance Limits
- Method Blank (MB) and Laboratory Control Spike (LCS) Report; Recovery and Acceptance Limits
- Matrix Spike (MS) Report; Recovery and Acceptance Limits

### Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Celine Conceicao	Senior Spectroscopist	Sydney Inorganics, Smithfield, NSW
Edwandy Fadjjar	Organic Coordinator	Sydney Organics, Smithfield, NSW
Franco Lentini		Sydney Organics, Smithfield, NSW



## General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis. Where the LOR of a reported result differs from standard LOR, this may be due to high

Key :  
 Anonymous = Refers to samples which are not specifically part of this work order but formed part of the QC process lot  
 CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
 LOR = Limit of reporting  
 RPD = Relative Percentage Difference  
 # = Indicates failed QC

## Laboratory Duplicate (DUP) Report

The quality control term Laboratory Duplicate refers to a randomly selected intralaboratory split. Laboratory duplicates provide information regarding method precision and sample heterogeneity. The permitted ranges for the Relative Percent Deviation (RPD) of Laboratory Duplicates are specified in ALS Method QWI-EN/38 and are dependent on the magnitude of results in comparison to the level of reporting: Result < 10 times LOR: No Limit; Result between 10 and 20 times LOR: 0% - 50%; Result > 20 times LOR: 0% - 20%.

Sub-Matrix: **WATER**

Sub-Matrix: WATER				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
EG020F: Dissolved Metals by ICP-MS (QC Lot: 2061594)									
ES1835399-007	Anonymous	EG020A-F: Cadmium	7440-43-9	0.0001	mg/L	<0.0001	<0.0001	0.00	No Limit
		EG020A-F: Arsenic	7440-38-2	0.001	mg/L	<0.001	<0.001	0.00	No Limit
		EG020A-F: Chromium	7440-47-3	0.001	mg/L	0.003	0.004	0.00	No Limit
		EG020A-F: Copper	7440-50-8	0.001	mg/L	0.002	0.002	0.00	No Limit
		EG020A-F: Lead	7439-92-1	0.001	mg/L	<0.001	<0.001	0.00	No Limit
		EG020A-F: Nickel	7440-02-0	0.001	mg/L	0.006	0.006	0.00	No Limit
		EG020A-F: Zinc	7440-66-6	0.005	mg/L	0.006	0.006	0.00	No Limit
ES1835387-001	Anonymous	EG020A-F: Cadmium	7440-43-9	0.0001	mg/L	<0.0001	<0.0001	0.00	No Limit
		EG020A-F: Arsenic	7440-38-2	0.001	mg/L	<0.001	<0.001	0.00	No Limit
		EG020A-F: Chromium	7440-47-3	0.001	mg/L	<0.001	<0.001	0.00	No Limit
		EG020A-F: Copper	7440-50-8	0.001	mg/L	<0.001	<0.001	0.00	No Limit
		EG020A-F: Lead	7439-92-1	0.001	mg/L	<0.001	<0.001	0.00	No Limit
		EG020A-F: Nickel	7440-02-0	0.001	mg/L	0.008	0.008	0.00	No Limit
		EG020A-F: Zinc	7440-66-6	0.005	mg/L	<0.005	<0.005	0.00	No Limit
EG035F: Dissolved Mercury by FIMS (QC Lot: 2061595)									
ES1835387-001	Anonymous	EG035F: Mercury	7439-97-6	0.0001	mg/L	<0.0001	<0.0001	0.00	No Limit
EP074A: Monocyclic Aromatic Hydrocarbons (QC Lot: 2062578)									
ES1835399-007	Anonymous	EP074: Styrene	100-42-5	5	µg/L	<5	<5	0.00	No Limit
		EP074: Isopropylbenzene	98-82-8	5	µg/L	<5	<5	0.00	No Limit
		EP074: n-Propylbenzene	103-65-1	5	µg/L	<5	<5	0.00	No Limit
		EP074: 1,3,5-Trimethylbenzene	108-67-8	5	µg/L	<5	<5	0.00	No Limit
		EP074: sec-Butylbenzene	135-98-8	5	µg/L	<5	<5	0.00	No Limit
		EP074: 1,2,4-Trimethylbenzene	95-63-6	5	µg/L	<5	<5	0.00	No Limit
		EP074: tert-Butylbenzene	98-06-6	5	µg/L	<5	<5	0.00	No Limit



Sub-Matrix: **WATER**

Sub-Matrix: WATER				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
EP074A: Monocyclic Aromatic Hydrocarbons (QC Lot: 2062578) - continued									
ES1835399-007	Anonymous	EP074: p-Isopropyltoluene	99-87-6	5	µg/L	<5	<5	0.00	No Limit
		EP074: n-Butylbenzene	104-51-8	5	µg/L	<5	<5	0.00	No Limit
ES1835239-001	QA200	EP074: Styrene	100-42-5	5	µg/L	<5	<5	0.00	No Limit
		EP074: Isopropylbenzene	98-82-8	5	µg/L	<5	<5	0.00	No Limit
		EP074: n-Propylbenzene	103-65-1	5	µg/L	<5	<5	0.00	No Limit
		EP074: 1.3.5-Trimethylbenzene	108-67-8	5	µg/L	<5	<5	0.00	No Limit
		EP074: sec-Butylbenzene	135-98-8	5	µg/L	<5	<5	0.00	No Limit
		EP074: 1.2.4-Trimethylbenzene	95-63-6	5	µg/L	<5	<5	0.00	No Limit
		EP074: tert-Butylbenzene	98-06-6	5	µg/L	<5	<5	0.00	No Limit
		EP074: p-Isopropyltoluene	99-87-6	5	µg/L	<5	<5	0.00	No Limit
		EP074: n-Butylbenzene	104-51-8	5	µg/L	<5	<5	0.00	No Limit
EP074B: Oxygenated Compounds (QC Lot: 2062578)									
ES1835399-007	Anonymous	EP074: Vinyl Acetate	108-05-4	50	µg/L	<50	<50	0.00	No Limit
		EP074: 2-Butanone (MEK)	78-93-3	50	µg/L	<50	<50	0.00	No Limit
		EP074: 4-Methyl-2-pentanone (MIBK)	108-10-1	50	µg/L	<50	<50	0.00	No Limit
		EP074: 2-Hexanone (MBK)	591-78-6	50	µg/L	<50	<50	0.00	No Limit
ES1835239-001	QA200	EP074: Vinyl Acetate	108-05-4	50	µg/L	<50	<50	0.00	No Limit
		EP074: 2-Butanone (MEK)	78-93-3	50	µg/L	<50	<50	0.00	No Limit
		EP074: 4-Methyl-2-pentanone (MIBK)	108-10-1	50	µg/L	<50	<50	0.00	No Limit
		EP074: 2-Hexanone (MBK)	591-78-6	50	µg/L	<50	<50	0.00	No Limit
EP074C: Sulfonated Compounds (QC Lot: 2062578)									
ES1835399-007	Anonymous	EP074: Carbon disulfide	75-15-0	5	µg/L	<5	<5	0.00	No Limit
ES1835239-001	QA200	EP074: Carbon disulfide	75-15-0	5	µg/L	<5	<5	0.00	No Limit
EP074D: Fumigants (QC Lot: 2062578)									
ES1835399-007	Anonymous	EP074: 2.2-Dichloropropane	594-20-7	5	µg/L	<5	<5	0.00	No Limit
		EP074: 1.2-Dichloropropane	78-87-5	5	µg/L	<5	<5	0.00	No Limit
		EP074: cis-1.3-Dichloropropylene	10061-01-5	5	µg/L	<5	<5	0.00	No Limit
		EP074: trans-1.3-Dichloropropylene	10061-02-6	5	µg/L	<5	<5	0.00	No Limit
		EP074: 1.2-Dibromoethane (EDB)	106-93-4	5	µg/L	<5	<5	0.00	No Limit
ES1835239-001	QA200	EP074: 2.2-Dichloropropane	594-20-7	5	µg/L	<5	<5	0.00	No Limit
		EP074: 1.2-Dichloropropane	78-87-5	5	µg/L	<5	<5	0.00	No Limit
		EP074: cis-1.3-Dichloropropylene	10061-01-5	5	µg/L	<5	<5	0.00	No Limit
		EP074: trans-1.3-Dichloropropylene	10061-02-6	5	µg/L	<5	<5	0.00	No Limit
		EP074: 1.2-Dibromoethane (EDB)	106-93-4	5	µg/L	<5	<5	0.00	No Limit
EP074E: Halogenated Aliphatic Compounds (QC Lot: 2062578)									
ES1835399-007	Anonymous	EP074: 1.1-Dichloroethene	75-35-4	5	µg/L	<5	<5	0.00	No Limit
		EP074: Iodomethane	74-88-4	5	µg/L	<5	<5	0.00	No Limit
		EP074: trans-1.2-Dichloroethene	156-60-5	5	µg/L	<5	<5	0.00	No Limit
		EP074: 1.1-Dichloroethane	75-34-3	5	µg/L	<5	<5	0.00	No Limit



Sub-Matrix: **WATER**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EP074E: Halogenated Aliphatic Compounds (QC Lot: 2062578) - continued</b>									
ES1835399-007	Anonymous	EP074: cis-1,2-Dichloroethene	156-59-2	5	µg/L	<5	<5	0.00	No Limit
		EP074: 1,1,1-Trichloroethane	71-55-6	5	µg/L	<5	<5	0.00	No Limit
		EP074: 1,1-Dichloropropylene	563-58-6	5	µg/L	<5	<5	0.00	No Limit
		EP074: Carbon Tetrachloride	56-23-5	5	µg/L	<5	<5	0.00	No Limit
		EP074: 1,2-Dichloroethane	107-06-2	5	µg/L	<5	<5	0.00	No Limit
		EP074: Trichloroethene	79-01-6	5	µg/L	<5	<5	0.00	No Limit
		EP074: Dibromomethane	74-95-3	5	µg/L	<5	<5	0.00	No Limit
		EP074: 1,1,2-Trichloroethane	79-00-5	5	µg/L	<5	<5	0.00	No Limit
		EP074: 1,3-Dichloropropane	142-28-9	5	µg/L	<5	<5	0.00	No Limit
		EP074: Tetrachloroethene	127-18-4	5	µg/L	<5	<5	0.00	No Limit
		EP074: 1,1,1,2-Tetrachloroethane	630-20-6	5	µg/L	<5	<5	0.00	No Limit
		EP074: trans-1,4-Dichloro-2-butene	110-57-6	5	µg/L	<5	<5	0.00	No Limit
		EP074: cis-1,4-Dichloro-2-butene	1476-11-5	5	µg/L	<5	<5	0.00	No Limit
		EP074: 1,1,2,2-Tetrachloroethane	79-34-5	5	µg/L	<5	<5	0.00	No Limit
		EP074: 1,2,3-Trichloropropane	96-18-4	5	µg/L	<5	<5	0.00	No Limit
		EP074: Pentachloroethane	76-01-7	5	µg/L	<5	<5	0.00	No Limit
		EP074: 1,2-Dibromo-3-chloropropane	96-12-8	5	µg/L	<5	<5	0.00	No Limit
		EP074: Hexachlorobutadiene	87-68-3	5	µg/L	<5	<5	0.00	No Limit
		EP074: Dichlorodifluoromethane	75-71-8	50	µg/L	<50	<50	0.00	No Limit
		EP074: Chloromethane	74-87-3	50	µg/L	<50	<50	0.00	No Limit
		EP074: Vinyl chloride	75-01-4	50	µg/L	<50	<50	0.00	No Limit
		EP074: Bromomethane	74-83-9	50	µg/L	<50	<50	0.00	No Limit
		EP074: Chloroethane	75-00-3	50	µg/L	<50	<50	0.00	No Limit
		EP074: Trichlorofluoromethane	75-69-4	50	µg/L	<50	<50	0.00	No Limit
ES1835239-001	QA200	EP074: 1,1-Dichloroethene	75-35-4	5	µg/L	<5	<5	0.00	No Limit
		EP074: Iodomethane	74-88-4	5	µg/L	<5	<5	0.00	No Limit
		EP074: trans-1,2-Dichloroethene	156-60-5	5	µg/L	<5	<5	0.00	No Limit
		EP074: 1,1-Dichloroethane	75-34-3	5	µg/L	<5	<5	0.00	No Limit
		EP074: cis-1,2-Dichloroethene	156-59-2	5	µg/L	<5	<5	0.00	No Limit
		EP074: 1,1,1-Trichloroethane	71-55-6	5	µg/L	<5	<5	0.00	No Limit
		EP074: 1,1-Dichloropropylene	563-58-6	5	µg/L	<5	<5	0.00	No Limit
		EP074: Carbon Tetrachloride	56-23-5	5	µg/L	<5	<5	0.00	No Limit
		EP074: 1,2-Dichloroethane	107-06-2	5	µg/L	<5	<5	0.00	No Limit
		EP074: Trichloroethene	79-01-6	5	µg/L	<5	<5	0.00	No Limit
		EP074: Dibromomethane	74-95-3	5	µg/L	<5	<5	0.00	No Limit
		EP074: 1,1,2-Trichloroethane	79-00-5	5	µg/L	<5	<5	0.00	No Limit
		EP074: 1,3-Dichloropropane	142-28-9	5	µg/L	<5	<5	0.00	No Limit
		EP074: Tetrachloroethene	127-18-4	5	µg/L	<5	<5	0.00	No Limit
		EP074: 1,1,1,2-Tetrachloroethane	630-20-6	5	µg/L	<5	<5	0.00	No Limit
		EP074: trans-1,4-Dichloro-2-butene	110-57-6	5	µg/L	<5	<5	0.00	No Limit



Sub-Matrix: **WATER**

Sub-Matrix: WATER				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
EP074E: Halogenated Aliphatic Compounds (QC Lot: 2062578) - continued									
ES1835239-001	QA200	EP074: cis-1.4-Dichloro-2-butene	1476-11-5	5	µg/L	<5	<5	0.00	No Limit
		EP074: 1.1.2.2-Tetrachloroethane	79-34-5	5	µg/L	<5	<5	0.00	No Limit
		EP074: 1.2.3-Trichloropropane	96-18-4	5	µg/L	<5	<5	0.00	No Limit
		EP074: Pentachloroethane	76-01-7	5	µg/L	<5	<5	0.00	No Limit
		EP074: 1.2-Dibromo-3-chloropropane	96-12-8	5	µg/L	<5	<5	0.00	No Limit
		EP074: Hexachlorobutadiene	87-68-3	5	µg/L	<5	<5	0.00	No Limit
		EP074: Dichlorodifluoromethane	75-71-8	50	µg/L	<50	<50	0.00	No Limit
		EP074: Chloromethane	74-87-3	50	µg/L	<50	<50	0.00	No Limit
		EP074: Vinyl chloride	75-01-4	50	µg/L	<50	<50	0.00	No Limit
		EP074: Bromomethane	74-83-9	50	µg/L	<50	<50	0.00	No Limit
		EP074: Chloroethane	75-00-3	50	µg/L	<50	<50	0.00	No Limit
		EP074: Trichlorofluoromethane	75-69-4	50	µg/L	<50	<50	0.00	No Limit
EP074F: Halogenated Aromatic Compounds (QC Lot: 2062578)									
ES1835399-007	Anonymous	EP074: Chlorobenzene	108-90-7	5	µg/L	<5	<5	0.00	No Limit
		EP074: Bromobenzene	108-86-1	5	µg/L	<5	<5	0.00	No Limit
		EP074: 2-Chlorotoluene	95-49-8	5	µg/L	<5	<5	0.00	No Limit
		EP074: 4-Chlorotoluene	106-43-4	5	µg/L	<5	<5	0.00	No Limit
		EP074: 1.3-Dichlorobenzene	541-73-1	5	µg/L	<5	<5	0.00	No Limit
		EP074: 1.4-Dichlorobenzene	106-46-7	5	µg/L	<5	<5	0.00	No Limit
		EP074: 1.2-Dichlorobenzene	95-50-1	5	µg/L	<5	<5	0.00	No Limit
		EP074: 1.2.4-Trichlorobenzene	120-82-1	5	µg/L	<5	<5	0.00	No Limit
		EP074: 1.2.3-Trichlorobenzene	87-61-6	5	µg/L	<5	<5	0.00	No Limit
ES1835239-001	QA200	EP074: Chlorobenzene	108-90-7	5	µg/L	<5	<5	0.00	No Limit
		EP074: Bromobenzene	108-86-1	5	µg/L	<5	<5	0.00	No Limit
		EP074: 2-Chlorotoluene	95-49-8	5	µg/L	<5	<5	0.00	No Limit
		EP074: 4-Chlorotoluene	106-43-4	5	µg/L	<5	<5	0.00	No Limit
		EP074: 1.3-Dichlorobenzene	541-73-1	5	µg/L	<5	<5	0.00	No Limit
		EP074: 1.4-Dichlorobenzene	106-46-7	5	µg/L	<5	<5	0.00	No Limit
		EP074: 1.2-Dichlorobenzene	95-50-1	5	µg/L	<5	<5	0.00	No Limit
		EP074: 1.2.4-Trichlorobenzene	120-82-1	5	µg/L	<5	<5	0.00	No Limit
EP074G: Trihalomethanes (QC Lot: 2062578)									
ES1835399-007	Anonymous	EP074: Chloroform	67-66-3	5	µg/L	<5	<5	0.00	No Limit
		EP074: Bromodichloromethane	75-27-4	5	µg/L	<5	<5	0.00	No Limit
		EP074: Dibromochloromethane	124-48-1	5	µg/L	<5	<5	0.00	No Limit
		EP074: Bromoform	75-25-2	5	µg/L	<5	<5	0.00	No Limit
ES1835239-001	QA200	EP074: Chloroform	67-66-3	5	µg/L	<5	<5	0.00	No Limit
		EP074: Bromodichloromethane	75-27-4	5	µg/L	<5	<5	0.00	No Limit
		EP074: Dibromochloromethane	124-48-1	5	µg/L	<5	<5	0.00	No Limit
		EP074: Bromoform	75-25-2	5	µg/L	<5	<5	0.00	No Limit





Sub-Matrix: **WATER**

Sub-Matrix: WATER				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
EP074H: Naphthalene (QC Lot: 2062578)									
ES1835399-007	Anonymous	EP074: Naphthalene	91-20-3	5	µg/L	<5	<5	0.00	No Limit
ES1835239-001	QA200	EP074: Naphthalene	91-20-3	5	µg/L	<5	<5	0.00	No Limit
EP075(SIM)B: Polynuclear Aromatic Hydrocarbons (QC Lot: 2058890)									
ES1835207-001	Anonymous	EP075(SIM): Benzo(a)pyrene	50-32-8	0.5	µg/L	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Naphthalene	91-20-3	1	µg/L	<1.0	<1.0	0.00	No Limit
		EP075(SIM): Acenaphthylene	208-96-8	1	µg/L	<1.0	<1.0	0.00	No Limit
		EP075(SIM): Acenaphthene	83-32-9	1	µg/L	<1.0	<1.0	0.00	No Limit
		EP075(SIM): Fluorene	86-73-7	1	µg/L	<1.0	<1.0	0.00	No Limit
		EP075(SIM): Phenanthrene	85-01-8	1	µg/L	<1.0	<1.0	0.00	No Limit
		EP075(SIM): Anthracene	120-12-7	1	µg/L	<1.0	<1.0	0.00	No Limit
		EP075(SIM): Fluoranthene	206-44-0	1	µg/L	<1.0	<1.0	0.00	No Limit
		EP075(SIM): Pyrene	129-00-0	1	µg/L	<1.0	<1.0	0.00	No Limit
		EP075(SIM): Benz(a)anthracene	56-55-3	1	µg/L	<1.0	<1.0	0.00	No Limit
		EP075(SIM): Chrysene	218-01-9	1	µg/L	<1.0	<1.0	0.00	No Limit
		EP075(SIM): Benzo(b+j)fluoranthene	205-99-2	1	µg/L	<1.0	<1.0	0.00	No Limit
			205-82-3						
		EP075(SIM): Benzo(k)fluoranthene	207-08-9	1	µg/L	<1.0	<1.0	0.00	No Limit
		EP075(SIM): Indeno(1.2.3.cd)pyrene	193-39-5	1	µg/L	<1.0	<1.0	0.00	No Limit
		EP075(SIM): Dibenz(a,h)anthracene	53-70-3	1	µg/L	<1.0	<1.0	0.00	No Limit
EP075(SIM): Benzo(g,h,i)perylene	191-24-2	1	µg/L	<1.0	<1.0	0.00	No Limit		
EP080/071: Total Petroleum Hydrocarbons (QC Lot: 2058891)									
ES1835207-001	Anonymous	EP071: C15 - C28 Fraction	----	100	µg/L	<100	<100	0.00	No Limit
		EP071: C10 - C14 Fraction	----	50	µg/L	<50	<50	0.00	No Limit
		EP071: C29 - C36 Fraction	----	50	µg/L	<50	<50	0.00	No Limit
EP080/071: Total Petroleum Hydrocarbons (QC Lot: 2062577)									
ES1835239-001	QA200	EP080: C6 - C9 Fraction	----	20	µg/L	<20	<20	0.00	No Limit
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QC Lot: 2058891)									
ES1835207-001	Anonymous	EP071: >C10 - C16 Fraction	----	100	µg/L	<100	<100	0.00	No Limit
		EP071: >C16 - C34 Fraction	----	100	µg/L	<100	<100	0.00	No Limit
		EP071: >C34 - C40 Fraction	----	100	µg/L	<100	<100	0.00	No Limit
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QC Lot: 2062577)									
ES1835239-001	QA200	EP080: C6 - C10 Fraction	C6_C10	20	µg/L	<20	<20	0.00	No Limit
EP080: BTEXN (QC Lot: 2062577)									
ES1835239-001	QA200	EP080: Benzene	71-43-2	1	µg/L	<1	<1	0.00	No Limit
		EP080: Toluene	108-88-3	2	µg/L	<2	<2	0.00	No Limit
		EP080: Ethylbenzene	100-41-4	2	µg/L	<2	<2	0.00	No Limit
		EP080: meta- & para-Xylene	108-38-3	2	µg/L	<2	<2	0.00	No Limit
			106-42-3						
		EP080: ortho-Xylene	95-47-6	2	µg/L	<2	<2	0.00	No Limit



Sub-Matrix: **WATER**

Sub-Matrix: WATER				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
EP080: BTEXN (QC Lot: 2062577) - continued									
ES1835239-001	QA200	EP080: Naphthalene	91-20-3	5	µg/L	<5	<5	0.00	No Limit
EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 2062581)									
EM1818839-069	Anonymous	EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	0.00	No Limit
		EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	0.00	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	<0.02	0.00	No Limit
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.02	µg/L	<0.02	<0.02	0.00	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	<0.02	0.00	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	0.00	No Limit
ES1835368-003	Anonymous	EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	0.09	0.10	0.00	No Limit
		EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	0.08	0.07	0.00	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	0.05	0.06	20.6	No Limit
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.02	µg/L	1.10	1.09	0.00	0% - 20%
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	0.02	0.00	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	<0.02	0.00	No Limit
EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 2062581)									
EM1818839-069	Anonymous	EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	0.00	No Limit
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	0.00	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	0.00	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	0.00	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	0.00	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	0.00	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	0.00	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	0.00	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	0.00	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	0.00	No Limit
		EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	0.00	No Limit
ES1835368-003	Anonymous	EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	0.02	0.02	0.00	No Limit
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	0.03	<0.02	0.00	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	0.16	0.16	0.00	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	0.00	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	<0.02	0.00	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	<0.02	0.00	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	<0.02	0.00	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	<0.02	0.00	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.02	µg/L	<0.02	<0.02	0.00	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	<0.05	0.00	No Limit
		EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	0.00	No Limit
EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 2062581)									
EM1818839-069	Anonymous	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	<0.02	0.00	No Limit



Sub-Matrix: **WATER**

Sub-Matrix: WATER				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 2062581) - continued									
EM1818839-069	Anonymous	EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	<0.02	0.00	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	<0.02	0.00	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	0.00	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	0.00	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	0.00	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	0.00	No Limit
ES1835368-003	Anonymous	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	<0.02	0.00	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	<0.02	0.00	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	<0.02	0.00	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	<0.05	0.00	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	<0.05	0.00	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	<0.05	0.00	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	<0.05	0.00	No Limit
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 2062581)									
EM1818839-069	Anonymous	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	0.00	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	0.00	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	0.00	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	0.00	No Limit
ES1835368-003	Anonymous	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	0.00	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	0.00	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	0.00	No Limit



Sub-Matrix: WATER				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 2062581) - continued									
ES1835368-003	Anonymous	EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	0.00	No Limit
EP231P: PFAS Sums (QC Lot: 2062581)									
EM1818839-069	Anonymous	EP231X: Sum of PFAS	----	0.01	µg/L	<0.01	<0.01	0.00	No Limit
ES1835368-003	Anonymous	EP231X: Sum of PFAS	----	0.01	µg/L	1.53	1.52	0.656	0% - 20%

The quality control term Method / Laboratory Blank refers to an analyte free matrix to which all reagents are added in the same volumes or proportions as used in standard sample preparation. The purpose of this QC parameter is to monitor potential laboratory contamination. The quality control term Laboratory Control Spike (LCS) refers to a certified reference material, or a known interference free matrix spiked with target analytes. The purpose of this QC parameter is to monitor method precision and accuracy independent of sample matrix. Dynamic Recovery Limits are based on statistical evaluation of processed LCS.

Method Blank (MB) Report	Laboratory Control Spike (LCS) Report			
	Spike Concentration	Spike Recovery (%) LCS	Recovery Limits (%) LowHigh	
Result				
<0.001	0.1 mg/L	102	85	114
<0.0001	0.1 mg/L	99.8	84	110
<0.001	0.1 mg/L	101	85	111
<0.001	0.1 mg/L	101	81	111
<0.001	0.1 mg/L	98.3	83	111
<0.001	0.1 mg/L	101	82	112
<0.005	0.1 mg/L	102	81	117
<0.0001	0.01 mg/L	90.8	83	105
<5	10 µg/L	92.9	73	119
<5	10 µg/L	103	76	118
<5	10 µg/L	99.6	69	119
<5	10 µg/L	98.9	74	116
<5	10 µg/L	102	73	119
<5	10 µg/L	97.2	74	116
<5	10 µg/L	101	72	116
<5	10 µg/L	93.8	71	119
<5	10 µg/L	98.6	65	123
<50	100 µg/L	87.7	61	134
<50	100 µg/L	102	74	130
<50	100 µg/L	100	66	132
<50	100 µg/L	99.8	65	137
<5	10 µg/L	95.6	73	127
<5	10 µg/L	102	68	122
<5	10 µg/L	103	76	118
<5	10 µg/L	97.8	62	120
<5	10 µg/L	96.2	60	114
<5	10 µg/L	102	69	117

Sub-Matrix: WATER				Method Blank (MB) Report	Laboratory Control Spike (LCS) Report			
					Spike Concentration	Spike Recovery (%)	Recovery Limits (%)	
Method: Compound	CAS Number	LOR	Unit	Result		LCS	Low	High
EP074E: Halogenated Aliphatic Compounds (QCLot: 2062578) - continued								
EP074: Dichlorodifluoromethane	75-71-8	50	µg/L	<50	100 µg/L	92.9	61	138
EP074: Chloromethane	74-87-3	50	µg/L	<50	100 µg/L	99.7	67	130
EP074: Vinyl chloride	75-01-4	50	µg/L	<50	100 µg/L	104	69	129
EP074: Bromomethane	74-83-9	50	µg/L	<50	100 µg/L	99.3	56	140
EP074: Chloroethane	75-00-3	50	µg/L	<50	100 µg/L	100	61	139
EP074: Trichlorofluoromethane	75-69-4	50	µg/L	<50	100 µg/L	103	69	131
EP074: 1,1-Dichloroethene	75-35-4	5	µg/L	<5	10 µg/L	103	70	124
EP074: Iodomethane	74-88-4	5	µg/L	<5	10 µg/L	71.6	70	128
EP074: trans-1,2-Dichloroethene	156-60-5	5	µg/L	<5	10 µg/L	105	74	118
EP074: 1,1-Dichloroethane	75-34-3	5	µg/L	<5	10 µg/L	102	74	120
EP074: cis-1,2-Dichloroethene	156-59-2	5	µg/L	<5	10 µg/L	102	77	119
EP074: 1,1,1-Trichloroethane	71-55-6	5	µg/L	<5	10 µg/L	105	67	119
EP074: 1,1-Dichloropropylene	563-58-6	5	µg/L	<5	10 µg/L	103	73	119
EP074: Carbon Tetrachloride	56-23-5	5	µg/L	<5	10 µg/L	102	62	120
EP074: 1,2-Dichloroethane	107-06-2	5	µg/L	<5	10 µg/L	102	73	123
EP074: Trichloroethene	79-01-6	5	µg/L	<5	10 µg/L	102	76	118
EP074: Dibromomethane	74-95-3	5	µg/L	<5	10 µg/L	101	73	119
EP074: 1,1,2-Trichloroethane	79-00-5	5	µg/L	<5	10 µg/L	99.4	72	126
EP074: 1,3-Dichloropropane	142-28-9	5	µg/L	<5	10 µg/L	107	71	129
EP074: Tetrachloroethene	127-18-4	5	µg/L	<5	10 µg/L	102	72	124
EP074: 1,1,1,2-Tetrachloroethane	630-20-6	5	µg/L	<5	10 µg/L	99.0	66	114
EP074: trans-1,4-Dichloro-2-butene	110-57-6	5	µg/L	<5	10 µg/L	86.7	60	120
EP074: cis-1,4-Dichloro-2-butene	1476-11-5	5	µg/L	<5	10 µg/L	94.9	71	128
EP074: 1,1,2,2-Tetrachloroethane	79-34-5	5	µg/L	<5	10 µg/L	101	70	124
EP074: 1,2,3-Trichloropropane	96-18-4	5	µg/L	<5	10 µg/L	101	74	126
EP074: Pentachloroethane	76-01-7	5	µg/L	<5	10 µg/L	97.5	72	126
EP074: 1,2-Dibromo-3-chloropropane	96-12-8	5	µg/L	<5	10 µg/L	92.6	66	136
EP074: Hexachlorobutadiene	87-68-3	5	µg/L	<5	10 µg/L	98.5	58	130
EP074F: Halogenated Aromatic Compounds (QCLot: 2062578)								
EP074: Chlorobenzene	108-90-7	5	µg/L	<5	10 µg/L	103	79	117
EP074: Bromobenzene	108-86-1	5	µg/L	<5	10 µg/L	99.9	76	116
EP074: 2-Chlorotoluene	95-49-8	5	µg/L	<5	10 µg/L	101	73	119
EP074: 4-Chlorotoluene	106-43-4	5	µg/L	<5	10 µg/L	100	73	119
EP074: 1,3-Dichlorobenzene	541-73-1	5	µg/L	<5	10 µg/L	95.8	75	117
EP074: 1,4-Dichlorobenzene	106-46-7	5	µg/L	<5	10 µg/L	98.5	74	118
EP074: 1,2-Dichlorobenzene	95-50-1	5	µg/L	<5	10 µg/L	98.8	75	117
EP074: 1,2,4-Trichlorobenzene	120-82-1	5	µg/L	<5	10 µg/L	95.1	61	125
EP074: 1,2,3-Trichlorobenzene	87-61-6	5	µg/L	<5	10 µg/L	95.8	67	123
EP074G: Trihalomethanes (QCLot: 2062578)								





Sub-Matrix: **WATER**

Method: Compound				Method Blank (MB) Report Result	Laboratory Control Spike (LCS) Report			
					Spike Concentration	Spike Recovery (%) LCS	Recovery Limits (%)	
							Low	High
CAS Number	LOR	Unit						
<b>EP074G: Trihalomethanes (QCLot: 2062578) - continued</b>								
EP074: Chloroform	67-66-3	5	µg/L	<5	10 µg/L	103	72	120
EP074: Bromodichloromethane	75-27-4	5	µg/L	<5	10 µg/L	96.0	64	118
EP074: Dibromochloromethane	124-48-1	5	µg/L	<5	10 µg/L	93.2	65	115
EP074: Bromoform	75-25-2	5	µg/L	<5	10 µg/L	89.0	74	126
<b>EP074H: Naphthalene (QCLot: 2062578)</b>								
EP074: Naphthalene	91-20-3	5	µg/L	<5	10 µg/L	101	72	122
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons (QCLot: 2058890)</b>								
EP075(SIM): Naphthalene	91-20-3	1	µg/L	<1.0	5 µg/L	76.9	50	94
EP075(SIM): Acenaphthylene	208-96-8	1	µg/L	<1.0	5 µg/L	95.1	64	114
EP075(SIM): Acenaphthene	83-32-9	1	µg/L	<1.0	5 µg/L	93.7	62	113
EP075(SIM): Fluorene	86-73-7	1	µg/L	<1.0	5 µg/L	87.5	64	115
EP075(SIM): Phenanthrene	85-01-8	1	µg/L	<1.0	5 µg/L	70.0	63	116
EP075(SIM): Anthracene	120-12-7	1	µg/L	<1.0	5 µg/L	86.7	64	116
EP075(SIM): Fluoranthene	206-44-0	1	µg/L	<1.0	5 µg/L	100.0	64	118
EP075(SIM): Pyrene	129-00-0	1	µg/L	<1.0	5 µg/L	90.1	63	118
EP075(SIM): Benz(a)anthracene	56-55-3	1	µg/L	<1.0	5 µg/L	91.4	64	117
EP075(SIM): Chrysene	218-01-9	1	µg/L	<1.0	5 µg/L	93.1	63	116
EP075(SIM): Benzo(b+j)fluoranthene	205-99-2	1	µg/L	<1.0	5 µg/L	73.6	62	119
	205-82-3							
EP075(SIM): Benzo(k)fluoranthene	207-08-9	1	µg/L	<1.0	5 µg/L	94.0	63	115
EP075(SIM): Benzo(a)pyrene	50-32-8	0.5	µg/L	<0.5	5 µg/L	83.0	63	117
EP075(SIM): Indeno(1.2.3.cd)pyrene	193-39-5	1	µg/L	<1.0	5 µg/L	78.4	60	118
EP075(SIM): Dibenz(a,h)anthracene	53-70-3	1	µg/L	<1.0	5 µg/L	85.7	61	117
EP075(SIM): Benzo(g,h,i)perylene	191-24-2	1	µg/L	<1.0	5 µg/L	84.5	59	118
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 2058891)</b>								
EP071: C10 - C14 Fraction	----	50	µg/L	<50	2000 µg/L	89.8	76	116
EP071: C15 - C28 Fraction	----	100	µg/L	<100	3000 µg/L	100	83	109
EP071: C29 - C36 Fraction	----	50	µg/L	<50	2000 µg/L	85.9	75	113
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 2062577)</b>								
EP080: C6 - C9 Fraction	----	20	µg/L	<20	260 µg/L	82.6	75	127
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 2058891)</b>								
EP071: >C10 - C16 Fraction	----	100	µg/L	<100	2500 µg/L	94.0	76	114
EP071: >C16 - C34 Fraction	----	100	µg/L	<100	3500 µg/L	87.3	81	111
EP071: >C34 - C40 Fraction	----	100	µg/L	<100	1500 µg/L	103	77	119
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 2062577)</b>								
EP080: C6 - C10 Fraction	C6_C10	20	µg/L	<20	310 µg/L	87.5	75	127
<b>EP080: BTEXN (QCLot: 2062577)</b>								
EP080: Benzene	71-43-2	1	µg/L	<1	10 µg/L	93.1	70	122



Sub-Matrix: **WATER**

				Method Blank (MB) Report	Laboratory Control Spike (LCS) Report			
					Spike Concentration	Spike Recovery (%) LCS	Recovery Limits (%) Low High	
Method: Compound	CAS Number	LOR	Unit	Result				
<b>EP080: BTEXN (QCLot: 2062577) - continued</b>								
EP080: Toluene	108-88-3	2	µg/L	<2	10 µg/L	87.4	69	123
EP080: Ethylbenzene	100-41-4	2	µg/L	<2	10 µg/L	88.2	70	120
EP080: meta- & para-Xylene	108-38-3 106-42-3	2	µg/L	<2	10 µg/L	87.1	69	121
EP080: ortho-Xylene	95-47-6	2	µg/L	<2	10 µg/L	91.4	72	122
EP080: Naphthalene	91-20-3	5	µg/L	<5	10 µg/L	96.8	70	120
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 2062581)</b>								
EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	0.5 µg/L	90.2	70	130
EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.02	µg/L	<0.02	0.5 µg/L	97.4	70	130
EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.02	µg/L	<0.02	0.5 µg/L	103	70	130
EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.02	µg/L	<0.02	0.5 µg/L	107	70	130
EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	0.5 µg/L	102	70	130
EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.02	µg/L	<0.02	0.5 µg/L	104	70	130
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 2062581)</b>								
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	2.5 µg/L	103	70	130
EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	0.5 µg/L	103	70	130
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	0.5 µg/L	112	70	130
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	0.5 µg/L	119	70	130
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	0.5 µg/L	111	70	130
EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.02	µg/L	<0.02	0.5 µg/L	110	70	130
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.02	µg/L	<0.02	0.5 µg/L	110	70	130
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.02	µg/L	<0.02	0.5 µg/L	113	70	130
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.02	µg/L	<0.02	0.5 µg/L	113	70	130
EP231X: Perfluorotridecanoic acid (PFTriDA)	72629-94-8	0.02	µg/L	<0.02	0.5 µg/L	101	70	130
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.05	µg/L	<0.05	1.25 µg/L	110	70	150
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 2062581)</b>								
EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.02	µg/L	<0.02	0.5 µg/L	96.0	70	130
EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.05	µg/L	<0.05	1.25 µg/L	118	70	150
EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.05	µg/L	<0.05	1.25 µg/L	112	70	150
EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	0.05	µg/L	<0.05	1.25 µg/L	114	70	150
EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.05	µg/L	<0.05	1.25 µg/L	114	70	150
EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.02	µg/L	<0.02	0.5 µg/L	99.2	70	130
EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.02	µg/L	<0.02	0.5 µg/L	106	70	130
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 2062581)</b>								
EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	0.5 µg/L	114	70	130

Sub-Matrix: **WATER**

Sub-Matrix: WATER				Method Blank (MB) Report	Laboratory Control Spike (LCS) Report			
					Spike Concentration	Spike Recovery (%) LCS	Recovery Limits (%) Low High	
Method: Compound	CAS Number	LOR	Unit	Result				
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 2062581) - continued								
EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	0.5 µg/L	107	70	130
EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	0.5 µg/L	119	70	130
EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	0.5 µg/L	94.2	70	130

### Matrix Spike (MS) Report

The quality control term Matrix Spike (MS) refers to an intralaboratory split sample spiked with a representative set of target analytes. The purpose of this QC parameter is to monitor potential matrix effects on analyte recoveries. Static Recovery Limits as per laboratory Data Quality Objectives (DQOs). Ideal recovery ranges stated may be waived in the event of sample matrix interference.

Sub-Matrix: **WATER**

Sub-Matrix: WATER				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Recovery Limits (%)	
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
EG020F: Dissolved Metals by ICP-MS (QCLot: 2061594)							
ES1835326-001	Anonymous	EG020A-F: Arsenic	7440-38-2	1 mg/L	106	70	130
		EG020A-F: Cadmium	7440-43-9	0.25 mg/L	105	70	130
		EG020A-F: Chromium	7440-47-3	1 mg/L	107	70	130
		EG020A-F: Copper	7440-50-8	1 mg/L	104	70	130
		EG020A-F: Lead	7439-92-1	1 mg/L	104	70	130
		EG020A-F: Nickel	7440-02-0	1 mg/L	106	70	130
		EG020A-F: Zinc	7440-66-6	1 mg/L	107	70	130
EG035F: Dissolved Mercury by FIMS (QCLot: 2061595)							
ES1835239-001	QA200	EG035F: Mercury	7439-97-6	0.01 mg/L	87.6	70	130
EP074E: Halogenated Aliphatic Compounds (QCLot: 2062578)							
ES1835239-001	QA200	EP074: 1,1-Dichloroethene	75-35-4	25 µg/L	117	70	130
		EP074: Trichloroethene	79-01-6	25 µg/L	98.7	70	130
EP074F: Halogenated Aromatic Compounds (QCLot: 2062578)							
ES1835239-001	QA200	EP074: Chlorobenzene	108-90-7	25 µg/L	97.7	70	130
EP075(SIM)B: Polynuclear Aromatic Hydrocarbons (QCLot: 2058890)							
ES1835207-004	Anonymous	EP075(SIM): Acenaphthene	83-32-9	20 µg/L	77.0	70	130
		EP075(SIM): Pyrene	129-00-0	20 µg/L	87.5	70	130
EP080/071: Total Petroleum Hydrocarbons (QCLot: 2058891)							
ES1835207-004	Anonymous	EP071: C10 - C14 Fraction	----	200 µg/L	109	74	150
		EP071: C15 - C28 Fraction	----	300 µg/L	114	77	153
		EP071: C29 - C36 Fraction	----	200 µg/L	123	67	153
EP080/071: Total Petroleum Hydrocarbons (QCLot: 2062577)							
ES1835239-001	QA200	EP080: C6 - C9 Fraction	----	325 µg/L	98.3	70	130
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 2058891)							



Sub-Matrix: **WATER**

Sub-Matrix: WATER				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Recovery Limits (%)	
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 2058891) - continued							
ES1835207-004	Anonymous	EP071: >C10 - C16 Fraction	----	250 µg/L	110	74	150
		EP071: >C16 - C34 Fraction	----	350 µg/L	109	77	153
		EP071: >C34 - C40 Fraction	----	150 µg/L	111	67	153
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 2062577)							
ES1835239-001	QA200	EP080: C6 - C10 Fraction	C6_C10	375 µg/L	111	70	130
EP080: BTEXN (QCLot: 2062577)							
ES1835239-001	QA200	EP080: Benzene	71-43-2	25 µg/L	106	70	130
		EP080: Toluene	108-88-3	25 µg/L	95.8	70	130
		EP080: Ethylbenzene	100-41-4	25 µg/L	95.2	70	130
		EP080: meta- & para-Xylene	108-38-3	25 µg/L	93.9	70	130
			106-42-3				
		EP080: ortho-Xylene	95-47-6	25 µg/L	97.2	70	130
		EP080: Naphthalene	91-20-3	25 µg/L	91.8	70	130
EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 2062581)							
EM1818839-069	Anonymous	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.5 µg/L	80.6	50	130
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.5 µg/L	93.0	50	130
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.5 µg/L	110	50	130
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.5 µg/L	102	50	130
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.5 µg/L	95.4	50	130
		EP231X: Perfluorodecane sulfonic acid (PFDS)	335-77-3	0.5 µg/L	97.8	50	130
EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 2062581)							
EM1818839-069	Anonymous	EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	2.5 µg/L	97.8	50	130
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.5 µg/L	103	50	130
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.5 µg/L	96.4	50	130
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.5 µg/L	114	50	130
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.5 µg/L	102	50	130
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.5 µg/L	110	50	130
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.5 µg/L	93.6	50	130
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.5 µg/L	108	50	130
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.5 µg/L	98.6	50	130
		EP231X: Perfluorotridecanoic acid (PFTTrDA)	72629-94-8	0.5 µg/L	88.8	50	130
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	1.25 µg/L	105	50	150
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 2062581)							
EM1818839-069	Anonymous	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.5 µg/L	82.2	50	130
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	1.25 µg/L	107	50	150
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	1.25 µg/L	103	50	150



Sub-Matrix: **WATER**

Sub-Matrix: WATER				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Recovery Limits (%)	
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
EP231C: Perfluoroalkyl Sulfonamides (QCLot: 2062581) - continued							
EM1818839-069	Anonymous	EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	24448-09-7	1.25 µg/L	114	50	150
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	1.25 µg/L	118	50	150
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.5 µg/L	97.4	50	130
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.5 µg/L	81.8	50	130
EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 2062581)							
EM1818839-069	Anonymous	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.5 µg/L	117	50	130
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.5 µg/L	104	50	130
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.5 µg/L	115	50	130
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.5 µg/L	90.0	50	130

## QA/QC Compliance Assessment to assist with Quality Review

Work Order	: ES1835239	Page	: 1 of 6
Client	: CARDNO (NSW/ACT) PTY LTD	Laboratory	: Environmental Division Sydney
Contact	: MR BEN WITHNALL	Telephone	: +61-2-8784 8555
Project	: KYEEMAGH INFANTS SCHOOL 80818157	Date Samples Received	: 26-Nov-2018
Site	: ----	Issue Date	: 03-Dec-2018
Sampler	: JOEL GRIFFITHS	No. of samples received	: 1
Order number	:	No. of samples analysed	: 1

This report is automatically generated by the ALS LIMS through interpretation of the ALS Quality Control Report and several Quality Assurance parameters measured by ALS. This automated reporting highlights any non-conformances, facilitates faster and more accurate data validation and is designed to assist internal expert and external Auditor review. Many components of this report contribute to the overall DQO assessment and reporting for guideline compliance.

Brief method summaries and references are also provided to assist in traceability.

### Summary of Outliers

#### Outliers : Quality Control Samples

This report highlights outliers flagged in the Quality Control (QC) Report.

- **NO** Method Blank value outliers occur.
- **NO** Duplicate outliers occur.
- **NO** Laboratory Control outliers occur.
- **NO** Matrix Spike outliers occur.
- For all regular sample matrices, **NO** surrogate recovery outliers occur.

#### Outliers : Analysis Holding Time Compliance

- **NO** Analysis Holding Time Outliers exist.

#### Outliers : Frequency of Quality Control Samples

- **NO** Quality Control Sample Frequency Outliers exist.





## Analysis Holding Time Compliance

If samples are identified below as having been analysed or extracted outside of recommended holding times, this should be taken into consideration when interpreting results.

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times (referencing USEPA SW 846, APHA, AS and NEPM) based on the sample container provided. Dates reported represent first date of extraction or analysis and preclude subsequent dilutions and reruns. A listing of breaches (if any) is provided herein.

Holding time for leachate methods (e.g. TCLP) vary according to the analytes reported. Assessment compares the leach date with the shortest analyte holding time for the equivalent soil method. These are: organics 14 days, mercury 28 days & other metals 180 days. A recorded breach does not guarantee a breach for all non-volatile parameters.

Holding times for VOC in soils vary according to analytes of interest. Vinyl Chloride and Styrene holding time is 7 days; others 14 days. A recorded breach does not guarantee a breach for all VOC analytes and should be verified in case the reported breach is a false positive or Vinyl Chloride and Styrene are not key analytes of interest/concern.

Matrix: **WATER**

Evaluation: ✖ = Holding time breach ; ✔ = Within holding time.

Method	Sample Date	Extraction / Preparation			Analysis		
Container / Client Sample ID(s)		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation
EG020F: Dissolved Metals by ICP-MS							
Clear Plastic Bottle - Nitric Acid; Filtered (EG020A-F) QA200	23-Nov-2018	----	----	----	28-Nov-2018	22-May-2019	✓
EG035F: Dissolved Mercury by FIMS							
Clear Plastic Bottle - Nitric Acid; Filtered (EG035F) QA200	23-Nov-2018	----	----	----	29-Nov-2018	21-Dec-2018	✓
EP074A: Monocyclic Aromatic Hydrocarbons							
Clear glass VOC vial - HCl (EP074) QA200	23-Nov-2018	29-Nov-2018	07-Dec-2018	✓	29-Nov-2018	07-Dec-2018	✓
EP074B: Oxygenated Compounds							
Clear glass VOC vial - HCl (EP074) QA200	23-Nov-2018	29-Nov-2018	07-Dec-2018	✓	29-Nov-2018	07-Dec-2018	✓
EP074C: Sulfonated Compounds							
Clear glass VOC vial - HCl (EP074) QA200	23-Nov-2018	29-Nov-2018	07-Dec-2018	✓	29-Nov-2018	07-Dec-2018	✓
EP074D: Fumigants							
Clear glass VOC vial - HCl (EP074) QA200	23-Nov-2018	29-Nov-2018	07-Dec-2018	✓	29-Nov-2018	07-Dec-2018	✓
EP074E: Halogenated Aliphatic Compounds							
Clear glass VOC vial - HCl (EP074) QA200	23-Nov-2018	29-Nov-2018	07-Dec-2018	✓	29-Nov-2018	07-Dec-2018	✓
EP074F: Halogenated Aromatic Compounds							
Clear glass VOC vial - HCl (EP074) QA200	23-Nov-2018	29-Nov-2018	07-Dec-2018	✓	29-Nov-2018	07-Dec-2018	✓
EP074G: Trihalomethanes							
Clear glass VOC vial - HCl (EP074) QA200	23-Nov-2018	29-Nov-2018	07-Dec-2018	✓	29-Nov-2018	07-Dec-2018	✓
EP074H: Naphthalene							
Clear glass VOC vial - HCl (EP074) QA200	23-Nov-2018	29-Nov-2018	07-Dec-2018	✓	29-Nov-2018	07-Dec-2018	✓



Matrix: **WATER**

Evaluation: ✖ = Holding time breach ; ✔ = Within holding time.

Method	Sample Date	Extraction / Preparation			Analysis		
Container / Client Sample ID(s)		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation
EP075(SIM)B: Polynuclear Aromatic Hydrocarbons							
Amber Glass Bottle - Unpreserved (EP075(SIM)) QA200	23-Nov-2018	27-Nov-2018	30-Nov-2018	✓	29-Nov-2018	06-Jan-2019	✓
EP080/071: Total Petroleum Hydrocarbons							
Amber Glass Bottle - Unpreserved (EP071) QA200	23-Nov-2018	27-Nov-2018	30-Nov-2018	✓	28-Nov-2018	06-Jan-2019	✓
Clear glass VOC vial - HCl (EP080) QA200	23-Nov-2018	29-Nov-2018	07-Dec-2018	✓	29-Nov-2018	07-Dec-2018	✓
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions							
Amber Glass Bottle - Unpreserved (EP071) QA200	23-Nov-2018	27-Nov-2018	30-Nov-2018	✓	28-Nov-2018	06-Jan-2019	✓
Clear glass VOC vial - HCl (EP080) QA200	23-Nov-2018	29-Nov-2018	07-Dec-2018	✓	29-Nov-2018	07-Dec-2018	✓
EP080: BTEXN							
Clear glass VOC vial - HCl (EP080) QA200	23-Nov-2018	29-Nov-2018	07-Dec-2018	✓	29-Nov-2018	07-Dec-2018	✓
EP231A: Perfluoroalkyl Sulfonic Acids							
HDPE (no PTFE) (EP231X) QA200	23-Nov-2018	28-Nov-2018	22-May-2019	✓	29-Nov-2018	22-May-2019	✓
EP231B: Perfluoroalkyl Carboxylic Acids							
HDPE (no PTFE) (EP231X) QA200	23-Nov-2018	28-Nov-2018	22-May-2019	✓	29-Nov-2018	22-May-2019	✓
EP231C: Perfluoroalkyl Sulfonamides							
HDPE (no PTFE) (EP231X) QA200	23-Nov-2018	28-Nov-2018	22-May-2019	✓	29-Nov-2018	22-May-2019	✓
EP231D: (n:2) Fluorotelomer Sulfonic Acids							
HDPE (no PTFE) (EP231X) QA200	23-Nov-2018	28-Nov-2018	22-May-2019	✓	29-Nov-2018	22-May-2019	✓
EP231P: PFAS Sums							
HDPE (no PTFE) (EP231X) QA200	23-Nov-2018	28-Nov-2018	22-May-2019	✓	29-Nov-2018	22-May-2019	✓



## Quality Control Parameter Frequency Compliance

The following report summarises the frequency of laboratory QC samples analysed within the analytical lot(s) in which the submitted sample(s) was(were) processed. Actual rate should be greater than or equal to the expected rate. A listing of breaches is provided in the Summary of Outliers.

Matrix: **WATER**

Evaluation: ✖ = Quality Control frequency not within specification ; ✔ = Quality Control frequency within specification.

Quality Control Sample Type		Count		Rate (%)			Quality Control Specification
Analytical Methods	Method	QC	Regular	Actual	Expected	Evaluation	
Laboratory Duplicates (DUP)							
Dissolved Mercury by FIMS	EG035F	1	7	14.29	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Dissolved Metals by ICP-MS - Suite A	EG020A-F	2	12	16.67	10.00	✓	NEPM 2013 B3 & ALS QC Standard
PAH/Phenols (GC/MS - SIM)	EP075(SIM)	1	4	25.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071	1	4	25.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH Volatiles/BTEX	EP080	1	10	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Volatile Organic Compounds	EP074	2	15	13.33	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Laboratory Control Samples (LCS)							
Dissolved Mercury by FIMS	EG035F	1	7	14.29	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Dissolved Metals by ICP-MS - Suite A	EG020A-F	1	12	8.33	5.00	✓	NEPM 2013 B3 & ALS QC Standard
PAH/Phenols (GC/MS - SIM)	EP075(SIM)	1	4	25.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071	1	4	25.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH Volatiles/BTEX	EP080	1	10	10.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Volatile Organic Compounds	EP074	1	15	6.67	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Method Blanks (MB)							
Dissolved Mercury by FIMS	EG035F	1	7	14.29	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Dissolved Metals by ICP-MS - Suite A	EG020A-F	1	12	8.33	5.00	✓	NEPM 2013 B3 & ALS QC Standard
PAH/Phenols (GC/MS - SIM)	EP075(SIM)	1	4	25.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071	1	4	25.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH Volatiles/BTEX	EP080	1	10	10.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Volatile Organic Compounds	EP074	1	15	6.67	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Matrix Spikes (MS)							
Dissolved Mercury by FIMS	EG035F	1	7	14.29	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Dissolved Metals by ICP-MS - Suite A	EG020A-F	1	12	8.33	5.00	✓	NEPM 2013 B3 & ALS QC Standard
PAH/Phenols (GC/MS - SIM)	EP075(SIM)	1	4	25.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071	1	4	25.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH Volatiles/BTEX	EP080	1	10	10.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Volatile Organic Compounds	EP074	1	15	6.67	5.00	✓	NEPM 2013 B3 & ALS QC Standard



## Brief Method Summaries

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the US EPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request. The following report provides brief descriptions of the analytical procedures employed for results reported in the Certificate of Analysis. Sources from which ALS methods have been developed are provided within the Method Descriptions.

Analytical Methods	Method	Matrix	Method Descriptions
Dissolved Metals by ICP-MS - Suite A	EG020A-F	WATER	In house: Referenced to APHA 3125; USEPA SW846 - 6020, ALS QWI-EN/EG020. Samples are 0.45µm filtered prior to analysis. The ICPMS technique utilizes a highly efficient argon plasma to ionize selected elements. Ions are then passed into a high vacuum mass spectrometer, which separates the analytes based on their distinct mass to charge ratios prior to their measurement by a discrete dynode ion detector.
Dissolved Mercury by FIMS	EG035F	WATER	In house: Referenced to AS 3550, APHA 3112 Hg - B (Flow-injection (SnCl <sub>2</sub> )(Cold Vapour generation) AAS) Samples are 0.45µm filtered prior to analysis. FIM-AAS is an automated flameless atomic absorption technique. A bromate/bromide reagent is used to oxidise any organic mercury compounds in the filtered sample. The ionic mercury is reduced online to atomic mercury vapour by SnCl <sub>2</sub> which is then purged into a heated quartz cell. Quantification is by comparing absorbance against a calibration curve. This method is compliant with NEPM (2013) Schedule B(3)
TRH - Semivolatile Fraction	EP071	WATER	In house: Referenced to USEPA SW 846 - 8015A The sample extract is analysed by Capillary GC/FID and quantification is by comparison against an established 5 point calibration curve of n-Alkane standards. This method is compliant with the QC requirements of NEPM (2013) Schedule B(3)
Volatile Organic Compounds	EP074	WATER	In house: Referenced to USEPA SW 846 - 8260B Water samples are directly purged prior to analysis by Capillary GC/MS and quantification is by comparison against an established 5 point calibration curve. This method is compliant with NEPM (2013) Schedule B(3)
PAH/Phenols (GC/MS - SIM)	EP075(SIM)	WATER	In house: Referenced to USEPA SW 846 - 8270D Sample extracts are analysed by Capillary GC/MS in SIM Mode and quantification is by comparison against an established 5 point calibration curve. This method is compliant with NEPM (2013) Schedule B(3)
TRH Volatiles/BTEX	EP080	WATER	In house: Referenced to USEPA SW 846 - 8260B Water samples are directly purged prior to analysis by Capillary GC/MS and quantification is by comparison against an established 5 point calibration curve. Alternatively, a sample is equilibrated in a headspace vial and a portion of the headspace determined by GCMS analysis. This method is compliant with the QC requirements of NEPM (2013) Schedule B(3)
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	WATER	In house: Direct injection analysis of fresh waters after dilution (1:1) with methanol. Analysis by LC-Electrospray-MS-MS, Negative Mode using MRM. Where commercially available, isotopically labelled analogues of the target analytes are used as internal standards for quantification. Where a labelled analogue is not commercially available, the internal standard with similar chemistry and the closest retention time to the target is used for quantification. The DQO for internal standard response is 50-150% of that established at initial calibration. PFOS is quantified using a certified, traceable standard consisting of linear and branched PFOS isomers. This method complies with the quality control definitions as stated in QSM 5.1. Data is reviewed in line with the DQOs as stated in QSM5.1
Preparation Methods	Method	Matrix	Method Descriptions
Preparation for PFAS in water.	EP231-PR	WATER	Method presumes direct injection without workup. Preparation includes addition of internal standard and surrogate, and filtration prior to analysis.

Page : 6 of 6  
Work Order : ES1835239  
Client : CARDNO (NSW/ACT) PTY LTD  
Project : KYEEMAGH INFANTS SCHOOL 80818157



Preparation Methods	Method	Matrix	Method Descriptions
Separatory Funnel Extraction of Liquids	ORG14	WATER	In house: Referenced to USEPA SW 846 - 3510B 100 mL to 1L of sample is transferred to a separatory funnel and serially extracted three times using 60mL DCM for each extract. The resultant extracts are combined, dehydrated and concentrated for analysis. This method is compliant with NEPM (2013) Schedule B(3) . ALS default excludes sediment which may be resident in the container.
Volatiles Water Preparation	ORG16-W	WATER	A 5 mL aliquot or 5 mL of a diluted sample is added to a 40 mL VOC vial for sparging.

APPENDIX

G

QA/QC REPORT



## Quality Control / Quality Assurance Report

Quality Assurance/Quality Control (QA/QC) procedures were implemented to ensure the precision accuracy, representativeness, completeness and comparability of all data gathered. The QA/QC procedures included:

- > Equipment calibration to ensure field measurements obtained are accurate;
- > Equipment decontamination to prevent cross contamination;
- > The completion of a log for each soil bore;
- > Use of appropriate measures (i.e. gloves) to prevent cross contamination;
- > Appropriate sample identification;
- > Collection and analysis of duplicate samples for QA/QC purposes;
- > Correct sample preservation;
- > Sample transport with Chain of Custody (COC) documentation; and
- > Laboratory analysis in accordance with NATA accredited methods.

**Table G-1** details the QA/QC procedures and sample collection details undertaken through the elements of the investigation. **Table G-2** summarises the number of QA/QC samples collected during this investigation. Copies of all the COCs, along with the Sample Receipt Notifications (SRNs), Interpretive QA/QC Reports are provided in **Appendix F**.

Table G-1 Field QA/QC Method Validation

Requirement	Yes/No	Comments
Equipment calibration	Yes	Calibration certificates are presented at the end of this Appendix.
Equipment decontamination	Yes	Decontamination of sampling equipment (hand auger and solid flight) was undertaken by washing with phosphate free detergent (Liquinox) followed by a rinse with potable water.
Soil logging	Yes	All intrusive locations and soil samples collected were logged in accordance with the Unified Soil Classification System. Borehole logs provided in <b>Appendix E</b> .
Sample collection	Yes	Samples were collected using disposable nitrile gloves and placed directly into appropriate sample jars and resealable bags provided by the laboratory. A clean pair of gloves was used for each new sample being collected to limit the possibility of cross-contamination.
Sample identification	Yes	All samples were marked with a unique identifier including project number, sample location, depth and date.
QA/QC sample collection	Yes	Two soil duplicate samples were collected for intra-lab QA/QC purposes with a further two triplicate soil samples collected to monitor the quality of the field practices for sample collection. Cardno based the investigation around a rate of one duplicate sample per 20 primary samples as the requirement for duplicate sample collection.
Sample preservation	Yes	Samples were placed in a chilled ice box with ice for storage and transport to the laboratory. Samples for ASS analysis were frozen following field works.
COC documentation	Yes	A COC form was completed by Cardno detailing sample identification, collection date, sampler and laboratory analysis required. The COC form was signed off and returned to Cardno by the laboratory staff upon receipt of all the samples. COC forms and Sample Receipt Notification (SRN) are provided in <b>Appendix F</b> . The SRN indicates that the samples were received at the laboratory intact and chilled and within the required holding times. Outliers present on the SRNs were addressed with the laboratory.
NATA accredited methods	Yes	Eurofins mgt, a NATA accredited laboratory analysed the samples in accordance with NATA accredited methods. Inter-lab QAQC samples were analysed at ALS Environmental Services. Analytical methods used are indicated in the stamped laboratory results provided in <b>Appendix F</b> .

Table G-2 Field QA/QC Collection Summary

Investigation Element	Date	Sample Type and Number of Samples					
		Primary	Duplicate	Split (Triplicate)	Trip blank	Field blank	Rinsate
Soil	10/11/2018	41	2	2	1	1	1
	17/11/2018						
Groundwater	23/11/2018	3	1	1	-	-	-

## Relative Percentage Difference Determination

Laboratory results for duplicate and triplicate samples are assessed using a determination of the Relative Percentage Difference (RPD). Where a primary sample and a duplicate sample are compared, the RPD provides an indication of the reproducibility of the results, which incorporates the sampling method. Where a primary sample and a split sample are compared, the RPD provides an indication of the accuracy of the primary laboratory results as compared to the secondary laboratory result.

The calculation used to determine the RPD is:

$$RPD = \frac{(Co - Cs)}{\left(\frac{Co + Cs}{2}\right)} \times 100$$

Where:

Co = Concentration of the original sample

Cs = Concentration of the duplicate sample

In calculating the RPD values the following protocols were adopted:

- > Where both concentrations are above laboratory reporting limits the RPD formula is used;
- > Where both concentrations are below the laboratory reporting limits, no RPD is calculated; and
- > Where one or both sample concentrations are reported to be less than ten times (<10x) the laboratory reporting limit, the RPD is calculated but is not assessed against the adopted criterion.

In accordance with the Australian Standard 4482.1-2005 (Standards Australia, 2005), Cardno adopts an RPD acceptance criterion up to 50% of the mean concentration of the analyte. It should be noted that variations might be higher for organic analysis, due to the volatile nature of the components, and for low concentrations of analytes.

The adopted criterion will not apply to RPDs where one or both concentrations are less than 10 times the reporting limit, as this criterion would otherwise overestimate the significance of minor variations in concentrations at or near the laboratory reporting limit. Large RPDs returned for low concentrations of analytes near the reporting limit is not as indicative of a significant difference in the results as a small RPD is for larger concentrations.

This approach is employed by NATA accredited laboratories when assessing internal duplicate sample RPDs. This approach acknowledges that concentrations at or around the reporting limit are too low for an accurate evaluation of the significance of the RPD.

This approach has been adopted when assessing the relevance (compliance) of RPDs during this investigation. RPDs will be calculated for sample sets where one or both concentrations are less than 10 times the reporting limit for discussion purposes, but will not be assessed as a pass or fail in relation to the criterion.

A list of primary samples for the duplicate and triplicate soil and groundwater samples is provided in **Table G-3** with a summary of the RPD results is presented in **Appendix D**.

Table G-3 Primary, duplicate and triplicate sample summary

Parent Sample	Matrix	Duplicate ID	Triplicate ID
TP12_0.2	Soil	QA100	QA200
TP16_0.1	Soil	QA300	QA400
MW02	Water	QA100	QA200

## Laboratory QC and QCI Report Summary

The laboratory selected for undertaking the analysis (Eurofins mgt) is NATA accredited for the analysis required, and undertook certain QA/QC requirements to demonstrate the suitability of the data that is obtained. The laboratory is required to undertake and report internal laboratory Quality Control (QC) procedures for all chemical analysis undertaken. The QC testing is required to include:

- > Laboratory duplicate sample analysis at the rate of one duplicate analysis per ten samples;
- > Method blank at the rate of one method blank analysis per 20 samples;
- > Laboratory control sample at the rate of one laboratory control sample analysis per 20 samples; and
- > Spike recovery analysis at the rate of one spike recovery analysis per 20 samples.

Compliance with the laboratory QA/QC requirements and non-conformance details are discussed in the internal Laboratory QA/QC reports included with the certificates of analysis in **Appendix F**.

The QA/QC Reports received from Eurofins mgt and ALS Laboratory (in **Appendix F**) highlights outliers flagged in the Quality Control Report and Holding Time breaches and breaches in the Frequency of Quality Control Samples. Review of the QA/QC documentation provided by Eurofins mgt and ALS indicates outliers existed which are summarised in **Table G-4** and **G-5**.

Table G-4 Laboratory QA/QC outlier summary – Eurofins mgt Laboratory

QC Sample ID	Analyte	Description
<i>Outliers: Quality Control Samples</i>		
Method Blanks	-	-
Duplicates	M18-No15527 TRH C <sub>15</sub> -C <sub>28</sub> , TRH C <sub>29</sub> -C <sub>36</sub> , TRH C <sub>16</sub> -C <sub>34</sub>	RPD >30%, within Eurofins acceptance criteria
Laboratory Control Samples	-	-
Matrix Spikes	-	-
Regular Sample Surrogates	-	-
<i>Outliers: Analysis Holding Time Compliance</i>		
None		
<i>Outliers: Frequency of Quality Control Samples</i>		
None		

Table G-5 Laboratory QA/QC outlier summary – ALS Laboratory

QC Sample ID	Analyte	Description
<i>Outliers: Quality Control Samples</i>		
Method Blanks	-	-
Duplicates	-	-
Laboratory Control Samples	-	-
Matrix Spikes	-	-

QC Sample ID	Analyte	Description
Regular Sample Surrogates	-	-
<i>Outliers: Analysis Holding Time Compliance</i>		
N/A		
<i>Frequency of Quality Control Samples</i>		
N/A		

Cardno concludes that the data reported by the NATA accredited Eurofins mgt and ALS Laboratory as presented in this ESA is suitable for interpretative purposes and to make conclusions/recommendations regarding Site contamination.



Air-Met Scientific P/L  
7-11 Ceylon Street  
Nunawading  
Victoria 3131, Australia

## Calibration Certificate

This document hereby certifies that this instrument detailed has been calibrated to the parameters listed below.

Certificate Print Date: 4 July, 2018

Call ID: 00220083

Calibration Date: 4 July, 2018

Job / SO Number: 231229

Next Calibration Due: 4 January, 2019

Customer: Cardno

Type: Port Gas Det

Model: PID

Serial No: 595-001369

Description: PID

Sensor	Date Code	Gas Bottle No.	Calibration Gas and Concentration	C.F	C.V Certified	Instrument Readings	
						Before / Span Res.	After
PID	//	SY123	ISOBUTYLENE 100PPM, BAL			NIST 94.9PPM	100.5PPM
	//						
	//						
	//						
	//						
	//						

Completed by: Jason Cheng

Signed: 

Australian Standard Alarm Levels ☒

CF - Conversion Factor, CV Compensated Value  
CV = CF \* Span Gas