

Development Consent

Section 4.38 of the Environmental Planning and Assessment Act 1979

As delegate of the Minister for Planning and Public Spaces under delegation executed on 11 October 2017, I approve the Development Application referred to in Schedule 1, subject to the conditions specified in Schedule 2.

These conditions are required to:

- prevent, minimise, or offset adverse environmental impacts;
- set standards and performance measures for acceptable environmental performance;
- require regular monitoring and reporting; and
- provide for the ongoing environmental management of the development.



David Gainsford
Executive Director
Priority Projects Assessments

Sydney

28th June

2019

SCHEDULE 1

Application Number:	SSD 9273
Applicant:	NSW Department of Education
Consent Authority:	Minister for Planning and Public Spaces
Site:	70-100 Fullagar Road, Wentworthville (Lot 1 DP1245593)
Development:	Redevelopment of Wentworthville Public School, including the demolition and removal of existing buildings, construction of a new three storey building containing 30 teaching spaces, special program and specialist teaching spaces and library, construction of a new hall with out-of-school-hours facility and canteen, alterations to Buildings A, E and F, and associated works including tree removal, landscaping and signage.

DEFINITIONS

Aboriginal object	Has the same meaning as the definition of the term in section 5 of the <i>National Parks and Wildlife Act 1974</i>
Aboriginal place	Has the same meaning as the definition of the term in section 5 of the <i>National Parks and Wildlife Act 1974</i>
Advisory Notes	Advisory information relating to the consent but do not form a part of this consent
Applicant	NSW Department of Education or any other person carrying out any development to which this consent applies
BCA	Building Code of Australia
BC Act	<i>Biodiversity Conservation Act 2016</i>
CEMP	Construction Environmental Management Plan
Certifying Authority	Professionals that are accredited by the Building Professionals Board to issue construction, occupation, subdivision, strata, compliance and complying development certificates under the EP&A Act, <i>Strata Schemes (Freehold Development) Act 1973</i> and <i>Strata Schemes (Leasehold Development) Act 1986</i> or in the case of Crown development, a person qualified to conduct a Certification of Crown Building works.
Conditions of this consent	The conditions contained in Schedule 2 of this document
Construction	All physical work to enable operation including but not limited to the demolition and removal of buildings, the carrying out of works for the purposes of the development, including bulk earthworks, and erection of buildings and other infrastructure permitted by this consent, but excluding the following: • building and road dilapidation surveys; • investigative drilling, investigative excavation or Archaeological Salvage; • establishing temporary site offices (in locations identified by the conditions of this consent); • installation of environmental impact mitigation measures, fencing, enabling works; and • minor adjustments to services or utilities.
Council	Cumberland Council
Day	The period from 7am to 6pm on Monday to Saturday, and 8am to 6pm on Sundays and Public Holidays
Demolition	The deconstruction and removal of buildings, sheds and other structures on the site
Department	NSW Department of Planning and Environment
Development	The development described in the EIS and Response to Submissions, including the works and activities comprising the Wentworthville Public School Redevelopment, as modified by the conditions of this consent.
Earthworks	Works to prepare the site for construction including: • bulk earthworks and detailed excavation; • site levelling; • shoring and stabilisation; • import and compaction of fill material; • piling and foundation works; and • excavation for, and installation of, drainage and services
EIS	The Environmental Impact Statement titled Environmental Impact Statement Proposed Expansion of Wentworthville Public School, prepared by Minto Planning dated 14 November 2018, submitted with the application for consent for the development, including any additional information provided by the Applicant in support of the application

ENM	Excavated Natural Material
Environment	Includes all aspects of the surroundings of humans, whether affecting any human as an individual or in his or her social groupings
EPA	NSW Environment Protection Authority
EP&A Act	<i>Environmental Planning and Assessment Act 1979</i>
EP&A Regulation	<i>Environmental Planning and Assessment Regulation 2000</i>
EPL	Environment Protection Licence under the POEO Act
Evening	The period from 6pm to 10pm.
Feasible	Means what is possible and practical in the circumstances
Heritage	Encompasses both Aboriginal and historic heritage including sites that predate European settlement, and a shared history since European settlement
Heritage Item	An item as defined under the <i>Heritage Act 1977</i> , and assessed as being of local, State and/ or National heritage significance, and/or an Aboriginal Object or Aboriginal Place as defined under the <i>National Parks and Wildlife Act 1974</i> , the World Heritage List, or the National Heritage List or Commonwealth Heritage List under the <i>Environment Protection and Biodiversity Conservation Act 1999</i> (Cth), or anything identified as a heritage item under the conditions of this consent
Incident	An occurrence or set of circumstances that causes, or threatens to cause, material harm and which may or may not be, or cause, a non-compliance <i>Note: "material harm" is defined in this consent</i>
Land	Has the same meaning as the definition of the term in section 1.4 of the EP&A Act
Management and mitigation measures	The management and mitigation measures set out in Section 7 of the EIS
Material harm	Is harm that: a) involves actual or potential harm to the health or safety of human beings or to the environment that is not trivial; or b) results in actual or potential loss or property damage of an amount, or amounts in aggregate, exceeding \$10,000, (such loss includes the reasonable costs and expenses that would be incurred in taking all reasonable and practicable measures to prevent, mitigate or make good harm to the environment)
Minister	NSW Minister for Planning and Public Spaces (or delegate)
Mitigation	Activities associated with reducing the impacts of the development prior to or during those impacts occurring
Monitoring	Any monitoring required under this consent must be undertaken in accordance with section 9.40 of the EP&A Act
Night	The period from 10pm to 7am on Monday to Saturday, and 10pm to 8am on Sundays and Public Holidays
Non-compliance	An occurrence, set of circumstances or development that is a breach of this consent
OEH	NSW Office of Environment and Heritage
Operation	The carrying out of the approved purpose of the development upon completion of construction.
PA	Means a planning agreement within the meaning of the term in section 7.4 of the EP&A Act.
Planning Secretary	Planning Secretary under the EP&A Act, or nominee
POEO Act	<i>Protection of the Environment Operations Act 1997</i>

Reasonable	Means applying judgement in arriving at a decision, taking into account: mitigation, benefits, costs of mitigation versus benefits provided, community views, and the nature and extent of potential improvements
Registered Aboriginal Parties	Means the Aboriginal persons identified in accordance with the document entitled " <i>Aboriginal cultural heritage consultation requirements for proponents 2010</i> " (DECCW)
Rehabilitation	The restoration of land disturbed by the development to a good condition, to ensure it is safe, stable and non-polluting
Response to submissions	The Applicant's response to issues raised in submissions received in relation to the application for consent for the development under the EP&A Act
RMS	NSW Roads and Maritime Services
Sensitive receivers	A location where people are likely to work, occupy or reside, including a dwelling, school, hospital, office or public recreational area
Site	70-100 Fullagar Road, Wentworthville (Lot 1 DP 1245593)
Site Auditor	As defined in section 4 of the <i>Contaminated Land Management Act 1997</i>
Site Audit Report	As defined in section 4 of the <i>Contaminated Land Management Act 1997</i>
Site Audit Statement	As defined in section 4 of the <i>Contaminated Land Management Act 1997</i>
TfNSW	Transport for New South Wales
VENM	Virgin Excavated Natural Material
Waste	Has the same meaning as the definition of the term in the Dictionary to the POEO Act
Year	A period of 12 consecutive months

SCHEDULE 2
PART A ADMINISTRATIVE CONDITIONS

Obligation to Minimise Harm to the Environment

- A1. In addition to meeting the specific performance measures and criteria in this consent, all reasonable and feasible measures must be implemented to prevent, and, if prevention is not reasonable and feasible, minimise any material harm to the environment that may result from the construction and operation of the development.

Terms of Consent

- A2. The development may only be carried out:
- (a) in compliance with the conditions of this consent;
 - (b) in accordance with all written directions of the Planning Secretary;
 - (c) generally in accordance with the EIS and Response to Submissions;
 - (d) in accordance with the approved plans in the table below:

Architectural drawings prepared by Fulton Trotter			
Dwg No.	Rev	Name of Plan	Date
SY074362-SV1	-	Detail Survey	02/12/2017
AEX-1001	P10	Existing Site Plan	14/11/2018
AEX-1002	P6	Site Demolition Plan	14/11/2018
AEX-A-2001	P7	Block A – Level 2 – Demo Floor Plan – Hall & Homebases	14/11/2018
AEX-A-2002	P7	Block A – Level 2 – Demo Floor Plan – Amenities & Canteen	14/11/2018
AEX-A-2003	P7	Block A – Level 3 – Demo Floor Plan – Homebases	14/11/2018
AEX-E-2001	P7	Block E – Demo Floor Plan	14/11/2018
AEX-F-2001	P7	Block F – Demo Floor Plan	14/11/2018
SD-1001	P15	Level 3 – Proposed Site Plan	04/03/2019
SD-1002	P13	Level 1 & Level 2 – Proposed Site Plan	04/03/2019
SD-1401	P7	Staging Site Plan	14/11/2018
SD-1601	P5	Site – Analysis	09/11/2018
SD-1602	P6	Shadow Diagrams	14/11/2018
SD-1603	P9	Block E – Materials	04/03/2019
SD-1604	P6	Block F Materials	14/11/2018
SD-1605	P6	Block G Materials	14/11/2018
SD-1606	P6	Block G External Materials	14/11/2018
SD-1607	P6	Block H Materials	14/11/2018

SD-1608	P6	Site Perspectives	14/11/2018
SD-1610	P4	Proposed Signage	14/11/2018
SD-1701	P4	Site Sections	14/11/2018
SD-A-2001	P14	Block A – Ground Floor Plan	14/11/2018
SD-1801	P4	Street Elevations	14/11/2018
SD-1802	P3	Street Elevations	14/11/2018
SD-A-2101	P7	Block A – Roof Plan	14/11/2018
SD-E-2001	P18	Block E – Ground Floor Plan	04/03/2019
SD-E-2101	P9	Block E – Roof Plan	14/11/2018
SD-E-3001	P13	Block E – Elevations	04/03/2019
SD-E-3101	P10	Block E – Sections 1	04/03/2019
SD-F-2001	P15	Block F – Ground Floor Plan	14/11/2018
SD-F-2101	P9	Block F – Roof Plan	14/11/2018
SD-F-3001	P9	Block F – Elevations 1	14/11/2018
SD-F-3101	P7	Block F – Sections 1	14/11/2018
SD-G-2001	P14	Block G – Level 1 – Key Plan	14/11/2018
SD-G-2002	P13	Block G – Level 2 – Key Plan	14/11/2018
SD-G-2003	P13	Block G – Level 3 – Key Plan	14/11/2018
SD-G-2004	P11	Block G – Level 1 – Floor Plan – West	14/11/2018
SD-G-2005	P14	Block G – Level 1 – Floor Plan – North East	14/11/2018
SD-G-2006	P11	Block G – Level 1 – Floor Plan – South	14/11/2018
SD-G-2007	P14	Block G – Level 2 – Floor Plan – West	14/11/2018
SD-G-2008	P14	Block G – Level 2 – Floor Plan – North East	14/11/2018
SD-G-2009	P14	Block G – Level 2 – Floor Plan – South	14/11/2018
SD-G-2010	P14	Block G – Level 3 – Floor Plan – West	14/11/2018
SD-G-2011	P14	Block G – Level 3 – Floor Plan – North East	14/11/2018
SD-G-2012	P14	Block G – Level 3 – Floor Plan – South	14/11/2018
SD-G-2100	P8	Block G – Roof Key Plan	14/11/2018
SD-G-2101	P9	Block G – Roof Plan - West	14/11/2018
SD-G-2102	P9	Block G – Roof Plan – North East	14/11/2018
SD-G-2103	P9	Block G – Roof Plan – South	14/11/2018
SD-G-3001	P8	Block G – Elevations 1	14/11/2018

SD-G-3002	P8	Block G – Elevations 2	14/11/2018
SD-G-3003	P8	Block G – Elevations 3	14/11/2018
SD-G-3004	P8	Block G – Elevations 4	14/11/2018
SD-G-3101	P7	Block G – Sections 1	14/11/2018
SD-G-2103	P5	Block G – Sections 2	14/11/2018
SD-G-3103	P5	Block G – Sections 3	14/11/2018
SD-H-2001	P16	Block H – Ground Floor Plan	14/11/2018
SD-H-2101	P9	Block H – Roof Plan	14/11/2018
SD-H-3001	P10	Block H – Elevations	14/11/2018
SD-H-3101	P7	Block H – Sections 1	14/11/2018
SD-1614	P1	End of Trip Facilities Site Plan	04/03/2019
<i>Landscape Plans prepared by Ground Ink</i>			
Dwg No.	Rev	Name of Plan	Date
LDA-00	-	Landscape Cover Sheet	15/04/2019
LDA-01	-	Site Context	15/04/2019
LDA-02	-	Design Principles	15/04/2019
LDA-03	-	Site Analysis	15/04/2019
LDA-04	-	Design Realisation	15/04/2019
LDA-05	-	Proposal External Works Plan	15/04/2019
LDA-06	-	Existing Tree Plan	15/04/2019
LDA-07	-	Landscape Masterplan	15/04/2019
LDA-08	-	External Finishes Palette	15/04/2019
LDA-09	-	Indicative Plant Palette	15/04/2019
LDA-10	-	Detailed Landscape Plan	15/04/2019
LDA-11	-	Sectional / Elevations	15/04/2019
LDA-12	-	Sectional / Elevations	15/04/2019
LDA-13	-	Play Zone Typology	15/04/2019
LDA-14	-	Landscape Area	15/04/2019

- A3. Consistent with the requirements in this consent, the Planning Secretary may make written directions to the Applicant in relation to:
- the content of any strategy, study, system, plan, program, review, audit, notification, report or correspondence submitted under or otherwise made in relation to this consent, including those that are required to be, and have been, approved by the Planning Secretary;

- (b) any reports, reviews or audits commissioned by the Department regarding compliance with this approval; and
 - (c) the implementation of any actions or measures contained in any such document referred to in (a) above.
- A4. The conditions of this consent and directions of the Planning Secretary prevail to the extent of any inconsistency, ambiguity or conflict between them and a document listed in condition A2(c) or A2(d). In the event of an inconsistency, ambiguity or conflict between any of the documents listed in condition A2(c) and A2(d), the most recent document prevails to the extent of the inconsistency, ambiguity or conflict.

Limits of Consent

- A5. This consent lapses five years after the date of consent unless the works associated with the development have physically commenced.

Prescribed Conditions

- A6. The Applicant must comply with all relevant prescribed conditions of development consent under Part 6, Division 8A of the EP&A Regulation.

Planning Secretary as Moderator

- A7. In the event of a dispute between the Applicant and a public authority, in relation to an applicable requirement in this approval or relevant matter relating to the Development, either party may refer the matter to the Planning Secretary for resolution. The Planning Secretary's resolution of the matter must be binding on the parties.

Long Service Levy

- A8. For work costing \$25,000 or more, a Long Service Levy must be paid. For further information please contact the Long Service Payments Corporation Helpline on 131 441.

Legal Notices

- A9. Any advice or notice to the consent authority must be served on the Planning Secretary.

Evidence of Consultation

- A10. Where conditions of this consent require consultation with an identified party, the Applicant must:
- (a) consult with the relevant party prior to submitting the subject document for information or approval; and
 - (b) provide details of the consultation undertaken including:
 - (i) the outcome of that consultation, matters resolved and unresolved; and
 - (ii) details of any disagreement remaining between the party consulted and the Applicant and how the Applicant has addressed the matters not resolved.

Staging

- A11. The project may be constructed and operated in stages. Where staged construction or operation is proposed, a Staging Report (for either or both construction and operation as the case may be) must be prepared and submitted for the approval of the Planning Secretary. The Staging Report must be submitted to the Planning Secretary no later than one month before the commencement of construction of the first of the proposed stages of construction (or if only staged operation is proposed, one month before the commencement of operation of the first of the proposed stages of operation).
- A12. A Staging Report prepared in accordance with condition A11 must:
- (a) if staged construction is proposed, set out how the construction of the whole of the project will be staged, including details of work and other activities to be carried out in each stage and the general timing of when construction of each stage will commence and finish;
 - (b) if staged operation is proposed, set out how the operation of the whole of the project will be staged, including details of work and other activities to be carried out in each stage

- and the general timing of when operation of each stage will commence and finish (if relevant);
 - (c) specify how compliance with conditions will be achieved across and between each of the stages of the project; and
 - (d) set out mechanisms for managing any cumulative impacts arising from the proposed staging.
- A13. Where staging is proposed, the project must be staged in accordance with the Staging Report, as approved by the Planning Secretary.
- A14. Where staging is proposed, the terms of this approval that apply or are relevant to the works or activities to be carried out in a specific stage must be complied with at the relevant time for that stage.

Staging, Combining and Updating Strategies, Plans, Programs or Drawings

- A15. With the approval of the Planning Secretary, the Applicant may:
- (a) prepare and submit any strategy, plan or program required by this consent on a staged basis (if a clear description is provided as to the specific stage and scope of the development to which the strategy, plan, program or drawing applies, the relationship of the stage to any future stages and the trigger for updating the strategy, plan or program);
 - (b) combine any strategy, plan, program or drawing required by this consent (if a clear relationship is demonstrated between the strategies, plans or programs that are proposed to be combined); and
 - (c) update any strategy, plan, program or drawing required by this consent (to ensure the strategies, plans, programs and drawings required under this consent are updated on a regular basis and incorporate additional measures or amendments to improve the environmental performance of the development).
- A16. If the Planning Secretary agrees, a strategy, plan, program or drawing may be staged or updated without consultation being undertaken with all parties required to be consulted in the relevant condition in this consent.
- A17. If approved by the Planning Secretary, updated strategies, plans, programs or drawings supersede the previous versions of them and must be implemented in accordance with the condition that requires the strategy, plan, program or drawing.

Structural Adequacy

- A18. All new buildings and structures, and any alterations or additions to existing buildings and structures, that are part of the development, must be constructed in accordance with the relevant requirements of the BCA and any additional requirements of the Subsidence Advisory NSW where the building or structure is located on land within a declared Mine Subsidence District.

Notes:

- *Part 8 of the EP&A Regulation sets out the requirements for the certification of the development.*
- *Under section 21 of the Coal Mine Subsidence Compensation Act 2017, the Applicant is required to obtain the Chief Executive of Subsidence Advisory NSW's approval before carrying out certain development in a Mine Subsidence District.*

Salinity

- A19. All new buildings, structures and infrastructure services must be designed and constructed in accordance with the relevant recommendations of the Preliminary Salinity Assessment prepared by JK Environments dated 6 May 2019 and the letter prepared by Fulton Trotter Architects dated 8 May 2019.

External Walls and Cladding

- A20. The external walls of all buildings including additions to existing buildings must comply with the relevant requirements of the BCA.

Applicability of Guidelines

- A21. References in the conditions of this consent to any guideline, protocol, Australian Standard or policy are to such guidelines, protocols, Standards or policies in the form they are in as at the date of this consent.
- A22. Consistent with the conditions of this consent and without altering any limits or criteria in this consent, the Planning Secretary may, when issuing directions under this consent in respect of ongoing monitoring and management obligations, require compliance with an updated or revised version of such a guideline, protocol, Standard or policy, or a replacement of them.

Monitoring and Environmental Audits

- A23. Any condition of this consent that requires the carrying out of monitoring or an environmental audit, whether directly or by way of a plan, strategy or program, is taken to be a condition requiring monitoring or an environmental audit under Division 9.4 of Part 9 of the EP&A Act. This includes conditions in respect of incident notification, reporting and response, non-compliance notification, Site audit report and independent auditing.

Note: For the purposes of this condition, as set out in the EP&A Act, "monitoring" is monitoring of the development to provide data on compliance with the consent or on the environmental impact of the development, and an "environmental audit" is a periodic or particular documented evaluation of the development to provide information on compliance with the consent or the environmental management or impact of the development.

Access to Information

- A24. At least 48 hours before the commencement of construction until the completion of all works under this consent, or such other time as agreed by the Planning Secretary, the Applicant must:
- (a) make the following information and documents (as they are obtained or approved) publicly available on its website:
 - (i) the documents referred to in condition A2 of this consent;
 - (ii) all current statutory approvals for the development;
 - (iii) all approved strategies, plans and programs required under the conditions of this consent;
 - (iv) regular reporting on the environmental performance of the development in accordance with the reporting arrangements in any plans or programs approved under the conditions of this consent;
 - (v) a comprehensive summary of the monitoring results of the development, reported in accordance with the specifications in any conditions of this consent, or any approved plans and programs;
 - (vi) a summary of the current stage and progress of the development;
 - (vii) contact details to enquire about the development or to make a complaint;
 - (viii) a complaints register, updated monthly;
 - (ix) audit reports prepared as part of any independent audit of the development and the Applicant's response to the recommendations in any audit report;
 - (x) any other matter required by the Planning Secretary; and
 - (b) keep such information up to date, to the satisfaction of the Planning Secretary.

Compliance

- A25. The Applicant must ensure that all of its employees, contractors (and their sub-contractors) are made aware of, and are instructed to comply with, the conditions of this consent relevant to activities they carry out in respect of the development.

ADVISORY NOTES

- AN1. All licences, permits, approvals and consents as required by law must be obtained and maintained as required for the development. No condition of this consent removes any obligation to obtain, renew or comply with such licences, permits, approvals and consents.

PART B PRIOR TO COMMENCEMENT OF CONSTRUCTION

Design Modifications

- B1. Prior to the commencement of construction (excluding earthworks), the Applicant must refine the façade treatment and roof design of Building G where it presents to the intersection of Fullagar Road and Station Street to:
- (a) better reflect the use of the site as a primary school and be less evocative of a commercial building;
 - (b) incorporate façade screening that is pedestrian in scale and is appropriate to the scale of the use of the site as a primary school; and
 - (c) adopt a roof treatment that is more in keeping with the roof treatment of the remainder of the building and sits more comfortably with the elevations of the building.
- B2. Amended plans and elevations, a detailed materials and colour palette and an accompanying design statement which explains the design revisions must be submitted to the satisfaction of the Planning Secretary prior to the commencement of construction (excluding earthworks).

Landscaping

- B3. Prior to the commencement of construction (excluding earthworks), a revised landscape plan must be submitted to the satisfaction of the Certifying Authority and a copy provided to the Planning Secretary. The plan must:
- (a) detail the proposed number, location and species of planting across the site;
 - (b) detail soil / garden bed treatments that are consistent with the recommendations included in the Vegetation Management Plan approved under condition B4;
 - (c) incorporate the planting of advanced and established local native trees with a minimum plant container pot size of 75-100 litres or greater;
 - (d) be consistent with the recommendations and mitigation measures set out in the Biodiversity Development Assessment Report dated October 2018 and prepared by Travers Bushfire and Ecology and the letter prepared by Travers Bushfire and Ecology dated 26 April 2019, including:
 - (i) planting to be provided at a ratio of 2:1 of Cumberland Plain Woodland vegetation removed; and
 - (ii) species of planting to be from locally occurring native species commensurate with Cumberland Plain Woodland including trees, shrubs and ground cover species.
 - (e) be consistent with the relevant recommendations of the Preliminary Salinity Assessment prepared by JK Environments dated 6 May 2019 and the letter prepared by Fulton Trotter Architects dated 8 May 2019.
 - (f) provide for the planting of street trees on the northern side of Monash Street in proximity to the proposed drop-off and pick-up zone. The number, species and spacing of plantings are to be determined in consultation with Council.

Vegetation Management Plan

- B4. Prior to the commencement of construction (excluding earthworks), a Vegetation Management Plan prepared by an appropriately qualified ecologist and/or bush regenerator must be submitted to the satisfaction of the Certifying Authority and a copy provided to the Planning Secretary. The plan must:
- (a) include details on:
 - (i) the native vegetation community that occurs, or once occurred on the site;
 - (ii) the area of Cumberland Plain Woodland that is to be removed and the replacement area for Cumberland Plain Woodland;
 - (iii) plant species that are to be removed;
 - (b) describe the monitoring and maintenance measures to manage revegetation and landscaping works;

- (c) include a weed management plan and ongoing management and maintenance of the vegetation (including weed control, watering, replacement of dead plants) etc.;
- (d) include provisions for:
 - (i) collection and use of seed from endemic vegetation in the site landscaping;
 - (ii) maintenance of planted vegetation until maturity;
 - (iii) watering of planted vegetation for at least 12 months following planting;
 - (iv) replacement of any plants lost with the same plant species;
 - (v) salvage and use of native trees removed from the site including dead trees, such as tree trunks (greater than approximately 25-30cm in diameter and 3m in length) to enhance habitat at the site;
 - (vi) monitoring procedures;
- (e) be consistent with the recommendations and mitigation measures set out in the Biodiversity Development Assessment Report dated October 2018 and prepared by Travers Bushfire and Ecology;
- (f) be consistent with the recommendations of the Arboricultural Impact Assessment dated April 2019 and prepared by TreeTalk Arboricultural Consulting including but not limited to:
 - (i) the investigation and treatment of soil to improve conditions for existing and proposed planting.

Asbestos Management Plan

- B5. Prior to the commencement of construction, an Asbestos Management Plan prepared by a suitably qualified and experienced consultant must be submitted to the satisfaction of the Certifying Authority. The plan must:
- (a) comply with the recommendations of the Preliminary Site Investigation and Detailed Site Investigation prepared by WSP and dated August 2018; and
 - (b) include arrangements and procedures to be implemented prior to and during construction as well as on an ongoing operational basis.

Drop-off / Pick-up Facility

- B6. Within six months of the commencement of construction, the Applicant must finalise details of the proposed school drop-off / pick-up zone on Monash Street as set out in the Response to Submissions to the satisfaction of Council. The finalised details and evidence of Council's approval must be submitted to the satisfaction of the Certifying Authority and a copy provided to the Planning Secretary within six months of the commencement of construction.

Notification of Commencement

- B7. The Department must be notified in writing of the dates of commencement of physical work and operation at least 48 hours before those dates.
- B8. If the construction or operation of the development is to be staged, the Department must be notified in writing at least 48 hours before the commencement of each stage, of the date of commencement and the development to be carried out in that stage.

Certified Drawings

- B9. Prior to the commencement of piling and foundation works, the Applicant must submit to the satisfaction of the Certifying Authority structural drawings prepared and signed by a suitably qualified practising Structural Engineer that demonstrates compliance with:
- (a) the relevant clauses of the BCA; and
 - (b) this development consent.

External Walls and Cladding

- B10. Prior to the commencement of construction (excluding earthworks), the Applicant must provide the Certifying Authority with documented evidence that the products and systems proposed for use or used in the construction of external walls, including finishes and claddings such as synthetic or aluminium composite panels, comply with the requirements of the BCA. The

Applicant must provide a copy of the documentation given to the Certifying Authority to the Planning Secretary within seven days after the Certifying Authority accepts it.

Protection of Public Infrastructure

B11. Prior to the commencement of construction, the Applicant must:

- (a) consult with the relevant owner and provider of services that are likely to be affected by the development to make suitable arrangements for access to, diversion, protection and support of the affected infrastructure;
- (b) prepare a dilapidation report identifying the condition of all public infrastructure in the vicinity of the site (including roads, gutters and footpaths); and
- (c) submit a copy of the dilapidation report to the Planning Secretary and Certifying Authority and Council.

Site Contamination

B12. Remediation approved as part of this development consent must be carried out in accordance with the Remediation Action Plan dated September 2018 and prepared by WSP.

B13. Upon completion of remedial works, the Applicant must submit a Site Audit Report and Section A Site Audit Statement for the relevant part of the site prepared by a NSW EPA accredited Site Auditor. The Site Audit Report and Section A Site Audit Statement must verify the relevant part of the site is suitable for ongoing use as a school and be provided to the satisfaction of the Certifying Authority.

Unexpected Contamination Procedure

B14. Prior to the commencement of earthworks, the Applicant must prepare an unexpected contamination procedure to ensure that potentially contaminated material is appropriately managed. The procedure must form part of the CEMP in accordance with condition B21 and where any material identified as contaminated is to be disposed off-site, the disposal location and results of testing submitted to the Planning Secretary prior to its removal from the site.

Utilities and Services

B15. Prior to the construction of any utility works associated with the development, the Applicant must obtain relevant approvals from service providers.

B16. Prior to the commencement of construction of any utility works associated with the development, written advice must be obtained from the electricity supply authority, an approved telecommunications carrier and an approved gas carrier (where relevant) stating that satisfactory arrangements have been made to ensure provisions of adequate services.

Community Communication Strategy

B17. No later than 48 hours before the commencement of construction, a Community Communication Strategy must be submitted to the Planning Secretary for information. The Community Communication Strategy must provide mechanisms to facilitate communication between the Applicant, the relevant Council and the community (including adjoining affected landowners and businesses, and others directly impacted by the development), during the design and construction of the development and for a minimum of 12 months following the completion of construction.

The Community Communication Strategy must:

- (a) identify people to be consulted during the design and construction phases;
- (b) set out procedures and mechanisms for the regular distribution of accessible information about or relevant to the development;
- (c) provide for the formation of community-based forums, if required, that focus on key environmental management issues for the development;
- (d) set out procedures and mechanisms:
 - (i) through which the community can discuss or provide feedback to the Applicant;

- (ii) through which the Applicant will respond to enquiries or feedback from the community; and
- (iii) to resolve any issues and mediate any disputes that may arise in relation to construction and operation of the development, including disputes regarding rectification or compensation.

Ecologically Sustainable Development

B18. Prior to the commencement of construction (excluding earthworks), the Applicant must register for a minimum 4 star Green Star rating with the Green Building Council Australia and submit evidence of registration to the Certifying Authority, unless otherwise agreed by the Planning Secretary.

Demolition

B19. Prior to the commencement of construction, demolition work plans required by AS 2601-2001 *The demolition of structures* (Standards Australia, 2001) must be accompanied by a written statement from a suitably qualified person that the proposals contained in the work plan comply with the safety requirements of the Standard. The work plans and the statement of compliance must be submitted to the Certifying Authority.

Environmental Management Plan Requirements

B20. Management plans required under this consent must be prepared in accordance with relevant guidelines, and include:

- (a) detailed baseline data;
- (b) details of:
 - (i) the relevant statutory requirements (including any relevant approval, licence or lease conditions);
 - (ii) any relevant limits or performance measures and criteria; and
 - (iii) the specific performance indicators that are proposed to be used to judge the performance of, or guide the implementation of, the development or any management measures;
- (c) a description of the measures to be implemented to comply with the relevant statutory requirements, limits, or performance measures and criteria;
- (d) a program to monitor and report on the:
 - (i) impacts and environmental performance of the development;
 - (ii) effectiveness of the management measures set out pursuant to paragraph (c) above;
- (e) a contingency plan to manage any unpredicted impacts and their consequences and to ensure that ongoing impacts reduce to levels below relevant impact assessment criteria as quickly as possible;
- (f) a program to investigate and implement ways to improve the environmental performance of the development over time;
- (g) a protocol for managing and reporting any:
 - (i) incident and any non-compliance (specifically including any exceedance of the impact assessment criteria and performance criteria);
 - (ii) complaint;
 - (iii) failure to comply with statutory requirements; and
- (h) a protocol for periodic review of the plan.

Note: *The Planning Secretary may waive some of these requirements if they are unnecessary or unwarranted for particular management plans*

Construction Environmental Management Plan

B21. Prior to the commencement of construction, the Applicant must submit a Construction Environmental Management Plan (CEMP) to the satisfaction of Certifying Authority and provide a copy to the Planning Secretary. The CEMP must include, but not be limited to, the following:

- (a) Details of:
 - (i) hours of work;
 - (ii) 24-hour contact details of site manager;
 - (iii) management of dust and odour to protect the amenity of the neighbourhood;
 - (iv) stormwater control and discharge;
 - (v) measures to ensure that sediment and other materials are not tracked onto the roadway by vehicles leaving the site;
 - (vi) groundwater management plan including measures to prevent groundwater contamination;
 - (vii) external lighting in compliance with AS 4282-1997 Control of the obtrusive effects of outdoor lighting;
 - (viii) community consultation and complaints handling;
- (b) Construction Traffic and Pedestrian Management Sub-Plan (see condition B22);
- (c) Construction Noise and Vibration Management Sub-Plan (see condition B23);
- (d) Construction Waste Management Sub-Plan (see condition B24);
- (e) Construction Soil and Water Management Sub-Plan (see condition B25);
- (f) an unexpected finds protocol for contamination and associated communications procedure;
- (g) an unexpected finds protocol for Aboriginal and non-Aboriginal heritage and associated communications procedure;
- (h) waste classification (for materials to be removed) and validation (for materials to remain) be undertaken to confirm the contamination status in these areas of the site; and

B22. The Construction Traffic and Pedestrian Management Sub-Plan (CTPMSP) must address, but not be limited to, the following:

- (a) be prepared by a suitably qualified and experienced person(s);
- (b) be prepared in consultation with Council and TfNSW;
- (c) detail the measures that are to be implemented to ensure road safety and network efficiency during construction in consideration of potential impacts on general traffic, cyclists and pedestrians and bus services;
- (d) detail heavy vehicle routes, access and parking arrangements;
- (e) include a Driver Code of Conduct to:
 - (i) minimise the impacts of earthworks and construction on the local and regional road network;
 - (ii) minimise conflicts with other road users;
 - (iii) minimise road traffic noise; and
 - (iv) ensure truck drivers use specified routes;
- (f) include a program to monitor the effectiveness of these measures; and
- (g) if necessary, detail procedures for notifying residents and the community (including local schools), of any potential disruptions to routes.

B23. The Construction Noise and Vibration Management Sub-Plan must address, but not be limited to, the following:

- (a) be prepared by a suitably qualified and experienced noise expert;
- (b) describe procedures for achieving the noise management levels in EPA's *Interim Construction Noise Guideline* (DECC, 2009);
- (c) describe the measures to be implemented to manage high noise generating works such as piling, in close proximity to sensitive receivers;
- (d) include strategies that have been developed with the community for managing high noise generating works;

- (e) describe the community consultation undertaken to develop the strategies in condition B23(d); and
 - (f) include a complaints management system that would be implemented for the duration of the construction.
- B24. The Construction Waste Management Sub-Plan (CWMSP) must address, but not be limited to, the following:
- (a) detail the quantities of each waste type generated during construction and the proposed reuse, recycling and disposal locations; and
 - (b) removal of hazardous materials, particularly the method of containment and control of emission of fibres to the air, and disposal at an approved waste disposal facility in accordance with the requirements of the relevant legislation, codes, standards and guidelines, prior to the commencement of any building works.
- B25. The Applicant must prepare a Construction Soil and Water Management Plan (CSWMSP) and the plan must address, but not be limited to the following:
- (a) be prepared by a suitably qualified expert, in consultation with Council;
 - (b) describe all erosion and sediment controls to be implemented during construction;
 - (c) provide a plan of how all construction works will be managed in a wet-weather events (i.e. storage of equipment, stabilisation of the Site);
 - (d) detail all off-Site flows from the Site; and
 - (e) describe the measures that must be implemented to manage stormwater and flood flows for small and large sized events, including, but not limited to 1 in 1-year ARI, 1 in 5-year ARI and 1 in 100-year ARI).

Construction Worker Transportation Strategy

- B26. Prior to the commencement of construction, a Construction Worker Transportation Strategy must be submitted to the satisfaction of the Certifying Authority. The Strategy must detail the provision of sufficient parking facilities or other travel arrangements for construction workers which minimise demand for parking in nearby public and residential streets or public parking facilities.

Stormwater Management System

- B27. Prior to the commencement of construction (excluding earthworks), the Applicant must design an operational stormwater management system for the development and submit it to the satisfaction of the Certifying Authority. The system must:
- (a) be designed by a suitably qualified and experienced person(s);
 - (b) be generally in accordance with the conceptual design in the EIS;
 - (c) be in accordance with applicable Australian Standards;
 - (d) ensure that the system capacity has been designed in accordance with *Australian Rainfall and Runoff* (Engineers Australia, 2016) and *Managing Urban Stormwater: Council Handbook* (EPA, 1997) guidelines; and
 - (e) incorporate water sensitive urban design principles where appropriate.

Construction and Demolition Waste Management

- B28. Prior to the commencement of the removal of any waste material from the site, the Applicant must notify the RMS Traffic Management Centre of the truck route(s) to be followed by trucks transporting waste material from the site.

Operational Waste Storage and Processing

- B29. Prior to the commencement of construction (excluding earthworks), the Applicant must obtain agreement from Council for the design of the operational waste storage area where waste removal is undertaken by Council.

Rainwater Harvesting

- B30. Prior to the commencement of construction (excluding earthworks), the Applicant must ensure that a rainwater reuse/harvesting system for the development is developed for the site. A rainwater re-use plan must be prepared and certified by an experienced hydraulic engineer.

Roadworks and Access

- B31. Prior to the commencement of construction, the Applicant must submit design plans to the satisfaction of the relevant roads authority which demonstrate that the proposed accesses to the development are designed to accommodate the turning path of the largest construction vehicle required to access the site.

Car Parking and Service Vehicle Layout

- B32. Prior to the commencement of construction, compliance with the following requirements must be submitted to the satisfaction of the Certifying Authority:
- (a) all construction vehicles must enter and leave the Site in a forward direction;
 - (b) the swept path of the longest construction vehicle entering and exiting the Site in association with the new work, as well as manoeuvrability through the Site, must be in accordance with AUSTROADS; and
 - (c) the safety of vehicles and pedestrians accessing adjoining properties, where shared vehicle and pedestrian access occurs, is to be addressed.

Bicycle Parking and End-of-Trip Facilities

- B33. Prior to the commencement of construction (excluding earthworks), evidence of compliance of the design with the following requirements for secure bicycle parking and end-of-trip facilities must be submitted to the satisfaction of the Certifying Authority:
- a) the provision of 30 bicycle parking spaces;
 - b) the layout, design and security of bicycle facilities must comply with the minimum requirements of AS 2890.3:2015 *Parking facilities - Bicycle parking*, and be located in easy to access, well-lit areas that incorporate passive surveillance;
 - c) the provision of end-of-trip facilities for staff in accordance with the Response to Submissions;
 - d) appropriate pedestrian and cyclist advisory signs are to be provided; and
 - e) all works/regulatory signposting associated with the proposed developments shall be at no cost to the relevant roads authority.

Public Domain Works

- B34. Prior to the commencement of any footpath or public domain works, the Applicant must consult with Council and demonstrate to the Certifying Authority that the streetscape design and treatment meets the requirements of Council, including addressing pedestrian management. The Applicant must submit documentation of approval for each stage from Council to the Certifying Authority.

Compliance Reporting

- B35. No later than 48 hours before the commencement of construction, a Compliance Monitoring and Reporting Program prepared in accordance with the Compliance Reporting Post Approval Requirements (Department 2018) must be submitted to the Department and the Certifying Authority.
- B36. Compliance Reports of the project must be carried out in accordance with the Compliance Reporting Post Approval Requirements (Department 2018).
- B37. The Applicant must make each Compliance Report publicly available 60 days after submitting it to the Department and notify the Department and the Certifying Authority in writing at least seven days before this is done.
- B38. Notwithstanding the requirements of the Compliance Reporting Post Approval Requirements (Department 2018), the Planning Secretary may approve a request for ongoing annual operational compliance reports to be ceased, where it has been demonstrated to the Planning Secretary's satisfaction that an operational compliance report has demonstrated operational compliance.

PART C DURING CONSTRUCTION

Approved Plans to be On-site

- C1. A copy of the approved and certified plans, specifications and documents incorporating conditions of approval and certification must be kept on the Site at all times and must be readily available for perusal by any officer of the Department, Council or the Certifying Authority.

Site Notice

- C2. A site notice(s):
- (a) must be prominently displayed at the boundaries of the site for the purposes of informing the public of project details including, but not limited to the details of the Builder, Certifying Authority and Structural Engineer.
 - (b) is to satisfy all but not be limited to, the following requirements:
 - (i) minimum dimensions of the notice must measure 841 mm x 594 mm (A1) with any text on the notice to be a minimum of 30-point type size;
 - (ii) the notice is to be durable and weatherproof and is to be displayed throughout the works period;
 - (iii) the approved hours of work, the name of the site/ project manager, the responsible managing company (if any), its address and 24-hour contact phone number for any inquiries, including construction/ noise complaint must be displayed on the site notice; and
 - (iv) the notice(s) is to be mounted at eye level on the perimeter hoardings/fencing and is to state that unauthorised entry to the site is not permitted.

Operation of Plant and Equipment

- C3. All construction plant and equipment used on site must be maintained in a proper and efficient condition operated in a proper and efficient manner.

Demolition

- C4. Demolition work must comply with *Australian Standard AS 2601-2001 The demolition of structures* (Standards Australia, 2001).

Construction Hours

- C5. Construction, including the delivery of materials to and from the site, may only be carried out between the following hours:

- (a) between 7am and 6pm, Mondays to Fridays inclusive; and
- (b) between 8am and 1pm, Saturdays.

No work may be carried out on Sundays or public holidays.

- C6. Activities may be undertaken outside of the hours in condition C5 if required:

- (a) by the Police or a public authority for the delivery of vehicles, plant or materials; or
- (b) in an emergency to avoid the loss of life, damage to property or to prevent environmental harm; or
- (c) where the works are inaudible at the nearest sensitive receivers; or
- (d) where a variation is approved in advance in writing by the Planning Secretary or his nominee if appropriate justification is provided for the works.

- C7. Notification of such activities must be given to affected residents before undertaking the activities or as soon as is practical afterwards.

- C8. Rock breaking, rock hammering, sheet piling, pile driving and similar activities may only be carried out between the following hours:

- (a) 9am to 12pm, Monday to Friday;
- (b) 2pm to 5pm Monday to Friday; and
- (c) 9am to 12pm, Saturday.

Implementation of Management Plans

- C9. The Applicant must carry out the construction of the development in accordance with the most recent version of the approved CEMP (including Sub-Plans).

Construction Traffic

- C10. All construction vehicles (excluding worker vehicles) are to be contained wholly within the site, except if located in an approved on-street work zone, and vehicles must enter the site before stopping.

Road Occupancy Licence

- C11. A Road Occupancy Licence must be obtained from the relevant road authority for any works that impact on traffic flows during construction activities.

SafeWork Requirements

- C12. To protect the safety of work personnel and the public, the work site must be adequately secured to prevent access by unauthorised personnel, and work must be conducted at all times in accordance with relevant SafeWork requirements.

Hoarding Requirements

- C13. The following hoarding requirements must be complied with:
- (a) no third-party advertising is permitted to be displayed on the subject hoarding/ fencing;
 - (b) the construction site manager must be responsible for the removal of all graffiti from any construction hoardings or the like within the construction area within 48 hours of its application; and
 - (c) the Applicant must submit a hoarding application to Council for the installation of any hoardings over Council footways or road reserve.

No Obstruction of Public Way

- C14. The public way (outside of any approved construction works zone) must not be obstructed by any materials, vehicles, refuse, skips or the like, under any circumstances.

Construction Noise Limits

- C15. The development must be constructed to achieve the construction noise management levels detailed in the *Interim Construction Noise Guideline* (DECC, 2009). All feasible and reasonable noise mitigation measures must be implemented and any activities that could exceed the construction noise management levels must be identified and managed in accordance with the management and mitigation measures identified in the approved Construction Noise and Vibration Management Plan.
- C16. The Applicant must ensure construction vehicles (including concrete agitator trucks) do not arrive at the site or surrounding residential precincts outside of the construction hours of work outlined under condition C5.
- C17. The Applicant must implement, where practicable and without compromising the safety of construction staff or members of the public, the use audible movement alarms of a type that would minimise noise impacts on surrounding noise sensitive receivers.
- C18. Any noise generated during construction of the development must not be offensive noise within the meaning of the *Protection of the Environment Operations Act 1997* or exceed approved noise limits for the site.

Vibration Criteria

- C19. Vibration caused by construction at any residence or structure outside the site must be limited to:
- (a) for structural damage, the latest version of *DIN 4150-3 (1992-02) Structural vibration - Effects of vibration on structures* (German Institute for Standardisation, 1999); and
 - (b) for human exposure, the acceptable vibration values set out in the *Environmental Noise Management Assessing Vibration: a technical guideline* (DEC, 2006) (as may be updated or replaced from time to time).

- C20. Vibratory compactors must not be used closer than 30 metres from residential buildings unless vibration monitoring confirms compliance with the vibration criteria specified in condition C19.
- C21. The limits in conditions C19 and C20 apply unless otherwise outlined in a Construction Noise and Vibration Management Plan, approved as part of the CEMP required by condition B23 of this consent.

Tree Protection

- C22. For the duration of the construction works:
- (a) street trees must not be trimmed or removed unless it forms a part of this development consent or prior written approval from Council is obtained or is required in an emergency to avoid the loss of life or damage to property;
 - (b) all street trees must be protected at all times during construction. Any tree on the footpath, which is damaged or removed during construction due to an emergency, must be replaced, to the satisfaction of Council;
 - (c) all trees on the site that are not approved for removal must be suitably protected during construction as per recommendations of the Arboricultural Impact Assessment dated April 2019 and prepared by TreeTalk Arboricultural Consulting; and
 - (d) if access to the area within any protective barrier is required during the works, it must be carried out under the supervision of a qualified arborist. Alternative tree protection measures must be installed, as required. The removal of tree protection measures, following completion of the works, must be carried out under the supervision of a qualified arborist and must avoid both direct mechanical injury to the structure of the tree and soil compaction within the canopy or the limit of the former protective fencing, whichever is the greater.

Dust Minimisation

- C23. The Applicant must take all reasonable steps to minimise dust generated during all works authorised by this consent.
- C24. During construction, the Applicant must ensure that:
- (a) exposed surfaces and stockpiles are suppressed by regular watering;
 - (b) all trucks entering or leaving the site with loads have their loads covered;
 - (c) trucks associated with the development do not track dirt onto the public road network;
 - (d) public roads used by these trucks are kept clean; and
 - (e) land stabilisation works are carried out progressively on site to minimise exposed surfaces.

Air Quality Discharges

- C25. The Applicant must install and operate equipment in line with best practice.

Erosion and Sediment Control

- C26. All erosion and sediment control measures must be effectively implemented and maintained at or above design capacity for the duration of the construction works and until such time as all ground disturbed by the works have been stabilised and rehabilitated so that it no longer acts as a source of sediment.

Imported Soil

- C27. The Applicant must:
- (a) ensure that only VENM, ENM, or other material approved in writing by EPA is brought onto the site;
 - (b) keep accurate records of the volume and type of fill to be used; and
 - (c) make these records available to the Department and Certifying Authority upon request.

Disposal of Seepage and Stormwater

- C28. Adequate provisions must be made to collect and discharge stormwater drainage during construction of the building to the satisfaction of the Certifying Authority. The prior written approval of Council must be obtained to connect or discharge site stormwater to Council's stormwater drainage system or street gutter.

Unexpected Finds Protocol – Aboriginal Heritage

- C29. In the event that surface disturbance identifies a new Aboriginal object, all works must halt in the immediate area to prevent any further impacts to the object(s). A suitably qualified archaeologist and the registered Aboriginal representatives must be contacted to determine the significance of the objects. The site is to be registered in the Aboriginal Heritage Information Management System (AHIMS) which is managed by OEH and the management outcome for the site included in the information provided to AHIMS. The Applicant must consult with the Aboriginal community representatives, the archaeologists and OEH to develop and implement management strategies for all objects/sites. Works shall only recommence with the written approval of OEH.

Unexpected Finds Protocol – Historic Heritage

- C30. If any unexpected archaeological relics are uncovered during the work, then all works must cease immediately in that area and the NSW Heritage Division contacted. Depending on the possible significance of the relics, an archaeological assessment and management strategy may be required before further works can continue in that area. Works may only recommence with the written approval of NSW Heritage Division.

Waste Storage and Processing

- C31. All waste generated during construction must be secured and maintained within designated waste storage areas at all times and must not leave the site onto neighbouring public or private properties.
- C32. All waste generated during construction must be assess, classified and managed in accordance with the Waste Classification Guidelines Part 1: Classifying Waste (EPA, 2014).
- C33. The body of any vehicle or trailer used to transport waste or excavation spoil must be covered before leaving the premises to prevent any spillage or escape of any dust, waste of spoil. Mud, splatter, dust and other material likely to fall from or be cast off the wheels, underside or body of any vehicle, trailer or motorised plant leaving the site must be removed before leaving the premises.
- C34. The Applicant must ensure that concrete waste and rinse water are not disposed of on the site and are prevented from entering any natural or artificial watercourse.

Handling of Asbestos

- C35. The Applicant is to consult with SafeWork NSW concerning the handling of any asbestos waste that may be encountered during construction. The requirements of the Protection of the Environment Operations (Waste) Regulation 2014 with particular reference to Part 7 – 'Transportation and management of asbestos waste' must also be complied with.

Community Engagement

- C36. The Applicant must consult with the community regularly throughout construction, including consultation with the nearby sensitive receivers identified on Figure 1 in the Construction Noise and Vibration Management Plan dated 9 October 2018 prepared by Day Design Pty Ltd, relevant regulatory authorities, Registered Aboriginal Parties and other interested stakeholders.

Independent Environmental Audit

- C37. Proposed independent auditors must be agreed to in writing by the Planning Secretary prior to the preparation of an Independent Audit Program or commencement of an Independent Audit.
- C38. Within four weeks of the commencement of construction, an Independent Audit Program prepared in accordance with the Independent Audit Post Approval Requirements (Department 2018) must be submitted to the Department and the Certifying Authority.
- C39. Table 1 of the Independent Audit Post Approval Requirements (Department 2018) is amended so that the frequency of audits required in the construction phase is:

- (a) An initial construction Independent Audit must be undertaken within eight weeks of the notified commencement date of construction; and
- (b) A subsequent Independent Audit of construction must be undertaken no later than six months from the date of the initial construction Independent Audit.

In all other respects Table 1 remains the same. The Planning Secretary may require the initial and subsequent Independent Audits to be undertaken at different times to those specified above, upon giving at least 4 weeks notice to the applicant of the date upon which the audit must be commenced.

- C40. Independent Audits of the development must be carried out in accordance with:
- (a) the Independent Audit Program submitted to the Department and the Certifying Authority under condition C38 of this consent; and
 - (b) the requirements for an Independent Audit Methodology and Independent Audit Report in the Independent Audit Post Approval Requirements (Department 2018).
- C41. In accordance with the specific requirements in the Independent Audit Post Approval Requirements (Department 2018), the Applicant must:
- (a) review and respond to each Independent Audit Report prepared under condition C39 of this consent;
 - (b) submit the response to the Department and the Certifying Authority; and
 - (c) make each Independent Audit Report and response to it publicly available within 60 days after submission to the Department and notify the Department and the Certifying Authority in writing at least seven days before this is done.
- C42. Notwithstanding the requirements of the Independent Audit Post Approval Requirements (Department 2018), the Planning Secretary may approve a request for ongoing annual operational audits to be ceased, where it has been demonstrated to the Planning Secretary's satisfaction that an audit has demonstrated operational compliance.

Incident Notification, Reporting and Response

- C43. The Department must be notified in writing to compliance@planning.nsw.gov.au immediately after the Applicant becomes aware of an incident. The notification must identify the development (including the development application number and the name of the development if it has one), and set out the location and nature of the incident.
- C44. Subsequent notification must be given and reports submitted in accordance with the requirements set out in **Appendix 1**.

Non-Compliance Notification

- C45. The Department must be notified in writing to compliance@planning.nsw.gov.au within seven days after the Applicant becomes aware of any non-compliance. The Certifying Authority must also notify the Department in writing to compliance@planning.nsw.gov.au within seven days after they identify any non-compliance.
- C46. The notification must identify the development and the application number for it, set out the condition of consent that the development is non-compliant with, the way in which it does not comply and the reasons for the non-compliance (if known) and what actions have been, or will be, undertaken to address the non-compliance.
- C47. A non-compliance which has been notified as an incident does not need to also be notified as a non-compliance.

Revision of Strategies, Plans and Programs

- C48. Within three months of:
- (a) the submission of a compliance report under condition B36;
 - (b) the submission of an incident report under condition C43;
 - (c) the submission of an Independent Audit under condition C39;
 - (d) the approval of any modification of the conditions of this consent; or

- (e) the issue of a direction of the Planning Secretary under condition A2 which requires a review,

the strategies, plans and programs required under this consent must be reviewed, and the Department and the Certifying Authority must be notified in writing that a review is being carried out.

- C49. If necessary to either improve the environmental performance of the development, cater for a modification or comply with a direction, the strategies, plans and programs required under this consent must be revised, to the satisfaction of the Certifying Authority. Where revisions are required, the revised document must be submitted to the Certifying Authority for information within six weeks of the review.

Note: *This is to ensure strategies, plans and programs are updated on a regular basis and to incorporate any recommended measures to improve the environmental performance of the development.*

PART D PRIOR TO OCCUPATION OR COMMENCEMENT OF USE

Notification of Occupation

- D1. At least one month before commencement of operation, the date of commencement of the occupation of the development must be notified to the Planning Secretary in writing. If the operation of the development is to be staged, the Planning Secretary must be notified in writing at least one month before the commencement of each stage, of the date of commencement and the development to be carried out in that stage.

External Walls and Cladding

- D2. Prior to the commencement of occupation of each building, the Applicant must provide the Certifying Authority with documented evidence that the products and systems used in the construction of external walls including finishes and claddings such as synthetic or aluminium composite panels comply with the requirements of the BCA.
- D3. The Applicant must provide a copy of the documentation given to the Certifying Authority to the Planning Secretary within seven days after the Certifying Authority accepts it.

Post-construction Dilapidation Report

- D4. Prior to commencement of occupation of the final building, the Applicant must engage a suitably qualified person to prepare a post-construction dilapidation report at the completion of construction. This report is:
- a) to ascertain whether the construction created any structural damage to adjoining buildings or infrastructure.
 - b) to be submitted to the Certifying Authority. In ascertaining whether adverse structural damage has occurred to adjoining buildings or infrastructure, the Certifying Authority must:
 - i) compare the post-construction dilapidation report with the pre-construction dilapidation report required by these conditions; and
 - ii) have written confirmation from the relevant authority that there is no adverse structural damage to their infrastructure and roads.
 - c) to be forwarded to Council.

Protection of Public Infrastructure

- D5. Unless the Applicant and the applicable authority agree otherwise, the Applicant must:
- (a) repair, or pay the full costs associated with repairing, any public infrastructure that is damaged by carrying out the development; and
 - (b) relocate, or pay the full costs associated with relocating any infrastructure that needs to be relocated as a result of the development.

Utilities and Services

- D6. Prior to commencement of operation, the Applicant must obtain a Compliance Certificate for water and sewerage infrastructure servicing of the site under section 73 of the *Sydney Water Act 1994*.

Works as Executed Plans

- D7. Prior to commencement of occupation of each building, works-as-executed drawings signed by a registered surveyor demonstrating that the stormwater drainage and finished ground levels have been constructed as approved, must be submitted to the Certifying Authority.

Green Travel Plan

- D8. Prior to the commencement of operation, a Green Travel Plan (GTP) must be submitted to the satisfaction of the Planning Secretary to promote the use of active and sustainable transport modes. The plan must:
- (a) be prepared by a suitably qualified traffic consultant in consultation with Council and Transport for NSW;
 - (b) include objectives and modes share targets (i.e. Site and land use specific, measurable and achievable and timeframes for implementation) to define the direction and purpose of the GTP;

- (c) include specific tools and actions to help achieve the objectives and mode share targets;
- (d) include measures to promote and support the implementation of the plan, including financial and human resource requirements, roles and responsibilities for relevant employees involved in the implementation of the GTP; and
- (e) include details regarding the methodology and monitoring/review program to measure the effectiveness of the objectives and mode share targets of the GTP, including the frequency of monitoring and the requirement for travel surveys to identify travel behaviours of students and staff to and from both schools at appropriate times throughout the academic year.

Drop-off / Pick-up Facility

- D9. Prior to the commencement of operation, the proposed drop-off / pick-up zone must be implemented in accordance with the details approved under condition B6.

Operational Transport and Access Management Plan (OTAMP)

- D10. Prior to the commencement of operation, an OTAMP is to be prepared by a suitably qualified person, in consultation with Council, Transport for NSW and RMS, and submitted to the satisfaction of the Secretary. The OTAMP must address the following:
- (a) detailed pedestrian analysis including the identification of safe route options – to identify the need for management measures such as staggered school start and finish times to ensure students and staff are able to access and leave the Site in a safe and efficient manner during school start and finish;
 - (b) the location of all car parking spaces on the school campuses and their allocation (i.e. staff, visitor, accessible, emergency, etc.);
 - (c) the location and operational management procedures of the pick-up and drop-off parking, including staff management/traffic controller arrangements;
 - (d) the location and operational management procedures for the pick-up and drop-off of students by buses and coaches for excursions and sporting activities during the hours of bus lane operations, including staff management/traffic controller arrangements;
 - (e) delivery and services vehicle and bus access and management arrangements;
 - (f) management of approved access arrangements;
 - (g) potential traffic impacts on surrounding road networks and mitigation measures to minimise impacts, including measures to mitigate queuing impacts associated with vehicles accessing pick-up and drop-off parking;
 - (h) car parking arrangements and management associated with the proposed use of school facilities by community members; and
 - (i) a monitoring and review program.

Mechanical Ventilation

- D11. Prior to the commencement of operation, the Applicant must provide evidence to the satisfaction of the Certifying Authority that the installation and performance of the mechanical systems complies with:
- (a) the BCA;
 - (b) *AS 1668.2-2012 The use of air-conditioning in buildings – Mechanical ventilation in buildings* and other relevant codes and *AS/NZS 3666.1:2011 Air handling and water systems of buildings–Microbial control* to ensure adequate levels of health and amenity to the occupants of the building and to ensure environment protection;
 - (c) the development consent and any relevant modifications; and
 - (d) any dispensation granted by the Fire and Rescue NSW.

Operational Noise – Design of Mechanical Plant and Equipment

- D12. Prior to commencement of occupation, the Applicant must submit evidence to the Certifying Authority that the noise mitigation recommendations in the Environmental Noise Assessment

dated 13 November 2018 and prepared by Day Design Pty Ltd and all reasonable and feasible noise mitigation measures have been incorporated into the design to ensure the development will not exceed the recommended operational noise levels identified in the Environmental Noise Assessment.

Road Damage

- D13. Prior to the commencement of operation, the cost of repairing any damage caused to Council or other Public Authority's assets in the vicinity of the Site as a result of construction works associated with the approved development is to be met in full by the Applicant.

Fire Safety Certification

- D14. Prior to the commencement of final occupation, a Fire Safety Certificate must be obtained for all the Essential Fire or Other Safety Measures forming part of this consent. A copy of the Fire Safety Certificate must be submitted to the relevant authority and Council. The Fire Safety Certificate must be prominently displayed in the building.

Structural Inspection Certificate

- D15. Prior to the commencement of occupation of the relevant parts of any new or refurbished buildings, a Structural Inspection Certificate or a Compliance Certificate must be submitted to the satisfaction of the Certifying Authority of the relevant parts of any new or refurbished buildings. A copy of the Certificate with an electronic set of final drawings (contact approval authority for specific electronic format) must be submitted to the approval authority and the Council after:
- (a) the site has been periodically inspected and the Certifying Authority is satisfied that the structural works is deemed to comply with the final design drawings; and
 - (b) the drawings listed on the Inspection Certificate have been checked with those listed on the final Design Certificate/s.

Compliance with Food Code

- D16. Prior to the commencement of operation, the Applicant is to obtain a certificate from a suitably qualified tradesperson, certifying that the kitchen, food storage and food preparation areas have been fitted in accordance with the AS 4674 *Design, construction and fit-out of food premises*. The Applicant must provide evidence of receipt of the certificate to the satisfaction of the Certifying Authority.

Stormwater Quality Management Plan

- D17. Prior to commencement of occupation of each building, an Operation and Maintenance Plan (OMP) is to be submitted to the satisfaction of the Certifying Authority along with evidence of compliance with the OMP. The OMP must ensure the proposed stormwater quality measures remain effective and must contain the following:
- (a) maintenance schedule of all stormwater quality treatment devices;
 - (b) record and reporting details;
 - (c) relevant contact information; and
 - (d) Work Health and Safety requirements.

Rainwater Harvesting

- D18. Prior to commencement of occupation of the final building, signed works-as-executed Rainwater Re-use Plan must be provided to the Certifying Authority.

Warm Water Systems and Cooling Systems

- D19. Prior to the issue of an occupation certificate, evidence from a suitably qualified person must be submitted to the Certifying Authority that demonstrates that the installation of warm water systems and water cooling systems (as defined under the *Public Health Act 2010*) has been undertaken in accordance with the *Public Health Act 2010*, Public Health Regulation 2012 and Part 1 of AS/NZS 3666.2:2011 *Air handling and water systems of buildings – Microbial control – Operation and maintenance* and the NSW Health Code of Practice for the Control of Legionnaires' Disease.

Outdoor Lighting

- D20. Prior to the commencement of operation, the Applicant must submit to the Certifying Authority evidence from a qualified practitioner that demonstrates that installed lighting associated with the development achieves the objective of minimising light spillage to any adjoining or adjacent sensitive receivers and:
- (a) complies with the latest version of AS 4282-1997 - *Control of the obtrusive effects of outdoor lighting* (Standards Australia, 1997); and
 - (b) has been mounted, screened and directed in such a manner that it does not create a nuisance to surrounding properties or the public road network.

Signage

- D21. Prior to the commencement of occupation of each relevant building, way-finding signage and signage identifying the location of staff car parking must be installed for the relevant building/s.
- D22. Prior to the commencement of occupation of each relevant building, bicycle way-finding signage must be installed within the site to direct cyclists from footpaths to designated bicycle parking areas for the relevant building/s.
- D23. Prior to the commencement of occupation of each relevant building, 'Do not drink' signage on non-potable water used for toilet flushing and to new hose taps and irrigation systems for landscaped areas must be installed for the relevant building/s

Operational Waste Management Plan

- D24. Prior to the commencement of operation, the Applicant must prepare a Waste Management Plan for the development and submit it to the Department/Certifying Authority. The Waste Management Plan must:
- (a) detail the type and quantity of waste to be generated during operation of the development;
 - (b) describe the handling, storage and disposal of all waste streams generated on site, consistent with the *Protection of the Environment Operations Act 1997*, *Protection of the Environment Operations (Waste) Regulation 2014* and the *Waste Classification Guideline* (Department of Environment, Climate Change and Water, 2009);
 - (c) detail the materials to be reused or recycled, either on or off site; and
 - (d) include the Management and Mitigation Measures included in Section 7 of the EIS.

Validation Report

- D25. Within one month of the completion of remediation works and prior to the commencement of operation, the Applicant must submit a Validation Report for the development to EPA, the Planning Secretary and the Certifying Authority for information. The Validation Report must:
- (a) be prepared by an appropriately qualified environmental consultant and reviewed by an EPA accredited Site Auditor;
 - (b) be prepared in accordance with the RAP and the *Contaminated Sites: Guidelines for Consultants Reporting on Contaminated Sites* (OEH, 2011);
 - (c) include, but not be limited to:
 - (i) comment on the extent and nature of the remediation undertaken;
 - (ii) describe the location, nature and extent of any remaining contamination on site;
 - (iii) discussion of the suitability the remediated areas for the intended land use; and
 - (iv) any other requirement relevant to the project.

Site Audit Report and Site Audit Statement

- D26. Prior commencement of occupation of each building, the Applicant must obtain from an EPA accredited Site Auditor, a Site Audit Statement and a Site Audit Report which demonstrates that the relevant part of the site is suitable for its intended use(s).
- D27. Within three months of submission of the Validation Report required by condition D25, the Applicant must demonstrate to the satisfaction of the Certifying Authority that the Site Auditor

has submitted a Site Audit Report and Site Audit Statement to EPA in accordance with the requirements of EPA's *Guidelines for the NSW Site Auditor Scheme* (3rd Edition) 2017.

Long Term Environmental Management Plan

- D28. Within one month of the completion of remediation works or other timeframe agreed by the Planning Secretary, the Applicant must prepare a Long Term Environmental Management Plan (LTEMP) to the satisfaction of the Planning Secretary. The plan must:
- (a) be prepared by a suitably qualified and experienced person whose appointment has been endorsed by the Planning Secretary in consultation with EPA;
 - (b) be submitted to EPA for review prior to submission to the Planning Secretary; and
 - (c) include, but not be limited to:
 - (i) a description of the nature and location of any contamination remaining on site;
 - (ii) provisions to manage and monitor any remaining contamination, including details of any restrictions placed on the land to prevent development over the containment cell;
 - (iii) triggers that would indicate if further remediation is required; and
 - (iv) details of any contingency measures that the Applicant is to carry out to address any ongoing contamination.
 - (d) include any ongoing measures set out in the Asbestos Management Plan approved under condition B5.

Landscaping

- D29. Prior to the commencement of occupation of the final building, landscaping must be completed in accordance with the plan approved under condition B3.

PART E POST OCCUPATION

Out of Hours Event Management Plan

- E1. Prior to the commencement of the first out of hours events (school use) run by the school that involve 100 or more people, the Applicant is to prepare an Out of Hours Event Management Plan (School Use) and submit it to the Council and the Planning Secretary in consultation with Council. The plan must include the following:
- (a) the number of attendees, time and duration;
 - (b) arrival and departure times and modes of transport;
 - (c) where relevant, a schedule of all annual events;
 - (d) demonstrate measures to encourage non-vehicular travel to the school and promote and support the use of alternate travel modes (i.e. public transport);
 - (e) details of the use of the school hall, where applicable, restricting use before 8 am and after 10 pm;
 - (f) measures to minimise localised traffic and parking impacts; and
 - (g) include measures to minimise noise impacts on any sensitive residential receivers, including the preparation of acoustic management plan.
- E2. The Out of Hours Event Management Plan must be implemented by the Applicant for the duration of the identified events or use.
- E3. Prior to the commencement of out of hours events (community use) run by the external parties that involve 100 or more people, the Applicant is to prepare an Out of Hours Event Management Plan (Community Use) in consultation with Council and submit it to the Council and Planning Secretary. The plan must include the following:
- (a) the number of attendees, time and duration;
 - (b) arrival and departure times and modes of transport;
 - (c) where relevant, a schedule of all annual events;
 - (d) demonstrate measures to encourage non-vehicular travel to the school and promote and support the use of alternate travel modes (i.e. public transport);
 - (e) details of the use of the school hall, where applicable, restricting use before 8 am and after 10 pm;
 - (f) measures to minimise localised traffic and parking impacts; and
 - (g) include measures to minimise noise impacts on any sensitive residential receivers, including the preparation of acoustic management plan.
- E4. The Out of Hours Event Management Plan must be implemented by the Applicant for the duration of the identified community event or use.

Operation of Plant and Equipment

- E5. All plant and equipment used on site must be maintained in a proper and efficient condition operated in a proper and efficient manner.

Warm Water Systems and Cooling Systems

- E6. The operation and maintenance of warm water systems and water cooling systems (as defined under the *Public Health Act 2010*) must comply with the *Public Health Act 2010*, Public Health Regulation 2012 and Part 2 (or Part 3 if a Performance-based water cooling system) of *AS/NZS 3666.2:2011 Air handling and water systems of buildings – Microbial control – Operation and maintenance* and the NSW Health Code of Practice for the Control of Legionnaires' Disease.

Operational Transport and Access Management Plan (OTAMP)

- E7. The OTAMP(s) approved under condition D10 (as revised from time to time) must be implemented by the Applicant for the life of the development.

Community Communication Strategy

- E8. The Community Communication Strategy, as approved by the Planning Secretary, must be implemented for a minimum of 12 months following the completion of construction.

Operational Noise Limits

- E9. The Applicant must ensure that noise generated by operation of the development does not exceed the noise limits in the Environmental Noise Assessment dated 13 November 2018 and prepared by Day Design Pty Ltd.
- E10. The Applicant must undertake short term noise monitoring in accordance with the *Noise Policy for Industry* where valid data is collected following the commencement of use of each stage of the development. The monitoring program must be carried out by an appropriately qualified person and a monitoring report must be submitted to the Planning Secretary within two months of commencement use of each stage of the development to verify that operational noise levels do not exceed the recommended noise levels for mechanical plant identified in Environmental Noise Assessment dated 13 November 2018 and prepared by Day Design Pty Ltd. Should the noise monitoring program identify any exceedance of the recommended noise levels referred to above, the Applicant is required to implement appropriate noise attenuation measures so that operational noise levels do not exceed the recommended noise levels or provide attenuation measures at the affected noise sensitive receivers.

Unobstructed Driveways and Parking Areas

- E11. All driveways, footways and parking areas must be unobstructed at all times. Driveways, footways and car spaces must not be used for the manufacture, storage or display of goods, materials, refuse, skips or any other equipment and must be used solely for vehicular and/or pedestrian access and for the parking of vehicles associated with the use of the premises.

Green Travel Plan

- E12. The Green Travel Plan required by condition D8 of this consent must be updated annually and implemented.

Ecologically Sustainable Development

- E13. Unless otherwise agreed by the Planning Secretary, within six months of commencement of operation, Green Star certification must be obtained demonstrating the development achieves a minimum 4 star Green Star As Built rating. If required to be obtained, evidence of the certification must be provided to the Certifying Authority and the Planning Secretary.

Outdoor Lighting

- E14. Notwithstanding Condition D20, should outdoor lighting result in any residual impacts on the amenity of surrounding sensitive receivers, the Applicant must provide mitigation measures in consultation with affected landowners to reduce the impacts to an acceptable level.

Fire Safety Certificate

- E15. The owner must submit to Council an Annual Fire Safety Statement, each 12 months after the final Safety Certificate is issued. The certificate must be on, or to the effect of, Council's Fire Safety Statement.

Landscaping

- E16. The Applicant must maintain the landscaping and vegetation on the site in accordance with the approved Vegetation Management Plan required by condition B4 for the duration of occupation of the development.

Long Term Environmental Management Plan

- E17. Upon completion of the remediation works, the Applicant must manage the site in accordance with the Long Term Environmental Management Plan approved under condition D28 and any on-going maintenance of remediation notice issued by EPA under the *Contaminated Land Management Act 1997*.

APPENDIX 1 WRITTEN INCIDENT NOTIFICATION AND REPORTING REQUIREMENTS

Written Incident Notification Requirements

1. A written incident notification addressing the requirements set out below must be emailed to the Department at the following address: compliance@planning.nsw.gov.au within seven days after the Applicant becomes aware of an incident. Notification is required to be given under this condition even if the Applicant fails to give the notification required under condition C43 or, having given such notification, subsequently forms the view that an incident has not occurred.
2. Written notification of an incident must:
 - a. identify the development and application number;
 - b. provide details of the incident (date, time, location, a brief description of what occurred and why it is classified as an incident);
 - c. identify how the incident was detected;
 - d. identify when the applicant became aware of the incident;
 - e. identify any actual or potential non-compliance with conditions of consent;
 - f. describe what immediate steps were taken in relation to the incident;
 - g. identify further action(s) that will be taken in relation to the incident; and
 - h. identify a project contact for further communication regarding the incident.
3. Within 30 days of the date on which the incident occurred or as otherwise agreed to by the Planning Secretary, the Applicant must provide the Planning Secretary and any relevant public authorities (as determined by the Planning Secretary) with a detailed report on the incident addressing all requirements below, and such further reports as may be requested.
4. The Incident Report must include:
 - a. a summary of the incident;
 - b. outcomes of an incident investigation, including identification of the cause of the incident;
 - c. details of the corrective and preventative actions that have been, or will be, implemented to address the incident and prevent recurrence; and
 - d. details of any communication with other stakeholders regarding the incident.

